





MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Leucine || id:306'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Cholesterol || id:307'






















MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Fructose || id:313'























MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Deoxycholate || id:320'










MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Isoleucine || id:323'

































MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Pentadecanoate (15:0) || id:333'















MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on '5-oxoproline || id:337'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Pantothenate || id:338'






























MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Arginine || id:347'





















MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Cortisol || id:353'






MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Proline || id:355'







MR leave-one-out sensitivity analysis for 'Shungin WHR EU sex combined 26 SNPs' on 'Biliverdin || id:357'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Serotonin (5HT) || id:358'









MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Gamma-glutamyltyrosine || id:360'








MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Betaine || id:362'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Xanthine || id:363'





















MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Taurodeoxycholate || id:369'







MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-03003 || id:371'















MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Kynurenine || id:375'









MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Acetylphosphate || id:378'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Carnitine || id:379'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Choline || id:380'













MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on '3-methyl-2-oxovalerate || id:383'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on '3-methylhistidine || id:384'









MR leave-one-out sensitivity analysis for 'Shungin WHR EU sex combined 26 SNPs' on 'Glycerophosphorylcholine (GPC) || id:387'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Aspartate || id:388'







MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-04494 || id:390'














MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-04499--3,4-dihydroxybutyrate || id:393'

























MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Gamma-glutamylleucine || id:401'





MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Eicosapentaenoate (EPA; 20:5n3) || id:402'







MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Glycocholate || id:404'

















MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Docosahexaenoate (DHA; 22:6n3) || id:409'





MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on '1-stearoylglycerophosphoinositol || id:410'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-06226 || id:411'

















MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-06351 || id:416'







MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Glucose || id:418'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on '1,5-anhydroglucitol (1,5-AG) || id:419'



MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on '2-hydroxybutyrate (AHB) || id:420'





MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on '3-methyl-2-oxobutyrat || id:421'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on '1,6-anhydroglucose || id:422'














MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on '1-stearoylglycerol (1-monostearin) || id:425'



























MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Levulinate (4-oxovalerate) || id:433'


























MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-10429 || id:441'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-10500 || id:442'


















































MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'N-(2-furoyl)glycine || id:457'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'DSGEGDFAEGGGVR\* || id:458'










MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on '3-carboxy-4-methyl-5-propyl-2-furanpropanoate (CMPF) || id:461'


















MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Glutamate || id:466'









MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Alanine || id:469'













MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Scyllo-inositol || id:472'







MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Gamma-glutamylvaline || id:474'



























MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on '10-undecenoate (11:1n1) || id:482'








MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-02269 || id:485'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Phenol sulfate || id:486'








MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-06126 || id:487'





MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-07765 || id:488'

















MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-11299 || id:494'










MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-11317 || id:496'





MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on '1-linoleoylglycerophosphoethanolamine\* || id:497'



















MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-11374 || id:503'







MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-03056--N-[3-(2-Oxopyrrolidin-1-yl)propyl]acetamide || id:505'





MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-11412 || id:506'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-01911 || id:507'

































MR leave-one-out sensitivity analysis for 'Shungin WHR EU sex combined 26 SNPs' on 'X-11445--5-alpha-pregnan-3beta,20alpha-disulfate || id:517'















MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-11478 || id:521'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-11483 || id:522'





























MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-11538 || id:531'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-11540 || id:532'













MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-11552 || id:535'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-11593—O-methylascorbate\* || id:536'









MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'ADSGEGDXAEGGVR\* || id:539'








MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-11787 || id:541'






















MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-11820 || id:548'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-11843 || id:549'





MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-11845 || id:550'







MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-11847 || id:551'









MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-11852 || id:554'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-11858 || id:555'





MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-11859 || id:556'




























MR leave-one-out sensitivity analysis for 'Shungin WHR EU sex combined 26 SNPs' on 'X-12029 || id:565'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-12038 || id:566'







MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-12039 || id:567'





MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-12040 || id:568'





MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-12056 || id:569'















MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Pseudouridine || id:574'















MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Erythrinate\* || id:578'










MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-12093 || id:581'




















MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-12188 || id:587'










MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-12212 || id:590'








MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-12216 || id:591'



























MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-12329 || id:599'

















MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-12407 || id:605'










MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on '1-eicosadienoylglycerophosphocholine\* || id:607'






MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-12441--12-hydroxyeicosatetraenoate (12-HETE) || id:609'







MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-12443 || id:611'





MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-12450 || id:612'














MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Alpha-hydroxyisovalerate || id:616'





MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'N-acetylthreonine || id:617'






MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on '1-palmitoylglycerophosphocholine || id:619'






MR leave-one-out sensitivity analysis for 'Shungin WHR EU sex combined 26 SNPs' on '1-oleoylglycerophosphocholine || id:621'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on '1-stearoylglycerophosphocholine || id:622'








MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on '5-dodecenoate (12:1n7) || id:623'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Stearidonate (18:4n3) || id:624'













MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Linolenate [alpha or gamma; (18:3n3 or 6)] || id:628'















MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-12544 || id:632'







MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on '1-arachidonoylglycerophosphoinositol\* || id:634'




















MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-12696 || id:640'





MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-12704 || id:641'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-12712 || id:642'









MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-12726 || id:645'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-12728 || id:646'










MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-12734 || id:648'







MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-12749 || id:650'










MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Stearoylcarnitine || id:653'



























MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-12798 || id:661'























MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Laurylcarnitine || id:668'







MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-12855 || id:670'









MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Isovalerate || id:672'







MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-13183--stearamide || id:674'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-13215 || id:675'







MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Phenylacetylglutamine || id:677'














MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Cysteine-glutathione disulfide || id:680'


























MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on '2-oleoylglycerophosphocholine\* || id:688'







MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on '2-linoleoylglycerophosphocholine\* || id:690'













MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-13549 || id:694'






































MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on '1-myristoylglycerophosphocholine || id:705'










MR leave-one-out sensitivity analysis for 'Shungin WHR EU sex combined 26 SNPs' on '3-(3-hydroxyphenyl)propionate || id:708'




















MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Threitol || id:714'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-14056 || id:715'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-14057 || id:716'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-14086 || id:717'










MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-14189—leucylalanine || id:719'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-14205--alpha-glutamyltyrosine || id:720'









MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-14374 || id:723'










MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-14541 || id:726'











MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'X-14625 || id:728'

















MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Gamma-glutamylglutamate || id:734'














MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on '7-alpha-hydroxy-3-oxo-4-cholestenoate (7-Hoca) || id:737'























MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Cyclo(leu-pro) || id:744'











MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on '4-androsten-3beta,17beta-diol disulfate 2\* || id:748'





MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on '2-hydroxyglutarate || id:749'





MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Ergothioneine || id:750'











MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on '15-methylpalmitate (isobar with 2-methylpalmitate) || id:754'