
All
−0.015
−0.010
−0.005
0.000
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Glutamine || id:303'


0.000
0.005
0.010
0.015
0.020
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Tryptophan || id:304'


All
−0.005
0.000
0.005
0.010
0.015
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Histidine || id:305'


All
0.000
0.005
0.010
0.015
0.020
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Leucine || id:306'


All
−0.020
−0.015
−0.010
−0.005
0.000
0.005
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Cholesterol || id:307'


All
0.000
0.005
0.010
0.015
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Phenylalanine || id:308'


All
−0.01
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Creatinine || id:309'


All
0.00
0.01
0.02
0.03
0.04
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Lactate || id:310'


All
−0.100
−0.075
−0.050
−0.025
0.000
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '3−hydroxybutyrate (BHBA) || id:311'


All
−0.06
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Arabinose || id:312'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Fructose || id:313'


All
0.00
0.01
0.02
0.03
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Mannose || id:314'


All
0.00
0.02
0.04
0.06
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Pyruvate || id:315'


All
−0.015
−0.010
−0.005
0.000
0.005
0.010
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Uridine || id:316'


All
−0.03
−0.02
−0.01
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Linoleate (18:2n6) || id:317'


All
−0.08
−0.06
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Allantoin || id:318'


All
−0.02
−0.01
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Arachidonate (20:4n6) || id:319'


0.00
0.05
0.10
0.15
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Deoxycholate || id:320'


All
−0.02
−0.01
0.00
0.01
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Margarate (17:0) || id:321'


All
−0.15
−0.10
−0.05
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Inosine || id:322'


All
0.00
0.01
0.02
0.03
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Isoleucine || id:323'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Threonine || id:324'


All
0.00
0.01
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Tyrosine || id:325'


All
0.00
0.01
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Lysine || id:326'


All
−0.005
0.000
0.005
0.010
0.015
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Methionine || id:327'


All
−0.02
−0.01
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Malate || id:328'


All
−0.02
−0.01
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Palmitate (16:0) || id:329'


All
−0.02
−0.01
0.00
0.01
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Nonadecanoate (19:0) || id:330'


All
−0.01
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Stearate (18:0) || id:331'


All
−0.04
−0.03
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Oleate (18:1n9) || id:332'


All
−0.04
−0.03
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Pentadecanoate (15:0) || id:333'


rs2025979
rs1
rs1
rs1


All
−0.04
−0.02
0.00
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Pipecolate || id:335'


All
−0.01
0.00
0.01
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Ornithine || id:336'


All
−0.020
−0.015
−0.010
−0.005
0.000
0.005
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '5−oxoproline || id:337'


All
−0.02
−0.01
0.00
0.01
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Pantothenate || id:338'


All
−0.03
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '4−acetamidobutanoate || id:339'


All
−0.04
−0.03
−0.02
−0.01
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Alpha−tocopherol || id:340'


All
−0.02
−0.01
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Citrate || id:341'


All
−0.03
−0.02
−0.01
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Glycerate || id:342'


All
−0.075
−0.050
−0.025
0.000
0.025
0.050
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Guanosine || id:343'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'N−acetylalanine || id:344'


All
0.00
0.01
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Urate || id:345'


All
−0.03
0.00
0.03
0.06
0.09
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Ursodeoxycholate || id:346'


All
−0.02
−0.01
0.00
0.01
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Arginine || id:347'


All
−0.05
0.00
0.05
0.10
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Ascorbate (Vitamin C) || id:348'


All
−0.03
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Heptanoate (7:0) || id:349'


All
−0.04
−0.03
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Laurate (12:0) || id:350'


All
0.000
0.005
0.010
0.015
0.020
0.025
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Valine || id:351'


All
−0.02
−0.01
0.00
0.01
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Urea || id:352'


All
−0.02
−0.01
0.00
0.01
0.02
0.03
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Cortisol || id:353'


All
0.00
0.01
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Cortisone || id:354'


All
0.00
0.01
0.02
0.03
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Proline || id:355'


All
−0.01
0.00
0.01
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Citrulline || id:356'


All
−0.04
−0.02
0.00
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Biliverdin || id:357'


All
−0.03
−0.02
−0.01
0.00
0.01
0.02
0.03
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Serotonin (5HT) || id:358'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Gamma−glutamylglutamine || id:359'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Gamma−glutamyltyrosine || id:360'


All
−0.04
−0.03
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Hypoxanthine || id:361'


All
−0.02
−0.01
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Betaine || id:362'


−0.01
0.00
0.01
0.02
0.03
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Xanthine || id:363'


−0.015
−0.010
−0.005
0.000
0.005
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Phosphate || id:364'


All
−0.04
−0.03
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '3−methoxytyrosine || id:365'


All
−0.02
−0.01
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Pelargonate (9:0) || id:366'


All
−0.01
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Undecanoate (11:0) || id:367'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Beta−hydroxyisovalerate || id:368'


rs1709248
rs17905165
rs1800562
rs2228603
rs2228671
rs2228672
rs2228673
rs2228674
rs2228675
rs2228676
rs2228677
rs2228678
rs2228679
rs2228680
rs2228681
rs2228682
rs2228683
rs2228684
rs2228685
rs2228686
rs2228687
rs2228688
rs2228689
rs2228690
rs2228691
rs2228692
rs2228693
rs2228694
rs2228695
rs2228696
rs2228697
rs2228698
rs2228699
rs2228700
rs2228701
rs2228702
rs2228703
rs2228704
rs2228705
rs2228706
rs2228707
rs2228708
rs2228709
rs2228710


−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−02973 || id:370'


All
−0.05
−0.04
−0.03
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−03003 || id:371'


All
−0.03
−0.02
−0.01
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−03088 || id:372'


All
−0.03
−0.02
−0.01
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−03094 || id:373'


All
−0.04
−0.03
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Glycerol || id:374'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Kynurenine || id:375'


All
−0.05
0.00
0.05
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Mannitol || id:376'


All
−0.04
−0.03
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Glycerol 3−phosphate (G3P) || id:377'


All
−0.020
−0.015
−0.010
−0.005
0.000
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Acetylphosphate || id:378'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Carnitine || id:379'


All
−0.020
−0.015
−0.010
−0.005
0.000
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Choline || id:380'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'N−acetylornithine || id:381'


All
−0.005
0.000
0.005
0.010
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'N1−methyladenosine || id:382'


All
0.00
0.01
0.02
0.03
0.04
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '3−methyl−2−oxovalerate || id:383'


All
−0.05
0.00
0.05
0.10
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '3−methylhistidine || id:384'


All
0.000
0.025
0.050
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '3−phenylpropionate (hydrocinnamate) || id:385'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Phenylacetate || id:386'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Glycerophosphorylcholine (GPC) || id:387'


rs2236519
rs1400
rs1400
rs1400


All
0.000
0.025
0.050
0.075
0.100
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−04357 || id:389'


All
−0.01
0.00
0.01
0.02
0.03
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−04494 || id:390'


All
−0.02
−0.01
0.00
0.01
0.02
0.03
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−04495 || id:391'


All
−0.03
−0.02
−0.01
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−04498 || id:392'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−04499−−3,4−dihydroxybutyrate || id:393'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−04500 || id:394'


All
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Dihomo−linoleate (20:2n6) || id:395'


All
−0.050
−0.025
0.000
0.025
0.050
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−18601 || id:396'


All
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '2−hydroxystearate || id:397'


All
−0.050
−0.025
0.000
0.025
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−05426 || id:398'


All
0.00
0.02
0.04
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Indolelactate || id:399'


All
0.00
0.04
0.08
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Glycylvaline || id:400'


All
0.00
0.01
0.02
0.03
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Gamma−glutamylleucine || id:401'


All
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Eicosapentaenoate (EPA; 20:5n3) || id:402'


All
−0.05
0.00
0.05
0.10
0.15
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Estrone 3−sulfate || id:403'


All
−0.050
−0.025
0.000
0.025
0.050
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Glycocholate || id:404'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Glycodeoxycholate || id:405'


All
−0.06
−0.03
0.00
0.03
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Taurochenodeoxycholate || id:406'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Taurocholate || id:407'


All
−0.04
−0.03
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−05907 || id:408'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Docosahexaenoate (DHA; 22:6n3) || id:409'


All
−0.05
−0.04
−0.03
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '1−stearoylglycerophosphoinositol || id:410'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−06226 || id:411'


rs2836519
rs1497225
rs1497226
rs1497227
rs1497228
rs1497229
rs1497230
rs1497231
rs1497232
rs1497233
rs1497234
rs1497235
rs1497236
rs1497237
rs1497238
rs1497239
rs1497240
rs1497241
rs1497242
rs1497243
rs1497244
rs1497245
rs1497246
rs1497247
rs1497248
rs1497249
rs1497250
rs1497251
rs1497252
rs1497253
rs1497254
rs1497255
rs1497256
rs1497257
rs1497258
rs1497259
rs1497260
rs1497261
rs1497262
rs1497263
rs1497264


All
−0.03
−0.02
−0.01
0.00
0.01
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−06267 || id:413'


All
−0.02
0.00
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−06307 || id:414'


All
−0.02
0.00
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−06350 || id:415'


All
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−06351 || id:416'


All
−0.03
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Myo−inositol || id:417'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Glucose || id:418'


All
−0.06
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '1,5−anhydroglucitol (1,5−AG) || id:419'


All
0.00
0.01
0.02
0.03
0.04
0.05
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '2−hydroxybutyrate (AHB) || id:420'


All
−0.01
0.00
0.01
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '3−methyl−2−oxobutyrate || id:421'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '1,6−anhydroglucose || id:422'


All
−0.02
−0.01
0.00
0.01
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '1−palmitoylglycerol (1−monopalmitin) || id:423'


All
0.00
0.03
0.06
0.09
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '1−oleoylglycerol (1−monoolein) || id:424'


All
−0.01
0.00
0.01
0.02
0.03
0.04
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '1−stearoylglycerol (1−monostearin) || id:425'


All
−0.02
−0.01
0.00
0.01
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−08402 || id:426'


All
−0.03
−0.02
−0.01
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '2−hydroxyisobutyrate || id:427'


All
−0.03
−0.02
−0.01
0.00
0.01
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−08766 || id:428'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '4−methyl−2−oxopentanoate || id:429'


All
0.00
0.01
0.02
0.03
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Phenyllactate (PLA) || id:430'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Homocitrulline || id:431'


−0.050
−0.025
0.000
0.025
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Aspartylphenylalanine || id:432'


All
−0.02
−0.01
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Levulinate (4−oxovalerate) || id:433'


All
−0.03
−0.02
−0.01
0.00
0.01
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Palmitoylcarnitine || id:434'


All
−0.03
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−08988 || id:435'


All
−0.01
0.00
0.01
0.02
0.03
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−09026 || id:436'


All
−0.04
−0.03
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−09108 || id:437'


All
0.00
0.05
0.10
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Cholate || id:438'


All
−0.04
−0.03
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−09706 || id:439'


All
−0.02
−0.01
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−10395 || id:440'


All
−0.03
−0.02
−0.01
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−10429 || id:441'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−10500 || id:442'


All
−0.03
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−10506 || id:443'


All
−0.03
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−10510 || id:444'


All
0.00
0.03
0.06
0.09
0.12
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '1−linoleoylglycerol (1−monolinolein) || id:445'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Indoleacetate || id:446'


All
−0.025
0.000
0.025
0.050
0.075
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Hyodeoxycholate || id:447'


All
0.00
0.02
0.04
0.06
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '3−indoxyl sulfate || id:448'


All
−0.075
−0.050
−0.025
0.000
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'N−acetylglycine || id:449'


All
−0.025
0.000
0.025
0.050
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Bilirubin (Z,Z) || id:450'


−0.04
−0.02
0.00
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Creatine || id:451'


All
−0.02
0.00
0.02
0.04
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Erythrose || id:452'


All
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Threonate || id:453'


All
−0.02
−0.01
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−10810 || id:454'


All
−0.02
−0.01
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Cysteine || id:455'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Pyroglutamylglycine || id:456'


rs10107759
rs1000000
rs1000000
rs1000000


All
−0.03
0.00
0.03
0.06
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'DSGEGDFXAEGGGVR* || id:458'


All
−0.04
−0.02
0.00
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Pyridoxate || id:459'


All
0.000
0.025
0.050
0.075
0.100
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Androsterone sulfate || id:460'


All
−0.04
0.00
0.04
0.08
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '3−carboxy−4−methyl−5−propyl−2−furanpropanoate (CMPF) || id:461'


All
0.00
0.02
0.04
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '3−(4−hydroxyphenyl)lactate || id:462'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Acetylcarnitine || id:463'


All
−0.04
−0.03
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Serine || id:464'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Trans−4−hydroxyproline || id:465'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Glutamate || id:466'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Hexanoylcarnitine || id:467'


All
−0.06
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Glycine || id:468'


All
0.00
0.01
0.02
0.03
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Alanine || id:469'


−0.05
0.00
0.05
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Glycochenodeoxycholate || id:470'


All
−0.01
0.00
0.01
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '2−aminobutyrate || id:471'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Scyllo−inositol || id:472'


All
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Dodecanedioate || id:473'


All
0.00
0.01
0.02
0.03
0.04
0.05
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Gamma−glutamylvaline || id:474'


All
−0.02
0.00
0.02
0.04
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Indolepropionate || id:475'


All
0.00
0.02
0.04
0.06
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Butyrylcarnitine || id:476'


All
−0.075
−0.050
−0.025
0.000
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Myristoleate (14:1n5) || id:477'


All
−0.025
0.000
0.025
0.050
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Dehydroisoandrosterone sulfate (DHEA−S) || id:478'


All
0.00
0.02
0.04
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Propionylcarnitine || id:479'


All
−0.03
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Caproate (6:0) || id:480'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Caprylate (8:0) || id:481'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '10−undecenoate (11:1n1) || id:482'


All
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Docosapentaenoate (n3 DPA; 22:5n3) || id:483'


All
0.00
0.01
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11204 || id:484'


All
−0.10
−0.05
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−02269 || id:485'


All
−0.02
0.00
0.02
0.04
0.06
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Phenol sulfate || id:486'


−0.06
−0.04
−0.02
0.00
0.02
0.04
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−06126 || id:487'


All
−0.04
0.00
0.04
0.08
0.12
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−07765 || id:488'


All
−0.10
−0.05
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11247 || id:489'


0.00
0.02
0.04
0.06
0.08
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11261 || id:490'


−0.075
−0.050
−0.025
0.000
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Bilirubin (E,E)* || id:491'


0.00
0.02
0.04
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−02249 || id:492'


All
−0.04
−0.02
0.00
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Heme* || id:493'


All
−0.08
−0.04
0.00
0.04
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11299 || id:494'


All
−0.06
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11315 || id:495'


All
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11317 || id:496'


All
−0.05
−0.04
−0.03
−0.02
−0.01
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '1−linoleoylglycerophosphoethanolamine* || id:497'


All
0.00
0.01
0.02
0.03
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11327 || id:498'


All
−0.03
−0.02
−0.01
0.00
0.01
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11334 || id:499'


All
0.00
0.01
0.02
0.03
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '3−dehydrocarnitine* || id:500'


All
−0.04
−0.02
0.00
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Pyroglutamine* || id:501'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'C−glycosyltryptophan* || id:502'


All
−0.03
0.00
0.03
0.06
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11374 || id:503'


All
−0.01
0.00
0.01
0.02
0.03
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11381 || id:504'


All
−0.02
−0.01
0.00
0.01
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−03056−−N−[3−(2−Oxopyrrolidin−1−yl)propyl]acetamide || id:505'


All
−0.03
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11412 || id:506'


All
0.00
0.05
0.10
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−01911 || id:507'


All
−0.04
−0.03
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11422−−xanthine || id:508'


All
−0.01
0.00
0.01
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11423−−O−sulfo−L−tyrosine || id:509'


All
−0.06
−0.04
−0.02
0.00
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−09789 || id:510'


All
−0.10
−0.05
0.00
0.05
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11437 || id:511'


All
−0.02
0.00
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11438 || id:512'


All
−0.02
0.00
0.02
0.04
0.06
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11440 || id:513'

All
−0.02
0.00
0.02
0.04
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11441 || id:514'


All
−0.04
−0.02
0.00
0.02
0.04
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11442 || id:515'


All
−0.01
0.00
0.01
0.02
0.03
0.04
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11444 || id:516'


All
−0.10
−0.05
0.00
0.05
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11445−−5−alpha−pregnan−3beta,20alpha−disulfate || id:517'


All
0.00
0.03
0.06
0.09
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11452 || id:518'


All
−0.075
−0.050
−0.025
0.000
0.025
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11469 || id:519'


All
−0.02
0.00
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11470 || id:520'


All
0.00
0.02
0.04
0.06
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11478 || id:521'


All
−0.09
−0.06
−0.03
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11483 || id:522'


All
0.000
0.025
0.050
0.075
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11485 || id:523'


All
−0.050
−0.025
0.000
0.025
0.050
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11491 || id:524'


−0.04
−0.03
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11497 || id:525'


All
−0.025
0.000
0.025
0.050
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'HWESASXX* || id:526'


All
−0.02
0.00
0.02
0.04
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11521 || id:527'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11529 || id:528'


All
−0.06
−0.04
−0.02
0.00
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11530 || id:529'


All
−0.100
−0.075
−0.050
−0.025
0.000
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11537 || id:530'

−0.06
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11538 || id:531'

All
−0.09
−0.06
−0.03
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11540 || id:532'


All
−0.05
0.00
0.05
0.10
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11546 || id:533'


All
−0.020
−0.015
−0.010
−0.005
0.000
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11550 || id:534'


All
−0.050
−0.025
0.000
0.025
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11552 || id:535'


All
−0.01
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11593−−O−methylascorbate* || id:536'


All
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Adrenate (22:4n6) || id:537'


All
−0.050
−0.025
0.000
0.025
0.050
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Homostachydrine* || id:538'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'ADSGEGDFXAEGGGVR* || id:539'


All
−0.04
−0.02
0.00
0.02
0.04
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11786−−methylcysteine || id:540'


All
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11787 || id:541'


All
−0.05
0.00
0.05
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11792 || id:542'


rs963750
rs1260326
rs1800961
rs2228603
rs2228671
rs2228672
rs2228673
rs2228674
rs2228675
rs2228676
rs2228677
rs2228678
rs2228679
rs2228680
rs2228681
rs2228682
rs2228683
rs2228684
rs2228685
rs2228686
rs2228687
rs2228688
rs2228689
rs2228690
rs2228691
rs2228692
rs2228693
rs2228694
rs2228695
rs2228696
rs2228697
rs2228698
rs2228699
rs2228700
rs2228701
rs2228702
rs2228703
rs2228704
rs2228705
rs2228706
rs2228707
rs2228708
rs2228709
rs2228710


All
−0.02
0.00
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11795 || id:544'


All
−0.08
−0.04
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11799 || id:545'


All
−0.05
0.00
0.05
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11805 || id:546'


All
−0.02
−0.01
0.00
0.01
0.02
0.03
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11818 || id:547'


All
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11820 || id:548'


All
0.00
0.05
0.10
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11843 || id:549'


All
−0.05
0.00
0.05
0.10
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11845 || id:550'


All
−0.10
−0.05
0.00
0.05
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11847 || id:551'


All
−0.10
−0.05
0.00
0.05
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11849 || id:552'


All
0.00
0.05
0.10
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11850 || id:553'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11852 || id:554'


All
−0.05
0.00
0.05
0.10
0.15
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11858 || id:555'


All
−0.05
−0.04
−0.03
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11859 || id:556'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11876 || id:557'


All
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '1−arachidonoylglycerophosphocholine* || id:558'


All
−0.06
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '1−palmitoleoylglycerophosphocholine* || id:559'


All
−0.100
−0.075
−0.050
−0.025
0.000
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−11905 || id:560'


All
−0.15
−0.10
−0.05
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12007 || id:561'


0.00
0.05
0.10
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12013 || id:562'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Gamma−glutamylmethionine* || id:563'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Gamma−glutamylthreonine* || id:564'


All
−0.005
0.000
0.005
0.010
0.015
0.020
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12029 || id:565'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12038 || id:566'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12039 || id:567'


0.0
0.1
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12040 || id:568'


All
−0.075
−0.050
−0.025
0.000
0.025
0.050
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12056 || id:569'


All
0.000
0.025
0.050
0.075
0.100
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12063 || id:570'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Gamma−tocopherol || id:571'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Gamma−glutamylphenylalanine || id:572'


All
0.00
0.02
0.04
0.06
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Isobutyrylcarnitine || id:573'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Pseudouridine || id:574'


All
−0.02
0.00
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Valerate || id:575'


All
−0.08
−0.06
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Palmitoleate (16:1n7) || id:576'


All
−0.02
0.00
0.02
0.04
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Alpha−ketoglutarate || id:577'


All
−0.01
0.00
0.01
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Erythronate* || id:578'


All
0.00
0.02
0.04
0.06
0.08
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Lathosterol || id:579'


All
−0.04
−0.02
0.00
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12092 || id:580'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12093 || id:581'


All
−0.02
0.00
0.02
0.04
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12094 || id:582'


All
−0.02
−0.01
0.00
0.01
0.02
0.03
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12095−−N1−methyl−3−pyridone−4−carboxamide || id:583'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12100−−hydroxytryptophan* || id:584'


All
−0.06
−0.03
0.00
0.03
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12116 || id:585'


All
−0.06
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Eicosenoate (20:1n9 or 11) || id:586'


All
−0.05
0.00
0.05
0.10
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12188 || id:587'


All
−0.05
0.00
0.05
0.10
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12189 || id:588'


All
−0.02
0.00
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12206 || id:589'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12212 || id:590'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12216 || id:591'


All
−0.06
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12217 || id:592'


All
−0.025
0.000
0.025
0.050
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12230 || id:593'


All
−0.025
0.000
0.025
0.050
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12231 || id:594'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12236 || id:595'


All
0.00
0.01
0.02
0.03
0.04
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12244−−N−acetylcarnosine || id:596'


rs2026510
rs1529031
All
−0.050
−0.025
0.000
0.025
0.050
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12253 || id:597'


0.00
0.05
0.10
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12261 || id:598'


0.0
0.1
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12329 || id:599'


All
−0.10
−0.05
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−10346 || id:600'


All
−0.03
0.00
0.03
0.06
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'ADpSGEGDFXAEGGGVR* || id:601'


All
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '1−eicosatrienoylglycerophosphocholine* || id:602'


All
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '1−docosahexaenoylglycerophosphocholine* || id:603'


All
0.00
0.02
0.04
0.06
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12405 || id:604'


All
0.00
0.05
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12407 || id:605'


All
−0.05
0.00
0.05
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12428 || id:606'


All
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '1−eicosadienoylglycerophosphocholine* || id:607'


All
−0.2
−0.1
0.0
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12435 || id:608'


All
−0.15
−0.10
−0.05
0.00
0.05
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12441−−12−hydroxyeicosatetraenoate (12−HETE) || id:609'


rs2025979
rs1792
rs1792
rs1792


All
−0.05
0.00
0.05
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12443 || id:611'


All
−0.075
−0.050
−0.025
0.000
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12450 || id:612'


All
0.00
0.02
0.04
0.06
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12456 || id:613'


All
−0.06
−0.04
−0.02
0.00
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12465 || id:614'


All
−0.02
0.00
0.02
0.04
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Octanoylcarnitine || id:615'


All
−0.02
0.00
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Alpha−hydroxyisovalerate || id:616'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'N−acetylthreonine || id:617'


All
−0.02
0.00
0.02
0.04
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Decanoylcarnitine || id:618'


All
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '1−palmitoylglycerophosphocholine || id:619'


All
−0.06
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '1−heptadecanoylglycerophosphocholine || id:620'


All
−0.05
−0.04
−0.03
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '1−oleoylglycerophosphocholine || id:621'


All
−0.04
−0.02
0.00
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '1−stearoylglycerophosphocholine || id:622'


All
−0.075
−0.050
−0.025
0.000
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '5−dodecenoate (12:1n7) || id:623'


All
−0.06
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Stearidonate (18:4n3) || id:624'


All
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '10−heptadecenoate (17:1n7) || id:625'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '10−nonadecenoate (19:1n9) || id:626'


All
0.000
0.025
0.050
0.075
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Epiandrosterone sulfate || id:627'


All
−0.06
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Linolenate [alpha or gamma; (18:3n3 or 6)] || id:628'


All
−0.04
−0.02
0.00
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12510−−2−aminooctanoic acid || id:629'


All
−0.01
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12524 || id:630'


All
−0.06
−0.04
−0.02
0.00
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Bilirubin (E,Z or Z,E)* || id:631'


All
0.00
0.03
0.06
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12544 || id:632'


All
0.00
0.01
0.02
0.03
0.04
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12556 || id:633'


All
−0.04
−0.03
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '1−arachidonoylglycerophosphoinositol* || id:634'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12627 || id:635'


All
−0.04
−0.03
−0.02
−0.01
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12644 || id:636'


All
−0.06
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12645 || id:637'


All
−0.01
0.00
0.01
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Asparagine || id:638'


All
−0.08
−0.06
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12680 || id:639'


−0.05
−0.04
−0.03
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12696 || id:640'


All
−0.05
0.00
0.05
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12704 || id:641'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12712 || id:642'


All
−0.15
−0.10
−0.05
0.00
0.05
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12717 || id:643'


All
−0.10
−0.05
0.00
0.05
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12719 || id:644'


All
−0.02
−0.01
0.00
0.01
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12726 || id:645'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12728 || id:646'


All
−0.20
−0.15
−0.10
−0.05
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12729 || id:647'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12734 || id:648'


All
−0.10
−0.05
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12740 || id:649'


All
−0.01
0.00
0.01
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12749 || id:650'


All
−0.15
−0.10
−0.05
0.00
0.05
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Stachydrine || id:651'


All
0.00
0.02
0.04
0.06
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Isovalerylcarnitine || id:652'


All
−0.03
−0.02
−0.01
0.00
0.01
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Stearoylcarnitine || id:653'


All
−0.04
−0.03
−0.02
−0.01
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '1−stearoylglycerophosphoethanolamine || id:654'


All
−0.04
−0.03
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '1−linoleoylglycerophosphocholine || id:655'


All
−0.05
0.00
0.05
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Bradykinin, des−arg(9) || id:656'


All
−0.02
0.00
0.02
0.04
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12771 || id:657'


All
−0.010
−0.005
0.000
0.005
0.010
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12776 || id:658'


All
−0.02
0.00
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Gamma−glutamylisoleucine* || id:659'


0.00
0.02
0.04
0.06
0.08
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12786 || id:660'


All
−0.06
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12798 || id:661'


All
0.00
0.05
0.10
0.15
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12816 || id:662'


All
−0.050
−0.025
0.000
0.025
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12830 || id:663'


All
−0.2
−0.1
0.0
0.1
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12833 || id:664'


All
0.00
0.02
0.04
0.06
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12844 || id:665'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12847 || id:666'


All
−0.075
−0.050
−0.025
0.000
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12850 || id:667'


All
−0.02
0.00
0.02
0.04
0.06
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Laurylcarnitine || id:668'


All
−0.12
−0.08
−0.04
0.00
0.04
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12851 || id:669'


All
−0.06
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12855 || id:670'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−12990−−docosapentaenoic acid (n6−DPA) || id:671'


All
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Isovalerate || id:672'


All
−0.04
−0.02
0.00
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−13069 || id:673'


All
0.00
0.03
0.06
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−13183−−stearamide || id:674'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−13215 || id:675'


All
−0.02
0.00
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '7−methylguanine || id:676'


All
−0.025
0.000
0.025
0.050
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Phenylacetylglutamine || id:677'


All
−0.02
0.00
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Pro−hydroxy−pro || id:678'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'N2,N2−dimethylguanosine || id:679'


All
−0.050
−0.025
0.000
0.025
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Cysteine−glutathione disulfide || id:680'


All
−0.04
−0.02
0.00
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Oleoylcarnitine || id:681'


All
−0.05
−0.04
−0.03
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '1−arachidonoylglycerophosphoethanolamine* || id:682'


All
−0.03
0.00
0.03
0.06
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−13429 || id:683'


rs10943707
rs4400
rs1000
rs1000
rs1000


All
−0.01
0.00
0.01
0.02
0.03
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−13435 || id:685'


All
−0.01
0.00
0.01
0.02
0.03
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−13477 || id:686'


All
−0.03
−0.02
−0.01
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '2−palmitoylglycerophosphocholine* || id:687'


All
−0.05
−0.04
−0.03
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '2−oleoylglycerophosphocholine* || id:688'


All
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '2−stearoylglycerophosphocholine* || id:689'


All
−0.04
−0.03
−0.02
−0.01
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '2−linoleoylglycerophosphocholine* || id:690'


All
−0.02
−0.01
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−13496 || id:691'


All
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '1−palmitoylglycerophosphoinositol* || id:692'


All
−0.01
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−13548 || id:693'


All
−0.01
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−13549 || id:694'


All
−0.05
−0.04
−0.03
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−13553 || id:695'


All
−0.03
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−13619 || id:696'


All
0.00
0.02
0.04
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '2−methylbutyroylcarnitine || id:697'


All
−0.02
0.00
0.02
0.04
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Hydroxyisovaleroyl carnitine || id:698'


All
−0.01
0.00
0.01
0.02
0.03
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Glutaroyl carnitine || id:699'


All
−0.05
0.00
0.05
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−13658 || id:700'


All
−0.04
−0.03
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−13671 || id:701'


All
−0.02
0.00
0.02
0.04
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '2−tetradecenoyl carnitine || id:702'


All
−0.10
−0.05
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '4−hydroxyhippurate || id:703'


rs1
rs1
All
0.00
0.05
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−13741 || id:704'


All
−0.03
−0.02
−0.01
0.00
0.01
0.02
0.03
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '1−myristoylglycerophosphocholine || id:705'


All
−0.04
−0.02
0.00
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '1−oleoylglycerophosphoethanolamine || id:706'


All
−0.03
−0.02
−0.01
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '1−palmitoylglycerophosphoethanolamine || id:707'


All
−0.10
−0.05
0.00
0.05
0.10
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '3−(3−hydroxyphenyl)propionate || id:708'


All
−0.08
−0.06
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Tetradecanedioate || id:709'


All
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '2−hydroxypalmitate || id:710'


All
−0.08
−0.06
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Hexadecanedioate || id:711'


All
−0.03
−0.02
−0.01
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Dihomo−linolenate (20:3n3 or n6) || id:712'


All
0.00
0.01
0.02
0.03
0.04
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−13859 || id:713'


All
−0.06
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Threitol || id:714'


All
0.00
0.02
0.04
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−14056 || id:715'


All
0.00
0.02
0.04
0.06
0.08
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−14057 || id:716'


All
−0.025
0.000
0.025
0.050
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−14086 || id:717'


All
−0.025
0.000
0.025
0.050
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'P−cresol sulfate || id:718'


All
−0.050
−0.025
0.000
0.025
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−14189−−leucylalanine || id:719'


All
−0.025
0.000
0.025
0.050
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−14205−−alpha−glutamyltyrosine || id:720'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−14208−−phenylalanylserine || id:721'


All
−0.100
−0.075
−0.050
−0.025
0.000
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−14304−−leucylalanine || id:722'


All
−0.01
0.00
0.01
0.02
0.03
0.04
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−14374 || id:723'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−14450−−phenylalanylleucine || id:724'


All
−0.025
0.000
0.025
0.050
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−14473 || id:725'


rs1474
rs1474
rs1474
All
−0.03
0.00
0.03
0.06
0.09
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−14541 || id:726'


−0.005
0.000
0.005
0.010
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−14588 || id:727'


All
−0.02
−0.01
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−14625 || id:728'


All
−0.02
−0.01
0.00
0.01
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−14626 || id:729'


0.00
0.02
0.04
0.06
0.08
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−14632 || id:730'


All
−0.06
−0.03
0.00
0.03
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−14658 || id:731'


All
−0.050
−0.025
0.000
0.025
0.050
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−14662 || id:732'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−14745 || id:733'


All
0.000
0.025
0.050
0.075
0.100
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Gamma−glutamylglutamate || id:734'


All
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Octadecanedioate || id:735'


All
−0.02
0.00
0.02
0.04
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Leucylleucine || id:736'


All
−0.04
−0.03
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '7−alpha−hydroxy−3−oxo−4−cholestenoate (7−Hoca) || id:737'


All
−0.04
−0.02
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'N−Butyl Oleate || id:738'


All
−0.01
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Dimethylarginine (SDMA + ADMA) || id:739'


All
−0.025
0.000
0.025
0.050
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Taurolithocholate 3−sulfate || id:740'


All
−0.06
−0.04
−0.02
0.00
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'X−14977−−vanillin || id:741'


All
−0.01
0.00
0.01
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Succinylcarnitine || id:742'


All
−0.12
−0.08
−0.04
0.00
0.04
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Tryptophan betaine || id:743'


All
0.000
0.025
0.050
0.075
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Cyclo(leu−pro) || id:744'


−0.15
−0.10
−0.05
0.00
0.05
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Chiro−inositol || id:745'


All
−0.025
0.000
0.025
0.050
0.075
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '5alpha−androstan−3beta,17beta−diol disulfate || id:746'


All
−0.03
0.00
0.03
0.06
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '4−androsten−3beta,17beta−diol disulfate 1* || id:747'


All
0.00
0.02
0.04
0.06
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '4−androsten−3beta,17beta−diol disulfate 2* || id:748'


All
−0.03
−0.02
−0.01
0.00
0.01
0.02
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '2−hydroxyglutarate || id:749'


All
−0.05
0.00
0.05
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Ergothioneine || id:750'


All
−0.04
−0.03
−0.02
−0.01
0.00
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Palmitoyl sphingomyelin || id:751'


All
−0.02
0.00
0.02
0.04
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Phenylalanylphenylalanine || id:752'



MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on 'Cis−4−decenoyl carnitine || id:753'


All
−0.03
−0.02
−0.01
0.00
0.01
MR leave−one−out sensitivity analysis for
'Pulit WHRadjBMI EU sex combined 346 SNPs' on '15−methylpalmitate (isobar with 2−methylpalmitate) || id:754'