




MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'XL-HDL-FC_percent.txt'








MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'XL-VLDL-C.txt'





MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'S-LDL-TG_percent.txt'













-0.04


0.00


0.04

MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'S-HDL-C.txt'













MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'XXL-VLDL-TG_percent.txt'










MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'M-LDL-PL_percent.txt'







MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'L-HDL-TG_percent.txt'










MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'MUFAbyFA.txt'














MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'TGbyPG.txt'



























MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'S-VLDL-C_percent.txt'












MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'L-HDL-TG.txt'





MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'M-HDL-PL_percent.txt'




0.00


0.04

0.08


0.12


MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'S-VLDL-TG_percent.txt'








MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'M-LDL-P.txt'

















-0.10 -0.05 0.00

MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'S-VLDL-P.txt'







MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'XXL-VLDL-FC_percent.txt'





-0.05 0.00 0.05


MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'M-LDL-C.txt'















MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'M-HDL-P.txt'







MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'XL-HDL-TG_percent.txt'








MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'Glc.txt'














MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'S-VLDL-L.txt'





0.00 0.04 0.08

MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'M-VLDL-TG.txt'












MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'L-VLDL-L.txt'







MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'EstC.txt'





MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'XS-VLDL-TG.txt'








MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'LDL-TG.txt'

















MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'XS-VLDL-C.txt'








MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'L-HDL-FC_percent.txt'





MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'M-HDL-TG.txt'























MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'XS-VLDL-C_percent.txt'







MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'TotPG.txt'




MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'Val.txt'




MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'IDL-FC.txt'







MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'XS-VLDL-L.txt'




MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'S-LDL-TG.txt'





MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'Serum-TG.txt'




MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'L-HDL-L.txt'










MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'XL-VLDL-FC.txt'








MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'XXL-VLDL-C_percent.txt'















MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'L-VLDL-FC_percent.txt'









MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'XL-VLDL-PL_percent.txt'





MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'S-VLDL-TG.txt'








MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'M-VLDL-PL.txt'























MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'XL-HDL-C_percent.txt'



MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'IDL-CE_percent.txt'


MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'M-VLDL-P.txt'








-0.05 0.00 0.05

MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'M-LDL-L.txt'













MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'XXL-VLDL-L.txt'







MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'Pyr.txt'











MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'IDL-PL_percent.txt'



























MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'IDL-FC_percent.txt'









MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'L-VLDL-C.txt'




MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'FreeC.txt'




MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'M-VLDL-PL_percent.txt'






MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'M-VLDL-TG_percent.txt'





MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'L-VLDL-CE.txt'




MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'FALen.txt'


MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'XS-VLDL-FC.txt'







MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'L-LDL-TG_percent.txt'







MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'S-VLDL-PL_percent.txt'







MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'M-HDL-TG_percent.txt'






MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'L-VLDL-FC.txt'







MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'M-LDL-FC_percent.txt'




MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'Lac.txt'







MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'IDL-CE.txt'





MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'S-HDL-C_percent.txt'




MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'Faw3.txt'










MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'M-LDL-CE.txt'




MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'XS-VLDL-CE.txt'









MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'L-HDL-PL_percent.txt'




MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'S-HDL-CE_percent.txt'





MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'L-VLDL-CE_percent.txt'




MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'DHabyFA.txt'










MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'Ile.txt'




MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'TotFA.txt'










MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'M-LDL-PL.txt'




MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'XL-HDL-C.txt'








MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'XS-VLDL-FC_percent.txt'




MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'IDL-C.txt'




MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'FAw6byFA.txt'


-0.15 -0.10 -0.05 0.00

MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'L-HDL-CE.txt'







MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'Serum-C.txt'




MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'DAGbyTG.txt'








-0.08 -0.04 0.00

MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'UnsatDeg.txt'













MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'L-HDL-PL.txt'





MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'S-VLDL-PL.txt'

















MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'S-HDL-FC_percent.txt'

-0.04 0.00 0.04


MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'S-HDL-CE.txt'










MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'M-VLDL-FC.txt'




MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'ApoBbyApoA1.txt'









MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'FAw3byFA.txt'




MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'M-VLDL-FC_percent.txt'


MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'XL-HDL-CE.txt'









MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'Ala.txt'






MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'XL-HDL-FC.txt'



MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'L-HDL-FC.txt'



MR leave-one-out sensitivity analysis for
'Yengo BMI EU sex combined 941 SNPs clumped' on 'S-HDL-PL_percent.txt'