





All - MR Egger
All - Inverse variance weighted


'HDL_FC_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006'

























All - MR Egger
All - Inverse variance weighted






































































All - MR Egger
All - Inverse variance weighted


-4 0 4


MR effect size for


'M_HDL_C_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST0'


















All – MR Egger
All – Inverse variance weighted











'XL_HDL_P_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST00'




























'VLDL_P_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006'

























































All – MR Egger
All – Inverse variance weighted





All – MR Egger
All – Inverse variance weighted


-4 0 4


MR effect size for


'HDL_size_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006'




































All - MR Egger
All - Inverse variance weighted


'L_HDL_C_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006'























































'VLDL_FC_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006'


































































All - MR Egger
All - Inverse variance weighted


MR effect size for
'Total_L_int_imputed.txt_snps.txt' on 'Endometrial cancer || id:ebi-a-GCST006464'






















All – MR Egger
All – Inverse variance weighted











































































All - MR Egger
All - Inverse variance weighted


'L_LDL_FC_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST0'




















































































All - MR Egger
All - Inverse variance weighted


MR effect size for
'XL_HDL_CE_int_imputed.txt_snps.txt' on 'Endometrial cancer || id:ebi-a-GCST006464'

























































All – MR Egger
All – Inverse variance weighted


-4


0


4


MR effect size for
'L_HDL_P_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006'


































All – MR Egger
All – Inverse variance weighted
















All - MR Egger
All - Inverse variance weighted


'XL_HDL_TG_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi-a-GCST00'





All – MR Egger
All – Inverse variance weighted


'XL_HDL_TG_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST'














































All - MR Egger
All - Inverse variance weighted




























































All - MR Egger
All - Inverse variance weighted


-5


5


MR effect size for


'XXL_VLDL_CE_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST0'



















'VLDL_L_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST0064'























































'L_HDL_PL_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST000'









































All - MR Egger


All - Inverse variance weighted


-4


8


MR effect size for


'XXL_VLDL_PL_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST0'














































































































































































































'XL_VLDL_C_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST00'








All – MR Egger
All – Inverse variance weighted


'M_VLDL_TG_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi-a-GCST00'


























All - MR Egger
All - Inverse variance weighted


-4


0


4


MR effect size for


'XL_HDL_PL_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST00'






















All – MR Egger
All – Inverse variance weighted


'VLDL_C_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi-a-GCST006463'





All - MR Egger
All - Inverse variance weighted


'VLDL_C_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006'



























All - MR Egger
All - Inverse variance weighted


'ApoA1_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST0064'


























































































































All - MR Egger
All - Inverse variance weighted


'XL_HDL_C_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi-a-GCST00640'



















All - MR Egger
All - Inverse variance weighted
















All - MR Egger


All - Inverse variance weighted


'L_HDL_CE_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi-a-GCST00640'





All – MR Egger
All – Inverse variance weighted
















All - MR Egger
All - Inverse variance weighted




























































































































































All - MR Egger
All - Inverse variance weighted


'XXL_VLDL_L_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST0'



























All - MR Egger
All - Inverse variance weighted


'XL_HDL_L_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST00'



















All – MR Egger
All – Inverse variance weighted

'L_HDL_TG_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer || id:ebi-a-GCST006464'



All – MR Egger
All – Inverse variance weighted

'L_HDL_TG_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi-a-GCST006'





All - MR Egger
All - Inverse variance weighted


-4


MR effect size for


'L_HDL_TG_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST0

























































All – MR Egger
All – Inverse variance weighted


'M_VLDL_CE_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer || id:ebi-a-GCST006464'
















































































































































All - MR Egger
All - Inverse variance weighted

MR effect size for
'M_HDL_L_int_imputed.txt_snps.txt' on 'Endometrial cancer || id:ebi-a-GCST006464'











All – MR Egger
All – Inverse variance weighted


-2 -1 0 1 2


MR effect size for


'HDL_L_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology)' || id:ebi-a-GCST006465
























































Insufficient number of SNPs

Insufficient number of SNPs


Insufficient number of SNPs











'XL_VLDL_L_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST00'











































All – MR Egger
All – Inverse variance weighted


-5 0 5


MR effect size for


'XXL_VLDL_FC_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST0'






























All – MR Egger
All – Inverse variance weighted

MR effect size for
'L_HDL_C_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi-a-GCST006'





All - MR Egger
All - Inverse variance weighted


-5.0 -2.5 0.0 2.5


MR effect size for


'L_HDL_C_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology)' || id:ebi-a-GCST0












































































































































































All – MR Egger
All – Inverse variance weighted


-2 -1 0 1 2


MR effect size for


'ApoB_by_ApoA1_int_imputed.txt_snps.txt' on 'Endometrial cancer || id:ebi-a-GCST006464'

























'S_VLDL_P_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST00













































All - MR Egger
All - Inverse variance weighted


'M_HDL_C_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST00'











All - MR Egger
All - Inverse variance weighted

-3

-2

-1

0

1

2

MR effect size for

'XS_VLDL_C_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi-a-GCST00'

