






MR leave–one–out sensitivity analysis for 'Lu BF EU sex combined 5 SNPs clumped' on 'Dehydroisoandrosterone sulfate (DHEA–S) || id:478'


















































































MR leave–one–out sensitivity analysis for
'Lu BF EU sex combined 5 SNPs clumped' on 'X–03056––N–[3–(2–Oxopyrrolidin–1–yl)propyl]acetamide || id:505'











































































































































































































































MR leave–one–out sensitivity analysis for 'Lu BF EU sex combined 5 SNPs clumped' on 'X–12095––N1–methyl–3–pyridone–4–carboxamide \parallel id:583'









































































MR leave–one–out sensitivity analysis for 'Lu BF EU sex combined 5 SNPs clumped' on '1–eicosadienoylglycerophosphocholine* || id:607'














































































































































MR leave–one–out sensitivity analysis for
'Lu BF EU sex combined 5 SNPs clumped' on '1–stearoylglycerophosphoethanolamine || id:654'




















































































































































































































































































MR leave–one–out sensitivity analysis for 'Lu BF EU sex combined 5 SNPs clumped' on '4–androsten–3beta,17beta–diol disulfate 1* || id:747'



MR leave–one–out sensitivity analysis for 'Lu BF EU sex combined 5 SNPs clumped' on '4–androsten–3beta,17beta–diol disulfate 2* || id:748'

