
AcAcetxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV


Acetxt
MR Method
Inverse variance weighted
MR Egger
3.0
2.5
2.0
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV


Alatxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0.1
0.2
0.3
β_IV


Albtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.4
−0.2
0.0
0.2
β_IV


ApoA1txt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.3
−0.2
−0.1
0.0
0.1
β_IV

ApoBbyApoA1txt




ApoBtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−3
−2
−1
0
β_IV


CLAbyFAtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.75
−0.50
−0.25
0.00
β_IV


CLAtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.75
−0.50
−0.25
0.00
β_IV

Creatxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.4
−0.2
0.0
0.2
β_IV


DAGbyTGtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.50
−0.25
0.00
0.25
0.50
β_IV

DAGtxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.50
−0.25
0.00
0.25
0.50
β_IV


DHAbyFAtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0.0
0.5
1.0
β_IV


DHAtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0.0
0.5
1.0
β_IV


EstCtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−3
−2
−1
0
β_IV


FALentxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0.0
0.5
1.0
1.5
2.0
β_IV

FAw3byFAtxt




FAw3txt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.25
0.00
0.25
0.50
β_IV

FAw6byFAtxt



FAw6txt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.6
−0.4
−0.2
0.0
β_IV


FreeCtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−2
−1
0
β_IV


Glctxt
MR Method
Inverse variance weighted
MR Egger
5
4
3
1/SE_IV
−0.3
−0.2
−0.1
0.0
0.1
0.2
β_IV


GIntxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.5
0.0
β_IV


GlycAtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.4
0.0
0.4
β_IV


Glytxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.4
0.0
0.4
β_IV


HDL2Ctxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV


HDL3Ctxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.75
−0.50
−0.25
0.00
β_IV


HDLCtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV


HDLDtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.5
0.0
0.5
1.0
1.5
β_IV


HDLTGtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.3
−0.2
−0.1
0.0
0.1
β_IV

Histxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.2
−0.1
β_IV


IDLCEpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−1.0
−0.5
0.0
β_IV


IDLCEtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−1.0
−0.5
0.0
β_IV


IDLCpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−2.0
−1.5
−1.0
−0.5
0.0
β_IV


IDLCtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−1.0
−0.5
0.0
β_IV


IDLFCpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−1.5
−1.0
−0.5
0.0
β_IV


IDLFCtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−1.5
−1.0
−0.5
0.0
β_IV


IDLLtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−3
−2
−1
0
β_IV


IDLPLpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0.0
0.3
0.6
0.9
β_IV


IDLPLtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0.0
0.3
0.6
0.9
β_IV


IDLPtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0.0
0.3
0.6
0.9
β_IV


IDLTGpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0.0
0.5
1.0
1.5
β_IV


IDLTGtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0.0
0.5
1.0
1.5
β_IV


Iletxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.25
0.00
0.25
0.50
β_IV


LAbyFAtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.75
−0.50
−0.25
0.00
β_IV


Lactxt
MR Method
Inverse variance weighted
MR Egger
5
4
3
1/SE_IV
−0.75
−0.50
−0.25
0.00
0.25
β_IV


LAtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.75
−0.50
−0.25
0.00
β_IV


LDLCtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−4
−3
−2
−1
0
β_IV


LDLDtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0
1
2
β_IV


LDLTGtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−2.5
−2.0
−1.5
−1.0
−0.5
0.0
β_IV


Leutxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.2
0.0
0.2
0.4
β_IV

LHDLCEpctpercenttxt




LHDLCEtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0.0
0.5
1.0
1.5
2.0
β_IV


LHDLCpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0
1
2
β_IV


LHDLCtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0.0
0.5
1.0
1.5
2.0
β_IV

LHDLFCpctpercenttxt




LHDLFCtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV


LHDLLtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.5
0.0
0.5
1.0
1.5
β_IV


LHDLPLpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−2.0
−1.5
−1.0
−0.5
0.0
0.5
β_IV


LHDLPLtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−2.0
−1.5
−1.0
−0.5
0.0
0.5
β_IV


LHDLPtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−2.0
−1.5
−1.0
−0.5
0.0
0.5
β_IV


LHDLTGpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV

LHDLTGtxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV


LLDLCEpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−4
−3
−2
−1
0
β_IV


LLDLCEtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−4
−3
−2
−1
0
β_IV


LLDLCpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−4
−3
−2
−1
0
β_IV


LLDLCtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−4
−3
−2
−1
0
β_IV


LLDLFCpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0.0
0.5
1.0
1.5
2.0
β_IV


LLDLFCtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0.0
0.5
1.0
1.5
2.0
β_IV


LLDLLtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−4
−3
−2
−1
0
β_IV


LLDLPLpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0
1
2
3
4
β_IV


LLDLPLtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0
1
2
3
4
β_IV


LLDLPtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0
1
2
3
4
β_IV


LLDLTGpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0.0
0.5
1.0
1.5
2.0
β_IV


LLDLTGtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0.0
0.5
1.0
1.5
2.0
β_IV


LVLDLCEpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
6
5
4
1/SE_IV
−0.50
−0.25
0.00
0.25
0.50
β_IV


LVLDLCEtxt
MR Method
Inverse variance weighted
MR Egger
6
5
4
1/SE_IV
−0.50
−0.25
0.00
0.25
0.50
β_IV


LVLDLCpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
6
5
4
1/SE_IV
−0.4
−0.2
0.0
β_IV


LVLDLCtxt
MR Method
Inverse variance weighted
MR Egger
6
5
4
1/SE_IV
−0.50
−0.25
0.00
0.25
0.50
β_IV


LVLDLFCpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
6
5
4
1/SE_IV
−0.50
−0.25
0.00
β_IV


LVLDLFCtxt
MR Method
Inverse variance weighted
MR Egger
6
5
4
1/SE_IV
−0.50
−0.25
0.00
β_IV


LVLDLLtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV

LVLDLPLpctpercenttxt



LVLDLPLtxt


MR Method
Inverse variance weighted
MR Egger
6
5
4
1/SE_IV
−2.0
−1.5
−1.0
−0.5
0.0
β_IV


LVLDLPtxt
MR Method
Inverse variance weighted
MR Egger
6
5
4
1/SE_IV
−2.0
−1.5
−1.0
−0.5
0.0
β_IV

LVLDLTGpctpercenttxt




LVLDLTGtxt
MR Method
Inverse variance weighted
MR Egger
6
5
4
1/SE_IV
0.0
0.2
0.4
0.6
β_IV

MHDLCEpctpercenttxt



MHDLCEtxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0.0
0.5
1.0
1.5
β_IV

MHDLCpctpercenttxt




MHDLCtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0.0
0.5
1.0
1.5
β_IV

MHDLFCpctpercenttxt



MHDLFCtxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.50
−0.25
0.00
0.25
0.50
β_IV


MHDLLtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0.0
0.5
1.0
β_IV


MHDLPLpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−1.5
−1.0
−0.5
0.0
β_IV


MHDLPLtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−1.5
−1.0
−0.5
0.0
β_IV


MHDLPtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−1.5
−1.0
−0.5
0.0
β_IV

MHDLTGpctpercenttxt



MHDLTGtxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV

MLDLCEpctpercenttxt




MLDLCEtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−4
−3
−2
−1
0
β_IV

MLDLCpctpercenttxt



MLDLCtxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−4
−3
−2
−1
0
β_IV

MLDLFCpctpercenttxt




MLDLFCtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0
1
2
3
4
β_IV

MLDLLtxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−4
−3
−2
−1
0
β_IV


MLDLPLpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0
1
2
3
4
β_IV


MLDLPLtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0
1
2
3
4
β_IV


MLDLPtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0
1
2
3
4
β_IV

MLDLTGpctpercenttxt




MLDLTGtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0.0
0.5
1.0
1.5
β_IV


MUFAbyFAtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.6
−0.3
0.0
0.3
β_IV


MUFAtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.6
−0.3
0.0
0.3
β_IV

MVLDLCEpctpercenttxt



MVLDLCEtxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−1.00
−0.75
−0.50
−0.25
0.00
0.25
β_IV

MVLDLCpctpercenttxt



MVLDLCtxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−1.00
−0.75
−0.50
−0.25
0.00
0.25
β_IV

MVLDLFCpctpercenttxt




MVLDLFCtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.6
−0.4
−0.2
0.0
0.2
β_IV

MVLDLLtxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−1.5
−1.0
−0.5
0.0
β_IV

MVLDLPLpctpercenttxt




MVLDLPLtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−1.0
−0.5
0.0
β_IV

MVLDLPtxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−1.0
−0.5
0.0
β_IV


MVLDLTGpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0.0
0.4
0.8
1.2
β_IV

MVLDLTGtxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0.0
0.4
0.8
1.2
β_IV


PCtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−1.2
−0.8
−0.4
0.0
β_IV

Phetxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0.0
0.4
0.8
1.2
β_IV


PUFAbyFAtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.4
−0.2
0.0
β_IV


PUFAtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.4
−0.2
0.0
β_IV

Pyrtxt


MR Method
Inverse variance weighted
MR Egger
5
4
3
1/SE_IV
−0.8
−0.4
0.0
0.4
β_IV


RemnantCtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−3
−2
−1
0
β_IV


SerumCtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−3
−2
−1
0
β_IV


SerumTGtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−1.5
−1.0
−0.5
0.0
β_IV


SFAbyFAtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0.00
0.25
0.50
0.75
1.00
1.25
β_IV


SFAtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0.00
0.25
0.50
0.75
1.00
1.25
β_IV

SHDLCEpctpercenttxt




SHDLCEtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−3
−2
−1
0
β_IV

SHDLCpctpercenttxt



SHDLCtxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−3
−2
−1
0
β_IV

SHDLFCpctpercenttxt



SHDLFCtxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0
1
2
3
β_IV

SHDLLtxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.2
0.0
0.2
β_IV

SHDLPLpctpercenttxt




SHDLPLtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0
1
2
3
β_IV


SHDLPtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0
1
2
3
β_IV


SHDLTGpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.5
0.0
β_IV

SHDLTGtxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.5
0.0
β_IV

SLDLCEpctpercenttxt



SLDLCEtxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−4
−3
−2
−1
0
β_IV

SLDLCpctpercenttxt




SLDLCtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−4
−3
−2
−1
0
β_IV


SLDLFCpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0
1
2
3
4
β_IV


SLDLFCtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0
1
2
3
4
β_IV


SLDLLtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−4
−3
−2
−1
0
β_IV


SLDLPLpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0
1
2
3
4
β_IV

SLDLPLtxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0
1
2
3
4
β_IV


SLDLPtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0
1
2
3
4
β_IV

SLDLTGpctpercenttxt



SLDLTGtxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0.0
0.5
1.0
β_IV


SMtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−1.0
−0.5
0.0
β_IV

SVLDLCEpctpercenttxt



SVLDLCEtxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−1.5
−1.0
−0.5
0.0
β_IV


SVLDLCpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−1.5
−1.0
−0.5
0.0
β_IV

SVLDLCtxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−1.5
−1.0
−0.5
0.0
β_IV

SVLDLFCpctpercenttxt




SVLDLFCtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.3
−0.2
−0.1
β_IV

SVLDLLtxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−2.0
−1.5
−1.0
−0.5
0.0
β_IV

SVLDLPLpctpercenttxt




SVLDLPLtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.5
0.0
0.5
1.0
1.5
2.0
β_IV


SVLDLPtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.5
0.0
0.5
1.0
1.5
2.0
β_IV


SVLDLTGpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0.0
0.4
0.8
1.2
β_IV


SVLDLTGtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0.0
0.4
0.8
1.2
β_IV

TGbyPGtxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV


TotChotxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−1.2
−0.8
−0.4
0.0
β_IV


TotFAtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−2.0
−1.5
−1.0
−0.5
0.0
β_IV


TotPGtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−1.2
−0.9
−0.6
−0.3
0.0
β_IV

Tyrtxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0.2
0.3
0.4
0.5
β_IV


UnsatDegtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.2
0.0
0.2
0.4
0.6
β_IV

Valtxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.25
0.00
0.25
0.50
β_IV


VLDLCtxt
MR Method
Inverse variance weighted
MR Egger
1/SE_IV
6
5
4
−0.50
−0.25
0.00
0.25
0.50
β_IV


VLDLDtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0.0
0.2
0.4
β_IV


VLDLTGtxt
MR Method
Inverse variance weighted
MR Egger
6
5
4
1/SE_IV
0.0
0.2
0.4
0.6
β_IV

XLHDLCEpctpercenttxt




XLHDLCEtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−2
−1
0
β_IV

XLHDLCpctpercenttxt




XLHDLCtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−2
−1
0
β_IV

XLHDLFCpctpercenttxt




XLHDLFCtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.8
−0.4
0.0
β_IV

XLHDLLtxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.50
−0.25
0.00
0.25
0.50
β_IV

XLHDLPLpctpercenttxt




XLHDLPLtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0
1
2
β_IV


XLHDLPtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0
1
2
β_IV


XLHDLTGpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV

XLHDLTGtxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV

XLVLDLCEpctpercenttxt



XLVLDLCEtxt




XLVLDLCpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
6
5
4
1/SE_IV
−0.4
−0.2
0.0
0.2
β_IV


XLVLDLCtxt
MR Method
Inverse variance weighted
MR Egger
6
5
4
1/SE_IV
−0.4
−0.2
0.0
0.2
β_IV


XLVLDLFCpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
6
5
4
1/SE_IV
−0.4
−0.2
0.0
β_IV

XLVLDLFCtxt




XLVLDLLtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV

XLVLDLPLpctpercenttxt



XLVLDLPLtxt



XLVLDLPtxt


MR Method
Inverse variance weighted
MR Egger
6
5
4
1/SE_IV
−1.5
−1.0
−0.5
0.0
β_IV

XLVLDLTGpctpercenttxt



XLVLDLTGtxt



XSVLDLCEpctpercenttxt



XSVLDLCEtxt



XSVLDLCpctpercenttxt



XSVLDLCtxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0.0
0.1
0.2
0.3
0.4
β_IV

XSVLDLFCpctpercenttxt



XSVLDLFCtxt



XSVLDLLtxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−3
−2
−1
0
β_IV

XSVLDLPLpctpercenttxt



XSVLDLPLtxt



XSVLDLPtxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−2
−1
0
β_IV


XSVLDLTGpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0.0
0.5
1.0
β_IV


XSVLDLTGtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
0.0
0.5
1.0
β_IV


XXLVLDLCEpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.4
−0.2
0.0
0.2
β_IV


XXLVLDLCEtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.4
−0.2
0.0
0.2
β_IV

XXLVLDLCpctpercenttxt




XXLVLDLCtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.4
−0.2
0.0
0.2
β_IV

XXLVLDLFCpctpercenttxt



XXLVLDLFCtxt



XXLVLDLLtxt



XXLVLDLPLpctpercenttxt




XXLVLDLPLtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.4
−0.2
0.0
0.2
β_IV


XXLVLDLPtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.4
−0.2
0.0
0.2
β_IV

XXLVLDLTGpctpercenttxt




XXLVLDLTGtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
1/SE_IV
−0.4
−0.2
0.0
0.2
0.4
β_IV