





MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'S-HDL-TG.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'M-LDL-C_percent.txt'












MR leave-one-out sensitivity analysis for
'Shungin WHRadBMI EU sex combined 53 SNPs' on 'Faw3.txt'








MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'HDL-D.txt'




MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'XL-HDL-TG.txt'









MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'S-HDL-L.txt'








MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'S-HDL-FC_percent.txt'





MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'XS-VLDL-TG_percent.txt'





















MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'XS-VLDL-PL.txt'






MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'S-HDL-PL.txt'







MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'M-LDL-FC_percent.txt'




MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'HDL3-C.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'IDL-C_percent.txt'







MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'M-VLDL-CE_percent.txt'




MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'XL-HDL-FC.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'XL-HDL-P.txt'





MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'M-LDL-P.txt'



MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'S-VLDL-FC_percent.txt'













MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'LDL-TG.txt'










MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'S-LDL-C.txt'









MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'XXL-VLDL-CE.txt'




MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'XS-VLDL-CE_percent.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'XS-VLDL-C.txt'







MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'M-LDL-C.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHRadBMI EU sex combined 53 SNPs' on 'XS-VLDL-L.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'L-LDL-FC.txt'




MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'M-HDL-PL_percent.txt'








MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'M-VLDL-FC_percent.txt'




MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'M-HDL-PL.txt'










MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'UnsatDeg.txt'









MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'S-HDL-FC.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHRadBMI EU sex combined 53 SNPs' on 'XS-VLDL-P.txt'





MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'XXL-VLDL-CE_percent.txt'






MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'XS-VLDL-CE.txt'






MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'Serum-TG.txt'







MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'IDL-TG.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'M-VLDL-P.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHRadBMI EU sex combined 53 SNPs' on 'S-VLDL-PL.txt'




MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'SFAbyFA.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'IDL-FC_percent.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'M-HDL-TG_percent.txt'




MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'XL-HDL-PL.txt'





MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'XXL-VLDL-TG_percent.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'S-HDL-TG_percent.txt'









MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'XL-VLDL-FC_percent.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'M-VLDL-PL.txt'







MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'M-LDL-TG.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'L-HDL-L.txt'







MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'L-LDL-C.txt'





MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'Ile.txt'






MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'DAG.txt'







MR leave-one-out sensitivity analysis for
'Shungin WHRadBMI EU sex combined 53 SNPs' on 'Faw6.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'S-HDL-C.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'L-LDL-CE_percent.txt'







MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'TotCho.txt'




MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'S-LDL-FC.txt'





MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'L-VLDL-C_percent.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'PUFabyFA.txt'









MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'IDL-TG_percent.txt'













MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'M-HDL-C.txt'









MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'XL-VLDL-TG_percent.txt'




MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'XS-VLDL-C_percent.txt'





MR leave-one-out sensitivity analysis for
'Shungin WHRadBMI EU sex combined 53 SNPs' on 'L-VLDL-FC.txt'






MR leave-one-out sensitivity analysis for
'Shungin WHRadBMI EU sex combined 53 SNPs' on 'S-HDL-C_percent.txt'







MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'ApoBbyApoA1.txt'




MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'M-VLDL-C_percent.txt'




MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'DHabyFA.txt'







MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'LDL-C.txt'




MR leave-one-out sensitivity analysis for 'Shungin WHRadBMI EU sex combined 53 SNPs' on 'L-VLDL-TG.txt'





MR leave-one-out sensitivity analysis for 'Shungin WHRadBMI EU sex combined 53 SNPs' on 'XL-VLDL-L.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'L-LDL-PL_percent.txt'










MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'M-HDL-FC_percent.txt'





MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'L-HDL-PL.txt'



















MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'M-LDL-FC.txt'























MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'Gly.txt'




MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'PC.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'S-VLDL-CE_percent.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHRadBMI EU sex combined 53 SNPs' on 'M-HDL-FC.txt'





MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'L-LDL-TG_percent.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'XXL-VLDL-PL_percent.txt'













MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'M-VLDL-PL_percent.txt'




MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'SM.txt'









MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'S-VLDL-TG_percent.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'XL-VLDL-CE.txt'





MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'M-LDL-TG_percent.txt'







MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'XXL-VLDL-TG.txt'









MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'S-HDL-PL_percent.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'MUFA.txt'







MR leave-one-out sensitivity analysis for 'Shungin WHRadBMI EU sex combined 53 SNPs' on 'XL-VLDL-P.txt'





MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'XXL-VLDL-L.txt'







MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'L-HDL-PL_percent.txt'







MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'S-LDL-PL_percent.txt'









MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'L-HDL-C.txt'





MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'L-HDL-P.txt'




MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'L-VLDL-L.txt'










MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'Ace.txt'




MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'FreeC.txt'









MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'Phe.txt'







MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'XL-VLDL-TG.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHRadBMI EU sex combined 53 SNPs' on 'Remnant-C.txt'




MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'L-VLDL-TG_percent.txt'




MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'S-LDL-P.txt'




MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'M-LDL-CE_percent.txt'





MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'XS-VLDL-FC.txt'







MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'L-LDL-P.txt'










MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'EstC.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'S-LDL-PL.txt'









MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'M-HDL-P.txt'







MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'Faw3byFA.txt'





MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'L-LDL-PL.txt'







MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'FALen.txt'







MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'LDL-D.txt'










MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'Gln.txt'








MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'L-LDL-L.txt'














MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'S-HDL-CE_percent.txt'







MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'M-HDL-L.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'XXL-VLDL-PL.txt'





MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'S-LDL-CE_percent.txt'




MR leave-one-out sensitivity analysis for
'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'XXL-VLDL-FC_percent.txt'












MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'Pyr.txt'





MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'L-LDL-FC_percent.txt'




MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'L-HDL-FC.txt'







MR leave-one-out sensitivity analysis for
'Shungin WHRadBMI EU sex combined 53 SNPs' on 'S-LDL-CE.txt'



MR leave-one-out sensitivity analysis for 'Shungin WHRadjBMI EU sex combined 53 SNPs' on 'S-HDL-P.txt'

