
AcAcetxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.5
0.0
0.5
β_IV

Acetxt


MR Method
Inverse variance weighted
MR Egger
3.0
2.5
2.0
1.5
1.0
1/SE_IV
−2
−1
0
1
2
β_IV


Alatxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.5
0.0
0.5
β_IV


Albtxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.8
−0.4
0.0
0.4
0.8
β_IV

ApoA1txt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV

ApoBbyApoA1txt




ApoBtxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.5
0.0
0.5
1.0
1.5
2.0
β_IV


CLAbyFAtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
3
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV


CLAtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
3
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV

Creatxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
3
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
β_IV

DAGbyTGtxt


MR Method
Inverse variance weighted
MR Egger
8
7
6
5
4
3
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV

DAGtxt


MR Method
Inverse variance weighted
MR Egger
8
7
6
5
4
3
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV


DHAbyFAtxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.5
0.0
0.5
β_IV


DHAtxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.5
0.0
0.5
β_IV


EstCtxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.3
0.0
0.3
0.6
β_IV

FALentxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV

FAw3byFAtxt



FAw3txt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.5
0.0
0.5
β_IV

FAw6byFAtxt



FAw6txt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−2
−1
0
1
β_IV


FreeCtxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.6
−0.3
0.0
0.3
0.6
β_IV

Glctxt


MR Method
Inverse variance weighted
MR Egger
6
5
4
3
2
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
β_IV


GIntxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.5
0.0
0.5
β_IV


GlycAtxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV


Glytxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV


HDL2Ctxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−2
−1
0
β_IV


HDL3Ctxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.4
0.0
0.4
0.8
β_IV


HDLCtxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−2
−1
0
β_IV

HDLDtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−2
−1
0
1
β_IV

HDLTGtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
β_IV

Histxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV


IDLCEpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.50
−0.25
0.00
0.25
0.50
0.75
β_IV


IDLCEtxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.50
−0.25
0.00
0.25
0.50
0.75
β_IV


IDLCpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
β_IV


IDLCtxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.50
−0.25
0.00
0.25
0.50
0.75
β_IV

IDLFCpctpercenttxt




IDLFCtxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1
0
1
β_IV

IDLLtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.50
−0.25
0.00
0.25
0.50
β_IV

IDLPLpctpercenttxt




IDLPLtxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.8
−0.4
0.0
β_IV


IDLPtxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.8
−0.4
0.0
β_IV

IDLTGpctpercenttxt




IDLTGtxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
β_IV

Iletxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
β_IV


LAbyFAtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
3
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV

Lactxt


MR Method
Inverse variance weighted
MR Egger
6
5
4
3
2
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
β_IV


LAtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
3
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV


LDLCtxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.50
−0.25
0.00
0.25
0.50
β_IV


LDLDtxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV


LDLTGtxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV

Leutxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
β_IV

LHDLCEpctpercenttxt



LHDLCEtxt


MR Method
Inverse variance weighted
MR Egger
8
7
6
5
4
3
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV

LHDLCpctpercenttxt




LHDLCtxt
MR Method
Inverse variance weighted
MR Egger
8
7
6
5
4
3
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV


LHDLFCpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
8
7
6
5
4
3
1/SE_IV
−2
−1
0
1
β_IV

LHDLFCtxt


MR Method
Inverse variance weighted
MR Egger
8
7
6
5
4
3
−2
−1
0
1
1/SE_IV
β_IV

LHDLLtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−2
−1
0
β_IV

LHDLPLpctpercenttxt




LHDLPLtxt
MR Method
Inverse variance weighted
MR Egger
8
7
6
5
4
3
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV

LHDLPtxt


MR Method
Inverse variance weighted
MR Egger
8
7
6
5
4
3
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV

LHDLTGpctpercenttxt




LHDLTGtxt
MR Method
Inverse variance weighted
MR Egger
8
7
6
5
4
3
1/SE_IV
−1
0
1
β_IV

LLDLCEpctpercenttxt



LLDLCEtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.5
0.0
0.5
β_IV


LLDLCpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.5
0.0
0.5
β_IV


LLDLCtxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.5
0.0
0.5
β_IV

LLDLFCpctpercenttxt




LLDLFCtxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1
0
β_IV

LLDLLtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.3
0.0
0.3
0.6
β_IV

LLDLPLpctpercenttxt



LLDLPLtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.5
0.0
0.5
β_IV

LLDLPtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.5
0.0
0.5
β_IV


LLDLTGpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
β_IV


LLDLTGtxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
β_IV

LVLDLCEpctpercenttxt



LVLDLCEtxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
3
1/SE_IV
−1.5
−1.0
−0.5
0.0
0.5
1.0
β_IV


LVLDLCpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
3
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV


LVLDLCtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
3
1/SE_IV
−1.5
−1.0
−0.5
0.0
0.5
1.0
β_IV

LVLDLFCpctpercenttxt




LVLDLFCtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
3
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV

LVLDLLtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1
0
1
2
β_IV

LVLDLPLpctpercenttxt



LVLDLPLtxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
3
1/SE_IV
0.0
0.5
β_IV


LVLDLPtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
3
1/SE_IV
0.0
0.5
β_IV

LVLDLTGpctpercenttxt



LVLDLTGtxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
3
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV

MHDLCEpctpercenttxt



MHDLCEtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1.5
−1.0
−0.5
0.0
0.5
β_IV

MHDLCpctpercenttxt




MHDLCtxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1.5
−1.0
−0.5
0.0
0.5
β_IV

MHDLFCpctpercenttxt



MHDLFCtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1.5
−1.0
−0.5
0.0
0.5
β_IV

MHDLLtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.5
0.0
0.5
β_IV

MHDLPLpctpercenttxt



MHDLPLtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV


MHDLPtxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV

MHDLTGpctpercenttxt



MHDLTGtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1
0
1
2
β_IV

MLDLCEpctpercenttxt



MLDLCEtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.4
0.0
0.4
0.8
β_IV

MLDLCpctpercenttxt



MLDLCtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.4
0.0
0.4
0.8
β_IV

MLDLFCpctpercenttxt



MLDLFCtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.4
0.0
0.4
β_IV

MLDLLtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.6
−0.3
0.0
0.3
0.6
β_IV

MLDLPLpctpercenttxt



MLDLPLtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.4
0.0
0.4
β_IV

MLDLPtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.4
0.0
0.4
β_IV

MLDLTGpctpercenttxt



MLDLTGtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
β_IV

MUFAbyFAtxt



MUFAtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.5
0.0
0.5
1.0
1.5
β_IV

MVLDLCEpctpercenttxt



MVLDLCEtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1
0
1
β_IV

MVLDLCpctpercenttxt



MVLDLCtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1
0
1
β_IV

MVLDLFCpctpercenttxt



MVLDLFCtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
β_IV

MVLDLLtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1
0
1
2
β_IV

MVLDLPLpctpercenttxt



MVLDLPLtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV

MVLDLPtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV

MVLDLTGpctpercenttxt



MVLDLTGtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV

PCtxt


MR Method
Inverse variance weighted
MR Egger
8
7
6
5
4
3
1/SE_IV
−0.4
0.0
0.4
β_IV

Phetxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.5
0.0
0.5
β_IV

PUFAbyFAtxt



PUFAtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−2
−1
0
1
β_IV


Pyrtxt
MR Method
Inverse variance weighted
MR Egger
6
5
4
3
2
1/SE_IV
−0.4
0.0
0.4
0.8
1.2
β_IV

RemnantCtxt




SerumCtxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.6
−0.3
0.0
0.3
0.6
β_IV

SerumTGtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1
0
1
2
β_IV

SFAbyFAtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV


SFAtxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV

SHDLCEpctpercenttxt



SHDLCEtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
β_IV

SHDLCpctpercenttxt




SHDLCtxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1.0
−0.5
0.0
0.5
1.0
β_IV

SHDLFCpctpercenttxt



SHDLFCtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.8
−0.4
0.0
0.4
0.8
β_IV

SHDLLtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV

SHDLPLpctpercenttxt



SHDLPLtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1.2
−0.8
−0.4
0.0
0.4
β_IV


SHDLPtxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1.2
−0.8
−0.4
0.0
0.4
β_IV


SHDLTGpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1
0
1
2
β_IV

SHDLTGtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1
0
1
2
β_IV


SLDLCEpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.4
0.0
0.4
β_IV

SLDLCEtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.4
0.0
0.4
β_IV

SLDLCpctpercenttxt




SLDLCtxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.4
0.0
0.4
β_IV

SLDLFCpctpercenttxt



SLDLFCtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.8
−0.4
0.0
0.4
β_IV

SLDLLtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.4
0.0
0.4
β_IV

SLDLPLpctpercenttxt



SLDLPLtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.8
−0.4
0.0
0.4
β_IV

SLDLPtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.8
−0.4
0.0
0.4
β_IV

SLDLTGpctpercenttxt



SLDLTGtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1
0
1
β_IV


SMtxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.8
−0.4
0.0
0.4
β_IV

SVLDLCEpctpercenttxt



SVLDLCEtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV

SVLDLCpctpercenttxt




SVLDLCtxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV


SVLDLFCpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.8
−0.4
0.0
0.4
β_IV

SVLDLFCtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.8
−0.4
0.0
0.4
β_IV

SVLDLLtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
0
1
2
β_IV

SVLDLPLpctpercenttxt



SVLDLPLtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV

SVLDLPtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV

SVLDLTGpctpercenttxt



SVLDLTGtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1
0
1
β_IV

TGbyPGtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1
0
1
2
β_IV

TotChotxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.6
−0.3
0.0
0.3
0.6
β_IV


TotFAtxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV

TotPGtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.4
0.0
0.4
0.8
β_IV

Tyrtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.4
0.0
0.4
β_IV

UnsatDegtxt



Valtxt


MR Method
Inverse variance weighted
MR Egger
8
7
6
5
4
3
1/SE_IV
−0.5
0.0
0.5
β_IV


VLDLCtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
3
1/SE_IV
−1.5
−1.0
−0.5
0.0
0.5
1.0
β_IV

VLDLDtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1
0
1
2
β_IV

VLDLTGtxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
3
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV


XLHDLCEpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1
0
1
β_IV

XLHDLCEtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1
0
1
β_IV

XLHDLCpctpercenttxt



XLHDLCtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1
0
1
β_IV

XLHDLFCpctpercenttxt



XLHDLFCtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.50
−0.25
0.00
0.25
0.50
β_IV

XLHDLLtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−2
−1
0
1
β_IV


XLHDLPLpctpercenttxt
MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1
0
1
β_IV

XLHDLPLtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1
0
1
β_IV

XLHDLPtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1
0
1
β_IV

XLHDLTGpctpercenttxt



XLHDLTGtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1
0
1
β_IV

XLVLDLCEpctpercenttxt




XLVLDLCEtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
3
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV

XLVLDLCpctpercenttxt



XLVLDLCtxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
3
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV

XLVLDLFCpctpercenttxt



XLVLDLFCtxt



XLVLDLLtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1
0
1
2
β_IV

XLVLDLPLpctpercenttxt



XLVLDLPLtxt



XLVLDLPtxt


MR Method
Inverse variance weighted
MR Egger
7
6
5
4
3
1/SE_IV
−0.5
0.0
0.5
β_IV

XLVLDLTGpctpercenttxt



XLVLDLTGtxt



XSVLDLCEpctpercenttxt



XSVLDLCEtxt



XSVLDLCpctpercenttxt



XSVLDLCtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV

XSVLDLFCpctpercenttxt



XSVLDLFCtxt



XSVLDLLtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−0.5
0.0
0.5
1.0
β_IV

XSVLDLPLpctpercenttxt



XSVLDLPLtxt



XSVLDLPtxt


MR Method
Inverse variance weighted
MR Egger
8
6
4
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV

XSVLDLTGpctpercenttxt



XSVLDLTGtxt



XXLVLDLCEpctpercenttxt



XXLVLDLCEtxt



XXLVLDLCpctpercenttxt




XXLVLDLCtxt
MR Method
Inverse variance weighted
MR Egger
7
6
5
4
3
1/SE_IV
−1.0
−0.5
0.0
0.5
β_IV

XXLVLDLFCpctpercenttxt



XXLVLDLFCtxt



XXLVLDLLtxt



XXLVLDLPLpctpercenttxt



XXLVLDLPLtxt



XXLVLDLPtxt



XXLVLDLTGpctpercenttxt



XXLVLDLTGtxt