





MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'S-HDL-CE\_percent.txt'







MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'L-HDL-FC\_percent.txt'









MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'XXL-VLDL-TG.txt'





MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'S-VLDL-CE\_percent.txt'




























MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'S-LDL-PL\_percent.txt'







MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'AcAce.txt'





MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'TotCho.txt'







MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'XS-VLDL-CE\_percent.txt'









MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'XS-VLDL-C.txt'












MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'HDL-C.txt'







MR leave-one-out sensitivity analysis for 'Shungin WHR EU sex combined 26 SNPs' on 'M-LDL-C.txt'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'XS-VLDL-TG\_percent.txt'







MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'XL-HDL-PL.txt'













MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'XS-VLDL-PL\_percent.txt'







MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'S-HDL-P.txt'
























MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'XS-VLDL-FC\_percent.txt'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'XL-VLDL-FC\_percent.txt'























MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'S-HDL-L.txt'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'XL-VLDL-PL\_percent.txt'




MR leave-one-out sensitivity analysis for 'Shungin WHR EU sex combined 26 SNPs' on 'Lac.txt'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'M-HDL-PL.txt'













MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Faw6.txt'






MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'S-VLDL-PL\_percent.txt'







MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'XL-VLDL-CE.txt'





MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'XS-VLDL-L.txt'
















MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'L-VLDL-C.txt'


















MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'M-LDL-TG.txt'














MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'S-LDL-FC\_percent.txt'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Crea.txt'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'XS-VLDL-P.txt'







MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'M-LDL-PL\_percent.txt'












MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'ApoBbyApoA1.txt'





MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'S-LDL-CE.txt'



MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'IDL-PL.txt'











MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'XL-VLDL-CE\_percent.txt'














MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'XL-VLDL-PL.txt'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'XS-VLDL-PL.txt'





MR leave-one-out sensitivity analysis for 'Shungin WHR EU sex combined 26 SNPs' on 'IDL-TG\_percent.txt'

















MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'XL-HDL-C.txt'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'M-HDL-FC\_percent.txt'




MR leave-one-out sensitivity analysis for 'Shungin WHR EU sex combined 26 SNPs' on 'Alb.txt'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'S-HDL-FC.txt'








MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'His.txt'














MR leave-one-out sensitivity analysis for 'Shungin WHR EU sex combined 26 SNPs' on 'Phe.txt'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'XL-HDL-P.txt'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'L-LDL-CE\_percent.txt'






MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'S-LDL-C.txt'







MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Faw3.txt'





MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'XL-VLDL-TG\_percent.txt'







MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'M-HDL-CE.txt'







MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'S-LDL-FC.txt'














MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'TotPG.txt'







MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Tyr.txt'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Ace.txt'



MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'S-LDL-CE\_percent.txt'





MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'S-VLDL-FC\_percent.txt'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'M-LDL-FC.txt'









MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'M-VLDL-FC\_percent.txt'







MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'XL-VLDL-C.txt'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'S-LDL-C\_percent.txt'







MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'M-LDL-PL.txt'













MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'ApoA1.txt'












MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'XL-VLDL-P.txt'







MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'XL-VLDL-C\_percent.txt'













MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'L-HDL-CE\_percent.txt'






MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'XXL-VLDL-C\_percent.txt'







MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'XL-HDL-C\_percent.txt'









MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'L-HDL-CE.txt'




MR leave-one-out sensitivity analysis for 'Shungin WHR EU sex combined 26 SNPs' on 'M-VLDL-PL\_percent.txt'




MR leave-one-out sensitivity analysis for 'Shungin WHR EU sex combined 26 SNPs' on 'M-HDL-PL\_percent.txt'







MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'L-HDL-TG\_percent.txt'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'XL-HDL-FC.txt'







MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'S-HDL-FC\_percent.txt'










MR leave-one-out sensitivity analysis for 'Shungin WHR EU sex combined 26 SNPs' on 'IDL-FC\_percent.txt'









MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'XS-VLDL-FC.txt'



MR leave-one-out sensitivity analysis for 'Shungin WHR EU sex combined 26 SNPs' on 'M-LDL-P.txt'





MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'UnsatDeg.txt'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'S-VLDL-FC.txt'












MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'M-HDL-TG\_percent.txt'







MR leave-one-out sensitivity analysis for 'Shungin WHR EU sex combined 26 SNPs' on 'M-VLDL-CE\_percent.txt'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'FAw3byFA.txt'













MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'M-HDL-FC.txt'





MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'IDL-CE\_percent.txt'















MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'M-VLDL-P.txt'


















MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'M-HDL-CE\_percent.txt'










MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'XL-VLDL-FC.txt'




















MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'M-HDL-L.txt'








MR leave-one-out sensitivity analysis for 'Shungin WHR EU sex combined 26 SNPs' on 'Serum-C.txt'

















MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'M-HDL-P.txt'







MR leave-one-out sensitivity analysis for 'Shungin WHR EU sex combined 26 SNPs' on 'XL-HDL-CE.txt'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'M-LDL-FC\_percent.txt'









MR leave-one-out sensitivity analysis for  
'Shugin WHR EU sex combined 26 SNPs' on 'Gln.txt'





MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'S-LDL-TG\_percent.txt'







MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'Val.txt'

















MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'XS-VLDL-CE.txt'




MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'XL-HDL-FC\_percent.txt'






MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'CLAbFA.txt'



MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'L-LDL-CE.txt'



MR leave-one-out sensitivity analysis for  
'Shungin WHR EU sex combined 26 SNPs' on 'M-LDL-C\_percent.txt'