





rs7742369


MR leave—one—out sensitivity analysis for 'HDL_FC_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non–endometrioid histology) || id:ebi–a–GCST006466'























































rs4970824











































'M_HDL_C_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi-a-GCST006465'


























































































rs12708454


MR leave—one—out sensitivity analysis for 'S_HDL_CE_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi–a–GCST006465'



























MR leave–one–out sensitivity analysis for 'HDL_size_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi–a–GCST006465'





'HDL_size_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006466'



























MR leave–one–out sensitivity analysis for 'SFA_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non–endometrioid histology) || id:ebi–a–GCST006466'











MR leave–one–out sensitivity analysis for 'L_HDL_C_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non–endometrioid histology) || id:ebi–a–GCST006466'


























MR leave-one-out sensitivity analysis for 'S_HDL_C_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006466'








rs550057 -


'IDL_TG_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi-a-GCST006465'




















































































rs151330717 -


MR leave—one—out sensitivity analysis for 'Total_PL_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non–endometrioid histology) || id:ebi–a–GCST006466'




































rs624698 -


INR leave—one—out sensitivity analysis for 'XS_VLDL_TG_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non–endometrioid histology) || id:ebi–a–GCST006466'



















































rs174528 -

'M_LDL_P_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi-a-GCST006465'














MR leave—one—out sensitivity analysis for 'L_LDL_FC_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non–endometrioid histology) || id:ebi–a–GCST006466'

























MR leave–one–out sensitivity analysis for 'PUFA_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi–a–GCST006465'


























rs17729097 -


MR leave—one—out sensitivity analysis for 'XL_VLDL_C_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi–a–GCST006465'











rs146390218 -




































MR leave-one-out sensitivity analysis for 'Total_BCAA_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi-a-GCST006465'





MR leave–one–out sensitivity analysis for
'Total_BCAA_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non–endometrioid histology) || id:ebi–a–GCST006466'











































MR leave–one–out sensitivity analysis for 'L_HDL_P_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi–a–GCST006465'






























































rs7412 -


'S_HDL_FC_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi-a-GCST006465'





MR leave-one-out sensitivity analysis for 'S_HDL_FC_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006466'









































































































































































MR leave–one–out sensitivity analysis for 'L_HDL_PL_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi–a–GCST006465'

















































































rs79787170 -


MR leave—one—out sensitivity analysis for 'L_LDL_TG_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi–a–GCST006465'




























MR leave–one–out sensitivity analysis for 'bOHbutyrate_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi–a–GCST006465'































































rs56266464





rs4970829





































'S_VLDL_C_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006466'



















































rs7873635


MR leave–one–out sensitivity analysis for 'M_VLDL_TG_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi–a–GCST006465'





















































































'ApoA1_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006466'



















































'S_VLDL_FC_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi-a-GCST006465'












'LDL_TG_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006466'








rs174528 -


MR leave—one—out sensitivity analysis for 'L_HDL_CE_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi–a–GCST006465'



























rs283811 -


MR leave–one–out sensitivity analysis for 'XL_VLDL_FC_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi–a–GCST006465'
























































rs4970829


Total_FC_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006466'







MR leave–one–out sensitivity analysis for 'L_HDL_CE_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi–a–GCST006465'













MR leave-one-out sensitivity analysis for 'LDL_FC_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006466'






'XL_HDL_PL_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi-a-GCST006465'











rs174528 -


MR leave—one—out sensitivity analysis for 'M_HDL_CE_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi–a–GCST006465'































'Phosphatidylc_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006466'








































































rs2228603 rs146439891


"VLDL_TG_int_imputed.txt_snps.txt" on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006466'



























rs4970829 -


M_LDL_CE_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006466'




































































































































rs1050556


MR leave—one—out sensitivity analysis for 'M_VLDL_CE_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi–a–GCST006465'



























rs72740858

'XL_HDL_C_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi-a-GCST006465'













rs9989419


'Remnant_C_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006466'
















rs17729097 -











































































































rs78980904 -

'HDL_TG_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi-a-GCST006465'











rs12721046 -


MR leave–one–out sensitivity analysis for 'M_LDL_PL_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi–a–GCST006465'





































'LDL_PL_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006466'


	Ir.	nsufficient nu	mber of SNF	'S	


	Ir.	nsufficient nu	mber of SNF	'S	


	Ir.	nsufficient nu	mber of SNF	'S	



















'S_LDL_CE_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006466'
















rs42132 -





































rs79787170



























rs78980904


'XL_VLDL_PL_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi-a-GCST006465'










































































'Omega_3_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006466'








rs378114


'XL_VLDL_FC_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi-a-GCST006465'























































MR leave–one–out sensitivity analysis for
'XS_VLDL_FC_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi–a–GCST006465'


























MR leave–one–out sensitivity analysis for 'S_LDL_C_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi–a–GCST006465'



MR leave-one-out sensitivity analysis for 'S_LDL_C_pct_int_imputed.txt_snps.txt' on 'Endometrial cancer (Non-endometrioid histology) || id:ebi-a-GCST006466'





rs34342646

'ApoB_by_ApoA1_int_imputed.txt_snps.txt' on 'Endometrial cancer (endometrioid histology) || id:ebi-a-GCST006465'

