





MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'XXL\_VLDL\_CE\_int\_imputed.txt\_adiposity\_instruments.txt'














MR leave—one—out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'S\_HDL\_TG\_int\_imputed.txt\_adiposity\_instruments.txt'




















MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'XL\_VLDL\_C\_pct\_int\_imputed.txt\_adiposity\_instruments.txt'




MR leave—one—out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'Sphingomyelins\_int\_imputed.txt\_adiposity\_instruments.txt'




MR leave-one-out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'M\_HDL\_CE\_pct\_int\_imputed.txt\_adiposity\_instruments.txt'





MR leave-one-out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'M\_LDL\_FC\_int\_imputed.txt\_adiposity\_instruments.txt'








MR leave-one-out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'M\_LDL\_FC\_pct\_int\_imputed.txt\_adiposity\_instruments.txt'















MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'HDL\_P\_int\_imputed.txt\_adiposity\_instruments.txt'







MR leave-one-out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'Phosphatidylc\_int\_imputed.txt\_adiposity\_instruments.txt'











MR leave—one—out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'non\_HDL\_C\_int\_imputed.txt\_adiposity\_instruments.txt'


















MR leave—one—out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'S\_LDL\_FC\_int\_imputed.txt\_adiposity\_instruments.txt'








MR leave-one-out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'S\_VLDL\_TG\_pct\_int\_imputed.txt\_adiposity\_instruments.txt'




























MR leave—one—out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'ApoB\_int\_imputed.txt\_adiposity\_instruments.txt'














MR leave—one—out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'Omega\_6\_int\_imputed.txt\_adiposity\_instruments.txt'








MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'XL\_HDL\_C\_int\_imputed.txt\_adiposity\_instruments.txt'




MR leave—one—out sensitivity analysis for 
'Locke BMI EU sex combined 77 SNPs clumped' on 'L\_VLDL\_FC\_pct\_int\_imputed.txt\_adiposity\_instruments.txt'










MR leave—one—out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'LDL\_L\_int\_imputed.txt\_adiposity\_instruments.txt'





MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'XS\_VLDL\_C\_int\_imputed.txt\_adiposity\_instruments.txt'



















MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'M\_LDL\_P\_int\_imputed.txt\_adiposity\_instruments.txt'























MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'XL\_HDL\_FC\_int\_imputed.txt\_adiposity\_instruments.txt'







MR leave-one-out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'Omega\_6\_pct\_int\_imputed.txt\_adiposity\_instruments.txt'





MR leave—one—out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'S\_HDL\_CE\_int\_imputed.txt\_adiposity\_instruments.txt'





MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'XS\_VLDL\_FC\_pct\_int\_imputed.txt\_adiposity\_instruments.txt'





























MR leave—one—out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'LDL\_CE\_int\_imputed.txt\_adiposity\_instruments.txt'





MR leave–one–out sensitivity analysis for 
'Locke BMI EU sex combined 77 SNPs clumped' on 'L\_VLDL\_C\_pct\_int\_imputed.txt\_adiposity\_instruments.txt'




MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'SFA\_pct\_int\_imputed.txt\_adiposity\_instruments.txt'













MR leave—one—out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'XL\_HDL\_CE\_pct\_int\_imputed.txt\_adiposity\_instruments.txt'











MR leave—one—out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'L\_LDL\_P\_int\_imputed.txt\_adiposity\_instruments.txt'



















MR leave-one-out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'XS\_VLDL\_P\_int\_imputed.txt\_adiposity\_instruments.txt'















MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'Total\_FC\_int\_imputed.txt\_adiposity\_instruments.txt'








MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'L\_HDL\_PL\_pct\_int\_imputed.txt\_adiposity\_instruments.txt'





















MR leave–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'L\_VLDL\_L\_int\_imputed.txt\_adiposity\_instruments.txt'




MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'L\_LDL\_CE\_pct\_int\_imputed.txt\_adiposity\_instruments.txt'













MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'M\_HDL\_P\_int\_imputed.txt\_adiposity\_instruments.txt'






MR leave—one—out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'LA\_pct\_int\_imputed.txt\_adiposity\_instruments.txt'







MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'Clinical\_LDL\_C\_int\_imputed.txt\_adiposity\_instruments.txt'




MR leave-one-out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'L\_LDL\_C\_pct\_int\_imputed.txt\_adiposity\_instruments.txt'




MR leave—one—out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'M\_VLDL\_PL\_pct\_int\_imputed.txt\_adiposity\_instruments.txt'





MR leave—one—out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'VLDL\_CE\_int\_imputed.txt\_adiposity\_instruments.txt'





MR leave-one-out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'XS\_VLDL\_CE\_pct\_int\_imputed.txt\_adiposity\_instruments.txt'















MR leave-one-out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'M\_HDL\_C\_pct\_int\_imputed.txt\_adiposity\_instruments.txt'









MR leave-one-out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'S\_VLDL\_C\_pct\_int\_imputed.txt\_adiposity\_instruments.txt'







MR leave-one-out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'Acetate\_int\_imputed.txt\_adiposity\_instruments.txt'




MR leave-one-out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'Total\_P\_int\_imputed.txt\_adiposity\_instruments.txt'





MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'XL\_HDL\_PL\_int\_imputed.txt\_adiposity\_instruments.txt'





MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'GlycA\_int\_imputed.txt\_adiposity\_instruments.txt'





















MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'L\_LDL\_PL\_int\_imputed.txt\_adiposity\_instruments.txt'







MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'L\_HDL\_PL\_int\_imputed.txt\_adiposity\_instruments.txt'














MR leave—one—out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'S\_LDL\_PL\_int\_imputed.txt\_adiposity\_instruments.txt'




















MR leave—one—out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'Glucose\_int\_imputed.txt\_adiposity\_instruments.txt'





MR leave—one—out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'LDL\_PL\_int\_imputed.txt\_adiposity\_instruments.txt'







MR leave-one-out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'L\_VLDL\_CE\_pct\_int\_imputed.txt\_adiposity\_instruments.txt'








MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'XS\_VLDL\_C\_pct\_int\_imputed.txt\_adiposity\_instruments.txt'



























MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'M\_VLDL\_FC\_pct\_int\_imputed.txt\_adiposity\_instruments.txt'




MR leave-one-out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'M\_HDL\_FC\_pct\_int\_imputed.txt\_adiposity\_instruments.txt'









MR leave-one-out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'M\_HDL\_CE\_int\_imputed.txt\_adiposity\_instruments.txt'








MR leave—one—out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'L\_LDL\_C\_int\_imputed.txt\_adiposity\_instruments.txt'




MR leave-one-out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'S\_VLDL\_P\_int\_imputed.txt\_adiposity\_instruments.txt'










MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'S\_HDL\_P\_int\_imputed.txt\_adiposity\_instruments.txt'












MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'LDL\_C\_int\_imputed.txt\_adiposity\_instruments.txt'





MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'bOHbutyrate\_int\_imputed.txt\_adiposity\_instruments.txt'






MR leave—one—out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'XL\_HDL\_PL\_pct\_int\_imputed.txt\_adiposity\_instruments.txt'








MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'VLDL\_size\_int\_imputed.txt\_adiposity\_instruments.txt'




MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'IDL\_P\_int\_imputed.txt\_adiposity\_instruments.txt'












MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'S\_HDL\_C\_int\_imputed.txt\_adiposity\_instruments.txt'




MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'LDL\_FC\_int\_imputed.txt\_adiposity\_instruments.txt'




MR leave-one-out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'M\_VLDL\_FC\_int\_imputed.txt\_adiposity\_instruments.txt'





MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'L\_HDL\_FC\_pct\_int\_imputed.txt\_adiposity\_instruments.txt'








MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'L\_HDL\_CE\_pct\_int\_imputed.txt\_adiposity\_instruments.txt'














MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'M\_VLDL\_C\_int\_imputed.txt\_adiposity\_instruments.txt'








MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'XL\_VLDL\_TG\_pct\_int\_imputed.txt\_adiposity\_instruments.txt'





MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'ApoB\_by\_ApoA1\_int\_imputed.txt\_adiposity\_instruments.txt'




































MR leave—one—out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'M\_VLDL\_C\_pct\_int\_imputed.txt\_adiposity\_instruments.txt'








MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'L\_LDL\_FC\_int\_imputed.txt\_adiposity\_instruments.txt'


















MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'LDL\_TG\_int\_imputed.txt\_adiposity\_instruments.txt'







MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'HDL\_C\_int\_imputed.txt\_adiposity\_instruments.txt'






MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'M\_VLDL\_CE\_pct\_int\_imputed.txt\_adiposity\_instruments.txt'







MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'M\_HDL\_C\_int\_imputed.txt\_adiposity\_instruments.txt'





MR leave-one-out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'S\_HDL\_PL\_pct\_int\_imputed.txt\_adiposity\_instruments.txt'




MR leave-one-out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'S\_HDL\_FC\_pct\_int\_imputed.txt\_adiposity\_instruments.txt'









MR leave–one–out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'L\_HDL\_CE\_int\_imputed.txt\_adiposity\_instruments.txt'







MR leave-one-out sensitivity analysis for 'Locke BMI EU sex combined 77 SNPs clumped' on 'M\_VLDL\_CE\_int\_imputed.txt\_adiposity\_instruments.txt'