1 Converting RGB to HSV

We start out by retrieving the red (R), green (G), blue (B) values, in a scale from 0 to 1, inclusively, as well as the largest and smallest of the R, G, B, values, and the difference between the two.

The "scale_x" variable, below, represents the channel scale, e.g. 255.

$$R = \frac{R'}{\operatorname{scale}_r}, G = \frac{G'}{\operatorname{scale}_q}, B = \frac{B'}{\operatorname{scale}_b}$$
 (1)

$$m_{\text{max}} = \max(R, G, B) \tag{2}$$

$$m_{\min} = \max(R, G, B) \tag{3}$$

$$\Delta = m_{\text{max}} - m_{\text{min}} \tag{4}$$

(5)

Now, we get the hue, H, value. To do that, we look at the largest of the R, G, B, values. The smallest two are subtracted off, and divided by the difference between the largest and the smallest. We then normalize the hue by adding either 0, 2, or 4. The resulting H will always have a value between 0 and 6, inclusively.

We see below that we are getting the modulus by 6, instead of getting the value outright. This is because for a small enough value $\Delta > 0$, we may end up with a value that is greater than 6.

And also, if H_0 happens to be negative, we are adding the value 6 to ensure that we end up with a value that is positive and less than or equal to 6.

$$H_{0} = \begin{cases} \text{undefined,} & \text{if } \Delta = 0\\ \frac{G - B}{\Delta} \mod 6 & \text{if } m_{\text{max}} = R\\ (\frac{B - R}{\Delta} + 2) \mod 6 & \text{if } m_{\text{max}} = G\\ (\frac{R - G}{\Delta} + 4) \mod 6 & \text{if } m_{\text{max}} = B \end{cases}$$

$$H = \begin{cases} H_{0} + 6 & \text{if } H < 0\\ H_{0} & \text{otherwise} \end{cases}$$

$$(6)$$

$$H = \begin{cases} H_0 + 6 & \text{if } H < 0\\ H_0 & \text{otherwise} \end{cases}$$
 (7)

$$H' = H \times \operatorname{scale}_h$$
 (8)

The brightness, V, is based on the brightest colour channel.

$$V = m_{\text{max}} \tag{9}$$

$$V' = V \times \text{scale}_v \tag{10}$$

(11)

The saturation, S, is the difference between the largest and smallest colour channel values, divided by the brightness, V. If V is 0, then the resulting saturation is 0.

$$S = \begin{cases} 0, & \text{if } V = 0\\ \frac{\Delta}{V} & \text{otherwise} \end{cases}$$
 (12)

$$S' = S \times \text{scale}_s \tag{13}$$

2 Converting HSV to RGB

First, we get the hue (H), saturation (S), brightness (V), where H is in a scale between 0 to 6 inclusively, and S and V in a scale between 0 to 1.

Incidentally, the brightness, V, also happens to represent the brightest channel in our resulting RGB colour.

$$H = \begin{cases} \text{undefined if } H' \text{is undefined} \\ \frac{H'}{\text{scale}_h} & \text{otherwise} \end{cases}$$

$$S = \frac{S'}{\text{scale}_s}, V = \frac{V'}{\text{scale}_v}$$

$$(14)$$

$$S = \frac{S'}{\text{scale}_s}, V = \frac{V'}{\text{scale}_v} \tag{15}$$

Next, get some channel values in decreasing brightness. Whether any of the below α , β , γ values represent either red, green, or blue, will be decided shortly afterwards.

$$\alpha = V \times (1 - S) \tag{16}$$

$$\beta = \begin{cases} \text{undefined} & \text{if } H \text{is undefined} \\ V \times (1 - (H - \lfloor H \rfloor) \times S) & \text{otherwise} \end{cases}$$
 (17)

$$\beta = \begin{cases} \text{undefined} & \text{if } H \text{is undefined} \\ V \times (1 - (H - \lfloor H \rfloor) \times S) & \text{otherwise} \end{cases}$$

$$\gamma = \begin{cases} \text{undefined} & \text{if } H \text{is undefined} \\ V \times (1 - (H - \lfloor H \rfloor)) \times S) & \text{otherwise} \end{cases}$$

$$(17)$$

Now, you can imagine a colour wheel—represented by figure 1 (on the next page)—and H, being a magnitude from 0 to 6 of the rotation within the wheel. When H is less than 1, then the colour is more red leaning. Hence, below, you see that the brightest value in the resulting (R, G, B) triple will be R = V. When it is greater than 1 and less than 2, then G = V will be the largest, and so on, and so fourth.

$$(R,G,B) = \begin{cases} (V,V,V) & \text{if } H \text{ is undefined} \\ (V,\gamma,\alpha) & \text{if } 0 \leq H < 1 \\ (\beta,V,\alpha) & \text{if } 1 \leq H < 2 \\ (\alpha,V,\gamma) & \text{if } 2 \leq H < 3 \\ (\alpha,\beta,V) & \text{if } 3 \leq H < 4 \\ (\gamma,\alpha,V) & \text{if } 4 \leq H < 5 \\ (V,\alpha,\beta) & \text{if } 5 \leq H < 6 \end{cases}$$

$$(19)$$

$$(R', G', B') = (R \times scale_r, G \times scale_q, B \times scale_b)$$
(20)




Figure 1: The colour represented by 0 degrees is red. By 60, yellow; 120, green; 180, cyan; 240, blue; 300, magenta. [1]

 $[1] \ http://www.hobbitsandhobos.com/wp-content/uploads/2011/06/colorWheel.png$