

Data Download Dictionary for Granted Patent Data

Filter by table name..

<i>g_applicant_not_disambiguated</i>	<i>Information on non-inventor applicants</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
patent_id	patent number	D345393	2005 and after	varchar(36)
applicant_sequence	order of the applicants on the patent application, beginning with zero; sequence for this table begins at {1}.	1	2005 and after	int(11)
applicant_authority	The type of interest the applicant has in the intellectual property rights of a patent or application. May be equal to inventor, legal-representative, party-of-interest, obligated-assignee, assignee, or null.	legal-representative	2005-present	varchar(30)
raw_applicant_name_first	first name, if applicant is an individual	Aversano	2005 and after	varchar(64)
raw_applicant_name_last	last name, if applicant is an individual	Salvatore	2005 and after	varchar(64)
raw_applicant_organization	organization name if applicant is an organization	Amazon Technologies, Inc.	2005 and after	varchar(256)
applicant_type	type of applicant (applicant or applicant-inventor)	applicant	2005 and after	varchar(30)
applicant_designation	designation of the applicant	us-only	2005 and after	varchar(20)
rawlocation_id	unique location id generated by the disambiguation algorithm	emcq5f1g8kp rye06olw1zq dv8	2005 and after	varchar(36)

<i>g_application</i>	<i>Information on the applications for granted patent</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE

application_id	application id assigned by USPTO	02/002761	all	varchar(36)
patent_id	patent number	D345393	all	varchar(20)
patent_application_type	patent application series code: 01-17 = utility application; 29 = design application; 35 = international design applications; 60-62 = provisional application; 90 = ex parte reexamination request; 95 = inter partes reexamination request; 96 = supplemental examination	2	all	varchar(20)
filing_date	date of application filing, ISO format: YYYY-MM-DD	1992-12-23	all	date
series_code	application series; "D" for some designs; (http://www.uspto.gov/web/offices/ac/ido/oeip/taf/filingyr.htm)	2	all	binary(0)
rule_47_flag	flag for inventor who was unable to be contacted at filing of patent	0 or 1	all	bigint(1)

<i>g_assignee_disambiguated</i>	<i>Disambiguated assignee data</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
patent_id	patent number	PP25533	all	varchar(20)
assignee_sequence	order in which assignee appears in patent file; sequence for this table begins at {0}.	0	all	int(11)
assignee_id	unique assignee ID generated by the disambiguation algorithm	00003f5c5d9 2354570b9ba e01b3e7272	all	varchar(36)
disambig_assignee_individual_name_first	first name, if assignee is an individual	Ziyan	all	varchar(96)
disambig_assignee_individual_name_last	last name, if assignee is an individual	Liu	all	varchar(96)
disambig_assignee_organization	organization name if assignee is an organization	E-Z Anchor Bolt Template, Inc.	all	varchar(256)

assignee_type	classification of assignee (1 - Unassigned, 2 - US Company or Corporation, 3 - Foreign Company or Corporation, 4 - US Individual, 5 - Foreign Individual, 6 - US Federal Government, 7 - Foreign Government, 8 - US County Government, 9 - US State Government. Note: A "1" appearing before any of these codes signifies part interest	2	all	int(4)
location_id	unique location id generated by the disambiguation algorithm	d929a955-16c7-11ed-9b5f-1234bde3cd05	all	varchar(128)

<i>g_assignee_not_disambiguated</i>	<i>Raw assignee information as it appears in the source XML files</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
patent_id	patent number	5856666	all	varchar(20)
assignee_sequence	order in which the assignees are listed in the raw XML for current patent; sequence for this table begins at {0}.	0	all	int(11)
assignee_id	unique assignee ID generated by the disambiguation algorithm	00000ce5-b13f-4a23-a8fb-c14409ad7b68	all	varchar(36)
raw_assignee_individual_name_first	first name, if assignee is an individual	Thomas	all	varchar(64)
raw_assignee_individual_name_last	last name, if assignee is an individual	Bushey	all	varchar(64)
raw_assignee_organization	organization name if assignee is an organization	U.S. Philips Corporation	all	varchar(256)
assignee_type	assignee type (1- Unassigned, 2 - US Company or Corporation, 3 - Foreign Company or Corporation, 4 - US Individual, 5 - Foreign Individual, 6 - US Federal Government, 7 - Foreign Government, 8 - US County Government, 9 - US State Government. Note: A "1" appearing before any of these codes signifies part interest)	2	2002 and After	int(4)
rawlocation_id	assignee's location. If the assignee's sequence number is 0, then his/her location is the "location" of the related patent	orskbf54s58e97lkmw8na5rpx	all	varchar(128)

<i>g_attorney_disambiguated</i>	<i>Disambiguated lawyer data</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
patent_id	patent number	D409748	all	varchar(20)
attorney_sequence	order in which attorney is listed on the patent file; sequence for this table begins at {0}.	0	all	int(11)
attorney_id	unique lawyer ID generated by the disambiguation algorithm	00001d98f0f7955b659fc7c9195e0d88	all	varchar(36)
disambig_attorney_name_first	first name of attorney or agent	Joan Ootican	all	varchar(64)
disambig_attorney_name_last	last name of attorney or agent	Herman	all	varchar(64)
disambig_attorney_organization	organization of attorney or agent	Law Office of Alan W Cannon	all	varchar(128)
attorney_country	country of attorney or agent	US	all	varchar(10)

<i>g_attorney_not_disambiguated</i>	<i>Raw attorney information as it appears in the source XML files</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
patent_id	patent number	4253071	all	varchar(20)
attorney_sequence	order in which the attorneys are listed in the raw XML for current patent; sequence for this table begins at {0}.	0	all	int(11)
attorney_id	unique attorney id generated by the disambiguation algorithm	fbba8f4e97c00c6812c9ad2ce3ebb253	all	varchar(36)
raw_attorney_name_first	first name of attorney or agent	Joan Ootican	all	varchar(64)
raw_attorney_name_last	last name of attorney or agent	Herman	all	varchar(64)
raw_attorney_organization	organization name of attorney or agent	Law Office of Alan W Cannon	all	varchar(128)
attorney_country	country of attorney or agent	US	all	varchar(10)

<i>g_botanic</i>	<i>Data about referenced plant species</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
patent_id	patent number	PP25533	2005 and After	varchar(20)
latin_name	latin name of plant	Heuchera villosa	2005 and After	varchar(128)

plant_variety	variety of plant	Citronelle	2005 and After	varchar(128)
---------------	------------------	------------	----------------	--------------

<i>g_brf_sum_text</i>	<i>Text of patent summary</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
patent_id	patent number	8918554	all	varchar(20)
summary_text	text of the summary itself, excluding headings	BACKGROUND The present disclosure de...	all	mediumtext

<i>g_claim</i>	<i>Full text of patent claims, including dependency and sequence</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
patent_id	patent number	4968079	all	varchar(20)
claim_sequence	order in which claims appear in patent file; sequence for this table begins at {0}.	10	all	int(11)
claim_text	claim text	A golf ball retriever having no movi...	all	mediumtext
dependent	sequence number of claim this is dependent on. NULL if independent	claim 1, claim 2, claim 3	all	varchar(512)
claim_number	Contains claim number of claim formatted as 0-prefixed 5 digit number. This column will have a range of claims if those claims are cancelled	00010 OR 00001-00010 (text will be "Cancelled")	2005 and After	varchar(10)
exemplary	whether the claim is one of the exemplary claims of the patent; 1 if exemplary claim, 0 otherwise	1	2002 and After	int(11)

<i>g_cpc_current</i>	<i>Current CPC classification of the patent</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
patent_id	patent number	3930271	all	varchar(20)
cpc_sequence	order in which cpc class appears in patent file; sequence for this table begins at {0}.	0	all	int(11)

cpc_section	cpc section (A = Human Necessitates, B = Performing Operations; Transporting, C = Chemistry; Metallurgy, D = Textiles; Paper, E = Fixed Constructions, F = Mechanical Engineering; Lighting; Heating; Weapons; Blasting Engines or Pumps, G = Physics, H = Electricity, Y = General Tagging of New Technological Developments)	A	all	varchar(10)
cpc_class	cpc subsection id: https://www.uspto.gov/web/patents/classification/cpc/html/cpc.html	A63	all	varchar(20)
cpc_subclass	cpc group id: https://www.uspto.gov/web/patents/classification/cpc/html/cpc.html	A63B	all	varchar(20)
cpc_group	cpc subgroup id: https://www.uspto.gov/web/patents/classification/cpc/html/cpc.html	A63B71/146	all	varchar(32)
cpc_type	cpc category (inventional or additional)	inventional	all	varchar(36)

<i>g_cpc_title</i>	<i>CPC group classification at issue of the patent</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
cpc_subclass	cpc group id	A01B	all	varchar(20)
cpc_subclass_title	description of cpc group	SOIL WORKING IN AGRICULTURE OR FORESTRY;	all	varchar(512)
cpc_group	cpc subgroup id	A01B1/00	all	varchar(20)
cpc_group_title	description of cpc subgroup	Hand tools	all	mediumtext
cpc_class	cpc subsection id	A01	all	varchar(20)
cpc_class_title	description of cpc subsection	AGRICULTURE; FORESTRY; ANIMAL HUSBANDRY; HUNTING; TRAPPING; FISHING	all	varchar(512)

<i>g_detail_desc_text</i>	<i>Text of detailed description of patent</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
patent_id	patent number	4800176	all	varchar(20)

description_text	text of the description itself, excluding headings	DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS FIGS. 2A to 2H are...	all	mediumtext
description_length	length of the description text	15923	all	int(10)

<i>g_draw_desc_text</i>	<i>Text of description of the patent's drawings</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
patent_id	patent number	3930271	all	varchar(20)
draw_desc_sequence	order in which drawing descriptions appear in patent file, often the same as the figure id; sequence for this table begins at {1}.	3	all	int(10)
draw_desc_text	text of the description itself, excluding headings	FIG. 1 is a perspective view of...	all	mediumtext

<i>g_examiner_not_disambiguated</i>	<i>Details about the patent examiner</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
patent_id	patent number	5059397	all	varchar(20)
raw_examiner_name_first	examiner first name	Timothy M.	all	varchar(64)
raw_examiner_name_last	examiner last name	McMahon	all	varchar(64)
examiner_role	whether this individual was the primary or assistant examiner	assistant	all	varchar(20)
art_group	art unit, tech center, industry sector, or other grouping of US patent examiners	1643	2002 and After	varchar(20)

<i>g_figures</i>	<i>Number of drawings and drawing sheets</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
patent_id	patent number	7484162	all	varchar(20)
num_figures	number of figures included with patent	4	all	int(11)
num_sheets	number of drawing sheets included with patent	3	all	int(11)

<i>g_foreign_citation</i>	<i>Citations made to foreign patents by US patents</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE

patent_id	patent number	8636942	all	varchar(20)
citation_sequence	order in which this citation is cited by patent; sequence for this table begins at {0}.	2	all	int(11)
citation_application_id	identifying number of patent/application to which select patent cites	51-40476	all	varchar(64)
citation_date	date select patent (pat_no) cites patent/application (number)	1976-04-01	all	date
citation_category	who cited the patent (examiner, applicant, other etc)	cited by applicant	all	varchar(64)
citation_country	country patent/application (number) was filed	JP	all	varchar(10)

<i>g_foreign_priority</i>	<i>Information about an earlier patent filing in a foreign country which gives the claim priority</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
patent_id	patent number (US patent number)	4579440	all	varchar(20)
priority_claim_sequence	order in which priority claims appear in patent file; sequence for this table begins at {0}.	0	all	int(11)
priority_claim_kind	type of priority claim (international, national, regional)	national	2005 and After	varchar(20)
foreign_application_id	foreign patent application number	4025984	all	varchar(70)
filing_date	date at which patent was previously filed	2013-08-16	2002 and After	date
foreign_country_filed	country in which patent was originally filed (transformed name)	DE	all	varchar(10)

<i>g_gov_interest</i>	<i>Mapping of patent numbers to raw government interest text</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
patent_id	patent number	3930295	all	varchar(20)
gi_statement	raw government interest text	The invention herein described was made in the course of work under a grant or award from the U.S. Army.	all	mediumtext

<i>g_gov_interest_contracts</i>	<i>Mapping of Federal contract award numbers to patent numbers</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
patent_id	patent number	3931132	all	varchar(20)
contract_award_number	federal contract award number	83-568 73	all	varchar(255)

<i>g_gov_interest_org</i>	<i>Federal agencies with government interests in patents</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
patent_id	patent number	8636942	all	varchar(255)
gi_organization_id	unique organization id	1	all	int(11)
fedagency_name	name of Federal department, agency, bureau, etc.	Department of Veterans Affairs	all	varchar(255)
level_one	position of the focal agency in a hierarchical set of relationships with the parent agency (e.g., DHHS) at level_one and child agencies at lower levels (e.g., NIH at level_two and NIDA at level_three). government_organization.name is equal to one and only one of the values in level_one, level_two, and level_three	Department of Veterans Affairs	all	varchar(255)
level_two	position of the focal agency in a hierarchical set of relationships with the parent agency (e.g., DHHS) at level_one and child agencies at lower levels (e.g., NIH at level_two and NIDA at level_three). government_organization.name is equal to one and only one of the values in level_one, level_two, and level_three	U.S. Census Bureau	all	varchar(255)
level_three	position of the focal agency in a hierarchical set of relationships with the parent agency (e.g., DHHS) at level_one and child agencies at lower levels (e.g., NIH at level_two and NIDA at level_three). government_organization.name is equal to one and only one of the values in level_one, level_two, and level_three	Advanced Technology Program	all	varchar(255)

<i>g_inventor_disambiguated</i>	<i>Disambiguated inventor data</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE

patent_id	patent number	5415504	all	varchar(36)
inventor_sequence	order in which inventor appears in file; sequence for this table begins at {0}.	0	all	int(11)
inventor_id	unique inventor id generated by the disambiguation algorithm	3930274-1 or 0000n6xqian utadbzbzgwl ed7	all	varchar(128)
disambig_inventor_name_first	first name	Harold A.	all	mediumtext
disambig_inventor_name_last	last name	Syfritt	all	mediumtext
gender_code	attributed inventor gender (F = female, M = male, U = no gender attributed)	U	all	varchar(1)
location_id	unique location id generated by the disambiguation algorithm	d929a955-16c7-11ed-9b5f-1234bde3cd05	all	varchar(128)

<i>g_inventor_not_disambiguated</i>	<i>Raw inventor information as it appears in the source XML files</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
patent_id	patent number	4789863	all	varchar(20)
inventor_sequence	order in which the inventors are listed in the raw XML for current patent; sequence for this table begins at {0}.	0	all	int(11)
inventor_id	unique inventor id generated by the disambiguation algorithm	4789863-1	all	varchar(80)
raw_inventor_name_first	first name	Thomas A.	all	varchar(64)
raw_inventor_name_last	last name	Bush	all	varchar(64)
deceased_flag	flag to indicate if the inventor has deceased	FALSE	all	boolean
rawlocation_id	inventor's location. If the inventor's sequence number is 0, then his/her location is the "location" of the related patent	tkz70bmoqx88n1lfz3fl657l h	all	varchar(128)

<i>g_ipc_at_issue</i>	<i>International Patent Classification</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
patent_id	patent number	D409748	all (incomplete for 2002-2004)	varchar(20)

ipc_sequence	order in which ipc class appears in patent file; sequence for this table begins at {0}.	0	all (incomplete for 2002-2004)	int(11)
classification_level	ipc classification level (A = advanced level)	A	2006 and After	varchar(20)
section	ipc section (A = Human Necessitates, B = Performing Operations; Transporting, C = Chemistry; Metallurgy, D = Textiles; Paper, E = Fixed Constructions, F = Mechanical Engineering; Lighting; Heating; Weapons; Blasting, G = Physics, H = Electricity)	H	all (incomplete for 2002-2004)	varchar(20)
ipc_class	ipc class	21	all (incomplete for 2002-2004)	varchar(20)
subclass	ipc subclass	L	all (incomplete for 2002-2004)	varchar(20)
main_group	ipc group	21	all (incomplete for 2002-2004)	varchar(20)
subgroup	ipc subgroup	3205	all (incomplete for 2002-2004)	varchar(20)
classification_value	ipc classification value (I = invention information; N = non-invention information)	I	2006 and After	varchar(20)
classification_status	ipc classification status (B = Basic or Original)	B	2006 and After	varchar(20)
classification_data_source	ipc classification data source (H = Human - Generated; M = Machine - Generated; G = Generated via Software)	H	2006 and After	varchar(20)
action_date	issue date of the patent grant	2010-08-31	2006 and After	date
ipc_version_indicator	ipc version indicator	2006-01-01	2006 and After	date

<i>g_location_disambiguated</i>	<i>Disambiguated location data for inventors and assignees</i>
--	---

DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
location_id	unique location id generated by the disambiguation algorithm	0009wn7out97	all	varchar(128)
disambig_city	disambiguated city associated with a location_id	Stewart	all	varchar(128)
disambig_state	disambiguated state associated with a location_id	MN	all	varchar(20)
disambig_country	disambiguated country associated with a location_id	US	all	varchar(16)
latitude	latitude for location_id	44.7247	all	float
longitude	longitude for location_id	-94.4858	all	float
county	county associated with location_id	Mcleod	all	varchar(60)
state_fips	state FIPS code associated with a location_id	27	all	varchar(2)
county_fips	county FIPS code associated with a location_id	85	all	varchar(6)

<i>g_location_not_disambiguated</i>	<i>Raw location information as it appears in the source XML files</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
rawlocation_id	unique id	000035ewn5fb3oerojqwcw4hg	all	varchar(128)
location_id	unique location id generated by the disambiguation algorithm	q6d41gon4fe y	all	varchar(128)
raw_city	raw city associated with a location_id	Colorado Springs	all	varchar(128)
raw_state	raw state associated with a location_id	CO	all	varchar(20)
raw_country	raw country associated with a location_id	US	all	varchar(10)

<i>g_other_reference</i>	<i>Citations made to non-patent documents by US patents</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
patent_id	patent number	8492328	all	varchar(20)
sequence	order in which this reference appears in the raw XML for the current patent; sequence for this table starts at 0.	50	all	int(11)text
text	non-patent literature reference text	Merlino, et al...	all	text

<i>g_patent</i>	<i>Data concerning granted patents</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
patent_id	patent this record corresponds to	3930271	all	varchar(20)
patent_type	category of patent. Usually "design", "reissue", etc.	utility	all	varchar(100)
patent_date	date when patent was granted	1/6/1976	all	date
patent_title	title of patent	Golf glove	all	mediumtext
wipo_kind	WIPO document kind codes (http://www.uspto.gov/learning-and-resources/support-centers/electronic-business-center/kind-codes-included-uspto-patent)	A	all	varchar(10)
num_claims	number of claims	4	all	int(11)
withdrawn	whether a patent has been withdrawn or not (withdrawn = 1, not withdrawn = 0)	0	all	int(11)
filename	name of the raw data file where patent information is parsed from	pftaps19760106_wk01.zip	all	varchar(120)

<i>g_patent_abstract</i>	<i>Data concerning the abstracts of granted patents</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
patent_id	patent this record corresponds to	3930271	all	varchar(20)
patent_abstract	abstract text of patent	A golf glove is disclosed h...	all	mediumtext

<i>g_pct_data</i>	<i>PCT or regional filing data</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
patent_id	patent number	7822494	all	varchar(20)
published_or_filed_date	date published or filed	2006-11-02	all	date
pct_371_date	PCT Section 371(c)(1)(2)(4)date, date when pct application was filed	1983-10-27	all	date
pct_102_date	35 U.S.C. § 102(e) date for pct applications	1983-10-27	2001 and Before	date
filed_country	country filed in	WO	2002 and After	varchar(20)
application_kind	kind of application (numerical for filed, alphabetical for published)	A	2002 and After	varchar(20)
pct_doc_number	id of pct patent	WO2006/114595	all	varchar(20)

pct_doc_type	whether the document has been published or just filed	wo_grant	2002 and After	varchar(20)
--------------	---	----------	----------------	-------------

<i>g_persistent_assignee</i>	<i>Disambiguated Assignee ID across data updates</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
patent_id	patent number	5106549	all	varchar(20)
disamb_assignee_id_xxxxxxx	the disambiguated assignee ids associated with the raw assignee on a given pgpub document with the given sequence during the data updates matching the date stamps in the field names. Data on this table goes back to the 20181127 update.	10050572-4	all	varchar(256)
assignee_sequence	order in which assignee appears in patent file; sequence for this table begins at {0}.	3	all	int(11)

<i>g_persistent_inventor</i>	<i>Disambiguated Inventor ID across data updates</i>			
patent_id	patent number	5106549	all	varchar(20)
disamb_inventor_id_xxxxxxx	the disambiguated inventor ids associated with the raw inventor on a given pgpub document with the given sequence during the data updates matching the date stamps in the field names. Data on this table goes back to the 20170808 update.	4341225-1	all	varchar(256)
inventor_sequence	order in which inventor appears in patent file; sequence for this table begins at {0}.	3	all	int(11)

<i>g_rel_app_text</i>	<i>Description of related patent applications</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
patent_id	patent number	5686891	all	varchar(20)
rel_app_text	text of the description of the related application in question	This is a divisional of application Ser. No. 299,211, filed Sept. 3, 1981.	all	mediumtext

<i>g_uspc_at_issue</i>	<i>USPTO patent classification at patent issue date</i>
-------------------------------	--

DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
patent_id	patent number	5106549	all	varchar(20)
uspc_sequence	order in which uspc class appears in patent file; sequence for this table begins at {0}.	4	all	int(11)
uspc_mainclass_id	uspc mainclass at issue	264	all	varchar(20)
uspc_mainclass_title	description of uspc mainclass	PRESSES	all	varchar(256)
uspc_subclass_id	uspc subclass at issue	264/DIG19	all	varchar(20)
uspc_subclass_title	description of uspc subclass	BINDING264	all	varchar(512)

<i>g_us_application_citation</i>	<i>Citations made to US patent applications by US patents</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
patent_id	patent number	8102431	2005 and After	varchar(20)
citation_sequence	order in which this reference is cited by select patent; sequence for this table begins at {0}.	0	2005 and After	int(11)
citation_document_number	publication number of application to which select patent cites	20070236734	2005 and After	varchar(64)
citation_date	first day of the month the cited patent (citation_id) was published	2007-10-01	2005 and After	date
record_name	name of cited record	Okamoto	2005 and After	varchar(128)
wipo_kind	wipo document kind codes (http://www.uspto.gov/learning-and-resources/support-centers/electronic-business-center/kind-codes-included-uspto-patent)	A1	2005 and After	varchar(10)
citation_category	who cited the application (examiner, applicant, other etc)	cited by examiner	2005 and After	varchar(64)

<i>g_us_patent_citation</i>	<i>Citations made to US granted patents by US patents</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
patent_id	patent number	9009250	all	varchar(20)
citation_sequence	order in which this reference is cited by select patent; sequence for this table begins at {0}.	622	all	bigint(22)
citation_patent_id	identifying number of patent to which select patent cites	8127342	all	varchar(20)

citation_date	first day of the month the cited patent (citation_id) was granted	2012-02-01	all	date
record_name	name of cited record	Boynton et al.	all	varchar(128)
wipo_kind	WIPO document kind codes (http://www.uspto.gov/learning-and-resources/support-centers/electronic-business-center/kind-codes-included-uspto-patent)	B2	2002 and After	varchar(10)
citation_category	who cited the patent (examiner, applicant, other etc)	cited by patent	2002 and After	varchar(64)

<i>g_us_rel_doc</i>	<i>US Related Documents for granted patents</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
patent_id	patent number	9683848	2002 and After	varchar(20)
related_doc_type	defines the type of documentation	continuation-in-part	2002 and After	varchar(64)
related_doc_kind	kind of document (text)	parent document	2002 and After	varchar(64)
related_doc_number	related document number	13336060	2002 and After	varchar(64)
published_country	country where related document was published	US	2002 and After	varchar(20)
related_doc_published_date	publication date of the related document	2011-12-23	2002 and After	date
related_doc_status	status of related document	ABANDONED	2002 and After	varchar(20)
related_doc_sequence	order in which the related document appears in patent file; sequence for this table begins at {0}.	36	2002 and After	int(11)
wipo_kind	WIPO document kind codes (http://www.uspto.gov/learning-and-resources/support-centers/electronic-business-center/kind-codes-included-uspto-patent)	A1	2002 and After	varchar(20)

<i>g_us_term_of_grant</i>				
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
patent_id	patent number	7648808	all	varchar(20)
disclaimer_date	date of the terminal disclaimer	7/19/2005	all	date

term_disclaimer	disclaimer if the patent is subject to a terminal disclaimer	This patent is subject to a terminal disclaimer.	2002 and After	varchar(128)
term_grant	the length of time during which a patent is in force (i.e. the inventor(s) or assignee(s) have exclusive rights to the invention) in years	14	2002 and After	varchar(128)
term_extension	an extension to the grant term period in days	739	all	varchar(20)

<i>g_wipo_technology</i>	<i>WIPO technology classification of the patent</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
patent_id	patent number	3930271	all	varchar(20)
wipo_field_sequence	order in which WIPO technology field appears on patent; sequence for this table begins at {0}.	0	all	bigint(20)
wipo_field_id	WIPO technology field id as derived from crosswalk http://www.wipo.int/export/sites/www/ipstats/en/statistics/patents/xls/ipc_technology.xls	33	all	double
wipo_sector_title	WIPO technology sector title	Electrical engineering	all	varchar(60)
wipo_field_title	WIPO technology field title	Electrical machinery, apparatus, energy	all	varchar(255)

Contact Us

Community Forum (/forum) | Support (<https://patentsview-support.atlassian.net/servicedesk/customer/portals>) | Join our Newsletter (/newsletter)

Terms of Use

Terms of Service (/about/terms-privacy) | Community Rules of Conduct (/rules-of-conduct)



©2025 PatentsView All Rights Reserved

Pre-Grant Data Download Dictionary

The pre-grant publications data includes all publications released by the USPTO for download from 2001 through the most recent data update.

Filter by table name..

<i>pg_granted_pgpubs_crosswalk</i>	<i>Table mapping patent application's to their corresponding granted patent numbers</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
pgpub_id	document number	20100273 145	all	bigint(16)
patent_id	patent number	9134302	all	varchar(20)
application_id	application number	8479995	all	varchar(16)
current_pgpub_id_flag	Flag indicating whether this row contains the most recent pgpub_id for a given application (TRUE = This pgpub_id refers to the most recent publication of this application; FALSE = This application has been re-published or corrected in a more recent publication)	TRUE	all	boolean
current_patent_id_flag	Flag indicating whether this row contains the most recent patent_id for a given application (TRUE = This patent_id refers to the most recent patent granted to this application; FALSE = This patent has been withdrawn and re-issued under a more recent patent_id)	FALSE	all	boolean

<i>pg_applicant_not_disambiguated</i>	<i>US party and applicant information as it appears in the source XML files</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
pgpub_id	document number	20200075 150	all	bigint(16)

applicant_sequence	order in which the party/applicant appears in the source XML file; sequence for this table begins at {1}.	3	all	int(11)
applicant_authority	The type of interest the applicant has in the intellectual property rights of a patent or application. May be equal to inventor, legal-representative, party-of-interest, obligated-assignee, assignee, or null.	legal-representative	2005-present	varchar(30)
raw_applicant_name_first	first name of the party/applicant, if an individual	Janet	all	varchar(256)
raw_applicant_name_last	last name of the party/applicant, if an individual	McCallister	all	varchar(256)
raw_applicant_organization	organization of the party/applicant, if applicable	FUJIFILM Corporation	all	varchar(256)
applicant_type	type of the party/applicant	applicant	all	varchar(64)
applicant_designation	designation of the party/applicant	us-only	all	varchar(32)
rawlocation_id	parties' unique location id	0000c51a-0d76-11eb-a344-121df0c29c1e	all	varchar(128)

<i>pg_assignee_disambiguated</i>	<i>Disambiguated assignee data. Methodology description can be found here (https://patentsview.org/disambiguation).</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
pgpub_id	document number	20080163497	all	bigint(16)
assignee_sequence	order in which assignee appears in patent file; sequence for this table begins at {1}.	1	all	int(11)
assignee_id	unique assignee ID generated by the disambiguation algorithm	000009fd-0268-46a4-b493-c8e5f7672331	all	varchar(64)
disambig_assignee_individual_name_first	first name, if assignee is individual	Douglas Norman	all	varchar(256)

disambig_assignee_individual_name_last	last name, if assignee is individual	Hartz	all	varchar(256)
disambig_assignee_organization	organization name if assignee is organization	BIC-Violex SA	all	varchar(256)
assignee_type	assignee type (1 - Unassigned, 2 - US Company or Corporation, 3 - Foreign Company or Corporation, 4 - US Individual, 5 - Foreign Individual, 6 - US Federal Government, 7 - Foreign Government, 8 - US County Government, 9 - US State Government. Note: A "1" appearing before any of these codes signifies part interest)	4	2002 and after	int(11)
location_id	assignee's location. If the assignee's sequence number is 1, then his/her location is the "location" of the related patent	78b9e85a-3bc6-11eb-a3cd-121df0c29c1e	all	varchar(128)

<i>pg_assignee_not_disambiguated</i>	<i>Raw assignee information as it appears in the source XML files</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
pgpub_id	document number	20080163497	all	bigint(16)
assignee_sequence	order in which assignee appears in patent file; sequence for this table begins at {1}.	1	all	int(11)
assignee_id	unique assignee ID generated by the disambiguation algorithm	000009fd-0268-46a4-b493-c8e5f7672331	all	varchar(64)
raw_assignee_individual_name_first	first name, if assignee is individual	Douglas Norman	all	varchar(256)
raw_assignee_individual_name_last	last name, if assignee is individual	Hartz	all	varchar(256)
raw_assignee_organization	organization name if assignee is organization	BIC-Violex SA	all	varchar(256)

assignee_type	assignee type (1- Unassigned, 2 - US Company or Corporation, 3 - Foreign Company or Corporation, 4 - US Individual, 5 - Foreign Individual, 6 - US Federal Government, 7 - Foreign Government, 8 - US County Government, 9 - US State Government. Note: A "1" appearing before any of these codes signifies part interest)	4	2002 and after	int(11)
rawlocation_id	assignee's location. If the assignee's sequence number is 1, then his/her location is the "location" of the related patent	78b9e85a-3bc6-11eb-a3cd-121df0c29c1e	all	varchar(128)

<i>pg_brf_sum_text_{year}</i>	<i>Text of application summary for a given year</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
pgpub_id	document number	20050011018	all	bigint(16)
summary_text	text of the summary itself	The present disclosure is directed ..	all	mediumtext

<i>pg_claims_{year}</i>	<i>Full text of application claims, including dependency and sequence</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
pgpub_id	document number	20050010988	all	bigint(16)
claim_sequence	order in which claims appear in patent file; sequence for this table begins at {1}.	2	all	int(11)
claim_text	claim text	2 . A garment according to claim 1 , wherein: ...	all	mediumtext
dependent	sequence number of claim this is dependent on. NULL if independent	claim 1	all	varchar(512)
claim_number	contains claim number of claim formatted as 0-prefixed 5 digit number	00002	all	varchar(128)

<i>pg_cpc_at_issue</i>	<i>CPC classification at the time the application was submitted</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
pgpub_id	document number	20170047568	all	bigint(16)
cpc_sequence	order in which the CPC classifications occur in the raw XML file; sequence for this table begins at {1}.	14	all except 2005	int(11)
cpc_version_indicator	date corresponding to the version under which the classification was made	2013-01-01	all	date
cpc_section	CPC section (A = Human Necessities, B = Performing Operations; Transporting, C = Chemistry; Metallurgy, D = Textiles; Paper, E = Fixed Constructions, F = Mechanical Engineering; Lighting; Heating; Weapons; Blasting Engines or Pumps, G = Physics, H = Electricity, Y = General Tagging of New Technological Developments)	B	all except 2005	varchar(16)
cpc_class	CPC section id plus CPC class value	B65	all	varchar(16)
cpc_subclass	CPC group id: https://www.uspto.gov/web/patents/classification/cpc/html/cpc.html	B65H	all	varchar(16)
cpc_group	CPC subgroup id: https://www.uspto.gov/web/patents/classification/cpc/html/cpc.html	B65H35/06	all	varchar(16)
cpc_type	Category of CPC classification "Inventional" or "Additional"	Inventional	all	varchar(16)
cpc_action_date	Date corresponding to the approval of the CPC classification	2017-02-16	all	date

<i>pg_cpc_current</i>	<i>Current CPC classification of the application</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
pgpub_id	document number	20190113923	all	bigint(16)

cpc_sequence	order in which the CPC classifications occur in the raw XML file; sequence for this table begins at 0.	27	all	int(11)
cpc_version_indicator	date corresponding to the version under which the classification was made	2013-01-01	all	date
cpc_section	CPC section (A = Human Necessities, B = Performing Operations; Transporting, C = Chemistry; Metallurgy, D = Textiles; Paper, E = Fixed Constructions, F = Mechanical Engineering; Lighting; Heating; Weapons; Blasting Engines or Pumps, G = Physics, H = Electricity, Y = General Tagging of New Technological Developments)	Y	all	varchar(16)
cpc_class	CPC section id plus CPC class value	Y02	all	varchar(16)
cpc_subclass	CPC group id: https://www.uspto.gov/web/patents/classification/cpc/html/cpc.html	Y02T	all	varchar(16)
cpc_group	CPC subgroup id: https://www.uspto.gov/web/patents/classification/cpc/html/cpc.html	Y02T10/7291	all	varchar(16)
cpc_type	Category of CPC classification "Inventional" or "Additional"	additional	all	varchar(16)

<i>pg_cpc_title</i>	<i>CPC group classification at issue of the patent</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
cpc_subclass	CPC group id	A01B	all	varchar(20)
cpc_subclass_title	description of CPC group	SOIL WORKING IN AGRICULTURE OR FORESTRY ;	all	varchar(512)
cpc_group	CPC subgroup id	A01B1/00	all	varchar(20)
cpc_group_title	description of CPC subgroup	Hand tools	all	mediumtext

cpc_class	CPC subsection id	A01	all	varchar(20)
cpc_class_title	description of CPC subsection	AGRICULTURE; FORESTRY; ANIMAL HUSBANDRY; HUNTING; TRAPPING; FISHING	all	varchar(512)

<i>pg_detail_desc_text_{year}</i>	<i>Text of detailed description of application for a given year</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
pgpub_id	document number	20080000006	all	bigint(16)
description_text	full text of the detailed description	This view also illustrates optional shoulder...	all	longtext
description_length	length of the text field	72825	all	bigint(16)

<i>pg_draw_desc_text_{year}</i>	<i>Text of description of the application's drawings</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
pgpub_id	document number	20150007372	all	bigint(16)
draw_desc_sequence	order in which drawing descriptions appear in application file, often the same as the figure id; sequence for this table begins at {1}.	15	all	int(11)
draw_desc_text	text of the drawing descriptions	FIG. 22 is a simplified enlarged view...	all	mediumtext

<i>pg_foreign_priority</i>	<i>Information about an earlier patent filing in a foreign country which gives the claim priority</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
pgpub_id	document number	20110296671	all	bigint(16)
priority_claim_sequence	order in which priority claims appear in publication; sequence for this table begins at {1}	1	all	int(11)

priority_claim_kind	type of priority claim (international, national, regional)	national	2005 and after	varchar(20)
foreign_application_id	foreign patent application number	93114223	all	varchar(256)
filing_date	date on which the foreign document was filed	2004-05- 20	2002 and after	date
foreign_country_filed	country in which the foreign document was filed	TW	all	varchar(256)

<i>pg_gov_interest</i>	<i>Mapping of patent numbers to raw government interest text</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
pgpub_id	document number	20100273 145	all	bigint(16)
gi_statement	raw government interest text	The invention herein described was made in the course of work under a grant or award from the U.S. Army.	all	mediumtext

<i>pg_gov_interest_contracts</i>	<i>Mapping of Federal contract award numbers to patent numbers</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
pgpub_id	patent number	3931132	all	varchar(20)
contract_award_number	federal contract award number	83-568 73	all	varchar(255)

<i>pg_gov_interest_org</i>	<i>Federal agencies with government interests in patents</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
pgpub_id	patent number	8636942	all	varchar(255)
gi_organization_id	unique organization id	1	all	int(11)
fedagency_name	name of Federal department, agency, bureau, etc.	Departme nt of Veterans Affairs	all	varchar(255)

level_one	position of the focal agency in a hierarchical set of relationships with the parent agency (e.g., DHHS) at level_one and child agencies at lower levels (e.g., NIH at level_two and NIDA at level_three). government_organization.name is equal to one and only one of the values in level_one, level_two, and level_three	Department of Veterans Affairs	all	varchar(255)
level_two	position of the focal agency in a hierarchical set of relationships with the parent agency (e.g., DHHS) at level_one and child agencies at lower levels (e.g., NIH at level_two and NIDA at level_three). government_organization.name is equal to one and only one of the values in level_one, level_two, and level_three	U.S. Census Bureau	all	varchar(255)
level_three	position of the focal agency in a hierarchical set of relationships with the parent agency (e.g., DHHS) at level_one and child agencies at lower levels (e.g., NIH at level_two and NIDA at level_three). government_organization.name is equal to one and only one of the values in level_one, level_two, and level_three	Advanced Technology Program	all	varchar(255)

<i>pg_inventor_disambiguated</i> <i>Disambiguated inventor data. Methodology description can be found here (https://patentsview.org/disambiguation).</i>				
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
pgpub_id	document number	20150287775	all	bigint(16)
inventor_sequence	order in which the inventor appears in patent file; sequence for this table begins at {0}.	2	all	int(11)
inventor_id	unique inventor id generated by the disambiguation algorithm	fl:n_In:benichou-1	all	varchar(64)
disambig_inventor_name_first	first name of the inventor	Shigeharu	all	varchar(256)
disambig_inventor_name_last	last name of the inventor	Yamagami	all	varchar(256)

gender_code	inventor attributed gender (F = female, M = male, U = no gender attributed)	U	all	varchar(1)
location_id	inventor's location. If the inventor's sequence number is 0, then his/her location is the "location" of the related patent	00000249-bdce-11ea-8a73-121df0c29c1e	all	varchar(128)

<i>pg_inventor_not_disambiguated</i>		<i>Raw inventor information as it appears in the source XML files</i>		
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
pgpub_id	document number	20150287775	all	bigint(16)
inventor_sequence	order in which the inventor appears in patent file; sequence for this table begins at {0}.	2	all	int(11)
inventor_id	unique inventor id generated by the disambiguation algorithm	fl:n_In:benichou-1	all	varchar(64)
raw_inventor_name_first	first name of the inventor	Shigeharu	all	varchar(256)
raw_inventor_name_last	last name of the inventor	Yamagami	all	varchar(256)
deceased_flag	flag determining whether the inventor is deceased or not	FALSE	all	boolean
rawlocation_id	inventor's location. If the inventor's sequence number is 0, then his/her location is the "location" of the related patent	00000249-bdce-11ea-8a73-121df0c29c1e	all	varchar(128)

<i>pg_ipc_at_issue</i>		<i>International Patent Classification</i>		
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
pgpub_id	patent number	20080166814	all except 2005	varchar(20)
ipc_sequence	order in which IPC class appears in patent file; sequence for this table begins at {1}.	2	all except 2005	int(11)
classification_level	IPC classification level (A = advanced level)	A	2006 and after	varchar(256)

section	IPC section (A = Human Necessities, B = Performing Operations; Transporting, C = Chemistry; Metallurgy, D = Textiles; Paper, E = Fixed Constructions, F = Mechanical Engineering; Lighting; Heating; Weapons; Blasting, G = Physics, H = Electricity)	G	all except 2005	varchar(256)
ipc_class	IPC class	01	all except 2005	varchar(256)
subclass	IPC subclass	N	all except 2005	varchar(256)
main_group	IPC group	33	all except 2005	varchar(256)
subgroup	IPC subgroup	00	all except 2005	varchar(256)
classification_value	IPC classification value (I = invention information; N = non-invention information)	I	2006 and after	varchar(256)
classification_status	IPC classification status (B = Basic or Original)	B	2006 and after	varchar(256)
classification_data_source	IPC classification data source (H = Human - Generated; M = Machine - Generated; G = Generated via Software)	H	all except 2005	varchar(256)
action_date	issue date of the patent grant	2008-07-10	2006 and after	date
ipc_version_indicator	IPC version indicator	2006-01-01	2006 and after	date

<i>pg_location_disambiguated</i>	<i>Disambiguated location data for inventors, assignees, and applicants</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
location_id	unique location id generated by the disambiguation algorithm	0009wn7out97	all	varchar(128)
disambig_city	city associated with a location_id	Stewart	all	varchar(128)
disambig_state	state associated with a location_id	MN	all	varchar(20)
disambig_country	country associated with a location_id	US	all	varchar(16)
latitude	latitude for location_id	44.7247	all	float
longitude	longitude for location_id	-94.4858	all	float
county	county associated with location_id	Mcleod	all	varchar(60)

state_fips	state FIPS code associated with a location_id	27	all	varchar(2)
county_fips	county FIPS code associated with a location_id	85	all	varchar(6)

<i>pg_location_not_disambiguated</i>	<i>Raw location information as it appears in the source XML files</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
rawlocation_id	unique id	000035ewn5fb3oerojqwcw4hg	all	varchar(128)
location_id	unique location id generated by the disambiguation algorithm	q6d41gon4fey	all	varchar(128)
raw_city	city associated with a location_id	Colorado Springs	all	varchar(128)
raw_state	state associated with a location_id	CO	all	varchar(20)
raw_country	country associated with a location_id	US	all	varchar(10)

<i>pg_pct_data</i>	<i>PCT or regional filing data</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
pgpub_id	document number	20080163436	all	varchar(20)
published_or_filed_date	date published or filed	2005-11-21	all	date
pct_371_date	PCT Section 371(c)(1)(2)(4)date, date when pct application was filed	2007-07-16	all	date
pct_102_date	35 U.S.C. § 102(e) date for pct applications	2015-08-11	2001 and after	date
filed_country	country filed in	WO	2002 and after	varchar(256)
application_kind	kind of application (numerical for filed, alphabetical for published)	00	2002 and after	varchar(20)
pct_doc_number	pct document number	PCT/EP2005/056103	all	varchar(128)
pct_doc_type	whether the document has been published or just filed	pct_application	2002 and after	varchar(20)

<i>pg_persistent_assignee</i>	<i>Disambiguated Assignee ID across data updates</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE

pgpub_id	document number	20060263 593	all	bigint(16)
disamb_assignee_id_xxxxxxx	the disambiguated assignee ids associated with the raw assignee on a given pgpub document with the given sequence during the data updates matching the date stamps in the field names. Data on this table goes back to the 20201229 update.	000009fd- 0268- 46a4- b493- c8e5f7672 331	all	varchar(64)
assignee_sequence	order in which assignee appears in application file; sequence for this table begins at {1}.	2	all	int(11)

<i>pg_persistent_inventor</i>	<i>Disambiguated Inventor ID across data updates</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
pgpub_id	document number	20060263 593	all	bigint(16)
disamb_inventor_id_xxxxxxx	the disambiguated inventor ids associated with the raw inventor on a given pgpub document with the given sequence during the data updates matching the date stamps in the field names. Data on this table goes back to the 20210330 update.	fl:n_in:ben ichou-1	all	varchar(64)
inventor_sequence	order in which inventor appears in application file; sequence for this table begins at {0}.	3	all	int(11)

<i>pg_published_application</i>	<i>Data concerning pre-granted patent applications</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
pgpub_id	document number	20100071 101	all	bigint(16)
application_id	unique application identifying number	12283848	all	varchar(16)
filing_date	date of application filing	2008-09- 15	all	date
patent_type	category of application ('utility' or 'plant')	plant	all	varchar(20)
filing_type	type of publication filing	us- republicati on- corrected	all	varchar(128)

published_date	date of publication	2014-07-31	all	date
wipo_kind	kind code of publication: https://www.uspto.gov/learning-and-resources/support-centers/electronic-business-center/kind-codes-included-uspto-patent	A9	all	varchar(8)
series_code	unique application identifying number	12	all	int(11)
application_title	title of application	Japanese maple plant named 'King's Blood'	all	mediumtext
rule_47_flag	flag for inventor who was unable to be contacted at filing of application	FALSE	all	varchar(8)
filename	name of XML file from which the data was parsed	ipa100318.xml	all	varchar(16)

<i>pg_rel_app_text</i>	<i>Description of related patent applications</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
pgpub_id	document number	20200053967	all	bigint(16)
rel_app_text	text of the description of the related application in question	This application claims the benefit ...	all	mediumtext

<i>pg_published_application_abstract</i>	<i>Data concerning abstracts of pre-granted patent applications</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
pgpub_id	document number	20100071101	all	bigint(16)
application_abstract	abstract of application	A new and distinct cultivar of Japanese ...	all	mediumtext

<i>pg_us_rel_doc</i>	<i>US Related Documents for patent applications</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE

pgpub_id	patent number	9683848	2005 and after	varchar(20)
related_doc_type	defines the type of documentation	continuation-in-part	2005 and after	varchar(64)
related_doc_kind	kind of document (text)	parent document	2005 and after	varchar(64)
related_doc_number	related document number	13336060	2005 and after	varchar(64)
published_country	country where related document was published	US	2005 and after	varchar(20)
related_doc_published_date	publication date of the related document	12/23/2011	2005 and after	date
related_doc_sequence	order in which the related document appears in patent file; sequence for this table begins at {1}.	36	2005 and after	int(11)

<i>pg_uspc_at_issue</i>	<i>USPTO patent classification at patent issue date</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
pgpub_id	document number	20060263593	all (incomplete for 2002-2004)	bigint(16)
uspc_sequence	order in which uspc class appears in patent file; sequence for this table begins at {1}.	7	all (incomplete for 2002-2004)	int(11)
uspc_mainclass_id	uspc mainclass at issue	313	all (incomplete for 2002-2004)	varchar(16)
uspc_mainclass_title	description of uspc mainclass	PRESSES	all (incomplete for 2002-2004)	varchar(256)
uspc_subclass_id	uspc subclass at issue	313/116000	all (incomplete for 2002-2004)	varchar(16)
uspc_subclass_title	description of uspc subclass	BINDING264	all (incomplete for 2002-2004)	varchar(512)

<i>pg_wipo_technology</i>	<i>WIPO technology classification of the patent</i>			
DATA ELEMENT NAME	DEFINITION	EXAMPLE	YEARS PRESENT	TYPE
pgpub_id	document number	3930271	all	varchar(20)
wipo_field_sequence	order in which WIPO technology field appears on patent; sequence for this table begins at {0}.	0	all	bigint(20)

wipo_field_id	WIPO technology field id as derived from crosswalk http://www.wipo.int/export/sites/www/ipstats/en/statistics/patents/xls/ipc_technology.xls	33	all	double
wipo_sector_title	WIPO technology sector title	Electrical engineering	all	varchar(60)
wipo_field_title	WIPO technology field title	Electrical machinery , apparatus , energy	all	varchar(255)

Contact Us

Community Forum (/forum) | Support (<https://patentsview-support.atlassian.net/servicedesk/customer/portals>) | Join our Newsletter (/newsletter)

Terms of Use

Terms of Service (/about/terms-privacy) | Community Rules of Conduct (/rules-of-conduct)

