Proposal - Detailed

Builders FirstSource #1045
102 N. Route 9w
Congers, NY 10920

Sales Rep Name: BFSCONGER, S
Sales Rep Phone: 845-268-9245
Sales Rep E-Mail: rich.popaduke@bldr.com
Sales Rep Fax:

Customer Information	Project/Delivery Address	Order Information
Builders FirstSource - 01045 BUILDERS FIRST SOURCE 2001 Bryan Street DALLAS, TX 75201 **Primary Phone:** (845) 2689245 **Mobile Phone:** **Fax Number:** (845) 2689235 **E-Mail:** **Contact Name:** **Great Plains #:** 7401045 **Customer Number:** 1008096451 **Customer Account:** 7401045	**Montana** BUILDERS FIRST SOURCE - 01045 102 N. ROUTE 9W **Lot #** CONGERS, NY 10920 **County:** ROCKLAND **Owner Name:** Builders FirstSource - 01045 **Owner Phone:** (845) 2689245	**Quote Name:** Mehta-Pinekill Meadows Rd. **Order Number:** P741FR953 **Quote Number:** **15514220** **Order Type:** Non-Installed Sales **Wall Depth:** **Payment Terms:** C.O.D. **Tax Code:** 6.0 % **Cust Delivery Date:** 5/27/2022 **Quoted Date:** 5/12/2022 **Contracted Date:** **Booked Date:** **Customer PO #:**

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
10	W1- Entry TEMP	**Lifestyle, Casement Left, 35 X 53, Without HGP, Black**	$725.80	1	$725.80

Viewed From Exterior
Rough Opening: 35 - 3/4" X 53 - 3/4"

PK #
2113

1: 3553 Left Casement
Frame Size: 35 X 53
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Tempered Low-E AdvancedComfort Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, White, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, White, InView™
Performance Information: U-Factor 0.25, SHGC 0.27, VLT 0.50, CPD PEL-N-14-00745-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, Year Rated 08|11, Clear Opening Width 25.25, Clear Opening Height 48.875, Clear Opening Area 8.570095, Egress Meets Typical 5.7 sqft (E) (United States Only)
Grille: No Grille,
Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 6 9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, Pella Recommended Clearance, Perimeter Length = 176".

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
15	W3-Living Upp Gable	**Lifestyle, 3-Wide Casement, 105 X 65, Without HGP, Black**	$2,090.51	1	$2,090.51



PK # 2113

Viewed From Exterior

Rough Opening: 105 - 3/4" X 65 - 3/4

1: 3565 Left Casement
Frame Size: 35 X 65
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E AdvancedComfort Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, White, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, White, InView™
Performance Information: U-Factor 0.25, SHGC 0.27, VLT 0.50, CPD PEL-N-14-00745-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, Year Rated 08|11, Clear Opening Width 25.25, Clear Opening Height 60.875, Clear Opening Area 10.67426, Egress Meets Typical 5.7 sqft (E) (United States Only)
Grille: No Grille,
Vertical Mull 1: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical
2: 3565 Fixed Sash Set
Frame Size: 35 X 65
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E AdvancedComfort Low-E Insulating Glass Argon Non High Altitude
Performance Information: U-Factor 0.23, SHGC 0.30, VLT 0.56, CPD PEL-N-229-01005-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, Year Rated 08|11
Grille: No Grille,
Vertical Mull 2: FactoryMull, Standard Joining Mullion, Mull Design Pressure- 20, Overall Thru Direction- Vertical
3: 3565 Right Casement
Frame Size: 35 X 65
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E AdvancedComfort Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Wash Hinge Hardware, Fold-Away Crank, White, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, White, InView™
Performance Information: U-Factor 0.25, SHGC 0.27, VLT 0.50, CPD PEL-N-14-00745-00001, Performance Class LC, PG 30, Calculated Positive DP Rating 30, Calculated Negative DP Rating 30, Year Rated 08|11, Clear Opening Width 25.25, Clear Opening Height 60.875, Clear Opening Area 10.67426, Egress Meets Typical 5.7 sqft (E) (United States Only)
Grille: No Grille,
Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 6 9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, Pella Recommended Clearance, Perimeter Length = 340".

Line #	Location:	Attributes
20	W4- MBR	

Lifestyle, Casement Left, 25 X 53, Without HGP, Black

Item Price	Qty	Ext'd Price
$604.92	1	$604.92

PK #
2113

Viewed From Exterior
Rough Opening: 25 - 3/4" X 53 - 3/4"

1: 2553 Left Casement
Frame Size: 25 X 53
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E AdvancedComfort Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Side Pivot Hardware, Fold-Away Crank, White, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, White, InView™
Performance Information: U-Factor 0.25, SHGC 0.27, VLT 0.50, CPD PEL-N-14-00737-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, Year Rated 08|11, Clear Opening Width 20.625, Clear Opening Height 48.875, Clear Opening Area 7.000326, Egress Meets Typical 5.7 sqft (E) (United States Only)
Grille: No Grille,
Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 6 9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, Pella Recommended Clearance, Perimeter Length = 156".

Line #	Location:	Attributes
25	W4- MBR	

Lifestyle, Casement Right, 25 X 53, Without HGP, Black

Item Price	Qty	Ext'd Price
$604.92	1	$604.92



PK #
2113

Viewed From Exterior
Rough Opening: 25 - 3/4" X 53 - 3/4"

1: 2553 Right Casement
Frame Size: 25 X 53
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5", 3 11/16"
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Low-E AdvancedComfort Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Side Pivot Hardware, Fold-Away Crank, White, No Limited Opening Hardware, No Integrated Sensor
Screen: Full Screen, White, InView™
Performance Information: U-Factor 0.25, SHGC 0.27, VLT 0.50, CPD PEL-N-14-00737-00001, Performance Class LC, PG 50, Calculated Positive DP Rating 50, Calculated Negative DP Rating 50, Year Rated 08|11, Clear Opening Width 20.625, Clear Opening Height 48.875, Clear Opening Area 7.000326, Egress Meets Typical 5.7 sqft (E) (United States Only)
Grille: No Grille,
Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 6 9/16", 7 7/8", Standard Four Sided Jamb Extension, Factory Applied, Pella Recommended Clearance, Perimeter Length = 156".

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
30	D2- Living Rm	**Lifestyle, Quad Sliding Door, Contemporary,, Fixed / Vent Left / Vent Right / Fixed, 140.125 X 81.5, Without HGP, Black**	$4,230.61	1	$4,230.61



PK # 2113

Viewed From Exterior

Rough Opening: 141 - 1/8" X 82"

1: 14182 Fixed / Vent Left / Vent Right / Fixed Quad Sliding Door
Frame Size: 140 1/8 X 81 1/2
General Information: No Package, Without Hinged Glass Panel, Clad, Pine, 5 7/8", 4 9/16", Oak Threshold
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hardware Options: Black, Keylock Included, Standard, Handle Included, Handle Included, White, Black, No Integrated Sensor
Screen: Sliding Screen, Wood Interior Black Exterior, White, InView™
Performance Information: U-Factor 0.28, SHGC 0.28, VLT 0.52, CPD PEL-N-230-00076-00001, Performance Class R, PG 20, Calculated Positive DP Rating 20, Calculated Negative DP Rating 20, Year Rated 08|11
Grille: No Grille,
Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 6 9/16", 7 7/8", Applied By Branch, Pella Recommended Clearance, Perimeter Length = 444".

Line #	Location:	Attributes	Item Price	Qty	Ext'd Price
35	D3- Bed #1	**Lifestyle, Double Sliding Door, Contemporary,, Fixed / Vent Left, 71.25 X 81.5, With HGP, Black**	$2,695.82	1	$2,695.82



PK # 2113

Viewed From Exterior

Rough Opening: 72" X 82"

1: 7282 Fixed / Vent Left Double Sliding Door
Frame Size: 71 1/4 X 81 1/2
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5 7/8", 4 9/16", Oak Threshold
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Tempered
Hardware Options: Black, Keylock Included, Standard, Handle Included, Handle Included, White, Black, No Integrated Sensor
Screen: Sliding Screen, Wood Interior Black Exterior, White, InView™
Unit Accessories: No Accessory Option
Performance Information: U-Factor 0.25, SHGC 0.24, VLT 0.45, CPD PEL-N-249-00115-00001, Performance Class LC, PG 40, Calculated Positive DP Rating 40, Calculated Negative DP Rating 40, Year Rated 08|11
Grille: No Grille,
Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 6 9/16", 7 7/8", Applied By Branch, Pella Recommended Clearance, Perimeter Length = 306".

Line #	Location:	Attributes
40	D4- Bed #2	



PK # 2113

Viewed From Exterior

Rough Opening: 72" X 82"

Lifestyle, Double Sliding Door, Contemporary,, Vent Right / Fixed, 71.25 X 81.5, With HGP, Black

Item Price	Qty	Ext'd Price
$2,695.82	1	$2,695.82

1: 7282 Vent Right / Fixed Double Sliding Door
Frame Size: 71 1/4 X 81 1/2
General Information: No Package, With Hinged Glass Panel, Clad, Pine, 5 7/8", 4 9/16", Oak Threshold
Exterior Color / Finish: Standard Enduraclad, Black
Interior Color / Finish: Unfinished Interior
Glass: Insulated Tempered Low-E Advanced Low-E Insulating Glass Argon Non High Altitude
Hinge Panel: Clear, Tempered
Hardware Options: Black, Keylock Included, Standard, Handle Included, Handle Included, White, Black, No Integrated Sensor
Screen: Sliding Screen, Wood Interior Black Exterior, White, InView™
Unit Accessories: No Accessory Option
Performance Information: U-Factor 0.25, SHGC 0.24, VLT 0.45, CPD PEL-N-249-00115-00001, Performance Class LC, PG 40, Calculated Positive DP Rating 40, Calculated Negative DP Rating 40, Year Rated 08|11
Grille: No Grille,
Wrapping Information: Foldout Fins, Factory Applied, No Exterior Trim, 6 9/16", 7 7/8", Applied By Branch, Pella Recommended Clearance, Perimeter Length = 306".

Line #	Location:	Attributes
45	D1- Entry	

PK # 2113

Viewed From Exterior

Rough Opening: 38 - 1/4" X 82 - 1/8"

Pella Entry Doors, Entry Door, Inswing, 37.5 X 81.625, 6 9/16"

Item Price	Qty	Ext'd Price
$1,366.70	1	$1,366.70

1: 37.581.625 Entry Door
Frame Size: 37 1/2 X 81 5/8
Unit Type: Left Inswing, Standard Sill, No Fire Rating, No Fire Rating
Dimensions: 36, 80
Dimension Options: No Cut Down
General Information: Standard, 6 9/16", 6 9/16"
Panel Style: 1/2 Light 2 Panel
Glass: Tempered Low-E Air Filled
Grilles: No Grille
Panel Selection: Smooth, Painted, Black, Painted, Black
Frame Selection: Composite, Black Threshold, No Panel Reinforcement, Smooth, Primed, Composite, Smooth, Primed
Hardware Options: Latch Bore with Deadbolt, 2 3/8", 2 1/8", No Integrated Sensor, No Handle Set, Standard Steel Ball Bearing, Satin Nickel, Mill Finish Sill
Performance Information: U-Factor 0.23, SHGC 0.16, VLT 0.18, CPD PEL-M-258-47930-00001, Calculated Positive DP Rating 40, Calculated Negative DP Rating 40
Wrapping Information: 2" Brickmould, Factory Applied, 6 9/16", Pella Recommended Clearance, Perimeter Length = 239".

Thank You For Your Interest In Pella® Products

PELLA WARRANTY:

Pella products are covered by Pella's limited warranties in effect at the time of sale. All applicable product warranties are incorporated into and become a part of this contract. Please see the warranties for complete details, taking special note of the two important notice sections regarding installation of Pella products and proper management of moisture within the wall system. Neither Pella Corporation nor the Seller will be bound by any other warranty unless specifically set out in this contract. However, Pella Corporation will not be liable for branch warranties which create obligations in addition to or obligations which are inconsistent with Pella written warranties.

Clear opening (egress) information does not take into consideration the addition of a Rolscreen [or any other accessory] to the product. You should consult your local building code to ensure your Pella products meet local egress requirements.

Per the manufacturer's limited warranty, unfinished mahogany exterior windows and doors must be finished upon receipt prior to installing and refinished annually, thereafter. Variations in wood grain, color, texture or natural characteristics are not covered under the limited warranty.

INSYNCTIVE PRODUCTS: In addition, Pella Insynctive Products are covered by the Pella Insynctive Products Software License Agreement and Pella Insynctive Products Privacy Policy in effect at the time of sale, which can be found at Insynctive.pella.com. By installing or using Your Insynctive Products you are acknowledging the Insynctive Software Agreement and Privacy Policy are part of the terms of sale.

Notice of Collection of Personal Information: We may collect your personal information when you interact with us. Under the California Consumer Privacy Act (CCPA), California residents have specific rights to request this information, request to delete this information, and opt out of the sharing or sale of this information to third parties. To learn more about our collection practices and your rights under the CCPA please visit our link https://www.pella.com/california-rights-policy/ at pella.com.

ARBITRATION AND CLASS ACTION WAIVER ("ARBITRATION AGREEMENT")

YOU and Pella and its subsidiaries and the Pella Branded Distributor **AGREE TO ARBITRATE DISPUTES ARISING OUT OF OR RELATING TO YOUR PELLA PRODUCTS (INCLUDES PELLA GOODS AND PELLA SERVICES) AND WAIVE THE RIGHT TO HAVE A COURT OR JURY DECIDE DISPUTES. YOU WAIVE ALL RIGHTS TO PROCEED AS A MEMBER OR REPRESENTATIVE OF A CLASS ACTION, INCLUDING CLASS ARBITRATION, REGARDING DISPUTES ARISING OUT OF OR RELATING TO YOUR PELLA PRODUCTS.** You may opt out of this Arbitration Agreement by providing notice to Pella no later than ninety (90) calendar days from the date You purchased or otherwise took ownership of Your Pella Goods. To opt out, You must send notice by e-mail to pellawebsupport@pella.com, with the subject line: "Arbitration Opt Out" or by calling (877) 473-5527. Opting out of the Arbitration Agreement will not affect the coverage provided by any applicable limited warranty pertaining to Your Pella Products. For complete information, including the full terms and conditions of this Arbitration Agreement, which are incorporated herein by reference, please visit www.pella.com/arbitration or e-mail to pellawebsupport@pella.com, with the subject line: "Arbitration Details" or call (877) 473-5527. D'ARBITRAGE ET RENONCIATION AU RECOURS COLLECTIF ("convention d'arbitrage") EN FRANÇAIS SEE PELLA.COM/ARBITRATION. DE ARBITRAJE Y RENUNCIA COLECTIVA ("acuerdo de arbitraje") EN ESPAÑOL VER PELLA.COM/ARBITRATION.

Seller shall not be held liable for failure or delay in the performance of its obligations under this Agreement, if such performance is hindered or delayed by the occurrence of an act or event beyond the Seller's reasonable control (force majeure event), including but not limited to earthquakes, unusually severe weather and other Acts of God, fire, strikes and labor unrest, epidemics, riots, war, civil unrest, and government interventions. Seller shall give timely notice of a force majeure event and take such reasonable action to mitigate the impacts of such an event.

Product Performance Information:
U-Factor, Solar Heat Gain Coefficient (SHGC), and Visible Light Transmittance (VLT) are certified by the National Fenestration Rating Council (NFRC).

For more information regarding the finishing, maintenance, service and warranty of all Pella® products, visit the Pella® website at www.pella.com

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any products and does not warrant the suitability of any product for any specific use.

Design Pressure (DP), Performance Class, and Performance Grade (PG) are certified by a third party organization, in many cases the Window and Door Manufacturers Association (WDMA). The certification requires the performance of at least one product of the product line to be tested in accordance with the applicable performance standards and verified by an independent party. The certification indicates that the product(s) of the product line passed the applicable tests. The certification does not apply to mulled and/or product combinations unless noted. Actual product results will vary and change over the products life.

For more performance information along with information on Florida Product Approval System (FPAS) Number and Texas Dept. of Insurance (TDI) number go to www.pella.com/performance.

Order Totals	
Taxable Subtotal	$15,015.10
Sales Tax @ 6%	$900.91
Non-taxable Subtotal	$0.00
Total	$15,916.01
Deposit Received	
Amount Due	**$15,916.01**