ESTIMATE

ABCO Glazing LLC.
12 Sherwood Ridge Rd
Suffern, NY 10901

Billing@abcoglazing.com
(845) 377-3883

Bill to
Matt Nicosia
Montana Contracting
Attention: Frank Feola
175 N Route 9W, Suite 7
Congers, NY 10920

Estimate details
Estimate no.: 2560
Estimate date: 01/23/2025

Job Address: Crest Road Cold Spring, NY
1051

Furnish & Install:	Amount
CURTAIN WALLS:	$243,000.00

W1, W2 & W3 - Qty: 1
47’-9” W X 17’-6” H

STOREFRONTS:

W4 - Qty: 1
9’-3 5/8” W X 5’-7” H

W5 - Qty: 1
10’-3 5/8” W X 5’-7” H

W6 - Qty: 1
14’-0 1/4” W X 5’-7” H

W7 - Qty: 1
6’-6” W X 5’-7” H

W8 - Qty: 1
56’-9 3/8” W X 5’-7” H

W9 - Qty: 5
3’-10” W X 5’-7” H

W10 - Qty: 3
6’-6” W X 5’-7” H

W11 - Qty: 2
17’-0” W X 5’-0” H

SPECS: CURTAIN WALLS & STOREFRONTS

As Attached

INTERIOR STOREFRONT: $16,450.00

0-1 - Qty: 1
28’-3” W X 8’-10” H w/ single door (3’-0” W X 8’-10” H)

0-5 - Qty: 1
Single barn door (3’-0” W X 8’-0” H)

SPECS: INTERIOR STOREFRONT

Frame: Gamco FG450 2 x 4-1/2 Aluminum Frame
Color: Black Anodized

Doors: Gamco D200 Narrow Stile 2-1/8 top and vertical, 5"
Bottom Rail, Butt hinge, C Pull/Push Handle, key Cylinder
BTB, LCN 1261 Closer

Glass: 3/8" clear tempered glass

SPECS: BARN DOOR

Brushed Stainless Steel Latitude 34 Solstice Sliding Door
Finish/Color : Brushed Stainless Steel or Black Stainless Steel
Glass: 1/2" clear tempered glass.

PAYMENT TERMS:
33% at signing contract,
33% when material arrives,
& remainder at completion.

Total **$259,450.00**

Accepted date **Accepted by**

STOREFRONT INSTALLATION

• Abco Glazing offers installation into clear and prepared rough openings by others. Rough openings are to be properly sized to the dimensions approved per the final set of shop drawings or if opening are ready before ordering Abco Glazing will measure the openings.
• Any modifications required to the openings to conform to the approved shop drawings are the responsibility of the contractor.
• If the rough openings are to be wrapped or waterproof (by others), this work needs to be completed prior to the arrival of the Abco installation crew.
• If flashing pans (by others) are to be utilized, pans must be installed prior to the arrival of the Abco Glazing windows and doors crew.
• If wood blocking (by others), must be installed before arrival of Abco Glazing installation team.
• Installation is offered based on a single mobilization allowing all units to be installed continuously.
• Abco Glazing will schedule a site survey with the project supervisor prior to delivery to review the upcoming installation and to ensure rough openings are prepared as per the approved shop drawings and all conditions of this installation agreement have been completed.
• Water test and air test not included in price.
• Abco Glazing will only follow approved guidelines and installation details by window manufacturer.
• Abco Glazing will not be responsible for window damage after delivery.
• If required scaffolding, lift boom or hanging scaffold to be provided by contractor.

HOISTING EQUIPMENT
• Hoisting equipment is NOT included unless specifically noted otherwise. Should use of contractors hoisting equipment be made available to Abco Glazing , it is agreed that such equipment will be readily available for uninterrupted use by Abco Glazing when required.

EXCLUSIONS
• Installation of optional items (windows & door screens, jamb extensions, interior or exterior trip, upgraded or owner supplied finish hardware, etc.) are not included in the installation price,
unless otherwise noted. Should any such items be added to the scope, the installation price will be adjusted accordingly.
• Sidewalk protection or permits.
• Touch up painting, filling of nail holes and final caulking of optional trim items is not included unless priced accordingly and specifically noted otherwise.
• If a trim installation option is selected, perimeter waterproofing must be completed, by others immediately following installation, so that trim can be installed in the same mobilization as the Abco Glazing installation.
• Scaffolding or staging of any kind is not included unless specifically noted otherwise.
• Dumpsters or disposal of existing units (if applicable) is not included.
• Waterproofing.
• Primer over prepared and measured opening.
• Blue skin, waterproof membrane to seal opening prior to window and door

installation.
• Pan flashing to overlap waterproof membrane.

NOTE: Wrapping/Waterproofing of rough openings, Sill pans and Wood blocking can be installed by ABCO Glazing for an additional charge
ABCO GLAZING WILL NOT REMOVE OR INSTALL
1. Child guards
2. Security bars
3. Air conditioning
4. Blinds

Any alteration and deviation from specification above involving an extra cost will be executed only upon written orders and will become an extra charge over the above quote.
This pricing is based on ABCO's interpretation of customer's plans and specifications. Prior to order, verification of types, quantities and finishes listed on this proposal is the sole responsibility of the customer.
Please review this Estimate carefully. No oral or written instructions/specifications, whether prior or after the approval, will be honored without a revised Estimate. If you don't understand what an item in the Estimate means, please call us for clarification.
This Quote is valid for 30 Days

Signature	Print Name & Date
Counter Signature	Print Name & Date

FS55-2380'
[58.07]
2470'
[67.27]
384'
[2.3]
3228'
[87.75]
25
[0.38]
3283'
[208.02]
25
[0.38]
5333'
[209.98]
STRUT 1
STRUT 2
STRUT 3
STRUT 4
FS55-2120'
[83.51]

Pos. 002, Quantity: 1
W4
Finish: 99 ANAT-2
Job: Crest House_Rev1
System: Reynaers CS 77 Standard Flush Face

1x SunGuard SN70S 2x6, SN70S 6mm temp/Argon90%/6mm , SN70S 6mm temp/Argon90%/6mm
28mm 3,22 m² 2000 x 1612mm
1x SunGuard SN70S 2x6, SN70S 6mm temp/Argon90%/6mm , SN70S 6mm temp/Argon90%/6mm
28mm 0,95 m² 619 x 1536mm







2x	0606009.04	Adjustment rod 200mm 04
1x	0606450.HP8	Touch Handle 99 ANAT-2
2x	0606014.04	Connecting rod 365mm 04
1x	0606042.--	Lock Plate
1x	0609472.--	Restrictor Invision go
1x	0606277.--	Internal Locking System 90 Limitation
1x	0606065.--	Clip Hinge Side sh
1x	0609090.--	Handle Side sh Plus 400<fb<1700
1x	0609411.--	Hinge Side Side Hung Left

Pos. 003, Quantity: 1
W5
Finish: 99 ANAT-2
Job: Crest House_Rev1
System: Reynaers CS 77 Standard Flush Face

1x SunGuard SN70S 2x6, SN70S 6mm temp/Argon90%/6mm , SN70S 6mm temp/Argon90%/6mm 28mm 3,71 m² 2304 x 1612mm
1x SunGuard SN70S 2x6, SN70S 6mm temp/Argon90%/6mm , SN70S 6mm temp/Argon90%/6mm 28mm 0,95 m² 619 x 1536mm







2x	0606009.04	Adjustment rod 200mm 04
1x	0606450.HP8	Touch Handle 99 ANAT-2
2x	0606014.04	Connecting rod 365mm 04
1x	0606042.--	Lock Plate
1x	0609472.--	Restrictor Invision go
1x	0606277.--	Internal Locking System 90 Limitation
1x	0606065.--	Clip Hinge Side sh
1x	0609090.--	Handle Side sh Plus 400<fb<1700
1x	0609411.--	Hinge Side Side Hung Left

Pos. 004, Quantity: 1
W6
Finish: 99 ANAT-2
Job: Crest House_Rev1
System: Reynaers CS 77 Standard Flush Face

2x SunGuard SN70S 2x6, SN70S 6mm temp/Argon90%/6mm , SN70S 6mm temp/Argon90%/6mm 28mm 1,16 m² 755 x 1536mm
1x SunGuard SN70S 2x6, SN70S 6mm temp/Argon90%/6mm , SN70S 6mm temp/Argon90%/6mm 28mm 3,90 m² 2419 x 1612mm







4x	0606009.04	Adjustment rod 200mm 04
2x	0606450.HP8	Touch Handle 99 ANAT-2
4x	0606014.04	Connecting rod 365mm 04
2x	0606042.--	Lock Plate
2x	0609472.--	Restrictor Invision go
1x	0609410.--	Hinge Side Side Hung Right
2x	0606277.--	Internal Locking System 90 Limitation
2x	0606065.--	Clip Hinge Side sh
2x	0609090.--	Handle Side sh Plus 400<fb<1700
1x	0609411.--	Hinge Side Side Hung Left

Pos. 005, Quantity: 1
W7
Finish: 99 ANAT-2
Job: Crest House_Rev1
System: Reynaers CS 77 Standard Flush Face

1x SunGuard SN70S 2x6, SN70S 6mm temp/Argon90%/6mm , SN70S 6mm temp/Argon90%/6mm 28mm 3,05 m² 1891 x 1612mm 1 0809126







Ship Hull Geometry 1
Ship Type: Generic
Ship Length: 300.000 m
Ship Beam: 50.000 m
Ship Draft: 18.000 m
Water Density: 1.025 t/m³
Water Resistance: 0.00 Newton/m²
Transverse Plane View
1000°
[43]
800°
[34]
1700°
[69]
Longitudinal Plane View
[0,0]
[0,1]
[0,2]
[0,3]
[0,4]
[0,5]
[0,6]
[0,7]
[0,8]
[0,9]
[0,10]
[0,11]
[0,12]
[0,13]
[0,14]
[0,15]
[0,16]
[0,17]
[0,18]
[0,19]
[0,20]
[0,21]
[0,22]
[0,23]
[0,24]
[0,25]
[0,26]
[0,27]
[0,28]
[0,29]
[0,30]
[0,31]
[0,32]
[0,33]
[0,34]
[0,35]
[0,36]
[0,37]
[0,38]
[0,39]

Pos. 007, Quantity: 5
W9
Finish: 99 ANAT-2
Job: Crest House_Rev1
System: Reynaers CS 77 Standard Flush Face

1x SunGuard SN70S 2x6, SN70S 6mm temp/Argon90%/6mm , SN70S 6mm temp/Argon90%/6mm 28mm 1,74 m² 1078 x 1612mm 1 0809126







Pos. 008, Quantity: 3
W10
Finish: 99 ANAT-2
Job: Crest House_Rev1
System: Reynaers CS 77 Standard Flush Face

1x SunGuard SN70S 2x6, SN70S 6mm temp/Argon90%/6mm , SN70S 6mm temp/Argon90%/6mm 28mm 3,05 m² 1891 x 1612mm 1 0809126







Pos. 009, Quantity: 2
W11
Finish: 99 ANAT-2
Job: Crest House_Rev1
System: Reynaers CS 77 Standard Flush Face

2x	SunGuard SN70S 2x6, SN70S 6mm temp/Argon90%/6mm , SN70S 6mm temp/Argon90%/6mm 28mm 2,38 m² 1657 x 1434mm	1 0809126 2 0809126
1x	SunGuard SN70S 2x6, SN70S 6mm temp/Argon90%/6mm , SN70S 6mm temp/Argon90%/6mm 28mm 2,40 m² 1676 x 1434mm	








28'-2 1/4"
4
4
4
1


8'-10"


3'-0"
8'-0"
0-5