Empire Building Products of NY, LLC

21 Wood Road, STE 800
Round Lake, NY 12151

ebplwc.com

Contact: Sharon Hayner

Phone (518) 400-1162

Email: sharon@ebplwc.com

Quote Number:	180890	**PO Number:**		**Printed Date:**	2024-12-06 2:52 PM
Job Name:		**Tag Name:**	BLEJER 5 HEIDI LN GARDINER		

Group 1

Item: 1 **Qty: 1** **Mulled Composite Unit** **Label: 001 BASEMENT** **Each Price** **Extended Price**



Exterior View

Frame Size : 106 5/16" (2700mm) x 82 11/16" (2100mm) **Rough Opening : 107 1/16" (2719mm) x 83 9/32" (2115mm)**
Casing Not Required

$7,320.65 **$7,320.65**

COMBINATION BASE PRICE
$204.70 *$204.70*

Composite Options
001 BASEMENT
Unit - Unit
Number of Sub Units: 2
Rectangular (Or Square)
Douglas Fir

Sub Units
Picture
Patio Door

Combo Dimension Details
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Int Frame: Natural Wood

Door Sill Options
Bronze Anodized Aluminum Sill

Attachment Options
Field Installed Dripflash
Nailing Flange: Head, Left, Right
5/8" (16MM) Jamb Extension Face

Miscellaneous Options
Cubes: 51

Performance Data
UNAVAILABLE

Sub Item: 1-1 (2) **Qty: 1** **Picture (Direct Set)** **Label: 001 BASEMENT** *Sub Price* *Sub Extended*



Exterior View

Frame Size : 35 7/16" (900mm) x 82 11/16" (2100mm)

$2,082.93 *$2,082.93*

BASE PRICE
$1,501.10 *$1,501.10*

TEMPERED PRICING
$530.97 *$530.97*

LOW E PRICING
$50.86 *$50.86*

Unit Shape/Build Options
Not Impact Certified
Douglas Fir
Picture (Direct Set) - 2019

Dimension Details
Callout Code: 0921
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood

Glazing Options
Double 366-Clear
All Panes Tempered
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT

Miscellaneous Options
Cubes: 19

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.26
U-Value Metric (CDN) USI: 1.47
Solar Heat Gain Coefficient: 0.25
Visible Transmittance: 0.58
C P D Number: LOW-N-111 01508-00001
Performance Grade: UNAVAILABLE

Loewen Proposes to Furnish The Products Within This Quote - Errors and Omissions Excepted

Sub Item: 1-2 (3) Qty: 1 Patio/French Patio Door Label: 001 BASEMENT

Sub Price	Sub Extended
$5,033.02	$5,033.02



Exterior View

Frame Size : 70 7/8" (1800mm) x 82 11/16" (2100mm)

Unit Shape/Build Options
Sliding Patio
Rectangular (Or Square)
Douglas Fir

Dimension Details
Callout Code: 1821
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood
Int Sash/Panel: Matches Frame

Unit Operation/Type
O X
Fixed Slider
Operating Slider
Oper Panels Shipped With Frame
2 15/16" (75mm) Narrow Stile
2 7/8" (73mm) Bottom Rail

Glazing Options
Double 366-Clear
All Panes Tempered
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT
Interior Square Glazing Stops

Hardware Options
Truth 2 point Hdwr
Truth Flush Handle
Hardware Color: Faux Bronze
Key - Thumb Cylinder
C/W 1 Security Foot Locks
Black Footlock

Door Sill Options
Bronze Anodized Aluminum Sill

Screen Options
Sliding Screen
Screen Color Matches Frame Color
Less Visible Screen (High Trans)

Miscellaneous Options
Cubes: 35

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.27
U-Value Metric (CDN) USI: 1.53
Solar Heat Gain Coefficient: 0.21
Visible Transmittance: 0.49
C P D Number: LOW-N-50 09096-00001
Performance Grade: LC-PG50

BASE PRICE	*$4,007.69*	*$4,007.69*
HARDWARE PRICING	*$885.77*	*$885.77*
SCREEN PRICING	*$51.48*	*$51.48*
LOW E PRICING	*$88.08*	*$88.08*

Item: 4 Qty: 1 Mulled Composite Unit Label: 002 BASEMENT

Each Price	Extended Price
$5,497.02	**$5,497.02**



Exterior View

Frame Size : 94 1/2" (2400mm) x 82 11/16" (2100mm) **Rough Opening : 95 1/4" (2419mm) x 83 7/16" (2119mm)**
Casing Not Required

Composite Options
002 BASEMENT
Unit - Unit
Number of Sub Units: 2
Rectangular (Or Square)
Douglas Fir

Sub Units
Picture
Picture

Combo Dimension Details
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Int Frame: Natural Wood

Attachment Options
Field Installed Dripflash
Nailing Flange: Head, Left, Right
5/8" (16MM) Jamb Extension Face

Miscellaneous Options
Cubes: 46

Performance Data
UNAVAILABLE

COMBINATION BASE PRICE	*$162.52*	*$162.52*

Loewen Proposes to Furnish The Products Within This Quote - Errors and Omissions Excepted

Sub Item: 4-1 (5) **Qty: 1** **Picture (Direct Set)** **Label: 002 BASEMENT**

Sub Price	Sub Extended
$2,667.25	$2,667.25
BASE PRICE $1,880.72	$1,880.72
TEMPERED PRICING $718.30	$718.30
LOW E PRICING $68.23	$68.23



Exterior View

Frame Size : 47 1/4" (1200mm) x 82 11/16" (2100mm)

Unit Shape/Build Options
Not Impact Certified
Douglas Fir
Picture (Direct Set) - 2019

Dimension Details
Callout Code: 1221
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood

Glazing Options
Double 366-Clear
All Panes Tempered
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT

Miscellaneous Options
Cubes: 24

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.26
U-Value Metric (CDN) USI: 1.47
Solar Heat Gain Coefficient: 0.25
Visible Transmittance: 0.58
C P D Number: LOW-N-111 01568-00001
Performance Grade: UNAVAILABLE

Sub Item: 4-2 (6) **Qty: 1** **Picture (Direct Set)** **Label: 002 BASEMENT**

Sub Price	Sub Extended
$2,667.25	$2,667.25
BASE PRICE $1,880.72	$1,880.72
TEMPERED PRICING $718.30	$718.30
LOW E PRICING $68.23	$68.23



Exterior View

Frame Size : 47 1/4" (1200mm) x 82 11/16" (2100mm)

Unit Shape/Build Options
Not Impact Certified
Douglas Fir
Picture (Direct Set) - 2019

Dimension Details
Callout Code: 1221
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood

Glazing Options
Double 366-Clear
All Panes Tempered
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT

Miscellaneous Options
Cubes: 24

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.26
U-Value Metric (CDN) USI: 1.47
Solar Heat Gain Coefficient: 0.25
Visible Transmittance: 0.58
C P D Number: LOW-N-111 01568-00001
Performance Grade: UNAVAILABLE

Item: 7 **Qty: 1** **Picture (Direct Set)** **Label: 102 ENTRY-RM-01**

Each Price	Extended Price
$3,706.23	**$3,706.23**
BASE PRICE $2,730.52	$2,730.52
CUSTOM CUTTING PRICING $81.88	$81.88
JAMB PRICING $132.74	$132.74
TEMPERED PRICING $694.72	$694.72
LOW E PRICING $66.37	$66.37



Exterior View

Frame Size : 32" (813mm) x 114" (2896mm) **Rough Opening : 32 3/4" (832mm) x 114 3/4" (2915mm)**
Casing Not Required

Unit Shape/Build Options
102 ENTRY-RM-01
Not Impact Certified
Rectangular (Or Square)
Douglas Fir
Picture (Direct Set) - 2019

Dimension Details
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood

Glazing Options
Double 366-Clear
All Panes Tempered
6 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT

Attachment Options
Field Installed Dripflash
Nailing Flange: Head, Left, Right
5/8" (16MM) Jamb Extension Face

Miscellaneous Options
Cubes: 23

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.26
U-Value Metric (CDN) USI: 1.47
Solar Heat Gain Coefficient: 0.24
Visible Transmittance: 0.56
C P D Number: LOW-N-111 01688-00001
Performance Grade: UNAVAILABLE

Loewen Proposes to Furnish The Products Within This Quote - Errors and Omissions Excepted

Item: 8 | Qty: 1 | Picture (Direct Set) | Label: 103 ENTRY-RM-01

Each Price	Extended Price
$4,606.90	**$4,606.90**



Exterior View

Frame Size : 44" (1118mm) x 114" (2896mm) **Rough Opening : 44 3/4" (1137mm) x 114 3/4" (2915mm)**
Casing Not Required

Unit Shape/Build Options
103 ENTRY-RM-01
Not Impact Certified
Rectangular (Or Square)
Douglas Fir
Picture (Direct Set) - 2019

Dimension Details
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood

Glazing Options
Double 366-Clear
All Panes Tempered
6 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT

Attachment Options
Field Installed Dripflash
Nailing Flange: Head, Left, Right
5/8" (16MM) Jamb Extension Face

Miscellaneous Options
Cubes: 30

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.26
U-Value Metric (CDN) USI: 1.47
Solar Heat Gain Coefficient: 0.24
Visible Transmittance: 0.56
C P D Number: LOW-N-111 01688-00001
Performance Grade: UNAVAILABLE

BASE PRICE	*$3,333.44*	*$3,333.44*
CUSTOM CUTTING PRICING	*$81.88*	*$81.88*
JAMB PRICING	*$145.15*	*$145.15*
TEMPERED PRICING	*$955.25*	*$955.25*
LOW E PRICING	*$91.18*	*$91.18*

Item: 9 | Qty: 1 | Patio/French Patio Door | Label: 104 LAUNDRY RM-12

Each Price	Extended Price
$6,267.41	**$6,267.41**



Exterior View

Frame Size : 70 7/8" (1800mm) x 94 1/2" (2400mm) **Rough Opening : 71 5/8" (1819mm) x 95 3/32" (2415mm)**
Casing Not Required

Unit Shape/Build Options
104 LAUNDRY RM-12
Sliding Patio
Rectangular (Or Square)
Douglas Fir

Dimension Details
Callout Code: 1824
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood
Int Sash/Panel: Matches Frame

Unit Operation/Type
O X
Fixed Slider
Operating Slider
Operating Panels Shipped Separate
2 15/16" (75mm) Narrow Stile
2 7/8" (73mm) Bottom Rail

Glazing Options
Double 366-Clear
All Panes Tempered
4 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT
Interior Square Glazing Stops

Hardware Options
Truth 2 point Hdwr
Truth Flush Handle
Hardware Color: Faux Bronze
Key - Thumb Cylinder
C/W 1 Security Foot Locks
Black Footlock

Door Sill Options
Bronze Anodized Aluminum Sill

Attachment Options
Field Installed Dripflash
Nailing Flange: Head, Left, Right

Screen Options
Sliding Screen
Screen Color Matches Frame Color
Less Visible Screen (High Trans)

Miscellaneous Options
Cubes: 39

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.27
U-Value Metric (CDN) USI: 1.53
Solar Heat Gain Coefficient: 0.21
Visible Transmittance: 0.49
C P D Number: LOW-N-50 09156-00001
Performance Grade: LC-PG50

Ship Separate Options
Ship Panel Two Separate

BASE PRICE	*$5,065.29*	*$5,065.29*
HARDWARE PRICING	*$885.77*	*$885.77*
JAMB PRICING	*$155.07*	*$155.07*
SCREEN PRICING	*$58.31*	*$58.31*
LOW E PRICING	*$102.97*	*$102.97*

Ship Separate Items: *Qty: 1* *SERIES 44 PD PANEL 2*

Loewen Proposes to Furnish The Products Within This Quote - Errors and Omissions Excepted

Item: 10 **Qty: 1** **Patio/French Patio Door** **Label: 105 OFFICE RM-11** **Each Price** **Extended Price**



Exterior View

Frame Size : 70 7/8" (1800mm) x 94 1/2" (2400mm) **Rough Opening : 71 5/8" (1819mm) x 95 3/32" (2415mm)**
Casing Not Required

Unit Shape/Build Options
105 OFFICE RM-11
Sliding Patio
Rectangular (Or Square)
Douglas Fir

Dimension Details
Callout Code: 1824
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood
Int Sash/Panel: Matches Frame

Unit Operation/Type
O X
Fixed Slider
Operating Slider
Operating Panels Shipped Separate
2 15/16" (75mm) Narrow Stile
2 7/8" (73mm) Bottom Rail

Glazing Options
Double 366-Clear
All Panes Tempered
4 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT
Interior Square Glazing Stops

Hardware Options
Truth 2 point Hdwr
Truth Flush Handle
Hardware Color: Faux Bronze
Key - Thumb Cylinder
C/W 1 Security Foot Locks
Black Footlock

Door Sill Options
Bronze Anodized Aluminum Sill

Attachment Options
Field Installed Dripflash
Nailing Flange: Head, Left, Right

Screen Options
Sliding Screen
Screen Color Matches Frame Color
Less Visible Screen (High Trans)

Miscellaneous Options
Cubes: 39

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.27
U-Value Metric (CDN) USI: 1.53
Solar Heat Gain Coefficient: 0.21
Visible Transmittance: 0.49
C P D Number: LOW-N-50 09156-00001
Performance Grade: LC-PG50

Ship Separate Options
Ship Panel Two Separate

$6,267.41	**$6,267.41**
BASE PRICE	
$5,065.29	*$5,065.29*
HARDWARE PRICING	
$885.77	*$885.77*
JAMB PRICING	
$155.07	*$155.07*
SCREEN PRICING	
$58.31	*$58.31*
LOW E PRICING	
$102.97	*$102.97*

Ship Separate Items: *Qty: 1* *SERIES 44 PD PANEL 2*

Item: 11 **Qty: 1** **Mulled Composite Unit** **Label: 106 OFFICE RM-11** **Each Price** **Extended Price**



Exterior View

Frame Size : 84" (2134mm) x 58" (1473mm) **Rough Opening : 84 3/4" (2153mm) x 58 3/4" (1492mm)**
Casing Not Required

Composite Options
106 OFFICE RM-11
Unit - Unit
Number of Sub Units: 2
Rectangular (Or Square)
Douglas Fir

Sub Units
Picture
Awning and Casement

Combo Dimension Details
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Int Frame: Natural Wood

Attachment Options
Field Installed Dripflash
Nailing Flange: All Four Sides
5/8" (16MM) Jamb Extension Face

Miscellaneous Options
Cubes: 29

Performance Data
UNAVAILABLE

$3,097.73	**$3,097.73**
COMBINATION BASE PRICE	
$145.15	*$145.15*

Loewen Proposes to Furnish The Products Within This Quote - Errors and Omissions Excepted

Sub Item: 11-1 (12) Qty: 1 Picture (Direct Set) Label: 106 OFFICE RM-11

Sub Price	Sub Extended
$1,477.53	$1,477.53



Exterior View

Frame Size : 56" (1422mm) x 58" (1473mm)

Unit Shape/Build Options
- *Not Impact Certified*
- *Douglas Fir*
- *Picture (Direct Set) - 2019*

Dimension Details
- *Jamb: 6 9/16" (166mm)*

Finish Options
- *Frame: Midnight Bronze Clad (Std)*
- *Sash: Sash Color Matches Frame Color*
- *Int Frame: Natural Wood*

Glazing Options
- *Double 366-Clear*
- *4 MM Glass Thickness*
- *Black Stainless Steel Spacer*
- *Black Bar(63) 1/2"(13mm)*
- *Preserve Film on INT & EXT*

Miscellaneous Options
- *Cubes: 20*

Performance Data
- *Not Impact Certified*
- *U-Value Imperial (USA): 0.26*
- *U-Value Metric (CDN) USI: 1.47*
- *Solar Heat Gain Coefficient: 0.25*
- *Visible Transmittance: 0.58*
- *C P D Number: LOW-N-111 01568-00001*
- *Performance Grade: UNAVAILABLE*

BASE PRICE	
$1,365.88	*$1,365.88*
CUSTOM CUTTING PRICING	
$81.88	*$81.88*
LOW E PRICING	
$29.77	*$29.77*

Sub Item: 11-2 (13) Qty: 1 Casement/Awning Label: 106 OFFICE RM-11

Sub Price	Sub Extended
$1,475.05	$1,475.05



Exterior View

Frame Size : 28" (711mm) x 58" (1473mm)

Unit Shape/Build Options
- *Not Impact Certified*
- *Casement Style*
- *Douglas Fir*

Dimension Details
- *Jamb: 6 9/16" (166mm)*

Finish Options
- *Frame: Midnight Bronze Clad (Std)*
- *Sash: Sash Color Matches Frame Color*
- *Int Frame: Natural Wood*
- *Int Sash/Panel: Matches Frame*

Unit Operation/Type
- *Right Hand Operation*
- *Traditional Operation*
- *Standard Moldings*
- *Double Sash*

Glazing Options
- *Double 366-Clear*
- *3 MM Glass Thickness*
- *Black Stainless Steel Spacer*
- *Black Bar(63) 1/2"(13mm)*
- *Preserve Film on INT & EXT*
- *Interior Square Glazing Stops*

Hardware Options
- *Encore Rotogear*
- *Concealed Locking Hdwr (Encore)*
- *C/W Crank Handle & Operator Cover*
- *Contemporary Cover*
- *Hardware Color: Faux Bronze*

Screen Options
- *STD Aluminum Screen*
- *Midnight Bronze (Std)*
- *Less Visible Screen (High Trans)*

Miscellaneous Options
- *Cubes: 11*

Performance Data
- *Not Impact Certified*
- *U-Value Imperial (USA): 0.29*
- *U-Value Metric (CDN) USI: 1.64*
- *Solar Heat Gain Coefficient: 0.19*
- *Visible Transmittance: 0.43*
- *C P D Number: LOW-N-25 11258-00001*
- *Performance Grade: LC-PG80*
- *Egress Area (sqft): 6.94*
- *18 13/16*
- *53 1/8*

BASE PRICE	
$1,348.51	*$1,348.51*
CUSTOM CUTTING PRICING	
$86.84	*$86.84*
SCREEN PRICING	
$27.91	*$27.91*
LOW E PRICING	
$11.79	*$11.79*

Loewen Proposes to Furnish The Products Within This Quote - Errors and Omissions Excepted

Item: 14 **Qty: 1** **Mulled Composite Unit** **Label: 107 HALL RM-13** **Each Price** **Extended Price**



Exterior View

Frame Size : 72 3/8" (1838mm) x 85 31/32" (2184mm) **Rough Opening : 73 1/8" (1857mm) x 86 9/16" (2199mm)**
Casing Not Required

Composite Options
107 HALL RM-13
Custom Composite Configuration
Number of Sub Units: 3
Rectangular (Or Square)
Douglas Fir
1" (25mm) Vert. Spreadmull
Jamb to Jamb Horz. Mull

Sub Units
Picture
Terrace Door
Picture

Combo Dimension Details
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Int Frame: Natural Wood

Unit Operation/Type
C/W Full Jamb
Inswing
45T 1 3/4" Panel

Door Sill Options
Standard Sill
Sidelite Sill Required
Bronze Anodized Aluminum Sill
1 15/32" (37MM)

Attachment Options
Field Installed Dripflash
Nailing Flange: Head, Left, Right

Miscellaneous Options
Cubes: 37

Performance Data
UNAVAILABLE

Optional Pricing
Spreadmull Pricing

$8,126.41	**$8,126.41**
COMBINATION BASE PRICE	
$162.52	*$162.52*
SPREADMULL PRICING	
$475.14	*$475.14*
SIDELITE SILL PRICING	
$347.36	*$347.36*

Sub Item: 14-1 (15) **Qty: 1** **Picture (Direct Set)** **Label: 107 HALL RM-13** *Sub Price* *Sub Extended*



Exterior View

Frame Size : 17" (432mm) x 84 17/32" (2147mm)

Unit Shape/Build Options
Not Impact Certified
Rectangular (Or Square)
Douglas Fir
Picture (Direct Set) - 2019

Dimension Details
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood

Glazing Options
Double 366-Clear
All Panes Tempered
4 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT

Miscellaneous Options
Cubes: 10

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.26
U-Value Metric (CDN) USI: 1.47
Solar Heat Gain Coefficient: 0.25
Visible Transmittance: 0.58
C P D Number: LOW-N-111 01568-00001
Performance Grade: UNAVAILABLE

$1,630.12	*$1,630.12*
BASE PRICE	
$1,266.63	*$1,266.63*
CUSTOM CUTTING PRICING	
$81.88	*$81.88*
TEMPERED PRICING	
$256.80	*$256.80*
LOW E PRICING	
$24.81	*$24.81*

Loewen Proposes to Furnish The Products Within This Quote - Errors and Omissions Excepted

Sub Item: 14-2 (16) Qty: 1 Terrace/French Terrace Door Label: 107 HALL RM-13

Sub Price	Sub Extended
$3,881.15	$3,881.15



Exterior View

Frame Size : 36 3/8" (924mm) x 85 31/32" (2184mm)

Unit Shape/Build Options
Not Impact Certified
Terrace Door
Inswing
45T 1 3/4" Panel
Rectangular (Or Square)
Douglas Fir

Dimension Details
Callout Code: 0970
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood
Int Sash/Panel: Matches Frame

Unit Operation/Type
X - L H
Oper Panels Shipped With Frame
C/W Full Jamb
2 15/16" (75mm) Narrow Stile
4 5/16"(110mm) Bottom Rail

Glazing Options
Double 366-Clear
All Panes Tempered
3 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT
Interior Square Glazing Stops

Hardware Options
Manual Multipoint Hardware
Dallas Handle
Hardware Color: Matte Black
Concealed Bearing Hinge
Black Hinge
Number of Hinges Per Panel: 4
Key - Thumb Cylinder
Default key - No custom keying

Door Sill Options
Standard Sill
Inswing Sill Design
Bronze Anodized Aluminum Sill

Miscellaneous Options
Cubes: 20

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.3
U-Value Metric (CDN) USI: 1.7
Solar Heat Gain Coefficient: 0.19
Visible Transmittance: 0.45
C P D Number: LOW-N-58 06407-00001
Energy Rating: 14
Performance Grade: LC-PG35

BASE PRICE	$3,406.63	$3,406.63
FULL JAMB PRICING	$171.20	$171.20
HARDWARE PRICING	$260.52	$260.52
LOW E PRICING	$42.80	$42.80

Sub Item: 14-3 (17) Qty: 1 Picture (Direct Set) Label: 107 HALL RM-13

Sub Price	Sub Extended
$1,630.12	$1,630.12



Exterior View

Frame Size : 17" (432mm) x 84 17/32" (2147mm)

Unit Shape/Build Options
Not Impact Certified
Rectangular (Or Square)
Douglas Fir
Picture (Direct Set) - 2019

Dimension Details
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood

Glazing Options
Double 366-Clear
All Panes Tempered
4 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT

Miscellaneous Options
Cubes: 10

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.26
U-Value Metric (CDN) USI: 1.47
Solar Heat Gain Coefficient: 0.25
Visible Transmittance: 0.58
C P D Number: LOW-N-111 01568-00001
Performance Grade: UNAVAILABLE

BASE PRICE	$1,266.63	$1,266.63
CUSTOM CUTTING PRICING	$81.88	$81.88
TEMPERED PRICING	$256.80	$256.80
LOW E PRICING	$24.81	$24.81

Loewen Proposes to Furnish The Products Within This Quote - Errors and Omissions Excepted

Item: 18 **Qty: 1** **Picture (Direct Set)** **Label: 108 W.I.C. RM-10** **Each Price** **Extended Price**



Exterior View

Frame Size : 36" (914mm) x 36" (914mm) **Rough Opening : 36 23/32" (933mm) x 36 23/32" (933mm)**
Casing Not Required

Unit Shape/Build Options
108 W.I.C. RM-10
Not Impact Certified
Rectangular (Or Square)
Douglas Fir
Picture (Direct Set) - 2019

Dimension Details
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood

Glazing Options
Double 366-Clear
3 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT

Attachment Options
Field Installed Dripflash
Nailing Flange: Head, Left, Right
5/8" (16MM) Jamb Extension Face

Miscellaneous Options
Cubes: 9

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.26
U-Value Metric (CDN) USI: 1.47
Solar Heat Gain Coefficient: 0.25
Visible Transmittance: 0.58
C P D Number: LOW-N-111 01508-00001
Performance Grade: UNAVAILABLE

$907.49	**$907.49**
BASE PRICE	
$743.11	*$743.11*
CUSTOM CUTTING PRICING	
$81.88	*$81.88*
JAMB PRICING	
$70.71	*$70.71*
LOW E PRICING	
$11.79	*$11.79*

Item: 19 **Qty: 1** **Mulled Composite Unit** **Label: 110 PRIBATH RM-08** **Each Price** **Extended Price**



Exterior View

Frame Size : 82 11/16" (2100mm) x 63" (1600mm) **Rough Opening : 83 7/16" (2119mm) x 63 3/4" (1619mm)**
Casing Not Required

Composite Options
110 PRIBATH RM-08
Unit - Unit
Number of Sub Units: 2
Rectangular (Or Square)
Douglas Fir

Sub Units
Awning and Casement
Picture

Combo Dimension Details
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Int Frame: Natural Wood

Attachment Options
Field Installed Dripflash
Nailing Flange: All Four Sides
5/8" (16MM) Jamb Extension Face

Miscellaneous Options
Cubes: 31

Performance Data
UNAVAILABLE

$3,713.05	**$3,713.05**
COMBINATION BASE PRICE	
$126.54	*$126.54*

Loewen Proposes to Furnish The Products Within This Quote - Errors and Omissions Excepted

Sub Item: 19-1 (20) | Qty: 1 | Casement/Awning | Label: 110 PRIBATH RM-08

Sub Price	Sub Extended
$1,600.34	$1,600.34



Exterior View

Frame Size : 27 9/16" (700mm) x 63" (1600mm)

Unit Shape/Build Options
- *Not Impact Certified*
- *Casement Style*
- *Douglas Fir*

Dimension Details
- *Callout Code: 0716*
- *Jamb: 6 9/16" (166mm)*

Finish Options
- *Frame: Midnight Bronze Clad (Std)*
- *Sash: Sash Color Matches Frame Color*
- *Int Frame: Natural Wood*
- *Int Sash/Panel: Matches Frame*

Unit Operation/Type
- *Left Hand Operation*
- *Traditional Operation*
- *Standard Moldings*
- *Double Sash*

Glazing Options
- *Double 366-Clear*
- *All Panes Tempered*
- *3 MM Glass Thickness*
- *Black Stainless Steel Spacer*
- *Black Bar(63) 1/2"(13mm)*
- *Preserve Film on INT & EXT*
- *Interior Square Glazing Stops*

Hardware Options
- *Encore Rotogear*
- *Concealed Locking Hdwr (Encore)*
- *C/W Crank Handle & Operator Cover*
- *Contemporary Cover*
- *Hardware Color: Faux Bronze*

Screen Options
- *STD Aluminum Screen*
- *Midnight Bronze (Std)*
- *Less Visible Screen (High Trans)*

Miscellaneous Options
- *Cubes: 12*

Performance Data
- *Not Impact Certified*
- *U-Value Imperial (USA): 0.29*
- *U-Value Metric (CDN) USI: 1.64*
- *Solar Heat Gain Coefficient: 0.19*
- *Visible Transmittance: 0.43*
- *C P D Number: LOW-N-25 11258-00001*
- *Performance Grade: LC-PG50*
- *Egress Area (sqft): 7.41*
- *18 3/8*
- *58 1/8*

BASE PRICE	*$1,279.66*	*$1,279.66*
SCREEN PRICING	*$29.77*	*$29.77*
TEMPERED PRICING	*$265.48*	*$265.48*
LOW E PRICING	*$25.43*	*$25.43*

Sub Item: 19-2 (21) | Qty: 1 | Picture (Direct Set) | Label: 110 PRIBATH RM-08

Sub Price	Sub Extended
$1,986.17	$1,986.17



Exterior View

Frame Size : 55 1/8" (1400mm) x 63" (1600mm)

Unit Shape/Build Options
- *Not Impact Certified*
- *Douglas Fir*
- *Picture (Direct Set) - 2019*

Dimension Details
- *Callout Code: 1416*
- *Jamb: 6 9/16" (166mm)*

Finish Options
- *Frame: Midnight Bronze Clad (Std)*
- *Sash: Sash Color Matches Frame Color*
- *Int Frame: Natural Wood*

Glazing Options
- *Double 366-Clear*
- *All Panes Tempered*
- *5 MM Glass Thickness*
- *Black Stainless Steel Spacer*
- *Black Bar(63) 1/2"(13mm)*
- *Preserve Film on INT & EXT*

Miscellaneous Options
- *Cubes: 21*

Performance Data
- *Not Impact Certified*
- *U-Value Imperial (USA): 0.26*
- *U-Value Metric (CDN) USI: 1.47*
- *Solar Heat Gain Coefficient: 0.25*
- *Visible Transmittance: 0.57*
- *C P D Number: LOW-N-111 01628-00001*
- *Performance Grade: UNAVAILABLE*

BASE PRICE	*$1,287.72*	*$1,287.72*
TEMPERED PRICING	*$637.66*	*$637.66*
LOW E PRICING	*$60.79*	*$60.79*

Loewen Proposes to Furnish The Products Within This Quote - Errors and Omissions Excepted

Item: 22 **Qty: 1** **Mulled Composite Unit** **Label: 111 PRIBED RM-06** **Each Price** **Extended Price**



Exterior View

Frame Size : 141 3/4" (3600mm) x 63" (1600mm) **Rough Opening : 142 15/32" (3619mm) x 63 3/4" (1619mm)**
Casing Not Required

$5,013.20 **$5,013.20**

COMBINATION BASE PRICE
$238.19 *$238.19*

Composite Options
111 PRIBED RM-06
Unit - Unit - Unit
Number of Sub Units: 3
Rectangular (Or Square)
Douglas Fir

Sub Units
Awning and Casement
Picture
Awning and Casement

Combo Dimension Details
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Int Frame: Natural Wood

Attachment Options
Field Installed Dripflash
Nailing Flange: All Four Sides
5/8" (16MM) Jamb Extension Face

Miscellaneous Options
Cubes: 52

Performance Data
UNAVAILABLE

Sub Item: 22-1 (23) **Qty: 1** **Casement/Awning** **Label: 111 PRIBED RM-06** *Sub Price* *Sub Extended*



Exterior View

Frame Size : 35 7/16" (900mm) x 63" (1600mm)

$1,591.67 *$1,591.67*

BASE PRICE
$1,535.84 *$1,535.84*

SCREEN PRICING
$38.46 *$38.46*

LOW E PRICING
$17.37 *$17.37*

Unit Shape/Build Options
Not Impact Certified
Casement Style
Douglas Fir

Dimension Details
Callout Code: 0916
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood
Int Sash/Panel: Matches Frame

Unit Operation/Type
Left Hand Operation
Traditional Operation
Standard Moldings
Double Sash

Glazing Options
Double 366-Clear
3 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT
Interior Square Glazing Stops

Hardware Options
Encore Rotogear
Concealed Locking Hdwr (Encore)
C/W Crank Handle & Operator Cover
Contemporary Cover
Hardware Color: Faux Bronze

Screen Options
STD Aluminum Screen
Midnight Bronze (Std)
Less Visible Screen (High Trans)

Miscellaneous Options
Cubes: 14

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.29
U-Value Metric (CDN) USI: 1.64
Solar Heat Gain Coefficient: 0.19
Visible Transmittance: 0.43
C P D Number: LOW-N-25 11258-00001
Performance Grade: CW-PG50
Egress Area (sqft): 10.59
26 1/4
58 1/8

Loewen Proposes to Furnish The Products Within This Quote - Errors and Omissions Excepted

Sub Item: 22-2 (24) | Qty: 1 | Picture (Direct Set) | Label: 111 PRIBED RM-06

	Sub Price	Sub Extended
Frame Size : 70 7/8" (1800mm) x 63" (1600mm)	*$1,591.67*	*$1,591.67*
BASE PRICE	*$1,551.97*	*$1,551.97*
LOW E PRICING	*$39.70*	*$39.70*



Exterior View

Unit Shape/Build Options
Not Impact Certified
Douglas Fir
Picture (Direct Set) - 2019

Dimension Details
Callout Code: 1816
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood

Glazing Options
Double 366-Clear
5 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT

Miscellaneous Options
Cubes: 27

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.26
U-Value Metric (CDN) USI: 1.47
Solar Heat Gain Coefficient: 0.25
Visible Transmittance: 0.57
C P D Number: LOW-N-111 01628-00001
Performance Grade: UNAVAILABLE

Sub Item: 22-3 (25) | Qty: 1 | Casement/Awning | Label: 111 PRIBED RM-06

	Sub Price	Sub Extended
Frame Size : 35 7/16" (900mm) x 63" (1600mm)	*$1,591.67*	*$1,591.67*
BASE PRICE	*$1,535.84*	*$1,535.84*
SCREEN PRICING	*$38.46*	*$38.46*
LOW E PRICING	*$17.37*	*$17.37*



Exterior View

Unit Shape/Build Options
Not Impact Certified
Casement Style
Douglas Fir

Dimension Details
Callout Code: 0916
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood
Int Sash/Panel: Matches Frame

Unit Operation/Type
Right Hand Operation
Traditional Operation
Standard Moldings
Double Sash

Glazing Options
Double 366-Clear
3 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT
Interior Square Glazing Stops

Hardware Options
Encore Rotogear
Concealed Locking Hdwr (Encore)
C/W Crank Handle & Operator Cover
Contemporary Cover
Hardware Color: Faux Bronze

Screen Options
STD Aluminum Screen
Midnight Bronze (Std)
Less Visible Screen (High Trans)

Miscellaneous Options
Cubes: 14

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.29
U-Value Metric (CDN) USI: 1.64
Solar Heat Gain Coefficient: 0.19
Visible Transmittance: 0.43
C P D Number: LOW-N-25 11258-00001
Performance Grade: CW-PG50
Egress Area (sqft): 10.59
26 1/4
58 1/8

Loewen Proposes to Furnish The Products Within This Quote - Errors and Omissions Excepted

Item: 26 **Qty: 1** **Patio/French Patio Door** **Label: 112 PRIBED RM-06** **Each Price** **Extended Price**



Exterior View

Frame Size : 82 11/16" (2100mm) x 85 31/32" (2184mm) **Rough Opening : 83 7/16" (2119mm) x 86 9/16" (2199mm)**
Casing Not Required

Unit Shape/Build Options
112 PRIBED RM-06
Sliding Patio
Rectangular (Or Square)
Douglas Fir

Dimension Details
Callout Code: 2170
82 11/16" (2100mm)
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood
Int Sash/Panel: Matches Frame

Unit Operation/Type
O X
Fixed Slider
Operating Slider
Oper Panels Shipped With Frame
2 15/16" (75mm) Narrow Stile
2 7/8" (73mm) Bottom Rail

Glazing Options
Double 366-Clear
All Panes Tempered
4 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT
Interior Square Glazing Stops

Hardware Options
Truth 2 point Hdwr
Truth Flush Handle
Hardware Color: Faux Bronze
Key - Thumb Cylinder
C/W 1 Security Foot Locks
Black Footlock

Door Sill Options
Bronze Anodized Aluminum Sill

Attachment Options
Field Installed Dripflash
Nailing Flange: Head, Left, Right

Screen Options
Sliding Screen
Screen Color Matches Frame Color
Less Visible Screen (High Trans)

Miscellaneous Options
Cubes: 42

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.27
U-Value Metric (CDN) USI: 1.53
Solar Heat Gain Coefficient: 0.21
Visible Transmittance: 0.49
C P D Number: LOW-N-50 09156-00001
Energy Rating: 18
Performance Grade: LC-PG50

	Each Price	Extended Price
	$6,325.10	**$6,325.10**
BASE PRICE	*$5,106.85*	*$5,106.85*
HARDWARE PRICING	*$885.77*	*$885.77*
JAMB PRICING	*$162.52*	*$162.52*
SCREEN PRICING	*$62.03*	*$62.03*
LOW E PRICING	*$107.93*	*$107.93*

Item: 27 **Qty: 1** **Patio/French Patio Door** **Label: 113 BFAST NOOK RM-04** **Each Price** **Extended Price**



Exterior View

Frame Size : 82 11/16" (2100mm) x 85 31/32" (2184mm) **Rough Opening : 83 7/16" (2119mm) x 86 9/16" (2199mm)**
Casing Not Required

Unit Shape/Build Options
113 BFAST NOOK RM-04
Sliding Patio
Rectangular (Or Square)
Douglas Fir

Dimension Details
Callout Code: 2170
82 11/16" (2100mm)
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood
Int Sash/Panel: Matches Frame

Unit Operation/Type
X O
Oper Panels Shipped With Frame
2 15/16" (75mm) Narrow Stile
2 7/8" (73mm) Bottom Rail

Glazing Options
Double 366-Clear
All Panes Tempered
4 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT
Interior Square Glazing Stops

Hardware Options
Truth 2 point Hdwr
Truth Flush Handle
Hardware Color: Faux Bronze
Key - Thumb Cylinder
C/W 1 Security Foot Locks
Black Footlock

Door Sill Options
Bronze Anodized Aluminum Sill

Attachment Options
Field Installed Dripflash
Nailing Flange: Head, Left, Right

Screen Options
Sliding Screen
Screen Color Matches Frame Color
Less Visible Screen (High Trans)

Miscellaneous Options
Cubes: 42

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.27
U-Value Metric (CDN) USI: 1.53
Solar Heat Gain Coefficient: 0.21
Visible Transmittance: 0.49
C P D Number: LOW-N-50 09156-00001
Performance Grade: LC-PG50

	Each Price	Extended Price
	$6,325.10	**$6,325.10**
BASE PRICE	*$5,106.85*	*$5,106.85*
HARDWARE PRICING	*$885.77*	*$885.77*
JAMB PRICING	*$162.52*	*$162.52*
SCREEN PRICING	*$62.03*	*$62.03*
LOW E PRICING	*$107.93*	*$107.93*

Loewen Proposes to Furnish The Products Within This Quote - Errors and Omissions Excepted

Item: 28 Qty: 1 Picture (Direct Set) Label: 114 BFAST NOOK RM-04

Each Price	Extended Price
$4,637.29	**$4,637.29**



Exterior View

Frame Size : 82 11/16" (2100mm) x 86" (2184mm) **Rough Opening : 83 7/16" (2119mm) x 86 23/32" (2203mm)**
Casing Not Required

Unit Shape/Build Options
114 BFAST NOOK RM-04
Not Impact Certified
Rectangular (Or Square)
Douglas Fir
Picture (Direct Set) - 2019

Dimension Details
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood

Glazing Options
Double 366-Clear
All Panes Tempered
6 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT

Attachment Options
Field Installed Dripflash
Nailing Flange: Head, Left, Right
5/8" (16MM) Jamb Extension Face

Miscellaneous Options
Cubes: 42

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.26
U-Value Metric (CDN) USI: 1.47
Solar Heat Gain Coefficient: 0.24
Visible Transmittance: 0.56
C P D Number: LOW-N-111 01688-00001
Energy Rating: 21
Performance Grade: CW-PG58

BASE PRICE	
$2,942.65	*$2,942.65*
CUSTOM CUTTING PRICING	
$60.79	*$60.79*
JAMB PRICING	
$162.52	*$162.52*
TEMPERED PRICING	
$1,343.55	*$1,343.55*
LOW E PRICING	
$127.78	*$127.78*

Item: 29 Qty: 1 Mulled Composite Unit Label: 115 KITCH/DINING RM-03

Each Price	Extended Price
$10,061.11	**$10,061.11**



Exterior View

Frame Size : 168 7/8" (4289mm) x 90 9/16" (2300mm) **Rough Opening : 169 19/32" (4308mm) x 91 5/16" (2319mm)**
Casing Not Required

Composite Options
115 KITCH/DINING RM-03
Unit - Unit - Unit - Unit
Number of Sub Units: 4
Rectangular (Or Square)
Douglas Fir
Field Mull Required

Sub Units
Awning and Casement
Picture
Picture
Awning and Casement

Combo Dimension Details
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Int Frame: Natural Wood

Attachment Options
Field Installed Dripflash
Nailing Flange: All Four Sides
5/8" (16MM) Jamb Extension Face

Miscellaneous Options
Cubes: 87

Performance Data
UNAVAILABLE

COMBINATION BASE PRICE	
$321.31	*$321.31*

Loewen Proposes to Furnish The Products Within This Quote - Errors and Omissions Excepted

Sub Item: 29-1 (30) | Qty: 1 | Casement/Awning | Label: 115 KITCH/DINING RM-03

Sub Price	Sub Extended



Exterior View

Frame Size : 35 7/16" (900mm) x 90 9/16" (2300mm)

	Sub Price	Sub Extended
	$2,608.94	$2,608.94
BASE PRICE	$2,385.63	$2,385.63
HARDWARE PRICING	$60.79	$60.79
SCREEN PRICING	$55.21	$55.21
LOW E PRICING	$25.43	$25.43
SASH THICK PRICING	$81.88	$81.88

Unit Shape/Build Options
- *Not Impact Certified*
- *Casement Style*
- *Douglas Fir*

Dimension Details
- *Callout Code: 0923*
- *90 9/16" (2300mm)*
- *Jamb: 6 9/16" (166mm)*

Finish Options
- *Frame: Midnight Bronze Clad (Std)*
- *Sash: Sash Color Matches Frame Color*
- *Int Frame: Natural Wood*
- *Int Sash/Panel: Matches Frame*

Unit Operation/Type
- *Left Hand Operation*
- *Traditional Operation*
- *Standard Moldings*
- *Triple Sash*

Glazing Options
- *Double 366-Clear*
- *4 MM Glass Thickness*
- *Black Stainless Steel Spacer*
- *Black Bar(63) 1/2"(13mm)*
- *Preserve Film on INT & EXT*
- *Interior Square Glazing Stops*

Hardware Options
- *Encore Rotogear*
- *Concealed Locking Hdwr (Encore)*
- *C/W Crank Handle & Operator Cover*
- *Contemporary Cover*
- *Egress Hinge Required*
- *Hardware Color: Faux Bronze*

Screen Options
- *STD Aluminum Screen*
- *Midnight Bronze (Std)*
- *Less Visible Screen (High Trans)*

Miscellaneous Options
- *Cubes: 20*

Performance Data
- *Not Impact Certified*
- *U-Value Imperial (USA): 0.28*
- *U-Value Metric (CDN) USI: 1.58*
- *Solar Heat Gain Coefficient: 0.19*
- *Visible Transmittance: 0.43*
- *C P D Number: LOW-N-25 11268-00001*
- *Performance Grade: CW-PG50*
- *Egress Area (sqft): 17.12*
- *28 25/32*
- *85 21/32*

Sub Item: 29-2 (31) | Qty: 1 | Picture (Direct Set) | Label: 115 KITCH/DINING RM-03

Sub Price	Sub Extended



Exterior View

Frame Size : 49" (1245mm) x 90 9/16" (2300mm)

	Sub Price	Sub Extended
	$2,260.96	$2,260.96
BASE PRICE	$2,161.09	$2,161.09
CUSTOM CUTTING PRICING	$60.79	$60.79
LOW E PRICING	$39.08	$39.08

Unit Shape/Build Options
- *Not Impact Certified*
- *Douglas Fir*
- *Picture (Direct Set) - 2019*

Dimension Details
- *90 9/16" (2300mm)*
- *Jamb: 6 9/16" (166mm)*

Finish Options
- *Frame: Midnight Bronze Clad (Std)*
- *Sash: Sash Color Matches Frame Color*
- *Int Frame: Natural Wood*

Glazing Options
- *Double 366-Clear*
- *5 MM Glass Thickness*
- *Black Stainless Steel Spacer*
- *Black Bar(63) 1/2"(13mm)*
- *Preserve Film on INT & EXT*

Miscellaneous Options
- *Cubes: 27*

Performance Data
- *Not Impact Certified*
- *U-Value Imperial (USA): 0.26*
- *U-Value Metric (CDN) USI: 1.47*
- *Solar Heat Gain Coefficient: 0.25*
- *Visible Transmittance: 0.57*
- *C P D Number: LOW-N-111 01628-00001*
- *Performance Grade: UNAVAILABLE*

Loewen Proposes to Furnish The Products Within This Quote - Errors and Omissions Excepted

Sub Item: 29-3 (32) | Qty: 1 | Picture (Direct Set) | Label: 115 KITCH/DINING RM-03

Sub Price	Sub Extended
$2,260.96	$2,260.96



Exterior View

Frame Size : 49" (1245mm) x 90 9/16" (2300mm)

Unit Shape/Build Options
- *Not Impact Certified*
- *Douglas Fir*
- *Picture (Direct Set) - 2019*

Dimension Details
- *90 9/16" (2300mm)*
- *Jamb: 6 9/16" (166mm)*

Finish Options
- *Frame: Midnight Bronze Clad (Std)*
- *Sash: Sash Color Matches Frame Color*
- *Int Frame: Natural Wood*

Glazing Options
- *Double 366-Clear*
- *5 MM Glass Thickness*
- *Black Stainless Steel Spacer*
- *Black Bar(63) 1/2"(13mm)*
- *Preserve Film on INT & EXT*

Miscellaneous Options
- *Cubes: 27*

Performance Data
- *Not Impact Certified*
- *U-Value Imperial (USA): 0.26*
- *U-Value Metric (CDN) USI: 1.47*
- *Solar Heat Gain Coefficient: 0.25*
- *Visible Transmittance: 0.57*
- *C P D Number: LOW-N-111 01628-00001*
- *Performance Grade: UNAVAILABLE*

BASE PRICE	$2,161.09	$2,161.09
CUSTOM CUTTING PRICING	$60.79	$60.79
LOW E PRICING	$39.08	$39.08

Sub Item: 29-4 (33) | Qty: 1 | Casement/Awning | Label: 115 KITCH/DINING RM-03

Sub Price	Sub Extended
$2,608.94	$2,608.94



Exterior View

Frame Size : 35 7/16" (900mm) x 90 9/16" (2300mm)

Unit Shape/Build Options
- *Not Impact Certified*
- *Casement Style*
- *Douglas Fir*

Dimension Details
- *Callout Code: 0923*
- *90 9/16" (2300mm)*
- *Jamb: 6 9/16" (166mm)*

Finish Options
- *Frame: Midnight Bronze Clad (Std)*
- *Sash: Sash Color Matches Frame Color*
- *Int Frame: Natural Wood*
- *Int Sash/Panel: Matches Frame*

Unit Operation/Type
- *Right Hand Operation*
- *Traditional Operation*
- *Standard Moldings*
- *Triple Sash*

Glazing Options
- *Double 366-Clear*
- *4 MM Glass Thickness*
- *Black Stainless Steel Spacer*
- *Black Bar(63) 1/2"(13mm)*
- *Preserve Film on INT & EXT*
- *Interior Square Glazing Stops*

Hardware Options
- *Encore Rotogear*
- *Concealed Locking Hdwr (Encore)*
- *C/W Crank Handle & Operator Cover*
- *Contemporary Cover*
- *Egress Hinge Required*
- *Hardware Color: Faux Bronze*

Screen Options
- *STD Aluminum Screen*
- *Midnight Bronze (Std)*
- *Less Visible Screen (High Trans)*

Miscellaneous Options
- *Cubes: 20*

Performance Data
- *Not Impact Certified*
- *U-Value Imperial (USA): 0.28*
- *U-Value Metric (CDN) USI: 1.58*
- *Solar Heat Gain Coefficient: 0.19*
- *Visible Transmittance: 0.43*
- *C P D Number: LOW-N-25 11268-00001*
- *Performance Grade: CW-PG50*
- *Egress Area (sqft): 17.12*
- *28 25/32*
- *85 21/32*

BASE PRICE	$2,385.63	$2,385.63
HARDWARE PRICING	$60.79	$60.79
SCREEN PRICING	$55.21	$55.21
LOW E PRICING	$25.43	$25.43
SASH THICK PRICING	$81.88	$81.88

Loewen Proposes to Furnish The Products Within This Quote - Errors and Omissions Excepted

Item: 34	Qty: 1	Mulled Composite Unit	Label: 116 KITCH/DINING RM-03	Each Price	Extended Price



Exterior View

Frame Size : 59 1/16" (1500mm) x 90 9/16" (2300mm) **Rough Opening : 59 13/16" (1519mm) x 91 5/16" (2319mm)**
Casing Not Required

$3,148.59	**$3,148.59**
COMBINATION BASE PRICE	
$145.15	*$145.15*

Composite Options
116 KITCH/DINING RM-03
Unit - Unit
Number of Sub Units: 2
Rectangular (Or Square)
Douglas Fir

Sub Units
Picture
Picture

Combo Dimension Details
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Int Frame: Natural Wood

Attachment Options
Field Installed Dripflash
Nailing Flange: Head, Left, Right
5/8" (16MM) Jamb Extension Face

Miscellaneous Options
Cubes: 32

Performance Data
UNAVAILABLE

Sub Item: 34-1 (35)	Qty: 1	Picture (Direct Set)	Label: 116 KITCH/DINING RM-03	*Sub Price*	*Sub Extended*



Exterior View

Frame Size : 29 17/32" (750mm) x 90 9/16" (2300mm)

$1,501.72	*$1,501.72*
BASE PRICE	
$1,478.77	*$1,478.77*
LOW E PRICING	
$22.95	*$22.95*

Unit Shape/Build Options
Not Impact Certified
Douglas Fir
Picture (Direct Set) - 2019

Dimension Details
Callout Code: 7523
90 9/16" (2300mm)
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood

Glazing Options
Double 366-Clear
4 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT

Miscellaneous Options
Cubes: 17

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.26
U-Value Metric (CDN) USI: 1.47
Solar Heat Gain Coefficient: 0.25
Visible Transmittance: 0.58
C P D Number: LOW-N-111 01568-00001
Performance Grade: UNAVAILABLE

Loewen Proposes to Furnish The Products Within This Quote - Errors and Omissions Excepted

Sub Item: 34-2 (36) **Qty: 1** **Picture (Direct Set)** **Label: 116 KITCH/DINING RM-03**

Sub Price *Sub Extended*



Exterior View

Frame Size : 29 17/32" (750mm) x 90 9/16" (2300mm)

Unit Shape/Build Options
Not Impact Certified
Douglas Fir
Picture (Direct Set) - 2019

Dimension Details
Callout Code: 7523
90 9/16" (2300mm)
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood

Glazing Options
Double 366-Clear
4 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT

Miscellaneous Options
Cubes: 17

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.26
U-Value Metric (CDN) USI: 1.47
Solar Heat Gain Coefficient: 0.25
Visible Transmittance: 0.58
C P D Number: LOW-N-111 01568-00001
Performance Grade: UNAVAILABLE

	Sub Price	Sub Extended
	$1,501.72	*$1,501.72*
BASE PRICE	*$1,478.77*	*$1,478.77*
LOW E PRICING	*$22.95*	*$22.95*

Item: 37 **Qty: 1** **Picture (Direct Set)** **Label: 117 KITCHEN/DINING RM-03**

Each Price **Extended Price**



Exterior View

Frame Size : 70 7/8" (1800mm) x 90 9/16" (2300mm) **Rough Opening : 71 5/8" (1819mm) x 91 5/16" (2319mm)**
Casing Not Required

Unit Shape/Build Options
117 KITCHEN/DINING RM-03
Not Impact Certified
Rectangular (Or Square)
Douglas Fir
Picture (Direct Set) - 2019

Dimension Details
Callout Code: 1823
90 9/16" (2300mm)
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood

Glazing Options
Double 366-Clear
All Panes Tempered
6 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT

Attachment Options
Field Installed Dripflash
Nailing Flange: Head, Left, Right
5/8" (16MM) Jamb Extension Face

Miscellaneous Options
Cubes: 38

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.26
U-Value Metric (CDN) USI: 1.47
Solar Heat Gain Coefficient: 0.24
Visible Transmittance: 0.56
C P D Number: LOW-N-111 01688-00001
Performance Grade: UNAVAILABLE

	Each Price	Extended Price
	$4,060.41	**$4,060.41**
BASE PRICE	*$2,591.57*	*$2,591.57*
JAMB PRICING	*$155.07*	*$155.07*
TEMPERED PRICING	*$1,199.64*	*$1,199.64*
LOW E PRICING	*$114.13*	*$114.13*

Loewen Proposes to Furnish The Products Within This Quote - Errors and Omissions Excepted

Item: 38 **Qty: 1** **Terrace/French Terrace Door** **Label: 118 LIVING RM-02** **Each Price** **Extended Price**



Exterior View

Frame Size : 40 5/16" (1024mm) x 106 5/16" (2700mm) **Rough Opening : 41 1/16" (1043mm) x 106 7/8" (2715mm)**
Casing Not Required

Unit Shape/Build Options
118 LIVING RM-02
Not Impact Certified
Terrace Door
Outswing
60T 2 1/4" Panel
Rectangular (Or Square)
Douglas Fir

Dimension Details
Callout Code: 1027
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood
Int Sash/Panel: Matches Frame

Unit Operation/Type
X - R H
Oper Panels Shipped With Frame
2 15/16" (75mm) Narrow Stile
4 5/16"(110mm) Bottom Rail

Glazing Options
Double 366-Clear
All Panes Tempered
5 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT
Interior Square Glazing Stops

Hardware Options
Manual Multipoint Hardware
Dallas Handle
Hardware Color: Matte Black
Concealed Bearing Hinge
Black Hinge
Number of Hinges Per Panel: 5
Key - Thumb Cylinder
Default key - No custom keying

Door Sill Options
Standard Sill
Standard Outswing Sill Design
Bronze Anodized Aluminum Sill

Attachment Options
Field Installed Dripflash
Nailing Flange: Head, Left, Right

Miscellaneous Options
Cubes: 26

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.28
U-Value Metric (CDN) USI: 1.58
Solar Heat Gain Coefficient: 0.19
Visible Transmittance: 0.44
C P D Number: LOW-N-59 18665-00001
Energy Rating: 16
Performance Grade: UNAVAILABLE

	Each Price	Extended Price
	$7,535.90	**$7,535.90**
BASE PRICE	*$6,986.32*	*$6,986.32*
OUTSWING PRICING	*$74.43*	*$74.43*
HARDWARE PRICING	*$272.93*	*$272.93*
JAMB PRICING	*$141.43*	*$141.43*
LOW E PRICING	*$60.79*	*$60.79*

Item: 39 **Qty: 1** **Mulled Composite Unit** **Label: 119 LIVING RM-02** **Each Price** **Extended Price**



Exterior View

Frame Size : 78 3/4" (2000mm) x 125 31/32" (3200mm) **Rough Opening : 79 1/2" (2019mm) x 126 23/32" (3219mm)**
Casing Not Required

Composite Options
119 LIVING RM-02
Unit - Unit
Number of Sub Units: 2
Rectangular (Or Square)
Douglas Fir

Sub Units
Picture
Picture

Combo Dimension Details
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Int Frame: Natural Wood

Attachment Options
Field Installed Dripflash
Nailing Flange: Head, Left, Right
5/8" (16MM) Jamb Extension Face

Miscellaneous Options
Cubes: 57

Performance Data
UNAVAILABLE

	Each Price	Extended Price
	$9,061.20	**$9,061.20**
COMBINATION BASE PRICE	*$253.08*	*$253.08*

Loewen Proposes to Furnish The Products Within This Quote - Errors and Omissions Excepted

Sub Item: 39-1 (40) **Qty: 1** **Picture (Direct Set)** **Label: 119 LIVING RM-02**

Sub Price *Sub Extended*



Exterior View

Frame Size : 39 3/8" (1000mm) x 125 31/32" (3200mm)

$4,404.06 *$4,404.06*

Unit Shape/Build Options
Not Impact Certified
Douglas Fir
Picture (Direct Set) - 2019

Dimension Details
Callout Code: 1032
125 31/32" (3200mm)
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood

Glazing Options
Double 366-Clear
All Panes Tempered
6 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT

Miscellaneous Options
Cubes: 30

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.26
U-Value Metric (CDN) USI: 1.47
Solar Heat Gain Coefficient: 0.24
Visible Transmittance: 0.56
C P D Number: LOW-N-111 01688-00001
Performance Grade: UNAVAILABLE

BASE PRICE	
$3,405.39	*$3,405.39*
TEMPERED PRICING	
$911.83	*$911.83*
LOW E PRICING	
$86.84	*$86.84*

Sub Item: 39-2 (41) **Qty: 1** **Picture (Direct Set)** **Label: 119 LIVING RM-02**

Sub Price *Sub Extended*



Exterior View

Frame Size : 39 3/8" (1000mm) x 125 31/32" (3200mm)

$4,404.06 *$4,404.06*

Unit Shape/Build Options
Not Impact Certified
Douglas Fir
Picture (Direct Set) - 2019

Dimension Details
Callout Code: 1032
125 31/32" (3200mm)
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood

Glazing Options
Double 366-Clear
All Panes Tempered
6 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT

Miscellaneous Options
Cubes: 30

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.26
U-Value Metric (CDN) USI: 1.47
Solar Heat Gain Coefficient: 0.24
Visible Transmittance: 0.56
C P D Number: LOW-N-111 01688-00001
Performance Grade: UNAVAILABLE

BASE PRICE	
$3,405.39	*$3,405.39*
TEMPERED PRICING	
$911.83	*$911.83*
LOW E PRICING	
$86.84	*$86.84*

Loewen Proposes to Furnish The Products Within This Quote - Errors and Omissions Excepted

Item: 42 **Qty: 1** **17MS - MultiSlide Door** **Label: 120 LIVING RM-02** **Each Price** **Extended Price**

Exterior View

See shop drawing 48277-02-01A for dimensions

$38,216.05 **$38,216.05**

Unit Shape/Build Options
120 LIVING RM-02
Original Date Entered (yyyymmdd): 20241206
Straight Bi-Parting
Two Left Panels
Two Right Panels
Jamb on left / Jamb on right
OX-XO
Rectangular (Or Square)
Douglas Fir

Dimension Details
Estimated Jamb Depth: 7 13/32" (188mm)
0
0

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood
Int Sash/Panel: Matches Frame

Unit Operation/Type
Right Active
2 15/16" (75mm) Narrow Stile
2 7/8" (73mm) Bottom Rail

Glazing Options
Double 366-Clear
All Panes Tempered
6 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT
Interior Square Glazing Stops

Hardware Options
Winkhaus Gear
Miami Handle
Hardware Color: Matte Black
Key - Thumb Cylinder
Automation Not Required

Door Sill Options
Full Sill
Bronze Anodized Aluminum Sill
38MM (1 1/2") Sill Riser

Miscellaneous Options
Cubes: 12

DDS Options
48277-02-01A
Yes DDS Pricing
ADD SLIDING PATIO SCREENS

Performance Data
U-Value Imperial (USA): 0.32
U-Value Metric (CDN) USI: 1.81
Solar Heat Gain Coefficient: 0.21
Visible Transmittance: 0.49
C P D Number: LOW-N-91 04424-00001
Performance Grade: UNAVAILABLE

Attachment Options
Nailing Flange: No Nailing Flange Required

BASE PRICE	
$32,498.84	*$32,498.84*
SILL RISER PRICING	
$446.61	*$446.61*
HARDWARE PRICING	
$434.20	*$434.20*
LOW E PRICING	
$436.68	*$436.68*
CYLINDER PRICING	
$40.94	*$40.94*
DDS ITEM 1 PRICING	
$4,358.78	*$4,358.78*

Notes: max panel height 120"

Ship Separate Items:

Qty: 1	*17 MULTISLIDE DOOR PANEL 1*
Qty: 1	*17 MULTISLIDE DOOR PANEL 2*
Qty: 1	*17 MULTISLIDE DOOR PANEL 3*
Qty: 1	*17 MULTISLIDE DOOR PANEL 4*

Item: 43 **Qty: 1** **Mulled Composite Unit** **Label: 121 LIVING RM-02** **Each Price** **Extended Price**



Exterior View

Frame Size : 78 3/4" (2000mm) x 125 31/32" (3200mm) **Rough Opening : 79 1/2" (2019mm) x 126 23/32" (3219mm)**
Casing Not Required

$9,061.20 **$9,061.20**

COMBINATION BASE PRICE	
$253.08	*$253.08*

Composite Options
121 LIVING RM-02
Unit - Unit
Number of Sub Units: 2
Rectangular (Or Square)
Douglas Fir

Sub Units
Picture
Picture

Combo Dimension Details
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Int Frame: Natural Wood

Attachment Options
Field Installed Dripflash
Nailing Flange: Head, Left, Right
5/8" (16MM) Jamb Extension Face

Miscellaneous Options
Cubes: 57

Performance Data
UNAVAILABLE

Loewen Proposes to Furnish The Products Within This Quote - Errors and Omissions Excepted

Sub Item: 43-1 (44) **Qty: 1** **Picture (Direct Set)** **Label: 121 LIVING RM-02**

	Sub Price	Sub Extended
Frame Size : 39 3/8" (1000mm) x 125 31/32" (3200mm)	*$4,404.06*	*$4,404.06*
BASE PRICE	*$3,405.39*	*$3,405.39*
TEMPERED PRICING	*$911.83*	*$911.83*
LOW E PRICING	*$86.84*	*$86.84*



Exterior View

Unit Shape/Build Options
Not Impact Certified
Douglas Fir
Picture (Direct Set) - 2019

Dimension Details
Callout Code: 1032
125 31/32" (3200mm)
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood

Glazing Options
Double 366-Clear
All Panes Tempered
6 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT

Miscellaneous Options
Cubes: 30

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.26
U-Value Metric (CDN) USI: 1.47
Solar Heat Gain Coefficient: 0.24
Visible Transmittance: 0.56
C P D Number: LOW-N-111 01688-00001
Performance Grade: UNAVAILABLE

Sub Item: 43-2 (45) **Qty: 1** **Picture (Direct Set)** **Label: 121 LIVING RM-02**

	Sub Price	Sub Extended
Frame Size : 39 3/8" (1000mm) x 125 31/32" (3200mm)	*$4,404.06*	*$4,404.06*
BASE PRICE	*$3,405.39*	*$3,405.39*
TEMPERED PRICING	*$911.83*	*$911.83*
LOW E PRICING	*$86.84*	*$86.84*



Exterior View

Unit Shape/Build Options
Not Impact Certified
Douglas Fir
Picture (Direct Set) - 2019

Dimension Details
Callout Code: 1032
125 31/32" (3200mm)
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood

Glazing Options
Double 366-Clear
All Panes Tempered
6 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT

Miscellaneous Options
Cubes: 30

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.26
U-Value Metric (CDN) USI: 1.47
Solar Heat Gain Coefficient: 0.24
Visible Transmittance: 0.56
C P D Number: LOW-N-111 01688-00001
Performance Grade: UNAVAILABLE

Loewen Proposes to Furnish The Products Within This Quote - Errors and Omissions Excepted

Item: 46 **Qty: 1** **Mulled Composite Unit** **Label: 201 STAIR RM-XX** **Each Price** **Extended Price**



Exterior View

Frame Size : 66" (1676mm) x 66" (1676mm) **Rough Opening : 66 23/32" (1695mm) x 66 23/32" (1695mm)**
Casing Not Required

$3,261.50 **$3,261.50**

COMBINATION BASE PRICE
$125.30 *$125.30*

Composite Options
201 STAIR RM-XX
Unit - Unit
Number of Sub Units: 2
Rectangular (Or Square)
Douglas Fir

Sub Units
Picture
Picture

Combo Dimension Details
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Int Frame: Natural Wood

Attachment Options
Field Installed Dripflash
Nailing Flange: Head, Left, Right
5/8" (16MM) Jamb Extension Face

Miscellaneous Options
Cubes: 26

Performance Data
UNAVAILABLE

Sub Item: 46-1 (47) **Qty: 1** **Picture (Direct Set)** **Label: 201 STAIR RM-XX** *Sub Price* *Sub Extended*



Exterior View

Frame Size : 33" (838mm) x 66" (1676mm)

$1,568.10 *$1,568.10*

BASE PRICE
$1,044.57 *$1,044.57*
CUSTOM CUTTING PRICING
$81.88 *$81.88*
TEMPERED PRICING
$403.19 *$403.19*
LOW E PRICING
$38.46 *$38.46*

Unit Shape/Build Options
Not Impact Certified
Douglas Fir
Picture (Direct Set) - 2019

Dimension Details
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood

Glazing Options
Double 366-Clear
All Panes Tempered
3 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT

Miscellaneous Options
Cubes: 14

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.26
U-Value Metric (CDN) USI: 1.47
Solar Heat Gain Coefficient: 0.25
Visible Transmittance: 0.58
C P D Number: LOW-N-111 01508-00001
Performance Grade: UNAVAILABLE

Sub Item: 46-2 (48) **Qty: 1** **Picture (Direct Set)** **Label: 201 STAIR RM-XX** *Sub Price* *Sub Extended*



Exterior View

Frame Size : 33" (838mm) x 66" (1676mm)

$1,568.10 *$1,568.10*

BASE PRICE
$1,044.57 *$1,044.57*
CUSTOM CUTTING PRICING
$81.88 *$81.88*
TEMPERED PRICING
$403.19 *$403.19*
LOW E PRICING
$38.46 *$38.46*

Unit Shape/Build Options
Not Impact Certified
Douglas Fir
Picture (Direct Set) - 2019

Dimension Details
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood

Glazing Options
Double 366-Clear
All Panes Tempered
3 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT

Miscellaneous Options
Cubes: 14

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.26
U-Value Metric (CDN) USI: 1.47
Solar Heat Gain Coefficient: 0.25
Visible Transmittance: 0.58
C P D Number: LOW-N-111 01508-00001
Performance Grade: UNAVAILABLE

Loewen Proposes to Furnish The Products Within This Quote - Errors and Omissions Excepted

Item: 49	Qty: 1	Mulled Composite Unit	Label: 202 LANDING RM-15	Each Price	Extended Price



Exterior View

Frame Size : 120" (3048mm) x 66" (1676mm) **Rough Opening : 120 3/4" (3067mm) x 66 23/32" (1695mm)**
Casing Not Required

$6,053.42	**$6,053.42**
COMBINATION BASE PRICE	
$245.63	*$245.63*

Composite Options
202 LANDING RM-15
Unit - Unit - Unit
Number of Sub Units: 3
Rectangular (Or Square)
Douglas Fir

Sub Units
Picture
Picture
Picture

Combo Dimension Details
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Int Frame: Natural Wood

Attachment Options
Field Installed Dripflash
Nailing Flange: Head, Left, Right
5/8" (16MM) Jamb Extension Face

Miscellaneous Options
Cubes: 46

Performance Data
UNAVAILABLE

Sub Item: 49-1 (50)	Qty: 1	Picture (Direct Set)	Label: 202 LANDING RM-15	Sub Price	Sub Extended



Exterior View

Frame Size : 40" (1016mm) x 66" (1676mm)

$1,935.93	*$1,935.93*
BASE PRICE	
$1,302.61	*$1,302.61*
CUSTOM CUTTING PRICING	
$81.88	*$81.88*
TEMPERED PRICING	
$503.68	*$503.68*
LOW E PRICING	
$47.76	*$47.76*

Unit Shape/Build Options
Not Impact Certified
Douglas Fir
Picture (Direct Set) - 2019

Dimension Details
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood

Glazing Options
Double 366-Clear
All Panes Tempered
4 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT

Miscellaneous Options
Cubes: 17

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.26
U-Value Metric (CDN) USI: 1.47
Solar Heat Gain Coefficient: 0.25
Visible Transmittance: 0.58
C P D Number: LOW-N-111 01568-00001
Performance Grade: UNAVAILABLE

Sub Item: 49-2 (51)	Qty: 1	Picture (Direct Set)	Label: 202 LANDING RM-15	Sub Price	Sub Extended



Exterior View

Frame Size : 40" (1016mm) x 66" (1676mm)

$1,935.93	*$1,935.93*
BASE PRICE	
$1,302.61	*$1,302.61*
CUSTOM CUTTING PRICING	
$81.88	*$81.88*
TEMPERED PRICING	
$503.68	*$503.68*
LOW E PRICING	
$47.76	*$47.76*

Unit Shape/Build Options
Not Impact Certified
Douglas Fir
Picture (Direct Set) - 2019

Dimension Details
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood

Glazing Options
Double 366-Clear
All Panes Tempered
4 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT

Miscellaneous Options
Cubes: 17

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.26
U-Value Metric (CDN) USI: 1.47
Solar Heat Gain Coefficient: 0.25
Visible Transmittance: 0.58
C P D Number: LOW-N-111 01568-00001
Performance Grade: UNAVAILABLE

Loewen Proposes to Furnish The Products Within This Quote - Errors and Omissions Excepted

Sub Item: 49-3 (52) **Qty: 1** **Picture (Direct Set)** **Label: 202 LANDING RM-15** *Sub Price* *Sub Extended*



Exterior View

Frame Size : 40" (1016mm) x 66" (1676mm)

Unit Shape/Build Options
Not Impact Certified
Douglas Fir
Picture (Direct Set) - 2019

Dimension Details
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood

Glazing Options
Double 366-Clear
All Panes Tempered
4 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT

Miscellaneous Options
Cubes: 17

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.26
U-Value Metric (CDN) USI: 1.47
Solar Heat Gain Coefficient: 0.25
Visible Transmittance: 0.58
C P D Number: LOW-N-111 01568-00001
Performance Grade: UNAVAILABLE

	Sub Price	Sub Extended
	$1,935.93	*$1,935.93*
BASE PRICE	*$1,302.61*	*$1,302.61*
CUSTOM CUTTING PRICING	*$81.88*	*$81.88*
TEMPERED PRICING	*$503.68*	*$503.68*
LOW E PRICING	*$47.76*	*$47.76*

Item: 53 **Qty: 1** **Casement/Awning** **Label: 203 BED2 RM-18** **Each Price** **Extended Price**



Exterior View

Frame Size : 31 1/2" (800mm) x 63" (1600mm) **Rough Opening : 32 1/4" (819mm) x 63 3/4" (1619mm)**
Casing Not Required

Unit Shape/Build Options
203 BED2 RM-18
Not Impact Certified
Casement Style
Rectangular (Or Square)
Douglas Fir

Dimension Details
Callout Code: 0816
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood
Int Sash/Panel: Matches Frame

Unit Operation/Type
Left Hand Operation
Traditional Operation
Standard Moldings
Double Sash

Glazing Options
Double 366-Clear
3 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT
Interior Square Glazing Stops

Hardware Options
Encore Rotogear
Concealed Locking Hdwr (Encore)
C/W Crank Handle & Operator Cover
Contemporary Cover
Hardware Color: Faux Bronze

Attachment Options
Field Installed Dripflash
Nailing Flange: All Four Sides
5/8" (16MM) Jamb Extension Face

Screen Options
STD Aluminum Screen
Midnight Bronze (Std)
Less Visible Screen (High Trans)

Miscellaneous Options
Cubes: 13

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.29
U-Value Metric (CDN) USI: 1.64
Solar Heat Gain Coefficient: 0.19
Visible Transmittance: 0.43
C P D Number: LOW-N-25 11258-00001
Performance Grade: LC-PG50
Egress Area (sqft): 9
22 5/16
58 1/8

	Each Price	Extended Price
	$1,568.10	**$1,568.10**
BASE PRICE	*$1,437.21*	*$1,437.21*
JAMB PRICING	*$81.88*	*$81.88*
SCREEN PRICING	*$34.12*	*$34.12*
LOW E PRICING	*$14.89*	*$14.89*

Loewen Proposes to Furnish The Products Within This Quote - Errors and Omissions Excepted

Item: 54 | Qty: 1 | Casement/Awning | Label: 204 BED2 RM-18

Each Price	Extended Price
$1,677.27	**$1,677.27**



Exterior View

Frame Size : 35 7/16" (900mm) x 63" (1600mm) **Rough Opening : 36 3/16" (919mm) x 63 3/4" (1619mm)**
Casing Not Required

Unit Shape/Build Options
204 BED2 RM-18
Not Impact Certified
Casement Style
Rectangular (Or Square)
Douglas Fir

Dimension Details
Callout Code: 0916
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood
Int Sash/Panel: Matches Frame

Unit Operation/Type
Left Hand Operation
Traditional Operation
Standard Moldings
Double Sash

Glazing Options
Double 366-Clear
3 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT
Interior Square Glazing Stops

Hardware Options
Encore Rotogear
Concealed Locking Hdwr (Encore)
C/W Crank Handle & Operator Cover
Contemporary Cover
Hardware Color: Faux Bronze

Attachment Options
Field Installed Dripflash
Nailing Flange: All Four Sides
5/8" (16MM) Jamb Extension Face

Screen Options
STD Aluminum Screen
Midnight Bronze (Std)
Less Visible Screen (High Trans)

Miscellaneous Options
Cubes: 14

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.29
U-Value Metric (CDN) USI: 1.64
Solar Heat Gain Coefficient: 0.19
Visible Transmittance: 0.43
C P D Number: LOW-N-25 11258-00001
Performance Grade: CW-PG50
Egress Area (sqft): 10.59
26 1/4
58 1/8

BASE PRICE	
$1,535.84	*$1,535.84*
JAMB PRICING	
$85.60	*$85.60*
SCREEN PRICING	
$38.46	*$38.46*
LOW E PRICING	
$17.37	*$17.37*

Item: 55 | Qty: 1 | Mulled Composite Unit | Label: 205 BED2 RM-18

Each Price	Extended Price
$2,950.72	**$2,950.72**



Exterior View

Frame Size : 86 5/8" (2200mm) x 63" (1600mm) **Rough Opening : 87 3/8" (2219mm) x 63 3/4" (1619mm)**
Casing Not Required

Composite Options
205 BED2 RM-18
Unit - Unit
Number of Sub Units: 2
Rectangular (Or Square)
Douglas Fir

Sub Units
Picture
Awning and Casement

Combo Dimension Details
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Int Frame: Natural Wood

Attachment Options
Field Installed Dripflash
Nailing Flange: All Four Sides
5/8" (16MM) Jamb Extension Face

Miscellaneous Options
Cubes: 33

Performance Data
UNAVAILABLE

COMBINATION BASE PRICE	
$146.39	*$146.39*

Loewen Proposes to Furnish The Products Within This Quote - Errors and Omissions Excepted

Sub Item: 55-1 (56) | Qty: 1 | Picture (Direct Set) | Label: 205 BED2 RM-18

	Sub Price	Sub Extended
Frame Size : 55 1/8" (1400mm) x 63" (1600mm)	$1,318.11	$1,318.11
BASE PRICE	$1,287.72	$1,287.72
LOW E PRICING	$30.39	$30.39



Exterior View

Unit Shape/Build Options
- Not Impact Certified
- Douglas Fir
- Picture (Direct Set) - 2019

Dimension Details
- Callout Code: 1416
- Jamb: 6 9/16" (166mm)

Finish Options
- Frame: Midnight Bronze Clad (Std)
- Sash: Sash Color Matches Frame Color
- Int Frame: Natural Wood

Glazing Options
- Double 366-Clear
- 4 MM Glass Thickness
- Black Stainless Steel Spacer
- Black Bar(63) 1/2"(13mm)
- Preserve Film on INT & EXT

Miscellaneous Options
- Cubes: 21

Performance Data
- Not Impact Certified
- U-Value Imperial (USA): 0.26
- U-Value Metric (CDN) USI: 1.47
- Solar Heat Gain Coefficient: 0.25
- Visible Transmittance: 0.58
- C P D Number: LOW-N-111 01568-00001
- Performance Grade: UNAVAILABLE

Sub Item: 55-2 (57) | Qty: 1 | Casement/Awning | Label: 205 BED2 RM-18

	Sub Price	Sub Extended
Frame Size : 31 1/2" (800mm) x 63" (1600mm)	$1,486.22	$1,486.22
BASE PRICE	$1,437.21	$1,437.21
SCREEN PRICING	$34.12	$34.12
LOW E PRICING	$14.89	$14.89



Exterior View

Unit Shape/Build Options
- Not Impact Certified
- Casement Style
- Douglas Fir

Dimension Details
- Callout Code: 0816
- Jamb: 6 9/16" (166mm)

Finish Options
- Frame: Midnight Bronze Clad (Std)
- Sash: Sash Color Matches Frame Color
- Int Frame: Natural Wood
- Int Sash/Panel: Matches Frame

Unit Operation/Type
- Right Hand Operation
- Traditional Operation
- Standard Moldings
- Double Sash

Glazing Options
- Double 366-Clear
- 3 MM Glass Thickness
- Black Stainless Steel Spacer
- Black Bar(63) 1/2"(13mm)
- Preserve Film on INT & EXT
- Interior Square Glazing Stops

Hardware Options
- Encore Rotogear
- Concealed Locking Hdwr (Encore)
- C/W Crank Handle & Operator Cover
- Contemporary Cover
- Hardware Color: Faux Bronze

Screen Options
- STD Aluminum Screen
- Midnight Bronze (Std)
- Less Visible Screen (High Trans)

Miscellaneous Options
- Cubes: 13

Performance Data
- Not Impact Certified
- U-Value Imperial (USA): 0.29
- U-Value Metric (CDN) USI: 1.64
- Solar Heat Gain Coefficient: 0.19
- Visible Transmittance: 0.43
- C P D Number: LOW-N-25 11258-00001
- Performance Grade: LC-PG50
- Egress Area (sqft): 9
- 22 5/16
- 58 1/8

Loewen Proposes to Furnish The Products Within This Quote - Errors and Omissions Excepted

Item: 58	Qty: 1	Mulled Composite Unit	Label: 206 BED2 RM-18	Each Price	Extended Price



Exterior View

Frame Size : 86 5/8" (2200mm) x 63" (1600mm) **Rough Opening : 87 3/8" (2219mm) x 63 3/4" (1619mm)**
Casing Not Required

$2,950.72	**$2,950.72**
COMBINATION BASE PRICE	
$146.39	*$146.39*

Composite Options
206 BED2 RM-18
Unit - Unit
Number of Sub Units: 2
Rectangular (Or Square)
Douglas Fir

Sub Units
Awning and Casement
Picture

Combo Dimension Details
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Int Frame: Natural Wood

Attachment Options
Field Installed Dripflash
Nailing Flange: All Four Sides
5/8" (16MM) Jamb Extension Face

Miscellaneous Options
Cubes: 33

Performance Data
UNAVAILABLE

Sub Item: 58-1 (59)	Qty: 1	Casement/Awning	Label: 206 BED2 RM-18	Sub Price	Sub Extended



Exterior View

Frame Size : 31 1/2" (800mm) x 63" (1600mm)

$1,486.22	*$1,486.22*
BASE PRICE	
$1,437.21	*$1,437.21*
SCREEN PRICING	
$34.12	*$34.12*
LOW E PRICING	
$14.89	*$14.89*

Unit Shape/Build Options
Not Impact Certified
Casement Style
Douglas Fir

Dimension Details
Callout Code: 0816
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood
Int Sash/Panel: Matches Frame

Unit Operation/Type
Left Hand Operation
Traditional Operation
Standard Moldings
Double Sash

Glazing Options
Double 366-Clear
3 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT
Interior Square Glazing Stops

Hardware Options
Encore Rotogear
Concealed Locking Hdwr (Encore)
C/W Crank Handle & Operator Cover
Contemporary Cover
Hardware Color: Faux Bronze

Screen Options
STD Aluminum Screen
Midnight Bronze (Std)
Less Visible Screen (High Trans)

Miscellaneous Options
Cubes: 13

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.29
U-Value Metric (CDN) USI: 1.64
Solar Heat Gain Coefficient: 0.19
Visible Transmittance: 0.43
C P D Number: LOW-N-25 11258-00001
Performance Grade: LC-PG50
Egress Area (sqft): 9
22 5/16
58 1/8

Loewen Proposes to Furnish The Products Within This Quote - Errors and Omissions Excepted

Sub Item: 58-2 (60) **Qty: 1** **Picture (Direct Set)** **Label: 206 BED2 RM-18**

Sub Price	Sub Extended



Exterior View

Frame Size : 55 1/8" (1400mm) x 63" (1600mm)

Unit Shape/Build Options
Not Impact Certified
Douglas Fir
Picture (Direct Set) - 2019

Dimension Details
Callout Code: 1416
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood

Glazing Options
Double 366-Clear
4 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT

Miscellaneous Options
Cubes: 21

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.26
U-Value Metric (CDN) USI: 1.47
Solar Heat Gain Coefficient: 0.25
Visible Transmittance: 0.58
C P D Number: LOW-N-111 01568-00001
Performance Grade: UNAVAILABLE

	$1,318.11	*$1,318.11*
BASE PRICE		
	$1,287.72	*$1,287.72*
LOW E PRICING		
	$30.39	*$30.39*

Item: 61 **Qty: 1** **Casement/Awning** **Label: 207 BATH2 RM-17**

Each Price	Extended Price



Exterior View

Frame Size : 31 1/2" (800mm) x 63" (1600mm) **Rough Opening : 32 1/4" (819mm) x 63 3/4" (1619mm)**
Casing Not Required

Unit Shape/Build Options
207 BATH2 RM-17
Not Impact Certified
Casement Style
Rectangular (Or Square)
Douglas Fir

Dimension Details
Callout Code: 0816
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood
Int Sash/Panel: Matches Frame

Unit Operation/Type
Left Hand Operation
Traditional Operation
Standard Moldings
Double Sash

Glazing Options
Double 366-Clear
3 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT
Interior Square Glazing Stops

Hardware Options
Encore Rotogear
Concealed Locking Hdwr (Encore)
C/W Crank Handle & Operator Cover
Contemporary Cover
Hardware Color: Faux Bronze

Attachment Options
Field Installed Dripflash
Nailing Flange: All Four Sides
5/8" (16MM) Jamb Extension Face

Screen Options
STD Aluminum Screen
Midnight Bronze (Std)
Less Visible Screen (High Trans)

Miscellaneous Options
Cubes: 13

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.28
U-Value Metric (CDN) USI: 1.58
Solar Heat Gain Coefficient: 0.19
Visible Transmittance: 0.43
C P D Number: LOW-N-25 11258-00001
Performance Grade: LC-PG50
Egress Area (sqft): 9
22 5/16
58 1/8

	$1,568.10	**$1,568.10**
BASE PRICE		
	$1,437.21	*$1,437.21*
JAMB PRICING		
	$81.88	*$81.88*
SCREEN PRICING		
	$34.12	*$34.12*
LOW E PRICING		
	$14.89	*$14.89*

Loewen Proposes to Furnish The Products Within This Quote - Errors and Omissions Excepted

Item: 62	Qty: 1	Casement/Awning	Label: 208 BED1 RM-16	Each Price	Extended Price



Exterior View

Frame Size : 31 1/2" (800mm) x 63" (1600mm) **Rough Opening : 32 1/4" (819mm) x 63 3/4" (1619mm)**
Casing Not Required

Unit Shape/Build Options
208 BED1 RM-16
Not Impact Certified
Casement Style
Rectangular (Or Square)
Douglas Fir

Dimension Details
Callout Code: 0816
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood
Int Sash/Panel: Matches Frame

Unit Operation/Type
Left Hand Operation
Traditional Operation
Standard Moldings
Double Sash

Glazing Options
Double 366-Clear
3 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT
Interior Square Glazing Stops

Hardware Options
Encore Rotogear
Concealed Locking Hdwr (Encore)
C/W Crank Handle & Operator Cover
Contemporary Cover
Hardware Color: Faux Bronze

Attachment Options
Field Installed Dripflash
Nailing Flange: All Four Sides
5/8" (16MM) Jamb Extension Face

Screen Options
STD Aluminum Screen
Midnight Bronze (Std)
Less Visible Screen (High Trans)

Miscellaneous Options
Cubes: 13

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.28
U-Value Metric (CDN) USI: 1.58
Solar Heat Gain Coefficient: 0.19
Visible Transmittance: 0.43
C P D Number: LOW-N-25 11258-00001
Energy Rating: 13
Performance Grade: LC-PG50
Egress Area (sqft): 9
22 5/16
58 1/8

	Each Price	Extended Price
	$1,568.10	**$1,568.10**
BASE PRICE	*$1,437.21*	*$1,437.21*
JAMB PRICING	*$81.88*	*$81.88*
SCREEN PRICING	*$34.12*	*$34.12*
LOW E PRICING	*$14.89*	*$14.89*

Loewen Proposes to Furnish The Products Within This Quote - Errors and Omissions Excepted

Item: 63 | Qty: 1 | Casement/Awning | Label: 209 BED1 RM-16

Each Price	Extended Price
$1,568.10	**$1,568.10**
BASE PRICE	
$1,437.21	*$1,437.21*
JAMB PRICING	
$81.88	*$81.88*
SCREEN PRICING	
$34.12	*$34.12*
LOW E PRICING	
$14.89	*$14.89*



Exterior View

Frame Size : 31 1/2" (800mm) x 63" (1600mm) **Rough Opening : 32 1/4" (819mm) x 63 3/4" (1619mm)**
Casing Not Required

Unit Shape/Build Options
209 BED1 RM-16
Not Impact Certified
Casement Style
Rectangular (Or Square)
Douglas Fir

Dimension Details
Callout Code: 0816
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood
Int Sash/Panel: Matches Frame

Unit Operation/Type
Left Hand Operation
Traditional Operation
Standard Moldings
Double Sash

Glazing Options
Double 366-Clear
3 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT
Interior Square Glazing Stops

Hardware Options
Encore Rotogear
Concealed Locking Hdwr (Encore)
C/W Crank Handle & Operator Cover
Contemporary Cover
Hardware Color: Faux Bronze

Attachment Options
Field Installed Dripflash
Nailing Flange: All Four Sides
5/8" (16MM) Jamb Extension Face

Screen Options
STD Aluminum Screen
Midnight Bronze (Std)
Less Visible Screen (High Trans)

Miscellaneous Options
Cubes: 13

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.28
U-Value Metric (CDN) USI: 1.58
Solar Heat Gain Coefficient: 0.19
Visible Transmittance: 0.43
C P D Number: LOW-N-25 11258-00001
Energy Rating: 13
Performance Grade: LC-PG50
Egress Area (sqft): 9
22 5/16
58 1/8

Item: 64 | Qty: 1 | Mulled Composite Unit | Label: 210 BED1 RM-16

Each Price	Extended Price
$2,950.72	**$2,950.72**
COMBINATION BASE PRICE	
$146.39	*$146.39*



Exterior View

Frame Size : 86 5/8" (2200mm) x 63" (1600mm) **Rough Opening : 87 3/8" (2219mm) x 63 3/4" (1619mm)**
Casing Not Required

Composite Options
210 BED1 RM-16
Unit - Unit
Number of Sub Units: 2
Rectangular (Or Square)
Douglas Fir

Sub Units
Awning and Casement
Picture

Combo Dimension Details
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Int Frame: Natural Wood

Attachment Options
Field Installed Dripflash
Nailing Flange: All Four Sides
5/8" (16MM) Jamb Extension Face

Miscellaneous Options
Cubes: 33

Performance Data
UNAVAILABLE

Loewen Proposes to Furnish The Products Within This Quote - Errors and Omissions Excepted

Sub Item: 64-1 (65) **Qty: 1** **Casement/Awning** **Label: 210 BED1 RM-16**

	Sub Price	Sub Extended
Frame Size : 31 1/2" (800mm) x 63" (1600mm)	*$1,486.22*	*$1,486.22*
BASE PRICE	*$1,437.21*	*$1,437.21*
SCREEN PRICING	*$34.12*	*$34.12*
LOW E PRICING	*$14.89*	*$14.89*



Exterior View

Unit Shape/Build Options
Not Impact Certified
Casement Style
Douglas Fir

Dimension Details
Callout Code: 0816
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood
Int Sash/Panel: Matches Frame

Unit Operation/Type
Left Hand Operation
Traditional Operation
Standard Moldings
Double Sash

Glazing Options
Double 366-Clear
3 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT
Interior Square Glazing Stops

Hardware Options
Encore Rotogear
Concealed Locking Hdwr (Encore)
C/W Crank Handle & Operator Cover
Contemporary Cover
Hardware Color: Faux Bronze

Screen Options
STD Aluminum Screen
Midnight Bronze (Std)
Less Visible Screen (High Trans)

Miscellaneous Options
Cubes: 13

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.29
U-Value Metric (CDN) USI: 1.64
Solar Heat Gain Coefficient: 0.19
Visible Transmittance: 0.43
C P D Number: LOW-N-25 11258-00001
Performance Grade: LC-PG50
Egress Area (sqft): 9
22 5/16
58 1/8

Sub Item: 64-2 (66) **Qty: 1** **Picture (Direct Set)** **Label: 210 BED1 RM-16**

	Sub Price	Sub Extended
Frame Size : 55 1/8" (1400mm) x 63" (1600mm)	*$1,318.11*	*$1,318.11*
BASE PRICE	*$1,287.72*	*$1,287.72*
LOW E PRICING	*$30.39*	*$30.39*



Exterior View

Unit Shape/Build Options
Not Impact Certified
Douglas Fir
Picture (Direct Set) - 2019

Dimension Details
Callout Code: 1416
Jamb: 6 9/16" (166mm)

Finish Options
Frame: Midnight Bronze Clad (Std)
Sash: Sash Color Matches Frame Color
Int Frame: Natural Wood

Glazing Options
Double 366-Clear
4 MM Glass Thickness
Black Stainless Steel Spacer
Black Bar(63) 1/2"(13mm)
Preserve Film on INT & EXT

Miscellaneous Options
Cubes: 21

Performance Data
Not Impact Certified
U-Value Imperial (USA): 0.26
U-Value Metric (CDN) USI: 1.47
Solar Heat Gain Coefficient: 0.25
Visible Transmittance: 0.58
C P D Number: LOW-N-111 01568-00001
Performance Grade: UNAVAILABLE

Loewen Proposes to Furnish The Products Within This Quote - Errors and Omissions Excepted

Totals

		Net Material:	$179,072.20
Submitted By :		**Subtotal:**	$179,072.20
		Misc Charge:	$0.00
Accepted By :		**Sales Tax (8%):**	$14,325.78
Date :		**Deposit:**	$0.00
		Total:	$193,397.98

Note: Structural support may be required around and between mulled units. The size and type to be determined by a structural engineer.

Prices are subject to change without notice.

Please review and report any errors or changes immediately.
Loewen, at its sole discretion, will seek to accommodate changes to orders that have been submitted.
All changes requested after submission will be subject to additional charges as determined by Loewen.
There will be instances where changes to an order in progress will not be possible.
Load dates may be modified due to the changes requested.

All quotes and orders that meet any of the following criteria must be approved by Loewen prior to quotation or bid submittal by dealer:
(i) for Commercial building projects, or
(ii) with specification for product performance and/or on-site testing

Loewen reserves the right to require special terms and conditions on sales of these projects or to decline them outright.

Loewen shall have no liability of any kind for any losses or damages due to any delays in fulfilling orders, delays in meeting delivery dates or delays in shipping, or any losses or damages resulting from causes beyond the immediate and direct control of Loewen.
2024-12-06 2:52 PM

Loewen Proposes to Furnish The Products Within This Quote - Errors and Omissions Excepted