MONTANA BELLOW/CHALFIN
MONTANA BELLOW/CHALFIN

Quote #: Y3XFYJB

A Proposal for Window and Door Products prepared for:
Shipping Address:
BFS-MIDDLETOWN-GOLF LINKS RD
40 Golf Links Rd
Middletown, NY 10940-2624

TODD BRACCHI
BFS-MIDDLETOWN-GOLF LINKS RD
2001 BRYAN ST STE 1600
DALLAS, TX 75201-3017
Phone: (845) 421-2245

Email: todd.bracchi@bldr.com

This report was generated on 11/14/2025 2:30:47 PM using the Marvin Order Management System, version 0004.18.00 (Current). Price in USD. Unit availability and price are subject to change. Dealer terms and conditions may apply.

Featuring products from:

MARVIN

GLOBAL SPECS

The following product and option choices were designated as part of this project's Global Spec. Global Specs can be over-ridden on a line item basis. Exceptions to the specification are outlined in Line Item Quotes. Please proof all units thoroughly to ensure accuracy.

UNIT SUMMARY

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes.
Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

NUMBER OF LINES: 7	TOTAL UNIT QTY: 8	EXT NET PRICE: USD 35,824.83

LINE	MARK UNIT	PRODUCT LINE	ITEM	NET PRICE	QTY	EXTENDED NET PRICE
1	W-01	Ultimate Wood	Double Hung RO 34" X 68" Entered as FS 33" X 67 1/2"	1,634.35	1	1,634.35
2	W-02	Ultimate Wood	Direct Glaze Rectangle RO 66 1/2" X 68" Entered as FS 65 1/2" X 67 1/2"	3,091.09	1	3,091.09
3	W-03 W-04	Ultimate Wood	Double Hung RO 34" X 80" Entered as FS 33" X 79 1/2"	2,049.85	2	4,099.70
4	W-05	Ultimate Wood	Direct Glaze Rectangle RO 97" X 72 1/2" Entered as FS 96" X 72"	5,187.00	1	5,187.00
5	W-10	Ultimate Wood	Casement Push Out RO 33" X 49 1/2" Entered as FS 32" X 49"	1,939.27	1	1,939.27
8	D-206	Ultimate Wood	Inswing French Door Pre 6/28/2021 CN 5080 RO 61 5/8" X 96" Entered as CN 5080	9,936.71	1	9,936.71
9	D-207	Ultimate Wood	Inswing French Door Pre 6/28/2021 CN 5080 RO 61 5/8" X 96" Entered as CN 5080	9,936.71	1	9,936.71

LINE ITEM QUOTES

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes. Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

Line #1 Qty: 1	Mark Unit: W-01	Net Price: Ext. Net Price:	 USD	1,634.35 1,634.35

MARVIN



As Viewed From The Exterior

Entered As: FS
FS 33" X 67 1/2"
OC 38 5/8" X 70 5/16"
RO 34" X 68"
Egress Information
Width: 29 7/16" Height: 27 1/2"
Net Clear Opening: 5.62 SqFt
Performance Information
U-Factor: 0.29
Solar Heat Gain Coefficient: 0.26
Visible Light Transmittance: 0.45
Condensation Resistance: 56
CPD Number: MAR-N-68-07486-00001
Performance Grade
Licensee #1109
AAMA/WDMA/CSA/101/I.S.2/A440-11
LC-PG40 1051X2464 mm (41.38X97 in)
Water Resistance: 6.06 psf
LC-PG40 DP +40/-40
FL15162

Primed Pine Exterior
Primed Pine Interior
Ultimate Wood Double Hung
Frame Size w/ Subsill
33" X 67 1/2"
Rough Opening w/ Subsill
34" X 68"
Top Sash
Primed Pine Sash Exterior
Primed Pine Sash Interior
IG
Low E2 w/Argon
Black Stainless Steel Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black
Rectangular - Special Cut 2W1H
Primed Pine Ext - Primed Pine Int
Ovolo Exterior Glazing Profile
Ovolo Interior Glazing Profile
Bottom Sash
Primed Pine Sash Exterior
Primed Pine Sash Interior
IG
Low E2 w/Argon
Black Stainless Steel Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black
Rectangular - Special Cut 2W1H
Primed Pine Ext - Primed Pine Int
Ovolo Exterior Glazing Profile
Ovolo Interior Glazing Profile
Satin Taupe Sash Lock
Beige Jamb Hardware
Extruded Aluminum Screen
Stone White Surround
Bright View Mesh
4 9/16" Jambs
Primed Pine 3 1/2" 5/4 Flat Casing
Primed Pine Standard Subsill
Installed Installation Brackets
*****Note: Unit Availability and Price is Subject to Change**

Line #2 Qty: 1	Mark Unit: W-02	Net Price: Ext. Net Price:	 USD	3,091.09 3,091.09

MARVIN

Primed Pine Exterior
Primed Pine Interior
Ultimate Wood Direct Glaze Rectangle
Frame Size w/ Subsill
65 1/2" X 67 1/2"
Rough Opening w/ Subsill
66 1/2" X 68"
IG
Low E2 w/Argon
Black Stainless Steel Perimeter and Spacer Bar



As Viewed From The Exterior

Entered As: FS
FS 65 1/2" X 67 1/2"
OC 71 1/2" X 70 1/2"
RO 66 1/2" X 68"
Egress Information
No Egress Information available.
Performance Information
U-Factor: 0.26
Solar Heat Gain Coefficient: 0.31
Visible Light Transmittance: 0.53
Condensation Resistance: 60
CPD Number: MAR-N-421-04071-00017
Performance Grade
Licensee #1117
AAMA/WDMA/CSA 101/I.S.2/A440-17
CW-PG50 2134X2464 mm (84X97 in)
Water Resistance: 8.35 psf
Deflection at Certified Size and Performance: 1.1
CW-PG50 DP +50/-60
FL37820

7/8" SDL - With Spacer Bar - Black
Victorian - Special Cut 8W8H
29 Rect Lites
Primed Pine Ext - Primed Pine Int
Ogee Exterior Divided Lite Sticking
4 9/16" Jambs
Primed Pine 3 1/2" 5/4 Flat Casing
Primed Pine Standard Subsill
Installed Installation Brackets
*****Note: Unit Availability and Price is Subject to Change**

Line #3 Qty: 2	Mark Unit: W-03 W-04	Net Price: Ext. Net Price:	 USD	2,049.85 4,099.70

MARVIN



As Viewed From The Exterior

Entered As: FS
FS 33" X 79 1/2"
OC 38 5/8" X 82 5/16"
RO 34" X 80"
Egress Information

Primed Pine Exterior
Primed Pine Interior
Ultimate Wood Double Hung
Frame Size w/ Subsill
33" X 79 1/2"
Rough Opening w/ Subsill
34" X 80"
Top Sash
Primed Pine Sash Exterior
Primed Pine Sash Interior
IG
Low E2 w/Argon
Black Stainless Steel Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black
Rectangular - Special Cut 2W1H
Primed Pine Ext - Primed Pine Int
Ovolo Exterior Glazing Profile
Ovolo Interior Glazing Profile
Bottom Sash
Primed Pine Sash Exterior
Primed Pine Sash Interior
IG
Low E2 w/Argon
Black Stainless Steel Perimeter and Spacer Bar

Width: 29 7/16" Height: 33 1/2"
Net Clear Opening: 6.85 SqFt
Performance Information
U-Factor: 0.29
Solar Heat Gain Coefficient: 0.26
Visible Light Transmittance: 0.45
Condensation Resistance: 56
CPD Number: MAR-N-68-07486-00001
Performance Grade
Licensee #1109
AAMA/WDMA/CSA/101/I.S.2/A440-11
LC-PG40 1051X2464 mm (41.38X97 in)
Water Resistance: 6.06 psf
LC-PG40 DP +40/-40
FL15162

7/8" SDL - With Spacer Bar - Black
Rectangular - Special Cut 2W1H
Primed Pine Ext - Primed Pine Int
Ovolo Exterior Glazing Profile
Ovolo Interior Glazing Profile
Satin Taupe Sash Lock
Beige Jamb Hardware
Extruded Aluminum Screen
Stone White Surround
Bright View Mesh
4 9/16" Jambs
Primed Pine 3 1/2" 5/4 Flat Casing
Primed Pine Standard Subsill
Installed Installation Brackets
*****Note: Unit Availability and Price is Subject to Change**

Line #4 Qty: 1	Mark Unit: W-05	Net Price: Ext. Net Price:	 USD	5,187.00 5,187.00

MARVIN



As Viewed From The Exterior

Entered As: FS
FS 96" X 72"
OC 102" X 75"
RO 97" X 72 1/2"
Egress Information
No Egress Information available.
Performance Information
U-Factor: 0.26
Solar Heat Gain Coefficient: 0.31
Visible Light Transmittance: 0.53
Condensation Resistance: 60
CPD Number: MAR-N-421-04071-00042
Performance Grade
Licensee #1117
AAMA/WDMA/CSA 101/I.S.2/A440-17
CW-PG50 2464X2134 mm (97X84 in)
Water Resistance: 8.35 psf
Deflection at Certified Size and Performance: 1.1
CW-PG50 DP +50/-60
FL37820

Primed Pine Exterior
Primed Pine Interior
Ultimate Wood Direct Glaze Rectangle
Frame Size w/ Subsill
96" X 72"
Rough Opening w/ Subsill
97" X 72 1/2"
IG
1/4" Tempered Low E2 w/Argon
Black Stainless Steel Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black
Victorian - Special Cut 13W9H
41 Rect Lites
Primed Pine Ext - Primed Pine Int
Due to the inherent qualities of tempered glass, daylight gaps may be seen when using simulated divided lite bars. Daylight gaps could be visible between the internal spacer bar and surface applied bars when viewing from an acute angle to the glass.
Ogee Exterior Divided Lite Sticking
4 9/16" Jambs
Primed Pine 3 1/2" 5/4 Flat Casing
Primed Pine Standard Subsill
Installed Installation Brackets
*****Note: Unit Availability and Price is Subject to Change**

Line #5 Qty: 1	Mark Unit: W-10	Net Price: Ext. Net Price:	 USD	1,939.27 1,939.27

MARVIN

Primed Pine Exterior
Primed Pine Interior
Ultimate Wood Casement Push Out - Left Hand
Frame Size w/ Subsill
32" X 49"



As Viewed From The Exterior

Entered As: FS
FS 32" X 49"
OC 38 1/8" X 52 1/16"
RO 33" X 49 1/2"
Egress Information
Width: 25 13/16" Height: 43 63/64"
Net Clear Opening: 7.89 SqFt
Performance Information
U-Factor: 0.29
Solar Heat Gain Coefficient: 0.26
Visible Light Transmittance: 0.43
Condensation Resistance: 60
CPD Number: MAR-N-348-08106-00001
Performance Grade
Licensee #1067
AAMA/WDMA/CSA/101/I.S.2/A440-11
CW-PG50 914X1807 mm (36X71.2 in)
Water Resistance: 7.52 psf
CW-PG50 DP +50/-50
FL13145

Standard CN Width 32
Rough Opening w/ Subsill
33" X 49 1/2"
Primed Pine Sash Exterior
Primed Pine Sash Interior
IG - 3/4"
Low E2 w/Argon
Black Stainless Steel Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black
Rectangular - Special Cut 2W2H
Primed Pine Ext - Primed Pine Int
Ogee Interior Glazing Profile
Standard Bottom Rail
Beige Weather Strip
Oil Rubbed Bronze Push Out Handle
Swinging Wood Screen
Bright View Mesh
Primed Pine
Ogee Interior Screen Profile
Screen Hardware
Concealed Hinge
Solid Wood Covers
4 9/16" Jambs
Primed Pine 3 1/2" 5/4 Flat Casing
Primed Pine Standard Subsill
Installed Installation Brackets
*****Note: Unit Availability and Price is Subject to Change**

Line #8 Qty: 1	Mark Unit: D-206	Net Price: Ext. Net Price:	 USD	9,936.71 9,936.71

MARVIN



As Viewed From The Exterior

Entered As: CN
CN 5080
FS 60 5/8" X 95 1/2"
OC 66 1/4" X 98 5/16"
RO 61 5/8" X 96"

Primed Pine Exterior
Primed Pine Interior
Ultimate Wood Inswing French Door 4 9/16" - XX Left Hand
CN 5080
Rough Opening 61 5/8" X 96"
Traditional Panels
Left Panel
Primed Pine Sash Exterior
Primed Pine Sash Interior
IG
Tempered Low E2 w/Argon
Black Stainless Steel Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black
Rectangular - Special Cut 2W4H
Primed Pine Ext - Primed Pine Int
Ogee Interior Glazing Profile
Raised Panel Visible Panel Height 12 1/64"
Right Panel
Primed Pine Sash Exterior
Primed Pine Sash Interior
IG
Tempered Low E2 w/Argon
Black Stainless Steel Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black

Egress Information
Width: 53 3/16" Height: 91 27/32"
Net Clear Opening: 33.92 SqFt
Performance Information
U-Factor: 0.3
Solar Heat Gain Coefficient: 0.16
Visible Light Transmittance: 0.26
CPD Number: MAR-N-393-13639-00001
Performance Grade
Licensee #1078
AAMA/WDMA/CSA/101/I.S.2/A440-11
LC-PG40 3632X2426 mm (143X95.5 in)
Water Resistance: 6.06 psf
LC-PG40 DP +40/-40
FL37782

Rectangular - Special Cut 2W4H
Primed Pine Ext - Primed Pine Int
Ogee Interior Glazing Profile
Raised Panel Visible Panel Height 12 1/64"
Traditional Lever(s)
Multi-Point Lock on Active Panel
Oil Rubbed Bronze Active Exterior Handle Set on Active Panel Keyed
Oil Rubbed Bronze Active Interior Handle Set on Active Panel
Keyed
Multi-Point Lock on Inactive Panel
Oil Rubbed Bronze Inactive Exterior Handle Set on Inactive Panel
Oil Rubbed Bronze Inactive Interior Handle Set on Inactive Panel
Dark Bronze Adjustable Hinges 3 Per Panel
Bronze Ultrex Sill
Beige Weather Strip
Bare Oak Sill Liner
Wood Sill Liners will not have an interior pre finish.
4 9/16" Jambs
Primed Pine 3 1/2" 5/4 Flat Casing
Installed Installation Brackets
*****Note: Unit Availability and Price is Subject to Change**

Line #9 Qty: 1	Mark Unit: D-207	Net Price: Ext. Net Price:	 USD	9,936.71 9,936.71

MARVIN



As Viewed From The Exterior

Entered As: CN
CN 5080
FS 60 5/8" X 95 1/2"
OC 66 1/4" X 98 5/16"
RO 61 5/8" X 96"
Egress Information
Width: 53 3/16" Height: 91 27/32"
Net Clear Opening: 33.92 SqFt
Performance Information
U-Factor: 0.3
Solar Heat Gain Coefficient: 0.16
Visible Light Transmittance: 0.26
CPD Number: MAR-N-393-13639-00001
Performance Grade
Licensee #1078
AAMA/WDMA/CSA/101/I.S.2/A440-11
LC-PG40 3632X2426 mm (143X95.5 in)
Water Resistance: 6.06 psf
LC-PG40 DP +40/-40
FL37782

Primed Pine Exterior
Primed Pine Interior
Ultimate Wood Inswing French Door 4 9/16" - XX Left Hand
CN 5080
Rough Opening 61 5/8" X 96"
Traditional Panels
Left Panel
Primed Pine Sash Exterior
Primed Pine Sash Interior
IG
Tempered Low E2 w/Argon
Black Stainless Steel Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black
Rectangular - Special Cut 2W4H
Primed Pine Ext - Primed Pine Int
Ogee Interior Glazing Profile
Raised Panel Visible Panel Height 12 1/64"
Right Panel
Primed Pine Sash Exterior
Primed Pine Sash Interior
IG
Tempered Low E2 w/Argon
Black Stainless Steel Perimeter and Spacer Bar
7/8" SDL - With Spacer Bar - Black
Rectangular - Special Cut 2W4H
Primed Pine Ext - Primed Pine Int
Ogee Interior Glazing Profile
Raised Panel Visible Panel Height 12 1/64"
Traditional Lever(s)
Multi-Point Lock on Active Panel
Oil Rubbed Bronze Active Exterior Handle Set on Active Panel Keyed
Oil Rubbed Bronze Active Interior Handle Set on Active Panel
Keyed
Multi-Point Lock on Inactive Panel
Oil Rubbed Bronze Inactive Exterior Handle Set on Inactive Panel
Oil Rubbed Bronze Inactive Interior Handle Set on Inactive Panel
Dark Bronze Adjustable Hinges 3 Per Panel
Bronze Ultrex Sill
Beige Weather Strip
Bare Oak Sill Liner

Wood Sill Liners will not have an interior pre finish.
4 9/16" Jambs
Primed Pine 3 1/2" 5/4 Flat Casing
Installed Installation Brackets
*****Note: Unit Availability and Price is Subject to Change**

Project Subtotal Net Price: USD	35,824.83
8.375% Sales Tax: USD	3,000.33
Project Total Net Price: USD	38,825.16

PRODUCT AND PERFORMANCE INFORMATION

NFRC Ratings:

NFRC energy ratings may vary depending on the exact configuration of glass thickness used on the unit. NFRC energy values and ratings may change over time due to ongoing product changes, updated test results or requirements. NFRC values and ratings are finalized on the date of manufacture.

The National Fenestration Rating Council (NFRC) has developed and operates a uniform rating system for the energy performance of fenestration products, including windows, doors and skylights. For additional information regarding this rating system, see www.nfrc.org.

Code (residential, building or energy) Compliance:

Determining the suitability and compliance with state, provincial, local, or other applicable building codes or standards, including energy codes, is the responsibility of the buyer, user, architect, contractor, installer, and/or other construction professional.

2021 IECC Climate Zone Map:



ENERGY STAR Version 7 Climate Zone Map:



PURCHASE APPROVAL/SIGN OFF

Project Subtotal Net Price: USD	**35,824.83**
8.375% Sales Tax: USD	**3,000.33**
Project Total Net Price: USD	**38,825.16**

I have reviewed all line item quotes in detail and agree that the product specifications and pricing are accurate, and I approve the project for order. I acknowledge that additional charges, tax or Terms and Conditions may apply.

Seller: _____

Buyer: _____