MONTANNA LI RESIDENCE
MONTANNA LI MIXED GRAIN DF

Quote #: Z6M32FL

A Proposal for Window and Door Products prepared for:
Job Site:
12525

Shipping Address:
BFS-MIDDLETOWN-GOLF LINKS RD
40 Golf Links Rd
Middletown, NY 10940-2624

TODD BRACCHI
BFS-MIDDLETOWN-GOLF LINKS RD
2001 BRYAN ST STE 1600
DALLAS, TX 75201-3017
Phone: (845) 421-2245

Email: todd.bracchi@bldr.com

This report was generated on 1/31/2025 12:23:40 PM using the Marvin Order Management System, version 0004.13.00 (Current). Price in USD. Unit availability and price are subject to change. Dealer terms and conditions may apply.

Featuring products from:

MARVIN

GLOBAL SPECS

The following product and option choices were designated as part of this project's Global Spec. Global Specs can be over-ridden on a line item basis. Exceptions to the specification are outlined in Line Item Quotes. Please proof all units thoroughly to ensure accuracy.

Ultimate Spec

Exterior/Interior Colors/Finishes - Exterior Color	Ebony
Exterior/Interior Colors/Finishes - Species	MGR Douglas Fir
Exterior/Interior Colors/Finishes - Interior Finish	Bare

UNIT SUMMARY

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes.
Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

⊗ Lines with Errors Exist on Project - Unit Pricing is not Valid

NUMBER OF LINES: 30	TOTAL UNIT QTY: 31	EXT NET PRICE: USD 174,885.23

LINE	MARK UNIT	PRODUCT LINE	ITEM	NET PRICE	QTY	EXTENDED NET PRICE
1	001	Ultimate	Multi-Slide Door Stacked CN 9070 RO 98 37/64" X 85 23/32" Entered as CN 9070 Total RO: 98 37/64" W X 87 15/32" H	17,939.52	1	17,939.52
2	002	Ultimate	Marvin Assembly RO 97" X 84 1/2" Entered as Size by Units	4,347.65	1	4,347.65
3	102	Ultimate	Direct Glaze Rectangle RO 33" X 114 1/2" Entered as FS 32" X 114"	2,080.02	1	2,080.02
4	103	Ultimate	Direct Glaze Rectangle RO 45" X 114 1/2" Entered as FS 44" X 114"	2,563.37	1	2,563.37
5	104	Ultimate	Sliding Door (3" Stiles) RO 73 5/8" X 92 1/2" Entered as CN 60 X FS 92"	6,711.95	1	6,711.95
6	105	Ultimate	Sliding Door (3" Stiles) RO 73 5/8" X 92 1/2" Entered as CN 60 X FS 92"	6,711.95	1	6,711.95
7	106	Ultimate	Marvin Assembly RO 85" X 58 1/2" Entered as Size by Units	2,701.01	1	2,701.01
8	107	Ultimate	Inswing Door (3" Stiles) RO 71 5/8" X 92 1/2" Entered as FS 70 5/8" X 92"	9,127.86	1	9,127.86
9	108	Ultimate	Direct Glaze Rectangle RO 37" X 36 1/2" Entered as FS 36" X 36"	859.38	1	859.38
10	110 TEMPERED	Ultimate	Marvin Assembly RO 85" X 66 1/2" Entered as Size by Units	4,010.95	1	4,010.95
11	111	Ultimate	Marvin Assembly RO 139" X 66 1/2"	4,482.01	1	4,482.01

			Entered as Size by Units			
12	112	Ultimate	Sliding Door (3" Stiles) RO 85" X 92 1/2" Entered as FS 84" X 92"	7,777.77	1	7,777.77
13	113	Ultimate	Sliding Door (3" Stiles) RO 85" X 92 1/2" Entered as FS 84" X 92"	7,777.77	1	7,777.77
14	114	Ultimate	Direct Glaze Rectangle RO 85" X 92 1/2" Entered as FS 84" X 92"	3,497.29	1	3,497.29
⊗15	115	Ultimate	Marvin Assembly RO 169" X 90 1/2" Entered as Size by Units	9,168.01	1	9,168.01
16	116	Ultimate	Marvin Assembly RO 61" X 90 1/2" Entered as Size by Units	4,894.92	1	4,894.92
17	117	Ultimate	Direct Glaze Rectangle RO 73" X 90 1/2" Entered as FS 72" X 90"	3,045.90	1	3,045.90
18	118 no sidelite on elevation	Ultimate	Inswing Door (3" Stiles) RO 44 7/16" X 114 1/2" Entered as CN 36 X FS 114"	5,357.76	1	5,357.76
⊗19	119	Ultimate	Marvin Assembly RO 85" X 126 1/2" Entered as Size by Units	5,425.76	1	5,425.76
20	120	Ultimate	Multi-Slide Door Stacked RO 221" X 126 1/2" Entered as FS 220" X 126" Total RO: 221" W X 128 1/4" H	37,876.31	1	37,876.31
⊗21	121	Ultimate	Marvin Assembly RO 85" X 126 1/2" Entered as Size by Units	5,425.76	1	5,425.76
22	201	Ultimate	Marvin Assembly RO 67" X 66 1/2" Entered as Size by Units	2,912.37	1	2,912.37
23	202	Ultimate	Marvin Assembly RO 121" X 66 1/2" Entered as Size by Units	3,766.02	1	3,766.02
24	203	Ultimate	Casement RO 34" X 66 1/2" Entered as FS 33" X 66"	1,381.22	1	1,381.22
25	204	Ultimate	Casement RO 37" X 66 1/2" Entered as CN 36 X FS 66"	1,382.86	1	1,382.86
26	205	Ultimate	Marvin Assembly	3,044.26	1	3,044.26

			RO 89" X 66 1/2" Entered as Size by Units			
27	206	Ultimate	Marvin Assembly RO 89" X 66 1/2" Entered as Size by Units	3,044.26	1	3,044.26
28	207 Tempered	Ultimate	Casement RO 34" X 66 1/2" Entered as FS 33" X 66"	1,764.62	1	1,764.62
29	208/209	Ultimate	Casement RO 34" X 66 1/2" Entered as FS 33" X 66"	1,381.22	2	2,762.44
30	210	Ultimate	Marvin Assembly RO 89" X 66 1/2" Entered as Size by Units	3,044.26	1	3,044.26

LINE ITEM QUOTES

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes. Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

Line #1 Qty: 1	Mark Unit: 001	Net Price: Ext. Net Price:	 USD	17,939.52 17,939.52

MARVIN



As Viewed From The Exterior

Entered As: CN
CN 9070
FS 97 37/64" X 85 7/32"
RO 98 37/64" X 85 23/32"
Egress Information
Width: 58 25/64" Height: 82 1/2"
Net Clear Opening: 33.46 SqFt
Performance Information
U-Factor: 0.28
Solar Heat Gain Coefficient: 0.28
Visible Light Transmittance: 0.48
Condensation Resistance: 55
CPD Number: MAR-N-436-04433-00009
Performance Grade
Licensee #1134
AAMA/WDMA/CSA/101/I.S.2/A440-11
LC-PG55 3393X3061 mm (133.6X120.5 in)
Water Resistance: 8.35 psf
LC-PG55 DP +55/-55
FL14903
Paint Specification
Clad Exterior Color: AAMA 2605

Ebony Clad Exterior
Bare MGR Douglas Fir Interior
Ultimate Multi-Slide Door Stacked - OXX
CN 9070
Rough Opening 98 37/64" X 85 23/32"
An approved Ultimate Multi-Slide Verification Letter with sign-offs and field calculations must accompany Ultimate Multi-Slide door orders.
Total Rough Opening Width 98 37/64"
Total Rough Opening Height 87 15/32"
Knocked Down
**Panels Ship Separate
Panel 1
Ebony Clad Exterior
Bare MGR Douglas Fir Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Ogee Interior Glazing Profile
Panel 2
Ebony Clad Exterior
Bare MGR Douglas Fir Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Ogee Interior Glazing Profile
Panel 3
Ebony Clad Exterior
Bare MGR Douglas Fir Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Ogee Interior Glazing Profile
Oil Rubbed Bronze PVD Exterior Flush Handle on Primary Panel
Oil Rubbed Bronze PVD Interior Flush Handle with Latch on Primary Panel
Bronze High Performance Sill
Black Weather Strip
Finished Floor Thickness - 3/4"
9 13/16" Jambs
Nailing Fin
***Note: Ultimate Multi-Slide Doors are shipped Knocked Down (KD).
***Note: Please reference the Ultimate Multi-Slide Door Site Prep Handbook for construction guidelines.
***Note: Ultimate-Clad units are certified to CN 40100 panel size. Units outside these parameters are not WDMA certified.
*****Note: Unit Availability and Price is Subject to Change**

Line #2 Qty: 1	Mark Unit: 002	Net Price: Ext. Net Price:	 USD	4,347.65 4,347.65

MARVIN

Ebony Clad Exterior
Bare MGR Douglas Fir Interior
2W1H - Rectangle Assembly



As Viewed From The Exterior

Entered As: Size by Units
FS 96" X 84"
RO 97" X 84 1/2"
Egress Information A1, A2
No Egress Information available.
Performance Information A1, A2
U-Factor: 0.28
Solar Heat Gain Coefficient: 0.35
Visible Light Transmittance: 0.61
Condensation Resistance: 57
CPD Number: MAR-N-440-04727-00010
Performance Grade A1, A2
Licensee #1117
AAMA/WDMA/CSA/101/ I.S.2/A440-08
CW-PG50 1930X3048 mm (76X120 in)
Water Resistance: 7.52 psf
Deflection at Certified Size and Performance: 1.27
CW-PG50 DP +50/-50
FL38016
Paint Specification
Clad Exterior Color: AAMA 2605

Assembly Rough Opening
97" X 84 1/2"

Unit: A1
Ultimate Direct Glaze Narrow Frame Rectangle
Basic Frame 48" X 84"
Rough Opening 49" X 84 1/2"
IG - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile

Unit: A2
Ultimate Direct Glaze Narrow Frame Rectangle
Basic Frame 48" X 84"
Rough Opening 49" X 84 1/2"
IG - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
Standard Mull Charge
2 3/16" Jambs
Jamb Depth has been changed to 2 3/16". Apply Jamb Extension now if needed.
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
*****Note: Unit Availability and Price is Subject to Change**

Line #3 Qty: 1	Mark Unit: 102	Net Price: Ext. Net Price:	 USD	2,080.02 2,080.02

MARVIN

As Viewed From The Exterior

Entered As: FS
FS 32" X 114"
RO 33" X 114 1/2"
Egress Information
No Egress Information available.
Performance Information

Ebony Clad Exterior
Bare MGR Douglas Fir Interior
Ultimate Direct Glaze Rectangle
Frame Size 32" X 114"
Unit Is Not WDMA Certified
Rough Opening 33" X 114 1/2"
IG - 1 Lite
1/4" Tempered Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
4 9/16" Jambs
Nailing Fin
*****Note: Unit Availability and Price is Subject to Change**

U-Factor: 0.27
Solar Heat Gain Coefficient: 0.35
Visible Light Transmittance: 0.6
Condensation Resistance: 58
CPD Number: MAR-N-419-28019-00042
Performance Grade
Licensee #1117
AAMA/WDMA/CSA 101/I.S.2/A440-17
CW-PG50 1602X3697 mm (63.07X145.57 in)
Water Resistance: 8.35 psf
Deflection at Certified Size and Performance: 1.1
CW-PG50 DP +50/-60
FL38016
Paint Specification
Clad Exterior Color: AAMA 2605

Line #4 Qty: 1	Mark Unit: 103	Net Price: Ext. Net Price:	 USD	2,563.37 2,563.37

MARVIN

As Viewed From The Exterior

Entered As: FS
FS 44" X 114"
RO 45" X 114 1/2"
Egress Information
No Egress Information available.
Performance Information
U-Factor: 0.27
Solar Heat Gain Coefficient: 0.35
Visible Light Transmittance: 0.6
Condensation Resistance: 58
CPD Number: MAR-N-419-28019-00042
Performance Grade
Licensee #1117
AAMA/WDMA/CSA 101/I.S.2/A440-17
CW-PG50 1602X3697 mm (63.07X145.57 in)
Water Resistance: 8.35 psf
Deflection at Certified Size and Performance: 1.1
CW-PG50 DP +50/-60
FL38016
Paint Specification
Clad Exterior Color: AAMA 2605

Ebony Clad Exterior
Bare MGR Douglas Fir Interior
Ultimate Direct Glaze Rectangle
Frame Size 44" X 114"
Unit Is Not WDMA Certified
Rough Opening 45" X 114 1/2"
IG - 1 Lite
1/4" Tempered Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
4 9/16" Jambs
Nailing Fin
*****Note: Unit Availability and Price is Subject to Change**

Line #5 Qty: 1	Mark Unit: 104	Net Price: Ext. Net Price:	 USD	6,711.95 6,711.95

MARVIN



As Viewed From The Exterior

Entered As: CN x FS
FS 72 5/8" X 92"
RO 73 5/8" X 92 1/2"
Egress Information
Width: 28 3/4" Height: 88 3/8"
Net Clear Opening: 17.64 SqFt
Performance Information
U-Factor: 0.29
Solar Heat Gain Coefficient: 0.28
Visible Light Transmittance: 0.48
Condensation Resistance: 57
CPD Number: MAR-N-484-11250-00009
Performance Grade
Licensee #1169
AAMA/WDMA/CSA/101/I.S.2/A440-11
LC-PG30 2454X2489 mm (96.63X98 in)
Water Resistance: 4.59 psf
LC-PG30 DP +30/-30
FL46603
Paint Specification
Clad Exterior Color: AAMA 2605

Ebony Clad Exterior
Bare MGR Douglas Fir Interior
Ultimate Sliding Door (3" Stiles) 4 9/16" - OX
CN 60 X Frame Size 92"
Rough Opening 73 5/8" X 92 1/2"
Left Panel
Ebony Clad Sash Exterior
Bare MGR Douglas Fir Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Right Panel
Ebony Clad Sash Exterior
Bare MGR Douglas Fir Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Harp G2 Handle(s)
Harp G2 Interior Handle(s)
2 Point Multi-Point Lock on Active Panel
Dark Bronze Active Exterior Handle Set on Active Panel Keyed
Dark Bronze Active Interior Handle Set on Active Panel
Keyed
Exterior Ultimate Sliding Screen G2
Ebony Surround
Bright View Mesh
***Screen/Combo Ship Loose
Ebony Performance Sill
Black Weather Strip
4 9/16" Jambs
Thru Jamb Installation w/ Nailing Fin
***Note: The selected Interior Finish would allow Finger Joints to appear on secondary surfaces.
*****Note: Unit Availability and Price is Subject to Change**

Line #6	Mark Unit: 105	Net Price:		6,711.95
Qty: 1		Ext. Net Price:	USD	6,711.95

MARVIN



As Viewed From The Exterior

Ebony Clad Exterior
Bare MGR Douglas Fir Interior
Ultimate Sliding Door (3" Stiles) 4 9/16" - OX
CN 60 X Frame Size 92"
Rough Opening 73 5/8" X 92 1/2"
Left Panel
Ebony Clad Sash Exterior
Bare MGR Douglas Fir Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Right Panel
Ebony Clad Sash Exterior
Bare MGR Douglas Fir Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar

Entered As: CN x FS
FS 72 5/8" X 92"
RO 73 5/8" X 92 1/2"
Egress Information
Width: 28 3/4" Height: 88 3/8"
Net Clear Opening: 17.64 SqFt
Performance Information
U-Factor: 0.29
Solar Heat Gain Coefficient: 0.28
Visible Light Transmittance: 0.48
Condensation Resistance: 57
CPD Number: MAR-N-484-11250-00009
Performance Grade
Licensee #1169
AAMA/WDMA/CSA/101/I.S.2/A440-11
LC-PG30 2454X2489 mm (96.63X98 in)
Water Resistance: 4.59 psf
LC-PG30 DP +30/-30
FL46603
Paint Specification
Clad Exterior Color: AAMA 2605

Square Exterior Glazing Profile
Square Interior Glazing Profile
Harp G2 Handle(s)
Harp G2 Interior Handle(s)
2 Point Multi-Point Lock on Active Panel
Dark Bronze Active Exterior Handle Set on Active Panel Keyed
Dark Bronze Active Interior Handle Set on Active Panel
Keyed
Exterior Ultimate Sliding Screen G2
Ebony Surround
Bright View Mesh
***Screen/Combo Ship Loose
Ebony Performance Sill
Black Weather Strip
4 9/16" Jambs
Thru Jamb Installation w/ Nailing Fin
***Note: The selected Interior Finish would allow Finger Joints to appear on secondary surfaces.
*****Note: Unit Availability and Price is Subject to Change**

Line #7 Qty: 1	Mark Unit: 106	Net Price: Ext. Net Price:	 USD	2,701.01 2,701.01

MARVIN



As Viewed From The Exterior

Entered As: Size by Units
FS 84" X 58"
RO 85" X 58 1/2"
Egress Information A1
No Egress Information available.
Egress Information A2
Width: 16 57/64" Height: 52 57/64"
Net Clear Opening: 6.20 SqFt
Performance Information A1
U-Factor: 0.27
Solar Heat Gain Coefficient: 0.33
Visible Light Transmittance: 0.57
Condensation Resistance: 58
CPD Number: MAR-N-344-27688-00009
Performance Information A2
U-Factor: 0.3
Solar Heat Gain Coefficient: 0.29
Visible Light Transmittance: 0.49
Condensation Resistance: 58
CPD Number: MAR-N-342-40138-00001
Performance Information OA
Performance Grade A1
Licensee #1016
AAMA/WDMA/CSA/101/I.S.2/A440-11
CW-PG50 1524X2515 mm (60X99 in)
Water Resistance: 7.52 psf

Ebony Clad Exterior
Bare MGR Douglas Fir Interior
2W1H - Rectangle Assembly
Assembly Rough Opening
85" X 58 1/2"

Unit: A1
Ultimate Casement Picture
CN 60 X Basic Frame 58"
Rough Opening 61" X 58 1/2"
Frame Size 60" X 58"
Ebony Clad Sash Exterior
Bare MGR Douglas Fir Sash Interior
IG - 3/4" - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip

Unit: A2
Ultimate Casement - Right Hand
CN 24 X Basic Frame 58"
Rough Opening 25" X 58 1/2"
Frame Size 24" X 58"
Ebony Clad Sash Exterior
Bare MGR Douglas Fir Sash Interior
IG - 3/4" - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Satin Taupe Folding Handle
Satin Taupe Multi - Point Lock
Extruded Aluminum Screen
Satin Taupe Surround
Bright View Mesh

CW-PG50 DP +50/-50
FL31335
Performance Grade A2
Licensee #918
AAMA/WDMA/CSA/101/I.S.2/A440-11
CW-PG50 914X2442 mm (36X96.13 in)
Water Resistance: 7.5 psf
CW-PG50 DP +50/-50
FL31335
Performance Grade Mull
Licensee #917
AAMA 450-10
LC-PG50 1524X2111 mm (60X83.2 in)
Water Resistance: 7.52 psf
LC-PG50 DP 50
FL13150
Performance Grade Overall Assembly
Water Resistance: 7.52 psf
LC-PG50 DP
Paint Specification
Clad Exterior Color: AAMA 2605

Standard Mull Charge
4 9/16" Jambs
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
*****Note: Unit Availability and Price is Subject to Change**

Line #8	Mark Unit: 107	Net Price:		9,127.86
Qty: 1		Ext. Net Price:	USD	9,127.86

MARVIN



As Viewed From The Exterior

Entered As: FS
FS 70 5/8" X 92"
RO 71 5/8" X 92 1/2"
Egress Information
Width: 33" Height: 88 11/32"
Net Clear Opening: 20.25 SqFt
Performance Information
U-Factor: 0.28
Solar Heat Gain Coefficient: 0.29
Visible Light Transmittance: 0.5
CPD Number: MAR-N-476-09832-00005
Performance Grade
Licensee #1164
AAMA/WDMA/CSA/101/I.S.2/A440-11
LC-PG30 3632X2489 mm (143X98 in)
Water Resistance: 4.59 psf
LC-PG30 DP +40/-40
FL39753
Paint Specification
Clad Exterior Color: AAMA 2605

Ebony Clad Exterior
Bare MGR Douglas Fir Interior
Ultimate Inswing Door (3" Stiles) 6 9/16" - OXO Right Hand
Frame Size 70 5/8" X 92"
Rough Opening 71 5/8" X 92 1/2"
Unequal Custom Panels
Left Panel
OM 16" X 89 7/64"
Ebony Clad Sash Exterior
Bare MGR Douglas Fir Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Center Panel
OM 36" X 89 7/64"
Ebony Clad Sash Exterior
Bare MGR Douglas Fir Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Right Panel
OM 16" X 89 7/64"
Ebony Clad Sash Exterior
Bare MGR Douglas Fir Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Minimalist Handle Lever(s)
Multi-Point Lock on Active Panel
Matte Black Active Exterior Handle Set on Active Panel Keyed
Matte Black Active Interior Handle Set on Active Panel
Keyed
Matte Black Adjustable Hinges 3 Per Panel-
Ebony Performance Sill

Black Weather Strip
6 9/16" Jambs
Thru Jamb Installation w/ Nailing Fin
Skid Plate Applied
***Note: The selected Interior Finish would allow Finger Joints to appear on secondary surfaces.
*****Note: Unit Availability and Price is Subject to Change**

Line #9 Qty: 1	Mark Unit: 108	Net Price: Ext. Net Price:	 USD	859.38 859.38

MARVIN



As Viewed From The Exterior

Entered As: FS
FS 36" X 36"
RO 37" X 36 1/2"
Egress Information
No Egress Information available.
Performance Information
U-Factor: 0.27
Solar Heat Gain Coefficient: 0.36
Visible Light Transmittance: 0.62
Condensation Resistance: 58
CPD Number: MAR-N-419-28019-00001
Performance Grade
Licensee #1117
AAMA/WDMA/CSA 101/I.S.2/A440-17
CW-PG50 1602X3697 mm (63.07X145.57 in)
Water Resistance: 8.35 psf
Deflection at Certified Size and Performance: 1.1
CW-PG50 DP +50/-60
FL38016
Paint Specification
Clad Exterior Color: AAMA 2605

Ebony Clad Exterior
Bare MGR Douglas Fir Interior
Ultimate Direct Glaze Rectangle
Frame Size 36" X 36"
Rough Opening 37" X 36 1/2"
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
4 9/16" Jambs
Nailing Fin
*****Note: Unit Availability and Price is Subject to Change**

Line #10 Qty: 1	Mark Unit: 110 TEMPERED	Net Price: Ext. Net Price:	 USD	4,010.95 4,010.95

MARVIN

Ebony Clad Exterior
Bare MGR Douglas Fir Interior
2W1H - Rectangle Assembly
Assembly Rough Opening
85" X 66 1/2"

Unit: A1



As Viewed From The Exterior

Entered As: Size by Units
FS 84" X 66"
RO 85" X 66 1/2"
Egress Information A1
Width: 16 57/64" Height: 60 57/64"
Net Clear Opening: 7.14 SqFt
Egress Information A2
No Egress Information available.
Performance Information A1
U-Factor: 0.3
Solar Heat Gain Coefficient: 0.29
Visible Light Transmittance: 0.49
Condensation Resistance: 58
CPD Number: MAR-N-342-40138-00001
Performance Information A2
U-Factor: 0.28
Solar Heat Gain Coefficient: 0.33
Visible Light Transmittance: 0.56
Condensation Resistance: 56
CPD Number: MAR-N-344-27663-00002
Performance Information OA
Performance Grade A1
Licensee #918
AAMA/WDMA/CSA/101/I.S.2/A440-11
CW-PG50 914X2442 mm (36X96.13 in)
Water Resistance: 7.5 psf
CW-PG50 DP +50/-50
FL31335
Performance Grade A2
Licensee #1016
AAMA/WDMA/CSA/101/I.S.2/A440-11
CW-PG50 1524X2515 mm (60X99 in)
Water Resistance: 7.52 psf
CW-PG50 DP +50/-50
FL31335
Performance Grade Mull
Licensee #917
AAMA 450-10
LC-PG50 1524X2111 mm (60X83.2 in)
Water Resistance: 7.5 psf
LC-PG50 DP 50
FL13150
Performance Grade Overall Assembly
Water Resistance: 7.52 psf
LC-PG50 DP
Paint Specification
Clad Exterior Color: AAMA 2605

Ultimate Casement - Left Hand
CN 24 X Basic Frame 66"
Rough Opening 25" X 66 1/2"
Frame Size 24" X 66"
Ebony Clad Sash Exterior
Bare MGR Douglas Fir Sash Interior
IG - 3/4" - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Satin Taupe Folding Handle
Satin Taupe Multi - Point Lock
Extruded Aluminum Screen
Satin Taupe Surround
Bright View Mesh

Unit: A2
Ultimate Casement Picture
CN 60 X Basic Frame 66"
Rough Opening 61" X 66 1/2"
Frame Size 60" X 66"
Ebony Clad Sash Exterior
Bare MGR Douglas Fir Sash Interior
IG - 3/4" - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Standard Mull Charge
4 9/16" Jambs
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
*****Note: Unit Availability and Price is Subject to Change**

Line #11	Mark Unit: 111	Net Price:		4,482.01
Qty: 1		Ext. Net Price:	USD	4,482.01

MARVIN



As Viewed From The Exterior

Entered As: Size by Units
FS 138" X 66"
RO 139" X 66 1/2"
Egress Information A1, A3
Width: 16 57/64" Height: 60 57/64"
Net Clear Opening: 7.14 SqFt
Egress Information A2
No Egress Information available.
Performance Information A1, A3
U-Factor: 0.3
Solar Heat Gain Coefficient: 0.29
Visible Light Transmittance: 0.49
Condensation Resistance: 58
CPD Number: MAR-N-342-40138-00001
Performance Information A2
U-Factor: 0.27
Solar Heat Gain Coefficient: 0.35
Visible Light Transmittance: 0.6
Condensation Resistance: 58
CPD Number: MAR-N-419-28019-00042
Performance Information OA
Performance Grade A1, A3
Licensee #918
AAMA/WDMA/CSA/101/I.S.2/A440-11
CW-PG50 914X2442 mm (36X96.13 in)
Water Resistance: 7.5 psf
CW-PG50 DP +50/-50
FL31335
Performance Grade A2
Licensee #1117
AAMA/WDMA/CSA 101/I.S.2/A440-17
CW-PG50 2464X2134 mm (97X84 in)
Water Resistance: 8.35 psf
Deflection at Certified Size and Performance: 1.1
CW-PG50 DP +50/-60
FL38016
Performance Grade Mull
Licensee #917
AAMA 450-10
LC-PG50 1524X2111 mm (60X83.2 in)
Water Resistance: 7.5 psf
LC-PG50 DP 50
FL13150
Performance Grade Overall Assembly
Water Resistance: 7.52 psf
LC-PG50 DP
Paint Specification
Clad Exterior Color: AAMA 2605

Feature Mismatch: Interior Glazing Profile
Ebony Clad Exterior
Bare MGR Douglas Fir Interior
3W1H - Rectangle Assembly
Assembly Rough Opening
139" X 66 1/2"

Unit: A1
Ultimate Casement - Left Hand
CN 24 X Basic Frame 66"
Rough Opening 25" X 66 1/2"
Frame Size 24" X 66"
Ebony Clad Sash Exterior
Bare MGR Douglas Fir Sash Interior
IG - 3/4" - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Satin Taupe Folding Handle
Satin Taupe Multi - Point Lock
Extruded Aluminum Screen
Satin Taupe Surround
Bright View Mesh

Unit: A2
Ultimate Direct Glaze Rectangle
Basic Frame 90" X 66"
Rough Opening 91" X 66 1/2"
IG - 1 Lite
1/4" Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile

Unit: A3
Ultimate Casement - Right Hand
CN 24 X Basic Frame 66"
Rough Opening 25" X 66 1/2"
Frame Size 24" X 66"
Ebony Clad Sash Exterior
Bare MGR Douglas Fir Sash Interior
IG - 3/4" - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Satin Taupe Folding Handle
Satin Taupe Multi - Point Lock
Extruded Aluminum Screen
Satin Taupe Surround
Bright View Mesh
Standard Mull Charge
4 9/16" Jambs
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
*****Note: Unit Availability and Price is Subject to Change**

Line #12	Mark Unit: 112	Net Price:		7,777.77

Qty: 1		Ext. Net Price:	USD	7,777.77

MARVIN



As Viewed From The Exterior

Entered As: FS
FS 84" X 92"
RO 85" X 92 1/2"
Egress Information
Width: 34 7/16" Height: 88 3/8"
Net Clear Opening: 21.13 SqFt
Performance Information
U-Factor: 0.29
Solar Heat Gain Coefficient: 0.28
Visible Light Transmittance: 0.48
Condensation Resistance: 57
CPD Number: MAR-N-484-11250-00009
Performance Grade
Licensee #1169
AAMA/WDMA/CSA/101/I.S.2/A440-11
LC-PG30 2454X2489 mm (96.63X98 in)
Water Resistance: 4.59 psf
LC-PG30 DP +30/-30
FL46603
Paint Specification
Clad Exterior Color: AAMA 2605

Ebony Clad Exterior
Bare MGR Douglas Fir Interior
Ultimate Sliding Door (3" Stiles) 4 9/16" - OX
Frame Size 84" X 92"
Rough Opening 85" X 92 1/2"
Left Panel
Ebony Clad Sash Exterior
Bare MGR Douglas Fir Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Right Panel
Ebony Clad Sash Exterior
Bare MGR Douglas Fir Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Harp G2 Handle(s)
Harp G2 Interior Handle(s)
2 Point Multi-Point Lock on Active Panel
Dark Bronze Active Exterior Handle Set on Active Panel Keyed
Dark Bronze Active Interior Handle Set on Active Panel
Keyed
Exterior Ultimate Sliding Screen G2
Ebony Surround
Bright View Mesh
***Screen/Combo Ship Loose
Ebony Performance Sill
Black Weather Strip
4 9/16" Jambs
Thru Jamb Installation w/ Nailing Fin
***Note: The selected Interior Finish would allow Finger Joints to appear on secondary surfaces.
*****Note: Unit Availability and Price is Subject to Change**

Line #13 Qty: 1	Mark Unit: 113	Net Price: Ext. Net Price:	 USD	7,777.77 7,777.77

MARVIN

Ebony Clad Exterior
Bare MGR Douglas Fir Interior
Ultimate Sliding Door (3" Stiles) 4 9/16" - XO
Frame Size 84" X 92"
Rough Opening 85" X 92 1/2"
Left Panel
Ebony Clad Sash Exterior
Bare MGR Douglas Fir Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Right Panel
Ebony Clad Sash Exterior
Bare MGR Douglas Fir Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon



As Viewed From The Exterior

Entered As: FS
FS 84" X 92"
RO 85" X 92 1/2"
Egress Information
Width: 34 7/16" Height: 88 3/8"
Net Clear Opening: 21.13 SqFt
Performance Information
U-Factor: 0.29
Solar Heat Gain Coefficient: 0.28
Visible Light Transmittance: 0.48
Condensation Resistance: 57
CPD Number: MAR-N-484-11250-00009
Performance Grade
Licensee #1169
AAMA/WDMA/CSA/101/I.S.2/A440-11
LC-PG30 2454X2489 mm (96.63X98 in)
Water Resistance: 4.59 psf
LC-PG30 DP +30/-30
FL46603
Paint Specification
Clad Exterior Color: AAMA 2605

Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Harp G2 Handle(s)
Harp G2 Interior Handle(s)
2 Point Multi-Point Lock on Active Panel
Dark Bronze Active Exterior Handle Set on Active Panel Keyed
Dark Bronze Active Interior Handle Set on Active Panel
Keyed
Exterior Ultimate Sliding Screen G2
Ebony Surround
Bright View Mesh
***Screen/Combo Ship Loose
Ebony Performance Sill
Black Weather Strip
4 9/16" Jambs
Thru Jamb Installation w/ Nailing Fin
***Note: The selected Interior Finish would allow Finger Joints to appear on secondary surfaces.
*****Note: Unit Availability and Price is Subject to Change**

Line #14 Qty: 1	Mark Unit: 114	Net Price: Ext. Net Price:	 USD	3,497.29 3,497.29

MARVIN



As Viewed From The Exterior

Entered As: FS
FS 84" X 92"
RO 85" X 92 1/2"
Egress Information

Ebony Clad Exterior
Bare MGR Douglas Fir Interior
Ultimate Direct Glaze Rectangle
Frame Size 84" X 92"
Rough Opening 85" X 92 1/2"
IG - 1 Lite
1/4" Tempered Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
4 9/16" Jambs
Nailing Fin
*****Note: Unit Availability and Price is Subject to Change**

No Egress Information available.
Performance Information
U-Factor: 0.27
Solar Heat Gain Coefficient: 0.35
Visible Light Transmittance: 0.6
Condensation Resistance: 58
CPD Number: MAR-N-419-28019-00042
Performance Grade
Licensee #1117
AAMA/WDMA/CSA 101/I.S.2/A440-17
CW-PG50 2134X2464 mm (84X97 in)
Water Resistance: 8.35 psf
Deflection at Certified Size and Performance: 1.1
CW-PG50 DP +50/-60
FL38016
Paint Specification
Clad Exterior Color: AAMA 2605

Line #15	Mark Unit: 115	Net Price:		9,168.01
Qty: 1		Ext. Net Price:	USD	9,168.01

MARVIN



As Viewed From The Exterior

Entered As: Size by Units
FS 168" X 90"
RO 169" X 90 1/2"
Egress Information A1, A3
Width: 28 57/64" Height: 84 57/64"
Net Clear Opening: 17.03 SqFt
Egress Information A2
No Egress Information available.
Performance Information A1, A2, A3
Product Performance Information is currently unavailable in the OMS for this product and glazing option. To request product performance information not in the OMS, contact your Marvin representative or submit an Assistance Request.
Performance Grade A1, A2, A3
No Performance Grade Information available.
Performance Grade
No Performance Grade Information available.
Paint Specification
Clad Exterior Color: AAMA 2605

Feature Mismatch: Interior Glazing Profile
Ebony Clad Exterior
Bare MGR Douglas Fir Interior
3W1H - Rectangle Assembly
Assembly Rough Opening
169" X 90 1/2"
Error: This assembly exceeds the maximum limitations for Factory Mulling.
Select Prep for Field Mull or adjust the size of your assembly.

Unit: A1
Ultimate Casement - Left Hand
CN 36 X Basic Frame 90"
Rough Opening 37" X 90 1/2"
Frame Size 36" X 90"
Ebony Clad Sash Exterior
Bare MGR Douglas Fir Sash Interior
IG - 3/4" - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Satin Taupe Folding Handle
Satin Taupe Multi - Point Lock
Extruded Aluminum Screen
Satin Taupe Surround
Bright View Mesh

Unit: A2
Ultimate Direct Glaze Rectangle
Basic Frame 96" X 90"
Unit Is Not WDMA Certified
Rough Opening 97" X 90 1/2"
IG - 1 Lite
1/4" Tempered Low E2 w/Argon
Error: The current glass short dimension of 87.4375 exceeds the maximum of 83.501.
Black Perimeter Bar
Putty Exterior Glazing Profile

Unit: A3
Ultimate Casement - Right Hand
CN 36 X Basic Frame 90"

Rough Opening 37" X 90 1/2"
Frame Size 36" X 90"
Ebony Clad Sash Exterior
Bare MGR Douglas Fir Sash Interior
IG - 3/4" - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Satin Taupe Folding Handle
Satin Taupe Multi - Point Lock
Extruded Aluminum Screen
Satin Taupe Surround
Bright View Mesh
Mull 1 - Prep for Vertical Standard Mull - 90" Long
Mull 2 - Prep for Vertical Standard Mull - 90" Long
Standard Mull Charge
4 9/16" Jambs
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
*****Note: Unit Availability and Price is Subject to Change**
***Error: Pricing is not Valid

Line #16 Qty: 1	Mark Unit: 116	Net Price: Ext. Net Price:	 USD	4,894.92 4,894.92

MARVIN



As Viewed From The Exterior

Entered As: Size by Units
FS 60" X 90"
RO 61" X 90 1/2"
Egress Information A1, A2
Width: 22 57/64" Height: 84 57/64"
Net Clear Opening: 13.49 SqFt
Performance Information A1, A2
U-Factor: 0.29
Solar Heat Gain Coefficient: 0.28
Visible Light Transmittance: 0.49
Condensation Resistance: 58
CPD Number: MAR-N-342-40125-00009
Performance Information OA
Performance Grade A1, A2

Ebony Clad Exterior
Bare MGR Douglas Fir Interior
2W1H - Rectangle Assembly
Assembly Rough Opening
61" X 90 1/2"

Unit: A1
Ultimate Casement - Left Hand
CN 30 X Basic Frame 90"
Rough Opening 31" X 90 1/2"
Frame Size 30" X 90"
Ebony Clad Sash Exterior
Bare MGR Douglas Fir Sash Interior
IG - 3/4" - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Satin Taupe Folding Handle
Satin Taupe Multi - Point Lock
Extruded Aluminum Screen
Satin Taupe Surround
Bright View Mesh

Unit: A2
Ultimate Casement - Right Hand
CN 30 X Basic Frame 90"
Rough Opening 31" X 90 1/2"
Frame Size 30" X 90"
Ebony Clad Sash Exterior
Bare MGR Douglas Fir Sash Interior

Licensee #918
AAMA/WDMA/CSA/101/I.S.2/A440-11
CW-PG50 914X2442 mm (36X96.13 in)
Water Resistance: 7.5 psf
CW-PG50 DP +50/-50
FL31335
Performance Grade Mull
Licensee #917
AAMA 450-10
LC-PG40 1308X2743 mm (51.5X108 in)
Water Resistance: 7.5 psf
LC-PG40 DP 40
Performance Grade Overall Assembly
Water Resistance: 7.52 psf
LC-PG40 DP
Paint Specification
Clad Exterior Color: AAMA 2605

IG - 3/4" - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Satin Taupe Folding Handle
Satin Taupe Multi - Point Lock
Extruded Aluminum Screen
Satin Taupe Surround
Bright View Mesh
Standard Mull Charge
4 9/16" Jambs
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
*****Note: Unit Availability and Price is Subject to Change**

Line #17 Qty: 1	Mark Unit: 117	Net Price: Ext. Net Price:	 USD	3,045.90 3,045.90

MARVIN



As Viewed From The Exterior

Entered As: FS
FS 72" X 90"
RO 73" X 90 1/2"
Egress Information
No Egress Information available.
Performance Information
U-Factor: 0.27
Solar Heat Gain Coefficient: 0.35
Visible Light Transmittance: 0.6
Condensation Resistance: 58
CPD Number: MAR-N-419-28019-00042
Performance Grade
Licensee #1117
AAMA/WDMA/CSA 101/I.S.2/A440-17
CW-PG50 2134X2464 mm (84X97 in)
Water Resistance: 8.35 psf
Deflection at Certified Size and Performance: 1.1
CW-PG50 DP +50/-60
FL38016
Paint Specification
Clad Exterior Color: AAMA 2605

Ebony Clad Exterior
Bare MGR Douglas Fir Interior
Ultimate Direct Glaze Rectangle
Frame Size 72" X 90"
Rough Opening 73" X 90 1/2"
IG - 1 Lite
1/4" Tempered Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
4 9/16" Jambs
Nailing Fin
*****Note: Unit Availability and Price is Subject to Change**

Line #18 Qty: 1	Mark Unit: 118 no sidelite on elevation	Net Price: Ext. Net Price:	 USD	5,357.76 5,357.76

MARVIN



Active



As Viewed From The Exterior

Entered As: CN x FS
FS 43 7/16" X 114"
RO 44 7/16" X 114 1/2"
Egress Information
Width: 38 1/16" Height: 110 11/32"
Net Clear Opening: 29.17 SqFt
Performance Information
U-Factor: 0.28
Solar Heat Gain Coefficient: 0.28
Visible Light Transmittance: 0.49
CPD Number: MAR-N-476-09806-00012
Performance Grade
Licensee #1164
AAMA/WDMA/CSA/101/I.S.2/A440-11
LC-PG50 1103X3099 mm (43.44X122 in)
Water Resistance: 7.52 psf
LC-PG50 DP +50/-50
FL39753
Paint Specification
Clad Exterior Color: AAMA 2605

Ebony Clad Exterior
Bare MGR Douglas Fir Interior
Ultimate Inswing Door (3" Stiles) 6 9/16" - X Right Hand
CN 36 X Frame Size 114"
Rough Opening 44 7/16" X 114 1/2"
Ebony Clad Sash Exterior
Bare MGR Douglas Fir Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Minimalist Handle Lever(s)
Multi-Point Lock on Active Panel
Matte Black Active Exterior Handle Set on Active Panel Keyed
Matte Black Active Interior Handle Set on Active Panel
Keyed
Matte Black Adjustable Hinges 5 Per Panel-
Ebony Performance Sill
Black Weather Strip
6 9/16" Jambs
Thru Jamb Installation w/ Nailing Fin
***Note: The selected Interior Finish would allow Finger Joints to appear on secondary surfaces.
*****Note: Unit Availability and Price is Subject to Change**

Line #19 Qty: 1	Mark Unit: 119	Net Price: Ext. Net Price:	 USD	5,425.76 5,425.76

MARVIN

Ebony Clad Exterior
Bare MGR Douglas Fir Interior
2W1H - Rectangle Assembly
Assembly Rough Opening
85" X 126 1/2"
Error: Assembly exceeds size limitation. To confirm availability, alternative solutions, or pricing, submit an assistance request or speak with a Marvin representative.
Error: This assembly exceeds the maximum limitations for Factory Mulling. Select Prep for Field Mull or adjust the size of your assembly.

Unit: A1
Ultimate Direct Glaze Rectangle
Basic Frame 42" X 126"
Unit Is Not WDMA Certified



As Viewed From The Exterior

Entered As: Size by Units
FS 84" X 126"
RO 85" X 126 1/2"
Egress Information A1, A2
No Egress Information available.
Performance Information A1, A2
U-Factor: 0.27
Solar Heat Gain Coefficient: 0.35
Visible Light Transmittance: 0.6
Condensation Resistance: 58
CPD Number: MAR-N-419-28019-00042
Performance Grade A1, A2
Licensee #1117
AAMA/WDMA/CSA 101/I.S.2/A440-17
CW-PG50 1602X3697 mm (63.07X145.57 in)
Water Resistance: 8.35 psf
Deflection at Certified Size and Performance: 1.1
CW-PG50 DP +50/-60
FL38016
Paint Specification
Clad Exterior Color: AAMA 2605

Rough Opening 43" X 126 1/2"
IG - 1 Lite
1/4" Tempered Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile

Unit: A2
Ultimate Direct Glaze Rectangle
Basic Frame 42" X 126"
Unit Is Not WDMA Certified
Rough Opening 43" X 126 1/2"
IG - 1 Lite
1/4" Tempered Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
Mull 1 - Prep for Vertical Standard Mull - 126" Long
Standard Mull Charge
4 9/16" Jambs
Nailing Fin
***Note: Non-Certified mull: check with local code officials for project specific requirements.
*****Note: Unit Availability and Price is Subject to Change**
***Error: Pricing is not Valid

Line #20 Qty: 1	Mark Unit: 120	Net Price: Ext. Net Price:	 USD	37,876.31 37,876.31

MARVIN

As Viewed From The Exterior

Entered As: FS
FS 220" X 126"
RO 221" X 126 1/2"
Egress Information
Width: 100 7/8" Height: 123 9/32"
Net Clear Opening: 86.37 SqFt
Performance Information
U-Factor: 0.28
Solar Heat Gain Coefficient: 0.28
Visible Light Transmittance: 0.47

Ebony Clad Exterior
Bare MGR Douglas Fir Interior
Ultimate Multi-Slide Door Stacked - OX-XO Left Hand
Frame Size 220" X 126"
Rough Opening 221" X 126 1/2"
An approved Ultimate Multi-Slide Verification Letter with sign-offs and field calculations must accompany Ultimate Multi-Slide door orders.
Total Rough Opening Width 221"
Total Rough Opening Height 128 1/4"
Knocked Down
**Panels Ship Separate
Panel 1
Ebony Clad Exterior
Bare MGR Douglas Fir Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Ogee Interior Glazing Profile
Panel 2
Ebony Clad Exterior
Bare MGR Douglas Fir Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon

Condensation Resistance: 55
CPD Number: MAR-N-436-04407-00001
Performance Grade
No Performance Grade Information available.
Paint Specification
Clad Exterior Color: AAMA 2605

Black Perimeter Bar
Ogee Interior Glazing Profile
Panel 3
Ebony Clad Exterior
Bare MGR Douglas Fir Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Ogee Interior Glazing Profile
Panel 4
Ebony Clad Exterior
Bare MGR Douglas Fir Sash Interior
IG - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Ogee Interior Glazing Profile
Oil Rubbed Bronze PVD Exterior Flush Handle on Primary Panel
Oil Rubbed Bronze PVD Interior Flush Handle with Latch on Primary Panel
Oil Rubbed Bronze PVD Exterior Flush Handle on Inactive Panel
Oil Rubbed Bronze PVD Interior Flush Handle on Inactive Panel
Bronze High Performance Sill
Black Weather Strip
Finished Floor Thickness - 3/4"
6 25/32" Jambs
Nailing Fin
***Note: Ultimate Multi-Slide Doors are shipped Knocked Down (KD).
***Note: Please reference the Ultimate Multi-Slide Door Site Prep Handbook for construction guidelines.
***Note: Ultimate-Clad units are certified to CN 40100 panel size. Units outside these parameters are not WDMA certified.
***Note: Panels packaged and shipped on returnable rack requiring 8,000 lb capable forklift at jobsite.
*****Note: Unit Availability and Price is Subject to Change**

Line #21 Qty: 1	Mark Unit: 121	Net Price: Ext. Net Price:	 USD	5,425.76 5,425.76

MARVIN



As Viewed From The Exterior

Entered As: Size by Units
FS 84" X 126"
RO 85" X 126 1/2"
Egress Information A1, A2
No Egress Information available.
Performance Information A1, A2
U-Factor: 0.27
Solar Heat Gain Coefficient: 0.35

Ebony Clad Exterior
Bare MGR Douglas Fir Interior
2W1H - Rectangle Assembly
Assembly Rough Opening
85" X 126 1/2"
Error: Assembly exceeds size limitation. To confirm availability, alternative solutions, or pricing, submit an assistance request or speak with a Marvin representative.
Error: This assembly exceeds the maximum limitations for Factory Mulling. Select Prep for Field Mull or adjust the size of your assembly.

Unit: A1
Ultimate Direct Glaze Rectangle
Basic Frame 42" X 126"
Unit Is Not WDMA Certified
Rough Opening 43" X 126 1/2"
IG - 1 Lite
1/4" Tempered Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile

Unit: A2
Ultimate Direct Glaze Rectangle
Basic Frame 42" X 126"
Unit Is Not WDMA Certified
Rough Opening 43" X 126 1/2"
IG - 1 Lite

Visible Light Transmittance: 0.6
Condensation Resistance: 58
CPD Number: MAR-N-419-28019-00042
Performance Grade A1, A2
Licensee #1117
AAMA/WDMA/CSA 101/I.S.2/A440-17
CW-PG50 1602X3697 mm (63.07X145.57 in)
Water Resistance: 8.35 psf
Deflection at Certified Size and Performance: 1.1
CW-PG50 DP +50/-60
FL38016
Paint Specification
Clad Exterior Color: AAMA 2605

1/4" Tempered Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
Mull 1 - Prep for Vertical Standard Mull - 126" Long
Standard Mull Charge
4 9/16" Jambs
Nailing Fin
***Note: Non-Certified mull: check with local code officials for project specific requirements.
*****Note: Unit Availability and Price is Subject to Change**
***Error: Pricing is not Valid

Line #22 Qty: 1	Mark Unit: 201	Net Price: Ext. Net Price:	 USD	2,912.37 2,912.37

MARVIN



As Viewed From The Exterior

Entered As: Size by Units
FS 66" X 66"
RO 67" X 66 1/2"
Egress Information A1, A2
No Egress Information available.
Performance Information A1, A2
U-Factor: 0.27
Solar Heat Gain Coefficient: 0.36
Visible Light Transmittance: 0.62
Condensation Resistance: 58
CPD Number: MAR-N-419-28019-00001
Performance Information OA
Performance Grade A1, A2
Licensee #1117
AAMA/WDMA/CSA 101/I.S.2/A440-17
CW-PG50 1602X3697 mm (63.07X145.57 in)
Water Resistance: 8.35 psf
Deflection at Certified Size and Performance: 1.1
CW-PG50 DP +50/-60
FL38016
Performance Grade Mull
Licensee #1117
AAMA 450-10
LC-PG50 1524X2438 mm (60X96 in)
Water Resistance: 8.35 psf
Deflection at Certified Size and Performance: 1.1
LC-PG50 DP +50/-50
Performance Grade Overall Assembly
No Performance Grade Information available.

Ebony Clad Exterior
Bare MGR Douglas Fir Interior
2W1H - Rectangle Assembly
Assembly Rough Opening
67" X 66 1/2"

Unit: A1
Ultimate Direct Glaze Rectangle
Basic Frame 33" X 66"
Rough Opening 34" X 66 1/2"
IG - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile

Unit: A2
Ultimate Direct Glaze Rectangle
Basic Frame 33" X 66"
Rough Opening 34" X 66 1/2"
IG - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
Standard Mull Charge
4 9/16" Jambs
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
*****Note: Unit Availability and Price is Subject to Change**

Paint Specification
Clad Exterior Color: AAMA 2605

Line #23 Qty: 1	Mark Unit: 202	Net Price: Ext. Net Price:	 USD	3,766.02 3,766.02

MARVIN



As Viewed From The Exterior

Entered As: Size by Units
FS 120" X 66"
RO 121" X 66 1/2"
Egress Information A1, A2, A3
No Egress Information available.
Performance Information A1, A3
U-Factor: 0.27
Solar Heat Gain Coefficient: 0.36
Visible Light Transmittance: 0.62
Condensation Resistance: 58
CPD Number: MAR-N-419-28019-00001
Performance Information A2
U-Factor: 0.27
Solar Heat Gain Coefficient: 0.35
Visible Light Transmittance: 0.61
Condensation Resistance: 58
CPD Number: MAR-N-419-28019-00010
Performance Information OA
Performance Grade A1, A2, A3
Licensee #1117
AAMA/WDMA/CSA 101/I.S.2/A440-17
CW-PG50 1602X3697 mm (63.07X145.57 in)
Water Resistance: 8.35 psf
Deflection at Certified Size and Performance: 1.1
CW-PG50 DP +50/-60
FL38016
Performance Grade Mull
Licensee #1117
AAMA 450-10
LC-PG50 1524X2438 mm (60X96 in)
Water Resistance: 8.35 psf
Deflection at Certified Size and Performance: 1.1
LC-PG50 DP +50/-50
Performance Grade Overall Assembly
No Performance Grade Information available.
Paint Specification
Clad Exterior Color: AAMA 2605

Ebony Clad Exterior
Bare MGR Douglas Fir Interior
3W1H - Rectangle Assembly
Assembly Rough Opening
121" X 66 1/2"

Unit: A1
Ultimate Direct Glaze Rectangle
Basic Frame 36" X 66"
Rough Opening 37" X 66 1/2"
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile

Unit: A2
Ultimate Direct Glaze Rectangle
Basic Frame 48" X 66"
Rough Opening 49" X 66 1/2"
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile

Unit: A3
Ultimate Direct Glaze Rectangle
Basic Frame 36" X 66"
Rough Opening 37" X 66 1/2"
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
Standard Mull Charge
4 9/16" Jambs
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
*****Note: Unit Availability and Price is Subject to Change**

Line #24 Qty: 1	Mark Unit: 203	Net Price: Ext. Net Price:	 USD	1,381.22 1,381.22

MARVIN

Ebony Clad Exterior
Bare MGR Douglas Fir Interior
Ultimate Casement - Left Hand
Frame Size 33" X 66"



As Viewed From The Exterior

Entered As: FS
FS 33" X 66"
RO 34" X 66 1/2"
Egress Information
Width: 25 57/64" Height: 60 57/64"
Net Clear Opening: 10.95 SqFt
Performance Information
U-Factor: 0.29
Solar Heat Gain Coefficient: 0.28
Visible Light Transmittance: 0.49
Condensation Resistance: 58
CPD Number: MAR-N-342-40125-00009
Performance Grade
Licensee #918
AAMA/WDMA/CSA/101/I.S.2/A440-11
CW-PG50 914X2442 mm (36X96.13 in)
Water Resistance: 7.5 psf
CW-PG50 DP +50/-50
FL31335
Paint Specification
Clad Exterior Color: AAMA 2605

Rough Opening 34" X 66 1/2"
Ebony Clad Sash Exterior
Bare MGR Douglas Fir Sash Interior
IG - 3/4" - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Satin Taupe Folding Handle
Satin Taupe Multi - Point Lock
Extruded Aluminum Screen
Satin Taupe Surround
Bright View Mesh
4 9/16" Jambs
Nailing Fin
*****Note: Unit Availability and Price is Subject to Change**

Line #25 Qty: 1	Mark Unit: 204	Net Price: Ext. Net Price:	 USD	1,382.86 1,382.86

MARVIN



As Viewed From The Exterior

Entered As: CN x FS
FS 36" X 66"
RO 37" X 66 1/2"
Egress Information

Ebony Clad Exterior
Bare MGR Douglas Fir Interior
Ultimate Casement - Left Hand
CN 36 X Frame Size 66"
Rough Opening 37" X 66 1/2"
Frame Size 36" X 66"
Ebony Clad Sash Exterior
Bare MGR Douglas Fir Sash Interior
IG - 3/4" - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Satin Taupe Folding Handle
Satin Taupe Multi - Point Lock
Extruded Aluminum Screen
Satin Taupe Surround
Bright View Mesh
4 9/16" Jambs
Nailing Fin
*****Note: Unit Availability and Price is Subject to Change**

Width: 28 57/64" Height: 60 57/64"
Net Clear Opening: 12.22 SqFt
Performance Information
U-Factor: 0.3
Solar Heat Gain Coefficient: 0.29
Visible Light Transmittance: 0.49
Condensation Resistance: 58
CPD Number: MAR-N-342-40138-00001
Performance Grade
Licensee #918
AAMA/WDMA/CSA/101/I.S.2/A440-11
CW-PG50 914X2442 mm (36X96.13 in)
Water Resistance: 7.5 psf
CW-PG50 DP +50/-50
FL31335
Paint Specification
Clad Exterior Color: AAMA 2605

Line #26	Mark Unit: 205	Net Price:		3,044.26
Qty: 1		Ext. Net Price:	USD	3,044.26

MARVIN



As Viewed From The Exterior

Entered As: Size by Units
FS 88" X 66"
RO 89" X 66 1/2"
Egress Information A1
No Egress Information available.
Egress Information A2
Width: 22 57/64" Height: 60 57/64"
Net Clear Opening: 9.68 SqFt
Performance Information A1
U-Factor: 0.27
Solar Heat Gain Coefficient: 0.33
Visible Light Transmittance: 0.57
Condensation Resistance: 58
CPD Number: MAR-N-344-27688-00009
Performance Information A2
U-Factor: 0.3
Solar Heat Gain Coefficient: 0.29
Visible Light Transmittance: 0.49
Condensation Resistance: 58
CPD Number: MAR-N-342-40138-00001
Performance Information OA
Performance Grade A1
Licensee #1016
AAMA/WDMA/CSA/101/I.S.2/A440-11
CW-PG50 1524X2515 mm (60X99 in)
Water Resistance: 7.52 psf
CW-PG50 DP +50/-50
FL31335
Performance Grade A2

Ebony Clad Exterior
Bare MGR Douglas Fir Interior
2W1H - Rectangle Assembly
Assembly Rough Opening
89" X 66 1/2"

Unit: A1
Ultimate Casement Picture
Basic Frame 58" X 66"
Rough Opening 59" X 66 1/2"
Ebony Clad Sash Exterior
Bare MGR Douglas Fir Sash Interior
IG - 3/4" - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip

Unit: A2
Ultimate Casement - Right Hand
CN 30 X Basic Frame 66"
Rough Opening 31" X 66 1/2"
Frame Size 30" X 66"
Ebony Clad Sash Exterior
Bare MGR Douglas Fir Sash Interior
IG - 3/4" - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Satin Taupe Folding Handle
Satin Taupe Multi - Point Lock
Extruded Aluminum Screen
Satin Taupe Surround
Bright View Mesh
Standard Mull Charge
4 9/16" Jambs
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and

Licensee #918
AAMA/WDMA/CSA/101/I.S.2/A440-11
CW-PG50 914X2442 mm (36X96.13 in)
Water Resistance: 7.5 psf
CW-PG50 DP +50/-50
FL31335
Performance Grade Mull
Licensee #917
AAMA 450-10
LC-PG50 1524X2111 mm (60X83.2 in)
Water Resistance: 7.52 psf
LC-PG50 DP 50
FL13150
Performance Grade Overall Assembly
Water Resistance: 7.52 psf
LC-PG50 DP
Paint Specification
Clad Exterior Color: AAMA 2605

building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
*****Note: Unit Availability and Price is Subject to Change**

Line #27	Mark Unit: 206	Net Price:		3,044.26
Qty: 1		Ext. Net Price:	USD	3,044.26

MARVIN



As Viewed From The Exterior

Entered As: Size by Units
FS 88" X 66"
RO 89" X 66 1/2"
Egress Information A1
Width: 22 57/64" Height: 60 57/64"
Net Clear Opening: 9.68 SqFt
Egress Information A2
No Egress Information available.
Performance Information A1
U-Factor: 0.3
Solar Heat Gain Coefficient: 0.29
Visible Light Transmittance: 0.49
Condensation Resistance: 58
CPD Number: MAR-N-342-40138-00001
Performance Information A2
U-Factor: 0.27
Solar Heat Gain Coefficient: 0.33
Visible Light Transmittance: 0.57
Condensation Resistance: 58
CPD Number: MAR-N-344-27688-00009
Performance Information OA
Performance Grade A1
Licensee #918
AAMA/WDMA/CSA/101/I.S.2/A440-11
CW-PG50 914X2442 mm (36X96.13 in)
Water Resistance: 7.5 psf
CW-PG50 DP +50/-50
FL31335

Ebony Clad Exterior
Bare MGR Douglas Fir Interior
2W1H - Rectangle Assembly
Assembly Rough Opening
89" X 66 1/2"

Unit: A1
Ultimate Casement - Left Hand
CN 30 X Basic Frame 66"
Rough Opening 31" X 66 1/2"
Frame Size 30" X 66"
Ebony Clad Sash Exterior
Bare MGR Douglas Fir Sash Interior
IG - 3/4" - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Satin Taupe Folding Handle
Satin Taupe Multi - Point Lock
Extruded Aluminum Screen
Satin Taupe Surround
Bright View Mesh

Unit: A2
Ultimate Casement Picture
Basic Frame 58" X 66"
Rough Opening 59" X 66 1/2"
Ebony Clad Sash Exterior
Bare MGR Douglas Fir Sash Interior
IG - 3/4" - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Standard Mull Charge
4 9/16" Jambs
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20

Performance Grade A2
Licensee #1016
AAMA/WDMA/CSA/101/I.S.2/A440-11
CW-PG50 1524X2515 mm (60X99 in)
Water Resistance: 7.52 psf
CW-PG50 DP +50/-50
FL31335
Performance Grade Mull
Licensee #917
AAMA 450-10
LC-PG50 1524X2111 mm (60X83.2 in)
Water Resistance: 7.5 psf
LC-PG50 DP 50
FL13150
Performance Grade Overall Assembly
Water Resistance: 7.52 psf
LC-PG50 DP
Paint Specification
Clad Exterior Color: AAMA 2605

through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
*****Note: Unit Availability and Price is Subject to Change**

Line #28 Qty: 1	Mark Unit: 207 Tempered	Net Price: Ext. Net Price:	 USD	1,764.62 1,764.62

MARVIN



As Viewed From The Exterior

Entered As: FS
FS 33" X 66"
RO 34" X 66 1/2"
Egress Information
Width: 25 57/64" Height: 60 57/64"
Net Clear Opening: 10.95 SqFt
Performance Information
U-Factor: 0.3
Solar Heat Gain Coefficient: 0.29
Visible Light Transmittance: 0.49
Condensation Resistance: 58
CPD Number: MAR-N-342-40138-00001
Performance Grade
Licensee #918
AAMA/WDMA/CSA/101/I.S.2/A440-11
CW-PG50 914X2442 mm (36X96.13 in)
Water Resistance: 7.5 psf
CW-PG50 DP +50/-50
FL31335
Paint Specification
Clad Exterior Color: AAMA 2605

Ebony Clad Exterior
Bare MGR Douglas Fir Interior
Ultimate Casement - Left Hand
Frame Size 33" X 66"
Rough Opening 34" X 66 1/2"
Ebony Clad Sash Exterior
Bare MGR Douglas Fir Sash Interior
IG - 3/4" - 1 Lite
Tempered Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Satin Taupe Folding Handle
Satin Taupe Multi - Point Lock
Extruded Aluminum Screen
Satin Taupe Surround
Bright View Mesh
4 9/16" Jambs
Nailing Fin
*****Note: Unit Availability and Price is Subject to Change**

Line #29 Qty: 2	Mark Unit: 208/209	Net Price: Ext. Net Price:	 USD	1,381.22 2,762.44

MARVIN



As Viewed From The Exterior

Entered As: FS
FS 33" X 66"
RO 34" X 66 1/2"
Egress Information
Width: 25 57/64" Height: 60 57/64"
Net Clear Opening: 10.95 SqFt
Performance Information
U-Factor: 0.29
Solar Heat Gain Coefficient: 0.28
Visible Light Transmittance: 0.49
Condensation Resistance: 58
CPD Number: MAR-N-342-40125-00009
Performance Grade
Licensee #918
AAMA/WDMA/CSA/101/I.S.2/A440-11
CW-PG50 914X2442 mm (36X96.13 in)
Water Resistance: 7.5 psf
CW-PG50 DP +50/-50
FL31335
Paint Specification
Clad Exterior Color: AAMA 2605

Ebony Clad Exterior
Bare MGR Douglas Fir Interior
Ultimate Casement - Left Hand
Frame Size 33" X 66"
Rough Opening 34" X 66 1/2"
Ebony Clad Sash Exterior
Bare MGR Douglas Fir Sash Interior
IG - 3/4" - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Satin Taupe Folding Handle
Satin Taupe Multi - Point Lock
Extruded Aluminum Screen
Satin Taupe Surround
Bright View Mesh
4 9/16" Jambs
Nailing Fin
*****Note: Unit Availability and Price is Subject to Change**

Line #30 Qty: 1	Mark Unit: 210	Net Price: Ext. Net Price:	 USD	3,044.26 3,044.26

MARVIN



As Viewed From The Exterior

Ebony Clad Exterior
Bare MGR Douglas Fir Interior
2W1H - Rectangle Assembly
Assembly Rough Opening
89" X 66 1/2"

Unit: A1
Ultimate Casement - Left Hand
CN 30 X Basic Frame 66"
Rough Opening 31" X 66 1/2"
Frame Size 30" X 66"
Ebony Clad Sash Exterior
Bare MGR Douglas Fir Sash Interior
IG - 3/4" - 1 Lite
Low E2 w/Argon

Entered As: Size by Units
FS 88" X 66"
RO 89" X 66 1/2"
Egress Information A1
Width: 22 57/64" Height: 60 57/64"
Net Clear Opening: 9.68 SqFt
Egress Information A2
No Egress Information available.
Performance Information A1
U-Factor: 0.3
Solar Heat Gain Coefficient: 0.29
Visible Light Transmittance: 0.49
Condensation Resistance: 58
CPD Number: MAR-N-342-40138-00001
Performance Information A2
U-Factor: 0.27
Solar Heat Gain Coefficient: 0.33
Visible Light Transmittance: 0.57
Condensation Resistance: 58
CPD Number: MAR-N-344-27688-00009
Performance Information OA
Performance Grade A1
Licensee #918
AAMA/WDMA/CSA/101/I.S.2/A440-11
CW-PG50 914X2442 mm (36X96.13 in)
Water Resistance: 7.5 psf
CW-PG50 DP +50/-50
FL31335
Performance Grade A2
Licensee #1016
AAMA/WDMA/CSA/101/I.S.2/A440-11
CW-PG50 1524X2515 mm (60X99 in)
Water Resistance: 7.52 psf
CW-PG50 DP +50/-50
FL31335
Performance Grade Mull
Licensee #917
AAMA 450-10
LC-PG50 1524X2111 mm (60X83.2 in)
Water Resistance: 7.5 psf
LC-PG50 DP 50
FL13150
Performance Grade Overall Assembly
Water Resistance: 7.52 psf
LC-PG50 DP
Paint Specification
Clad Exterior Color: AAMA 2605

Black Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Satin Taupe Folding Handle
Satin Taupe Multi - Point Lock
Extruded Aluminum Screen
Satin Taupe Surround
Bright View Mesh

Unit: A2
Ultimate Casement Picture
Basic Frame 58" X 66"
Rough Opening 59" X 66 1/2"
Ebony Clad Sash Exterior
Bare MGR Douglas Fir Sash Interior
IG - 3/4" - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Black Weather Strip
Standard Mull Charge
4 9/16" Jambs
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
*****Note: Unit Availability and Price is Subject to Change**

Project Subtotal Net Price: USD	174,885.23
0.000% Sales Tax: USD	0.00
Project Total Net Price: USD	174,885.23

⊗ Lines with Errors Exist on Project - Project Pricing is not Valid

PRODUCT AND PERFORMANCE INFORMATION

NFRC Ratings:

NFRC energy ratings may vary depending on the exact configuration of glass thickness used on the unit. NFRC energy values and ratings may change over time due to ongoing product changes, updated test results or requirements. NFRC values and ratings are finalized on the date of manufacture.

The National Fenestration Rating Council (NFRC) has developed and operates a uniform rating system for the energy performance of fenestration products, including windows, doors and skylights. For additional information regarding this rating system, see www.nfrc.org.

Code (residential, building or energy) Compliance:

Determining the suitability and compliance with state, provincial, local, or other applicable building codes or standards, including energy codes, is the responsibility of the buyer, user, architect, contractor, installer, and/or other construction professional.

2021 IECC Climate Zone Map:



ENERGY STAR Version 7 Climate Zone Map:



Contact your Marvin inside service representative for Sliding Door Automatic Control installation pricing.

Sliding Door Automatic Control may not be suitable for corner posts, 90 degree corner units or concrete block applications. The motorized solution requires a minimum of 12 inches between studs for mounting. Please refer to Marvin's site prep guide for additional details.

Door Sill Limitations

High Performance Sill -

WDMA certification is limited to clad units up to CN 40100 panel size. Determining the suitability of these products for use in connections with any building design or design elements (such as appropriate overhangs) and site - specific environmental conditions is the responsibility of the architect, designer, or other building professionals.

PURCHASE APPROVAL/SIGN OFF

Project Subtotal Net Price: USD	**174,885.23**
0.000% Sales Tax: USD	**0.00**
Project Total Net Price: USD	**174,885.23**

⊗ Lines with Errors Exist on Project - Project Pricing is not Valid

I have reviewed all line item quotes in detail and agree that the product specifications and pricing are accurate, and I approve the project for order. I acknowledge that additional charges, tax or Terms and Conditions may apply.

Seller: _____

Buyer: _____