Montana Contracting - Ines MacAdam Soloman Residence
Quote prepared from Drawings A-400.00 and A401.00 Dated 3/11/24

5-23-25

FRANK KELLY
AWD MARVIN DESIGN GALLERY
5 ODELL PLZ STE 141
YONKERS, NY 10701-1406
Phone: (914) 644-4800 Ext.103
Fax: (914) 644-4843
CELL:914-943-8567
Email: fkelly@authenticwindow.com

Quote #: 6LVF5Y2

A Proposal for Window and Door Products prepared for:
End Customer:
Montana Contracting - Ines MacAdam
173 US-9W
Congers, NY 10920

Contact Name: Ines
Phone: (845) 398-1778
Email: Ines@montanacontracting.com

Job Site:
Ines MacAdam
24 Attitash St
Chappaqua, NY 10514

Contact Name: Ines
Phone: (845) 398-1778
Email: ines@montanacontracting.com

Shipping Address:
AWD MARVIN DESIGN GALLERY
5 Odell Plz Ste 141
Yonkers, NY 10701-1406

Project Description:
Soloman Residence
24 Attitash St
Chappaqua, NY 10514

Featuring products from:

MARVIN

UNIT SUMMARY

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes.
Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

LINE	MARK UNIT	PRODUCT LINE	ITEM		QTY	
1	W0.01/02- Type 6	Ultimate	Marvin Assembly RO 97" X 35 5/8" Entered as Size by Units		2	
2	W0.03- Type 5	Ultimate	Marvin Assembly RO 97" X 35 5/8" Entered as Size by Units		1	
3	W0.04- Type 10	Ultimate	Casement Picture CN 6440 RO 65" X 39 5/8" Entered as CN 6440		1	
4	W1.01- Type 2	Ultimate	Marvin Assembly RO 97" X 47 5/8" Entered as Size by Units		1	
5	W1.02- Type 4	Ultimate	Marvin Assembly RO 97" X 55 5/8" Entered as Size by Units		1	
6	W1.03- Type 3	Ultimate	Marvin Assembly RO 97" X 55 5/8" Entered as Size by Units		1	
7	W1.04- Type 15	Ultimate	Marvin Assembly RO 79" X 55 5/8" Entered as Size by Units		1	
8	W1.05- Type 16	Ultimate	Marvin Assembly RO 79" X 55 5/8" Entered as Size by Units		1	
9	D1-02 Type B	Ultimate	Sliding Door (3" Stiles) RO 78" X 78" Entered as RO 78" X 78"		1	
10	D1-03 Type C	Ultimate	Sliding Door (3" Stiles) RO 120" X 78" Entered as RO 120" X 78"		1	
11	W2.01- Type 7	Ultimate	Marvin Assembly RO 65" X 47 5/8" Entered as Size by Units		1	
12	W2.02- Type 2	Ultimate	Marvin Assembly RO 97" X 47 5/8" Entered as Size by Units		1	

13	W2.03- Type 1	Ultimate	Marvin Assembly RO 97" X 47 5/8" Entered as Size by Units		1	
14	W2.04 Egress windows	Ultimate	Marvin Assembly RO 61" X 47 5/8" Entered as Size by Units		1	
15	W2.05/06- Type 9	Ultimate	Casement Picture CN 6048 RO 61" X 47 5/8" Entered as CN 6048		2	
16	W2.07- type 11	Ultimate	Casement CN 2628 RO 27" X 27 5/8" Entered as CN 2628		1	
17	W2.08- Type 9	Ultimate	Casement Picture CN 6048 RO 61" X 47 5/8" Entered as CN 6048		1	
18	W2.09/11- type 12	Ultimate	Casement CN 3648 RO 37" X 47 5/8" Entered as CN 3648		2	
19	W2.10- type 13	Ultimate	Casement CN 3648 RO 37" X 47 5/8" Entered as CN 3648		1	
20	W2.12	Ultimate	Casement Stationary Polygon RO 51" X 62 11/16" Entered as FS 50" X 62"		1	
21	W2.13	Ultimate	Casement Stationary Polygon RO 51" X 42 11/16" Entered as FS 50" X 42"		1	
22	W2.14	Ultimate	Casement Stationary Polygon RO 51" X 24 55/64" Entered as FS 50" X 24 11/64"		1	
23	Skylights	Skylight	Skylight CN 3260 RO 30 1/2" X 58 1/2" Entered as CN 3260		3	
24	Door- D2.01	Ultimate	Outswing French Door G2 CN 2868 RO 34 7/16" X 82 1/2" Entered as CN 2868		1	
25	Delivery	Non-Marvin	Labor Delivery is tailgate		1	

LINE ITEM QUOTES

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes. Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

Line #1 Qty: 2	Mark Unit: W0.01/02- Type 6			

MARVIN



As Viewed From The Exterior

Entered As: Size by Units
FS 96" X 35 1/8"
RO 97" X 35 5/8"
Egress Information A1
No Egress Information available.
Egress Information A2
Width: 28 57/64" Height: 30 1/64"
Net Clear Opening: 6.02 SqFt

Stone White Clad Exterior
Primed Pine Interior
2W1H - Rectangle Assembly
Assembly Rough Opening
97" X 35 5/8"

Unit: A1
Ultimate Casement Picture
CN 6036
Rough Opening 61" X 35 5/8"
Frame Size 60" X 35 1/8"
Stone White Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" - 1 Lite
Low E2/ERS w/Argon
Stainless Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
White Weather Strip
Solid Wood Covers

Unit: A2
Ultimate Casement - Right Hand
CN 3636
Rough Opening 37" X 35 5/8"
Frame Size 36" X 35 1/8"
Stone White Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" - 1 Lite
Low E2/ERS w/Argon
Stainless Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
White Weather Strip
White Folding Handle
White Multi - Point Lock
Aluminum Screen
White Surround
Bright View Mesh
Standard Mull Charge
4 9/16" Jambs
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
*****Note: Unit Availability and Price is Subject to Change**

Initials required

Seller: _____

Buyer: _____

Line #2 Qty: 1	Mark Unit: W0.03- Type 5			

MARVIN

As Viewed From The Exterior

Entered As: Size by Units
FS 96" X 35 1/8"
RO 97" X 35 5/8"
Egress Information A1
Width: 28 57/64" Height: 30 1/64"
Net Clear Opening: 6.02 SqFt
Egress Information A2
No Egress Information available.

Stone White Clad Exterior
Primed Pine Interior
2W1H - Rectangle Assembly
Assembly Rough Opening
97" X 35 5/8"

Unit: A1
Ultimate Casement - Left Hand
CN 3636
Rough Opening 37" X 35 5/8"
Frame Size 36" X 35 1/8"
Stone White Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" - 1 Lite
Low E2/ERS w/Argon
Stainless Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
White Weather Strip
White Folding Handle
White Multi - Point Lock
Aluminum Screen
White Surround
Bright View Mesh

Unit: A2
Ultimate Casement Picture
CN 6036
Rough Opening 61" X 35 5/8"
Frame Size 60" X 35 1/8"
Stone White Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" - 1 Lite
Low E2/ERS w/Argon
Stainless Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
White Weather Strip
Solid Wood Covers
Standard Mull Charge
4 9/16" Jambs
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
*****Note: Unit Availability and Price is Subject to Change**

Initials required

Seller: _____

Buyer: _____

Line #3 Qty: 1	Mark Unit: W0.04- Type 10			

MARVIN

As Viewed From The Exterior

Entered As: CN
CN 6440
FS 64" X 39 1/8"
RO 65" X 39 5/8"
Egress Information
No Egress Information available.

Stone White Clad Exterior
Primed Pine Interior
Ultimate Casement Picture
CN 6440
Rough Opening 65" X 39 5/8"
Frame Size 64" X 39 1/8"
Stone White Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" - 1 Lite
Low E2/ERS w/Argon
Stainless Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
White Weather Strip
Solid Wood Covers
4 9/16" Jambs
Nailing Fin
*****Note: Unit Availability and Price is Subject to Change**

Initials required

Seller: _____

Buyer: _____

Line #4 Qty: 1	Mark Unit: W1.01- Type 2			

MARVIN



As Viewed From The Exterior

Entered As: Size by Units
FS 96" X 47 1/8"
RO 97" X 47 5/8"
Egress Information A1
No Egress Information available.
Egress Information A2
Width: 28 57/64" Height: 42 1/64"
Net Clear Opening: 8.43 SqFt

Stone White Clad Exterior
Primed Pine Interior
2W1H - Rectangle Assembly
Assembly Rough Opening
97" X 47 5/8"

Unit: A1
Ultimate Casement Picture
CN 6048
Rough Opening 61" X 47 5/8"
Frame Size 60" X 47 1/8"
Stone White Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" - 1 Lite
Low E2/ERS w/Argon
Stainless Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
White Weather Strip
Solid Wood Covers

Unit: A2
Ultimate Casement - Right Hand
CN 3648
Rough Opening 37" X 47 5/8"
Frame Size 36" X 47 1/8"
Stone White Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" - 1 Lite
Low E2/ERS w/Argon

Stainless Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
White Weather Strip
White Folding Handle
White Multi - Point Lock
Aluminum Screen
White Surround
Bright View Mesh
Standard Mull Charge
4 9/16" Jambs
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
*****Note: Unit Availability and Price is Subject to Change**

Initials required

Seller: _____

Buyer: _____

Line #5 Qty: 1	Mark Unit: W1.02- Type 4			

MARVIN



As Viewed From The Exterior

Entered As: Size by Units
FS 96" X 55 1/8"
RO 97" X 55 5/8"
Egress Information A1
No Egress Information available.
Egress Information A2
Width: 28 57/64" Height: 50 1/64"
Net Clear Opening: 10.03 SqFt

Stone White Clad Exterior
Primed Pine Interior
2W1H - Rectangle Assembly
Assembly Rough Opening
97" X 55 5/8"

Unit: A1
Ultimate Casement Picture
CN 6056
Rough Opening 61" X 55 5/8"
Frame Size 60" X 55 1/8"
Stone White Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" - 1 Lite
Low E2/ERS w/Argon
Stainless Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
White Weather Strip
Solid Wood Covers

Unit: A2
Ultimate Casement - Right Hand
CN 3656
Rough Opening 37" X 55 5/8"
Frame Size 36" X 55 1/8"
Stone White Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" - 1 Lite
Low E2/ERS w/Argon
Stainless Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail

White Weather Strip
White Folding Handle
White Multi - Point Lock
Extruded Aluminum Screen
White Surround
Bright View Mesh
Standard Mull Charge
4 9/16" Jambs
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
*****Note: Unit Availability and Price is Subject to Change**

Initials required

Seller: _____

Buyer: _____

Line #6 Qty: 1	Mark Unit: W1.03- Type 3			

MARVIN



As Viewed From The Exterior

Entered As: Size by Units
FS 96" X 55 1/8"
RO 97" X 55 5/8"
Egress Information A1
Width: 28 57/64" Height: 50 1/64"
Net Clear Opening: 10.03 SqFt
Egress Information A2
No Egress Information available.

Stone White Clad Exterior
Primed Pine Interior
2W1H - Rectangle Assembly
Assembly Rough Opening
97" X 55 5/8"

Unit: A1
Ultimate Casement - Left Hand
CN 3656
Rough Opening 37" X 55 5/8"
Frame Size 36" X 55 1/8"
Stone White Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" - 1 Lite
Low E2/ERS w/Argon
Stainless Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
White Weather Strip
White Folding Handle
White Multi - Point Lock
Extruded Aluminum Screen
White Surround
Bright View Mesh

Unit: A2
Ultimate Casement Picture
CN 6056
Rough Opening 61" X 55 5/8"
Frame Size 60" X 55 1/8"
Stone White Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" - 1 Lite
Low E2/ERS w/Argon
Stainless Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail

White Weather Strip
Solid Wood Covers
Standard Mull Charge
4 9/16" Jambs
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
*****Note: Unit Availability and Price is Subject to Change**

Initials required

Seller: _____

Buyer: _____

Line #7 Qty: 1	Mark Unit: W1.04- Type 15			

MARVIN



As Viewed From The Exterior

Entered As: Size by Units
FS 78" X 55 1/8"
RO 79" X 55 5/8"
Egress Information A1
Width: 22 57/64" Height: 50 1/64"
Net Clear Opening: 7.95 SqFt
Egress Information A2
No Egress Information available.

Stone White Clad Exterior
Primed Pine Interior
2W1H - Rectangle Assembly
Assembly Rough Opening
79" X 55 5/8"

Unit: A1
Ultimate Casement - Left Hand
CN 3056
Rough Opening 31" X 55 5/8"
Frame Size 30" X 55 1/8"
Stone White Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" - 1 Lite
Low E2/ERS w/Argon
Stainless Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
White Weather Strip
White Folding Handle
White Multi - Point Lock
Extruded Aluminum Screen
White Surround
Bright View Mesh

Unit: A2
Ultimate Casement Picture
CN 4856
Rough Opening 49" X 55 5/8"
Frame Size 48" X 55 1/8"
Stone White Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" - 1 Lite
Low E2/ERS w/Argon
Stainless Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
White Weather Strip
Solid Wood Covers
Standard Mull Charge
4 9/16" Jambs

Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
*****Note: Unit Availability and Price is Subject to Change**

Initials required

Seller: _____

Buyer: _____

Line #8 Qty: 1	Mark Unit: W1.05- Type 16			

MARVIN



As Viewed From The Exterior

Entered As: Size by Units
FS 78" X 55 1/8"
RO 79" X 55 5/8"
Egress Information A1
No Egress Information available.
Egress Information A2
Width: 22 57/64" Height: 50 1/64"
Net Clear Opening: 7.95 SqFt

Stone White Clad Exterior
Primed Pine Interior
2W1H - Rectangle Assembly
Assembly Rough Opening
79" X 55 5/8"

Unit: A1
Ultimate Casement Picture
CN 4856
Rough Opening 49" X 55 5/8"
Frame Size 48" X 55 1/8"
Stone White Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" - 1 Lite
Low E2/ERS w/Argon
Stainless Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
White Weather Strip
Solid Wood Covers

Unit: A2
Ultimate Casement - Right Hand
CN 3056
Rough Opening 31" X 55 5/8"
Frame Size 30" X 55 1/8"
Stone White Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" - 1 Lite
Low E2/ERS w/Argon
Stainless Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
White Weather Strip
White Folding Handle
White Multi - Point Lock
Extruded Aluminum Screen
White Surround
Bright View Mesh
Standard Mull Charge
4 9/16" Jambs
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual

unit certification ratings. Reference the mulling chapter of the ADM for additional information.
*****Note: Unit Availability and Price is Subject to Change**

Initials required

Seller: _____

Buyer: _____

Line #9 Qty: 1	Mark Unit: D1-02 Type B			

MARVIN



As Viewed From The Exterior

Entered As: RO
FS 77" X 77 1/2"
RO 78" X 78"
Egress Information
Width: 30 15/16" Height: 73 7/8"
Net Clear Opening: 15.87 SqFt

Stone White Clad Exterior
Primed Pine Interior
Ultimate Sliding Door (3" Stiles) 4 9/16" - XO
Rough Opening 78" X 78"
Glass Add For All Sash/Panels
Left Panel
Stone White Clad Sash Exterior
Primed Pine Sash Interior
IG - 1 Lite
Tempered Low E2/ERS w/Argon
Stainless Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Right Panel
Stone White Clad Sash Exterior
Primed Pine Sash Interior
IG - 1 Lite
Tempered Low E2/ERS w/Argon
Stainless Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Harp G2 Handle(s)
Harp G2 Interior Handle(s)
2 Point Multi-Point Lock on Active Panel
White Active Exterior Handle Set on Active Panel Keyed
White Active Interior Handle Set on Active Panel
Keyed
Keyed Alike - Keyed Alike Group 1
Exterior Ultimate Sliding Screen G2
Stone White Surround
Bright View Mesh
***Screen/Combo Ship Loose
Ebony Performance Sill
Black Weather Strip
4 9/16" Jambs
Thru Jamb Installation
*****Note: Unit Availability and Price is Subject to Change**

Initials required

Seller: _____

Buyer: _____

Line #10 Qty: 1	Mark Unit: D1-03 Type C			

MARVIN



As Viewed From The Exterior

Entered As: RO
FS 119" X 77 1/2"
RO 120" X 78"
Egress Information
Width: 31 15/16" Height: 73 7/8"
Net Clear Opening: 16.39 SqFt

Stone White Clad Exterior
Primed Pine Interior
Ultimate Sliding Door (3" Stiles) 4 9/16" - OXO Right Hand
Rough Opening 120" X 78"
**Operator Panels Ship Separate
Glass Add For All Sash/Panels
Left Panel
Stone White Clad Sash Exterior
Primed Pine Sash Interior
IG - 1 Lite
Tempered Low E2/ERS w/Argon
Stainless Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Center Panel
Stone White Clad Sash Exterior
Primed Pine Sash Interior
IG - 1 Lite
Tempered Low E2/ERS w/Argon
Stainless Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Right Panel
Stone White Clad Sash Exterior
Primed Pine Sash Interior
IG - 1 Lite
Tempered Low E2/ERS w/Argon
Stainless Perimeter Bar
Square Exterior Glazing Profile
Square Interior Glazing Profile
Harp G2 Handle(s)
Harp G2 Interior Handle(s)
2 Point Multi-Point Lock on Active Panel
White Active Exterior Handle Set on Active Panel Keyed
White Active Interior Handle Set on Active Panel
Keyed
Keyed Alike - Keyed Alike Group 1
Exterior Ultimate Sliding Screen G2
Stone White Surround
Bright View Mesh
***Screen/Combo Ship Loose
Ebony Performance Sill
Black Weather Strip
4 9/16" Jambs
Thru Jamb Installation
Skid Plate Applied
*****Note: Unit Availability and Price is Subject to Change**

Initials required

Seller: _____

Buyer: _____

Line #11 Qty: 1	Mark Unit: W2.01- Type 7			

MARVIN

Stone White Clad Exterior
Primed Pine Interior
2W1H - Rectangle Assembly
Assembly Rough Opening
65" X 47 5/8"

Unit: A1



As Viewed From The Exterior

Entered As: Size by Units
FS 64" X 47 1/8"
RO 65" X 47 5/8"
Egress Information A1, A2
No Egress Information available.

Ultimate Casement - Stationary
CN 2448
Rough Opening 25" X 47 5/8"
Frame Size 24" X 47 1/8"
Stone White Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" - 1 Lite
Low E2/ERS w/Argon
Stainless Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
White Weather Strip
Solid Wood Covers

Unit: A2
Ultimate Casement Picture
CN 4048
Rough Opening 41" X 47 5/8"
Frame Size 40" X 47 1/8"
Stone White Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" - 1 Lite
Low E2/ERS w/Argon
Stainless Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
White Weather Strip
Solid Wood Covers
Standard Mull Charge
4 9/16" Jambs
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
*****Note: Unit Availability and Price is Subject to Change**

Initials required

Seller: _____

Buyer: _____

Line #12 Qty: 1	Mark Unit: W2.02- Type 2			

MARVIN



As Viewed From The Exterior

Entered As: Size by Units
FS 96" X 47 1/8"
RO 97" X 47 5/8"
Egress Information A1

Stone White Clad Exterior
Primed Pine Interior
2W1H - Rectangle Assembly
Assembly Rough Opening
97" X 47 5/8"

Unit: A1
Ultimate Casement Picture
CN 6048
Rough Opening 61" X 47 5/8"
Frame Size 60" X 47 1/8"
Stone White Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" - 1 Lite
Low E2/ERS w/Argon

No Egress Information available.
Egress Information A2
Width: 28 57/64" Height: 42 1/64"
Net Clear Opening: 8.43 SqFt

Stainless Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
White Weather Strip
Solid Wood Covers

Unit: A2
Ultimate Casement - Right Hand
CN 3648
Rough Opening 37" X 47 5/8"
Frame Size 36" X 47 1/8"
Stone White Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" - 1 Lite
Low E2/ERS w/Argon
Stainless Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
White Weather Strip
White Folding Handle
White Multi - Point Lock
Aluminum Screen
White Surround
Bright View Mesh
Standard Mull Charge
4 9/16" Jambs
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
*****Note: Unit Availability and Price is Subject to Change**

Initials required

Seller: _____

Buyer: _____

Line #13 Qty: 1	Mark Unit: W2.03- Type 1			

MARVIN



As Viewed From The Exterior

Entered As: Size by Units
FS 96" X 47 1/8"
RO 97" X 47 5/8"
Egress Information A1
Width: 28 57/64" Height: 42 1/64"
Net Clear Opening: 8.43 SqFt
Egress Information A2
No Egress Information available.

Stone White Clad Exterior
Primed Pine Interior
2W1H - Rectangle Assembly
Assembly Rough Opening
97" X 47 5/8"

Unit: A1
Ultimate Casement - Left Hand
CN 3648
Rough Opening 37" X 47 5/8"
Frame Size 36" X 47 1/8"
Stone White Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" - 1 Lite
Low E2/ERS w/Argon
Stainless Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail

White Weather Strip
White Folding Handle
White Multi - Point Lock
Aluminum Screen
White Surround
Bright View Mesh

Unit: A2
Ultimate Casement Picture
CN 6048
Rough Opening 61" X 47 5/8"
Frame Size 60" X 47 1/8"
Stone White Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" - 1 Lite
Low E2/ERS w/Argon
Stainless Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
White Weather Strip
Solid Wood Covers
Standard Mull Charge
4 9/16" Jambs
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
*****Note: Unit Availability and Price is Subject to Change**

Initials required

Seller: _____

Buyer: _____

Line #14 Qty: 1	Mark Unit: W2.04 Egress windows			

MARVIN



As Viewed From The Exterior

Entered As: Size by Units
FS 60" X 47 1/8"
RO 61" X 47 5/8"
Egress Information A1, A2
Width: 22 57/64" Height: 42 1/64"
Net Clear Opening: 6.68 SqFt

Stone White Clad Exterior
Primed Pine Interior
2W1H - Rectangle Assembly
Assembly Rough Opening
61" X 47 5/8"

Unit: A1
Ultimate Casement - Left Hand
CN 3048
Rough Opening 31" X 47 5/8"
Frame Size 30" X 47 1/8"
Stone White Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" - 1 Lite
Low E2/ERS w/Argon
Stainless Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
White Weather Strip
White Folding Handle
White Multi - Point Lock
Aluminum Screen

White Surround
Bright View Mesh

Unit: A2
Ultimate Casement - Right Hand
CN 3048
Rough Opening 31" X 47 5/8"
Frame Size 30" X 47 1/8"
Stone White Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" - 1 Lite
Low E2/ERS w/Argon
Stainless Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
White Weather Strip
White Folding Handle
White Multi - Point Lock
Aluminum Screen
White Surround
Bright View Mesh
Standard Mull Charge
4 9/16" Jambs
Nailing Fin
***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information.
*****Note: Unit Availability and Price is Subject to Change**

Initials required

Seller: _____

Buyer: _____

Line #15 Qty: 2	Mark Unit: W2.05/06- Type 9			

MARVIN

As Viewed From The Exterior

Entered As: CN
CN 6048
FS 60" X 47 1/8"
RO 61" X 47 5/8"
Egress Information
No Egress Information available.

Stone White Clad Exterior
Primed Pine Interior
Ultimate Casement Picture
CN 6048
Rough Opening 61" X 47 5/8"
Frame Size 60" X 47 1/8"
Stone White Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" - 1 Lite
Low E2/ERS w/Argon
Stainless Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
White Weather Strip
Solid Wood Covers
4 9/16" Jambs
Nailing Fin
*****Note: Unit Availability and Price is Subject to Change**

Initials required

Seller: _____

Buyer: _____

Line #16 Qty: 1	Mark Unit: W2.07- type 11			

MARVIN



As Viewed From The Exterior

Entered As: CN
CN 2628
FS 26" X 27 1/8"
RO 27" X 27 5/8"
Egress Information
Width: 18 57/64" Height: 22 1/64"
Net Clear Opening: 2.89 SqFt

Stone White Clad Exterior
Primed Pine Interior
Ultimate Casement - Left Hand
CN 2628
Rough Opening 27" X 27 5/8"
Frame Size 26" X 27 1/8"
Stone White Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" - 1 Lite
Tempered Low E2/ERS w/Argon
Stainless Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
White Weather Strip
White Folding Handle
White Multi - Point Lock
Aluminum Screen
White Surround
Bright View Mesh
4 9/16" Jambs
Nailing Fin
*****Note: Unit Availability and Price is Subject to Change**

Initials required

Seller: _____

Buyer: _____

Line #17 Qty: 1	Mark Unit: W2.08- Type 9			

MARVIN

As Viewed From The Exterior

Entered As: CN
CN 6048
FS 60" X 47 1/8"
RO 61" X 47 5/8"
Egress Information
No Egress Information available.

Stone White Clad Exterior
Primed Pine Interior
Ultimate Casement Picture
CN 6048
Rough Opening 61" X 47 5/8"
Frame Size 60" X 47 1/8"
Stone White Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" - 1 Lite
Tempered Low E2/ERS w/Argon
Stainless Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
White Weather Strip
Solid Wood Covers
4 9/16" Jambs
Nailing Fin
*****Note: Unit Availability and Price is Subject to Change**

Initials required

For product warranty information please visit, www.marvin.com/support/warranty.

Seller: _____

Buyer: _____

Line #18 Qty: 2	Mark Unit: W2.09/11- type 12			

MARVIN



As Viewed From The Exterior

Entered As: CN
CN 3648
FS 36" X 47 1/8"
RO 37" X 47 5/8"
Egress Information
Width: 28 57/64" Height: 42 1/64"
Net Clear Opening: 8.43 SqFt

Stone White Clad Exterior
Primed Pine Interior
Ultimate Casement - Left Hand
CN 3648
Rough Opening 37" X 47 5/8"
Frame Size 36" X 47 1/8"
Stone White Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" - 1 Lite
Low E2/ERS w/Argon
Stainless Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
White Weather Strip
White Folding Handle
White Multi - Point Lock
Aluminum Screen
White Surround
Bright View Mesh
4 9/16" Jambs
Nailing Fin
*****Note: Unit Availability and Price is Subject to Change**

Initials required

Seller: _____

Buyer: _____

Line #19 Qty: 1	Mark Unit: W2.10- type 13			

MARVIN



As Viewed From The Exterior

Stone White Clad Exterior
Primed Pine Interior
Ultimate Casement - Right Hand
CN 3648
Rough Opening 37" X 47 5/8"
Frame Size 36" X 47 1/8"
Stone White Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" - 1 Lite
Low E2/ERS w/Argon
Stainless Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
White Weather Strip
White Folding Handle
White Multi - Point Lock
Aluminum Screen
White Surround

Entered As: CN
CN 3648
FS 36" X 47 1/8"
RO 37" X 47 5/8"
Egress Information
Width: 28 57/64" Height: 42 1/64"
Net Clear Opening: 8.43 SqFt

Bright View Mesh
4 9/16" Jambs
Nailing Fin
*****Note: Unit Availability and Price is Subject to Change**

Initials required

Seller: _____

Buyer: _____

Line #20 Qty: 1	Mark Unit: W2.12			

MARVIN



As Viewed From The Exterior

Entered As: FS
FS 50" X 62"
RO 51" X 62 11/16"
Egress Information
No Egress Information available.

Stone White Clad Exterior
Primed Pine Interior
Ultimate Casement Stationary Polygon -
P4-6
Frame Size 50" X 62"
S1 Frame Size 45 21/64"
Rough Opening 51" X 62 11/16"
S1 Rough Opening 45 11/16"
#VERIFY PITCH
4" / 12" Pitch
Stone White Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" - 1 Lite
Low E2/ERS w/Argon
Stainless Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
White Weather Strip
Solid Wood Covers
4 9/16" Jambs
Nailing Fin
Non system generated Pricing
*****Note: Unit Availability and Price is Subject to Change**

Initials required

Seller: _____

Buyer: _____

Line #21 Qty: 1	Mark Unit: W2.13			

MARVIN

Stone White Clad Exterior
Primed Pine Interior
Ultimate Casement Stationary Polygon -
P4-6
Frame Size 50" X 42"
S1 Frame Size 25 21/64"
Rough Opening 51" X 42 11/16"
S1 Rough Opening 25 11/16"
#VERIFY PITCH
4" / 12" Pitch
Stone White Clad Sash Exterior
Primed Pine Sash Interior



Entered As: FS
FS 50" X 42"
RO 51" X 42 11/16"
Egress Information
No Egress Information available.

IG - 3/4" - 1 Lite
Low E2/ERS w/Argon
Stainless Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
White Weather Strip
Solid Wood Covers
4 9/16" Jambs
Nailing Fin
Non system generated Pricing
*****Note: Unit Availability and Price is Subject to Change**

Initials required

Seller: _____

Buyer: _____

Line #22 Qty: 1	Mark Unit: W2.14			

MARVIN



Entered As: FS
FS 50" X 24 11/64"
RO 51" X 24 55/64"
Egress Information
No Egress Information available.

Stone White Clad Exterior
Primed Pine Interior
Ultimate Casement Stationary Polygon -
P4-6
Frame Size 50" X 24 11/64"
S1 Frame Size 7 1/2"
Rough Opening 51" X 24 55/64"
S1 Rough Opening 7 55/64"
#VERIFY SHORT LEG HGT AND PITCH
4" / 12" Pitch
Stone White Clad Sash Exterior
Primed Pine Sash Interior
IG - 3/4" - 1 Lite
Low E2/ERS w/Argon
Stainless Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
White Weather Strip
Solid Wood Covers
4 9/16" Jambs
Nailing Fin
Non system generated Pricing
*****Note: Unit Availability and Price is Subject to Change**

Initials required

Seller: _____

Buyer: _____

Line #23 Qty: 3	Mark Unit: Skylights			

MARVIN

Gunmetal Exterior
White Interior
Skylight
CN 3260



As Viewed From The Exterior

Entered As: CN
CN 3260
FS 34 21/32" X 62 21/32"
RO 30 1/2" X 58 1/2"
Egress Information
No Egress Information available.

Rough Opening 30 1/2" X 58 1/2"
IG - 1 Lite
Laminated Tempered Low E3/ERS w/Argon
Black Perimeter Bar
Flashing Kit
Deck Mount Installation Option
Unit Approximate Calculated Packaged Weight, 82 lbs.
*****Note: Unit Availability and Price is Subject to Change**

Initials required

Seller: _____

Buyer: _____

Line #24 Qty: 1	Mark Unit: Door- D2.01			

MARVIN



As Viewed From The Exterior

Entered As: CN
CN 2868
FS 33 7/16" X 82"
RO 34 7/16" X 82 1/2"
Egress Information
Width: 28 1/64" Height: 78 3/8"
Net Clear Opening: 15.25 SqFt

Stone White Clad Exterior
Primed Pine Interior
Ultimate Outswing French Door G2 4 9/16" - X Left Hand
CN 2868
Rough Opening 34 7/16" X 82 1/2"
Glass Add For All Sash/Panels
Stone White Clad Sash Exterior
Primed Pine Sash Interior
IG - 1 Lite
Tempered Low E2/ERS w/Argon
Stainless Perimeter Bar
Putty Exterior Glazing Profile
Ogee Interior Glazing Profile
Standard Bottom Rail
Traditional Lever(s)
Multi-Point Lock on Active Panel
White Active Exterior Handle Set on Active Panel Keyed
White Active Interior Handle Set on Active Panel
Keyed
Keyed Alike - Keyed Alike Group 1
White Adjustable Hinges 3 Per Panel-
Ebony Performance Sill
Black Weather Strip
4 9/16" Jambs
Thru Jamb Installation
*****Note: Unit Availability and Price is Subject to Change**

Initials required

Seller: _____

Buyer: _____

Line #25 Qty: 1	Mark Unit: Delivery			

Labor Delivery is tailgate
Initials required

Seller: _____

Buyer: _____

TERMS AND CONDITIONS

This Agreement is tendered to the named Purchaser (hereinafter referred to as "Purchaser" or "Customer") by Authentic Window Design, 5 Odell Plaza, Yonkers, NY 10701 (hereinafter referred to as "AWD" or "Company") for the service to be provided to the named Purchaser.
Product/Service Description: See attached product summary for specifications, quantities, and all other product details, if applicable.

- The Purchaser and/or homeowner will be required to verify and sign off on all specifications, sizes, and/or light cuts. No order can be placed without proper signoffs.
- AWD is not responsible for any Rough Opening which might have been altered after the order was placed.

Execution of this Contract Means You Have Read the Above Statements!
Terms: The undersigned agrees to pay in accordance with the payment schedule set forth below, and hereby warrants that:

1. They are the owner of the subject premises and/or are empowered to enter into a contract for this product/service.
2. They have read this document and agree with the Terms and Product/Service as set forth.

Acceptance of Agreement: Any changes or modifications must be in writing and signed by both parties. AWD is authorized to place the order as specified. Payments will be made as outlined below.

- **The attached proposal, outlining products, specifications and associated costs, is valid for 30 days from the date it was presented.**

"CURB-SIDE" Delivery:
Customer must provide manpower and equipment to take the product from the tailgate of the truck, or from the container upon delivery.

Total Contract Amount: $ 74,156.11
Payment Schedule:

- **$ 37,156.11 Upon acceptance of this contract**
- **$ 37,000.00 Prior to delivery of materials or pick-up from AWD Warehouse**

Payment by Credit Card:
In NY and NJ, AWD imposes a surcharge of 3.25% on payments made by credit card, which is not greater than our cost of acceptance. We do not impose a surcharge on payments made by debit card.
Buyer's Right to Cancel:
Cancellation is possible within three business days of signing if solicited at or near your residence.

Notice of Cancellation: To cancel, send an email to your AWD representative no later than midnight of the third business day following the signing. If you do not receive confirmation of the cancellation within 24 hours, please call your AWD representative to confirm the email was received.

Contract was signed (please initial one): In showroom_____ At or near the residence _____

Please Note:

1. Prior to delivery, all open balances MUST be paid.
    1. If a partial delivery is made, payment for the delivered material will be required.
    2. If a delivery must be rescheduled due to non-payment, a $250 extra delivery fee will be applied.
2. Any invoice outstanding for more than 30 days after the date of invoice will be subject to a charge of one-and-a-half (1.5) percent per month (18% annual) interest rate. Should it become necessary to utilize legal or other resources to collect any or all monies due, AWD shall be entitled to full reimbursement of all such costs, including but not limited to reasonable attorney's fees, collection fees or court fees.
3. The order is correct as stated above; no exchanges, refunds, or cancellations are permitted. Please review all window and door operations and light cuts (if applicable). AWD is not responsible for any delays in manufacturing or shipping beyond our control.
4. All drawings are as viewed from the exterior.

Material Delivery Terms:

- All materials will be delivered to the Purchaser within seven days of AWD receiving a substantial portion of the materials from the Manufacturer, or on or about the delivery date requested at time of order, whichever is later.
- If the Purchaser needs the materials to be held by AWD for longer than seven calendar days, the Purchaser will be invoiced, and payment will be immediately due in full for the materials. At that time, the Warehouse and Storage Agreement included within this contract will become active and legally binding.
- AWD will temporarily hold the materials in our warehouse for 7 days from the date of the final material invoice with no storage fee to the customer.
- Partial deliveries will be agreed upon in advance, noted within the contract, and are subject to the terms above.

Complete Agreement:
The foregoing is the complete agreement between the Purchaser and AWD unless a written amendment is made and signed by both parties.
Acceptance:

Signature of Purchaser: _____

Date: _____

PURCHASE APPROVAL/SIGN OFF

Project Subtotal Net Price: USD	**68,250.48**
Delivery: USD	**175.00**
8.375% Sales Tax: USD	**5,730.63**
Project Total Net Price: USD	**74,156.11**

I have reviewed all line item quotes in detail and agree that the product specifications and pricing are accurate, and I approve the project for order. I acknowledge that additional charges, tax or Terms and Conditions may apply.

BUYER:

Signature: _____

Title: _____

Date: _____

Seller: _____

Buyer: _____