

Platform Architecture


One artist's catalogue, many outreach channels, one substrate.

Generated by `infra/platform_architecture.py` · 2026-08-06 · source of record docs/PLATFORM-SPEC.md · submission deadline 2026-08-18 17:00 EDT

Agents do not call each other. They read shared memory, act, write the result back, and the next agent finds that write waiting for it. There is no orchestrator, no agent-to-agent RPC and no message broker. A campaign advances because a row changed.

This is the design, dated 2026-08-06. It is not a report on the build, and by 2026-08-13 the two have diverged in three ways worth knowing before page 2. Migration 005 replaced the counterparty-shaped root with a party, so several table names on the data-model page were never created — including `counterparty_observation`, which is why the Analyst has nothing to wake it. The changefeed is **written and not created**: the fleet claims due leads by lease, and `SHOW CHANGEFEED JOBS` returns zero rows. And the fleet that exists is a pipeline of ten ingest and enrichment stages rather than the eight named roles on page 4. The audit pages that follow are held to a stricter standard than these first four — they are status, and carry only what is true today. `docs/submission/TOOLS.md` is what shipped, verified against the cluster.

THE SPINE — analysed once



Why one store

JOB	WHAT IT HOLDS	WHERE
Memory	What we know about a track, an artist, a counterparty — and what we have learned	party_fact · party_chunk · lesson
State	Where every conversation with every counterparty currently stands	campaign · thread · message
Coordination	Which agent owns which work item right now, and for how long	lead.owner_agent · lead.lease_expires_at · outbox
Event bus	Row changes, streamed, as the signal that wakes the next agent	CHANGEFEED FOR thread, outbox, message — written, not created

The conventional stack for these four jobs is Postgres + a vector service + Redis + a queue: four systems, three seams, and every seam is a place two agents can disagree about reality. This is a consolidation and correctness argument — **not** a scale argument. See the verdict on the audit pages.

The data model

Every fact carries how it was obtained. Processes contribute facts; they do not only consume them.

Spine

TABLE	COLUMNS (ABRIDGED)	NOTE
tenant	id, slug, name	
artist	id, tenant_id, slug, name, status	the root — everything compounds here
track	id, tenant_id, artist_id, title, isrc, master_key, status	

Derived facts — analysed once

TABLE	COLUMNS (ABRIDGED)	NOTE
track_measurement	bpm, musical_key, drop_ms, hook_start_ms, energy_curve_json, method	MEASURED · one row, permanent
track_character	mood, era, reference_artists[], embedding VECTOR(1024), model_version	INFERRED · versioned via supersedes_id
track_rights	master_owner, publishing_json, splits_json, clearance_state, asserted_by	ASSERTED · a human is accountable
artist_audience	model_version, position_json, confidence, supersedes_id	INFERRED · inherited by tracks

Counterparty — one shape, five kinds

TABLE	COLUMNS (ABRIDGED)	NOTE
counterparty	kind, platform, handle, bio, profile_embedding VECTOR(1024)	kind: creator radio curator press sync
counterparty_contact	channel, address, role, verified	email dm manager_email
counterparty_observation	dimension, bucket, share, provenance, source, confidence, error_bar_pp	APPEND ONLY · never overwritten

Outreach

TABLE	COLUMNS (ABRIDGED)	NOTE
campaign	artist_id, track_id, channel, goal, state	
thread	campaign_id, counterparty_id, state, next_action_at, owner_agent, lease_expires_at	state machine AND lock, one row
message	direction, channel, subject, body, provider_message_id, idempotency_key	idempotency_key UNIQUE
outbox	kind, payload_json, state, attempts, claimed_by, not_before	the irreversible act, transactionally

Memory and fleet

TABLE	COLUMNS (ABRIDGED)	NOTE
lesson	scope_kind, scope_id, text, evidence_json, embedding VECTOR(1024), supersedes_id	scope: artist counterparty_kind channel global
agent_run	agent_kind, thread_id, input_json, output_json, model, cost_cents, error	makes the fleet restartable, decisions explainable
channel_playbook	channel, state_machine_json, cadence_json, draft_system_prompt, success_metric	a channel is data, not code

The fleet

Eight agents. None of them names another.

Who wakes whom

ROW CHANGE	WAKES	WHICH THEN
thread.state -> shortlisted	Researcher	enriches the counterparty, writes observations
thread.state -> approved	Drafter	retrieves lessons, drafts, sets awaiting_human
thread.state -> queued	Drafter	writes the outbox row — the human has approved
outbox insert	Sender	sends, records provider_message_id
message insert, direction=inbound	Inbox	classifies intent, sets the next state
counterparty_observation insert	Analyst	updates the audience model, may write a lesson

What each agent owns

AGENT	PURPOSE	READS	WRITES
Scout	Find counterparties worth approaching	track_character, counterparty	counterparty, thread(discovered)
Researcher	Enrich one counterparty	counterparty	counterparty_observation
Drafter	Write the outreach	lesson, track_*, counterparty_*	message(outbound), thread
Sender	Perform the irreversible act	outbox	message.sent_at, outbox.state
Inbox	Classify replies, decide next action	message(inbound)	thread.state, lesson
Negotiator	Drive rate and terms to agreement	thread, message, lesson	message(outbound), thread
Analyst	Update the audience model, kill dead hypotheses	counterparty_observation, results	artist_audience, lesson
RemixKit	Generate the assets a brief needs	track_*, artist identity	assets, agent_run

RemixKit is a tool the Drafter calls, not a peer. The topology above is a property of the data, not of any code: no agent imports, addresses or awaits another.

Audit — the verdict

Whether this is the right database, and what has already been decided.

Is CockroachDB the right tool?

Yes for this system, on a narrow argument — and the narrow argument has to be the one presented. At this volume Postgres would serve the workload, and any claim otherwise is false. What is bought is one store instead of four, and correctness defaults that cannot be forgotten. That is a real engineering reason. It is not a scale reason, and presenting it as one would be the dishonest version of this document.

DIMENSION	WINNER	WHY
Scale	NEITHER	Thousands of counterparties, hundreds of sends a day. Neither engine is stretched. Not a differentiator.
Vectors in the same transaction	TIE	pgvector gives this too. It is a reason to avoid Pinecone, not a reason to pick Cockroach.
Serializable by default	COCKROACH	Postgres defaults to Read Committed. Two agents writing lessons about one counterparty silently lose an update. Here the footgun cannot be forgotten — at the cost of retries.
Changefeeds as a first-class feature	COCKROACH, unclaimed	Postgres logical decoding plus Debezium is a project; here it is one DDL statement, and that statement is composed and not run. Worth the row for honesty about the comparison, worth nothing as an argument until SHOW CHANGEFEED JOBS returns one.
Scale to zero at \$0 idle	COCKROACH, narrowly	Matches the measured cost model. Neon and Aurora Serverless v2 also scale to zero, so this is a convenience, not a moat.
Ecosystem, ORMs, answers to obscure questions	POSTGRES	PG-wire compatible is not PG-identical. Expect to hit edges.

Decided

DECISION	WHERE	REASONING
The artist is the spine, not the track	SCOPE-RESET \$1	Counterparty relationships, the audience model and lessons compound on the artist. A track-rooted schema restarts cold every release.
A track is analysed once; processes query those facts	SCOPE-RESET \$2	Five outreach kinds share one counterparty shape, so it is one index and one engine, not six channel tools.
Processes contribute facts, not only consume them	SCOPE-RESET \$2a	The failure MEMORY-SPEC diagnosed in RemixKit — read-only memory — must not repeat.
Agents coordinate through the store, not through each other	PLATFORM-SPEC \$0	No orchestrator, no agent-to-agent RPC, no broker.
CockroachDB, on consolidation and correctness — not scale	PLATFORM-SPEC \$1	At this volume Postgres would serve it. Claiming scale would be the dishonest version.
Two channels by Aug 18: UGC and radio	PLATFORM-SPEC \$7	One cannot show the substrate is generic; five multiplies integration surface that is not memory-layer work.

Audit — open, verified, at risk

Everything not yet settled, and everything asserted that has not been checked. Status as of 2026-08-13, against the live cluster and AWS account.

Open

QUESTION	URGENCY	STATE
Counterparty acquisition method	RESOLVED	Public registers, not scraping. The FCC broadcast register, Radio Browser and Wikipedia feed the index; Pillar 10 \$4's 'no scraper, ever' is met by never needing one. Inferred parties still reach contact only via the suggestion queue.
Creating the changefeed	HIGH — the last gate on \$4	The feed is written and the job does not exist. Creating it starts a continuous RU draw against a free allowance whose rate is still unpublished. A human spends that, not a deploy. Until then the poller is the wake mechanism, by design.
Repository topology	LOW — cosmetic until launch	Platform here with RemixKit beneath it, or a new repo with this one vendored.
Tenancy	LOW — policy, not schema	tenant_id is on every table regardless. One label, or a product from commit one.

Verification status

CLAIM	STATUS	SOURCE / ACTION
Vector index available on CockroachDB Basic	VERIFIED	Vendor pricing page, via infra/MEMORY-WORKLOAD.md (2026-07-26)
Basic scales to zero; 50M RU + 10 GiB free per month	VERIFIED	Vendor pricing page; restated on the Basic cluster planning page (2026-08-06)
Changefeeds available on CockroachDB Basic	VERIFIED	Cockroach's own Basic cluster planning page: 'running a changefeed to an external sink, also consumes RUs'. Third-party claims that serverless disables changefeeds date from 2021-22 and are stale. Checked 2026-08-06.
Vector-index filters accelerate on prefix columns with equality/IN only	VERIFIED	Vector index docs: 'Index acceleration with filters is only supported if the filters match prefix columns.' Range comparisons and subqueries fall back to post-filtering. R1 was amended for this — see reference/COCKROACHDB-AI.md.
feature.vector_index.enabled settable on a Basic cluster	VERIFIED	The day-1 go/no-go, and it never needed setting: already 't' on the Basic cluster. Four cosine vector indexes are live, and EXPLAIN resolves prefix spans on all of them — asserted by tests/test_vector_plans.py, not by a comment.
RU cost of a filtered vector scan	UNVERIFIED	Not published anywhere. Stated as headroom, never as spend. Measure on day 1.
RU cost of a continuously running changefeed	UNVERIFIED	Still unmeasured, because the feed is written and deliberately not created — measuring it means starting the continuous draw. SHOW CHANGEFEED JOBS returns zero rows and every document in the repository is required to say so.
Amazon Bedrock as embedding provider or agent runtime	UNAVAILABLE	Not unused — unreachable. On-demand quota L-26C560CE is 0 and Adjustable: false; batch inference returns 'not authorized ... create a support case' in two regions with a real role and bucket. Both paths are written; neither can run. Embeddings are openai:text-embedding-3-small. AWS is carried by Lambda and S3, deployed.
REGIONAL BY ROW domiciling of contact_route	UNAVAILABLE	Migration 024 and infra/terraform/multiregion/ are written and validate; nothing is applied. SHOW REGIONS returns aws-us-east-1 alone. A region cannot be removed once added, so the path is a throwaway cluster, never a conversion of the live one.
CockroachDB overage rates past the free tier	UNVERIFIED	Third-party figures only; both vendor pages defer to a quote. Matters only if free breaks.
Improvement in outreach cost from accumulated memory	ASSUMPTION	The one number that would change the conclusion, and the one nothing can produce yet.

Audit — risk register

Ordered by what would cost the most to discover late. Status as of 2026-08-13.

Risks and mitigations

RISK	SEVERITY	MITIGATION
Vector indexes may not be enabable on the Basic tier	HIGH	Requires SET CLUSTER SETTING feature.vector_index.enabled, and serverless tiers restrict cluster settings. If it cannot be set, either it is on by default or the tier is wrong. Day-1 go/no-go, ahead of all other work.
Filtered ANN degrades to post-filtering on non-prefix predicates	MEDIUM	Documented, not speculative. Mitigated by denormalising freshness and open-thread state into counterparty.contact_state, maintained in the same transaction that opens the thread, so every predicate is equality.
Built features outrunning the documents that describe them	HIGH	The original entry here was 'twelve days, greenfield, zero CockroachDB code written', and it stopped being the risk once the code existed. The live one is its mirror: code lands, a document is upgraded to match, and the claim outruns what is switched on. Three things are written and not created; each is labelled as such wherever it appears, and no document may say 'built' where a judge would find nothing running.
Email deliverability and domain warmup	HIGH	Takes longer than twelve days and scores nothing. The demo sends only to owned and consented addresses; the outbox proves the mechanism without volume.
Free-tier RU erosion by the changefeed	MEDIUM	Continuous draw, unpublished rate — which is exactly why the feed is written and the job is not created. The fallback is running as the primary: the fleet polls next_action_at and claims, which costs the architecture its elegance, not its function. A wake carries no work, only permission to look, so the feed can be switched on or left off without changing a single guarantee.
Serializable retries under fleet contention	MEDIUM	Serializable is the reason to choose this database and also a cost: contended transactions retry and the application must handle it. SKIP LOCKED keeps claim contention low, but retry loops are not optional.
Small N on the improvement metric by Aug 18	MEDIUM	Label the curve with its N. Do not draw a flattering one — the house rule that made screen_clips.py abstain applies to our own demo.
Counterparty PII acquires residency obligations	HIGH	This has happened. contact_route holds an email address, a phone number and a named job title for identifiable individuals — Article 4(1) personal data, and the only table here that is. Migration 024 makes it REGIONAL BY ROW and the Terraform for a three-region cluster validates; neither is applied, so the obligation is live and the mitigation is not. Not a submission blocker, and not something to claim either.