
FABRIC AND SUPPORTING FRAME FOR INLET PROTECTION

STEEL FRAME AND TYPE C SILT FENCE INSTALLATION




NOTES:
1. DESIGN IS FOR SLOPES NO GREATER THAN 5% (NOT DESIGNED FOR CONCENTRATED FLOWS).
2. THE STEEL POSTS SUPPORTING THE SILT FENCE MATERIAL SHOULD BE SPACED EVENLY AROUND THE PERIMETER OF THE INLET (MAXIMUM OF 3' APART).
3. THE STEEL POSTS SHOULD BE SECURELY DRIVEN AT LEAST 18" DEEP.
4. THE FABRIC SHOULD BE ENTRENCHED AT LEAST 12" AND THEN BACKFILLED WITH CRUSHED STONE OR COMPACTED SOIL.

Figure 6-28.1 - Fabric and Supporting Frame For Inlet Projection

PERFORATED HALF-ROUND PIPE WITH STONE FILTER

ISOMETRICS



PLAN




Figure 6-26.1 Perforated Half- Round Pipe with Stone Filter

Table 6-5.1. Fertilizer Requirements

TYPE OF SPECIES	YEAR	ANALYSIS OR EQUIVALENT N-P-K	RATE	N TOP DRESSING RATE
1. Cool season grasses	First	6-12-12	1500 lbs./ac.	50-100 lbs./ac. 1/2/
	Second	6-12-12	1000 lbs./ac.	—
	Maintenance	10-10-10	400 lbs./ac.	30
2. Cool season grasses and legumes	First	6-12-12	1500 lbs./ac.	0-50 lbs./ac. 1/
	Second	0-10-10	1000 lbs./ac.	—
	Maintenance	0-10-10	400 lbs./ac.	—
3. Ground covers	First	10-10-10	1300 lbs./ac. 3/	—
	Second	10-10-10	1300 lbs./ac. 3/	—
	Maintenance	10-10-10	1100 lbs./ac.	—
4. Pine seedlings	First	20-10-5	one 21-gram pellet per seedling placed in the closing hole	—
5. Shrub Lespedeza	First	0-10-10	700 lbs./ac.	—
	Maintenance	0-10-10	700 lbs./ac. 4/	
6. Temporary cover crops seeded alone	First	10-10-10	500 lbs./ac.	30 lbs./ac. 5/
7. Warm season grasses	First	6-12-12	1500 lbs./ac.	50-100 lbs./ac. 2/6/
	Second	6-12-12	800 lbs./ac.	50-100 lbs./ac. 2/
	Maintenance	10-10-10	400 lbs./ac.	30 lbs./ac.
8. Warm season grasses and legumes	First	6-12-12	1500 lbs./ac.	50 lbs./ac./6/
	Second	0-10-10	1000 lbs./ac.	
	Maintenance	0-10-10	400 lbs./ac.	

1/ Apply in spring following seeding.
2/ Apply in split applications when high rates are used.
3/ Apply in 3 split applications.
4/ Apply when plants are pruned.
5/ Apply to grass species only.
6/ Apply when plants grow to a height of 2 to 4 inches.

12 13 14 CERTIFICATION STATEMENT (ENGINEER)

I CERTIFY THAT THE PERMITTEE'S EROSION, SEDIMENTATION AND POLLUTION CONTROL PLAN PROVIDES FOR AN APPROPRIATE AND COMPREHENSIVE SYSTEM OF BEST MANAGEMENT PRACTICES REQUIRED BY THE GEORGIA WATER QUALITY CONTROL ACT AND THE DOCUMENT "MANUAL FOR EROSION AND SEDIMENT CONTROL IN GEORGIA" PUBLISHED BY THE GEORGIA SOIL AND WATER CONSERVATION COMMISSION AS OF JANUARY 1 OF THE YEAR IN WHICH LAND-DISTURBING ACTIVITY WAS PERMITTED, PROVIDES FOR THE SAMPLING OF THE RECEIVING WATER(S) OR THE SAMPLING OF STORM WATER OUTFALLS AND THAT THE DESIGNED SYSTEM OF BEST MANAGEMENT PRACTICES AND SAMPLING METHODS IS EXPECTED TO MEET THE REQUIREMENTS CONTAINED IN THE GENERAL NPDES PERMIT NO. GAR 100001.*

I CERTIFY UNDER PENALTY OF THE LAW THAT THIS PLAN WAS PREPARED AFTER A SITE VISIT TO THE LOCATIONS DESCRIBED HEREIN BY MYSELF OR MY AUTHORIZED AGENT, UNDER MY SUPERVISION.*

UPON THE INSTALLATION OF THE PHASE 1 EROSION CONTROL MEASURES, I WILL VISIT THE SITE TO PERFORM THE INSPECTION CERTIFICATION WITHIN 7 DAYS, ONCE NOTIFIED BY THE CONTRACTOR AND CERTIFY THE INSTALLATION OF PHASE 1 BMPS.

GEORGIA LICENSED PROFESSIONAL (SIGN) — DATE: 7/9/26 — GEORGIA PE#: 036681

TIMOTHY KYLE SHARPE — GEORGIA LICENSED PROFESSIONAL (PRINT) — GEORGIA EROSION CONTROL LEVEL 2 CERTIFICATION #: 0000065749

2 GSWCC DESIGN PROFESSIONAL

GSWCC Georgia Soil and Water Conservation Commission

TIMOTHY KYLE SHARPE

Level II Certified Design Professional

CERTIFICATION NUMBER 0000065749

ISSUED: 02.17.2024 EXPIRES: 02.17.2027

PREPARED IN THE OFFICE OF:
GASKINS + LECRAW
a PAPE-DAWSON company
© 2026 GASKINS + LECRAW
3475 CORPORATE WAY
SUITE A
DULUTH, GA 30096
PHONE - 678.546.8100
www.gaskinslecraw.com
PEF008127


REVISIONS:

REV.#	DATE	DRAWN BY	CHECKED BY
1			
2			
3			
4			
5			

CLIENT
PRAXIS3
100 PEACHTREE STREET NW, SUITE 1450, ATLANTA, GEORGIA 30303

PROJECT
FIFTH THIRD BANK - WARNER ROBINS, GA
2711 WATSON BLVD
PARCEL ID: 0W0780-005000
WARNER ROBINS, HOUSTON COUNTY, GEORGIA

SEAL:



7/9/2026

CALL BEFORE YOU DIG

811 Know what's below. Call before you dig.

SCALE & NORTH ARROW:

DETAILS ARE **NOT** DRAWN TO SCALE

DESIGN INFO:

DRAWN BY:	JOA
DESIGNED BY:	MAT
REVIEWED BY:	TKS
JOB #:	75670007
DATE:	JULY 9, 2026

ESPC DETAILS - 2

C-2.6

FABRIC AND SUPPORTING FRAME INLET PROTECTION (Sd2-F)

SOD MAINTENANCE AND INSTALLATION

SOD LAYOUT AND PREPARATION



LAY SOD IN A STAGGERED PATTERN. BUTT THE STRIPS TIGHTLY AGAINST EACH OTHER. DO NOT LEAVE SPACES AND DO NOT OVERLAP. A SHARPENED MASON'S TROWEL IS A HANDY TOOL FOR TUCKING DOWN THE ENDS AND TRIMMING PIECES.

BUTTING: ANGLED ENDS CAUSED BY THE AUTOMATIC SOD CUTTER MUST BE MATCHED CORRECTLY.


DIRECTIONS FOR INITIAL MAINTENANCE

Step 1. ROLL SOD IMMEDIATELY TO ACHIEVE FIRM CONTACT WITH THE SOIL

Step 2. WATER TO A DEPTH OF 4" AS NEEDED. WATER WELL AS SOON AS THE SOD IS LAID.

Step 3. MOW WHEN THE SOD IS ESTABLISHED -- IN 2-3 WEEKS. SET THE MOWER HIGH (2"-3").

APPEARANCE OF GOOD SOD




SHOOTS OR GRASS BLADES: GRASS SHOULD BE GREEN AND HEALTHY, MOWE AT A 2"-3" CUTTING HEIGHT.

THATCH: GRASS CLIPPINGS AND DEAD LEAVES (UP TO 1/2" THICK).


ROOT ZONE: SOIL AND ROOTS. SHOULD BE 1/2"- 3/4" THICK WITH DENSE ROOT MAT FOR STRENGTH.

SODDED WATERWAYS

SOD DIRECTIONS



NETTING DIRECTIONS



PEG DETAIL



IN CRITICAL AREAS, SECURE SOD WITH NETTING USING STAPLES.

USE PEGS OR STAPLES TO FASTEN SOD FIRMLY -- AT THE ENDS OF STRIPS AND IN THE CENTER, OR EVERY 3'-4 FEET IF THE STRIPS ARE LONG. WHEN READY TO MOW, DRIVE PEGS OR STAPLES FLUSH WITH THE GROUND.

Source: Va. DSWC

Table 6-6.2 Sod Planting Requirements

Grass	Varieties	Resource Area	Growing Season
Bermudagrass	Common Tifway Tifgreen Tiffawn	M-L,P,C P,C P,C P,C	warm weather
Bahiagrass	Pensacola	P,C	warm weather
Centipede	--	P,C	warm weather
St. Augustine	Common Bitterblue Raleigh	C	warm weather
Zoysia	Emerald Myer	P,C	warm weather
Tall Fescue	Kentucky	M-L,P	cool weather

Table 6-6.3 Fertilizer Requirements for Sod

Types of Species	Planting Year	Fertilizer (N-P-K)	Rate (lbs./acre)	Nitrogen Top Dressing Rate (lbs./acre)
cool season grasses	first	6-12-12	1500	50-100
	second	6-12-12	1000	-
	maintenance	10-10-10	400	30
warm season grasses	first	6-12-12	1500	50-100
	second	6-12-12	800	50-100
	maintenance	10-10-10	400	30

Mix fertilizer into soil surface. Fertilize based on soil tests or Table 6-6.1.

Table 6-6.1. Fertilizer Requirements for Soil Surface Application

Fertilizer Type	Fertilizer Rate (lbs/acre)	Fertilizer Rate (lbs/sq ft)	Season
10-10-10	1000	.025	Fall

Agricultural lime should be applied based on soil tests or at a rate of 1 to 2 tons per acre.

PERFORATED HALF-ROUND PIPE WITH STONE FILTER (Rt-P)

PLANT, PLANTING RATE, AND PLANTING DATE FOR PERMANENT COVER [1]

Species	Broadcast Rates: Pure Live Seed (PLS) Rate Per Acre[2]	Broadcast Rates: Pure Live Seed (PLS) Per 1000 sqft	Resource Area[3]	Planting Dates by Resource Area (Solid lines indicate optimum dates, dotted lines indicate permissible but marginal dates.) J F M A M J J A S O N D	Remarks
BAHIA, PENSACOLA *Paspalum notatum*					
alone or with temporary cover	60 lbs	1.4 lbs	P		166,000 seed per pound. Low growing. Sod forming. Slow to establish. Plant with a companion crop. Will spread nto bermuda pastures and awns. Mix with Sericea lespedeza or weeping lovegrass.
with other perennials	30 lbs	0.7 lb	C		
BAHIA, WILMINGTON *Paspalum notatum*					
alone or with temporary cover	60 lbs	1.4 lbs	M-L		
with other perennials	30 lbs	0.7 lb	P		Same as above.
BERMUDA, COMMON *Cynodon dactylon*					
Hulled seed			P		
alone	10 lbs	0.2 lb	C		1,787,000 seed per pound. Quick cover. Low growing and sod forming. Full sun. Good for athletic fields.
with other perennials	6 lbs	0.7 lb			
BERMUDA, COMMON *Cynodon dactylon*					
Unhulled seed					
with temporary cover	10 lbs	0.2 lb	P		Plant with winter annuals.
with other perennials	6 lbs	0.1 lb	C		Plant with Tall Fescue

Species	Broadcast Rates: Pure Live Seed (PLS) Rate Per Acre[2]	Broadcast Rates: Pure Live Seed (PLS) Per 1000 sqft	Resource Area[3]	Planting Dates by Resource Area (Solid lines indicate optimum dates, dotted lines indicate permissible but marginal dates.) J F M A M J J A S O N D	Remarks
BERMUDA SPRIGS *Cynodon dactylon*					
Coastal, Common, Midland, or Tift 44	40 cu ft or sod plugs 3' x3'	0.9 cu ft	M-L		A cubic foot contains approximately 650 sprigs. A bushel contains 1.25 cubic feet or approximately 800 springs.
			P		
Coastal, Common, of Tift 44			C		Same as above.
Tift 78			C		Southern Coastal Plain only
CENTIPEDE *Eremochloa ophuiroides*					
	Block sod only		P		
			C		Drought tolerant. Full sun or partial shade. Effective adjacent to concrete and in con-certrated flow areas. Irrigation is needed until fully established. Do not plant near pastures. Winterhardy as far as north Athens and Atlanta
CROWNVETECH *Coronilla varia*					
with winter annuals or cool season grasses	15 lbs	0.3 lb	M-L P		100,000 seed per pound. Dense growth. Drought tolerant and fire resistant. Attractive rose, pink and white blossoms spring to late fall. Mix with 30 pounds of Tall fescue or 15 pounds of rye. Inoculate see with M inocu-lant. Use from North Atlanta and Northward.

Species	Broadcast Rates: Pure Live Seed (PLS) Rate Per Acre[2]	Broadcast Rates: Pure Live Seed (PLS) Per 1000 sqft	Resource Area[3]	Planting Dates by Resource Area (Solid lines indicate optimum dates, dotted lines indicate permissible but marginal dates.) J F M A M J J A S O N D	Remarks
FESCUE, TALL *Festuca arundinacea*					
alone	50 lbs	1.1 lb	M-L		227,000 seed per pound. Use alone only on better sites. Mix with perennial lespedeza or Crownvetch. Apply topdressing in spring following fall plantings. Not for heavy use areas or athletic fields.
with other perennials	30 lbs	0.7 lb	P		
KUDZU *Pueraria thumbergiana*					
Plants or crowns	3' - 7' apart		ALL		Rapid and vigorous growth. Excellent in gully erosion control. Will climb. Good livestock forage.
LESPEDEZA SERICEA *Lespedeza cuneata*					
scarified	60 lbs	1.4 lb	M-L P C		350,000 seed per pound. Widely adapted. Low maintenace. Mix with Weeping lovegrass, Common bermuda, bahia, or tall fescue. Takes 2 to 3 years to become fully established. Excellent on roadbanks. Inocu-late seed with EL inoculant.
unscarified	75 lbs	1.7 lb	M-L P C		Mix with Tall fesue or winter annuals.
seed- bearing hay	3 tons	1338 lbs	M-L P C		Cut when seed mixture is mature, but be-fore, it shatters. Add Tall fescue or winter annuals.

FERTILIZER REQUIREMENTS

Species	Broadcast Rates: Pure Live Seed (PLS) Rate Per Acre[2]	Broadcast Rates: Pure Live Seed (PLS) Per 1000 sqft	Resource Area[3]	Planting Dates by Resource Area (Solid lines indicate optimum dates, dotted lines indicate permissible but marginal dates.) J F M A M J J A S O N D	Remarks
LESPEDEZA *Ambro virgata Lespedeza virgata DC* or *Appalow Lespedeza cuneata (Dumont) G. Don)*					
scarified	60 lbs	1.4 lb	M-L P C		300,000 seed per pound. Height of growth is 18 to 24 inches. Advantageous in urban ar-eas. Spreading-type growth. New growth has bronze coloration. Mix with weeping lovegrass, common bermuda, bahia, tall fescue or winter annuals. Do not mix with Sericea lespedeza. Slow to develop solid stands. Inoculate seed with EL inoculant.
unscarified	75 lbs	1.7 lb	M-L P C		
LESPEDEZA, SHRUB *Lespedeza bicolor Lespedeza thumbergii*					
plants	3' x3'		M-L P C		Provide wildlife food and cover.
LOVEGRASS, WEEPING *Eragrostis curvula*					
alone	4 lbs	0.1 lb	M-L P C		1,500,000 seed per pound. Quick cover. Drought tolerant. Grows well with Sericea lespedeza on roadbanks.
with other perennials	2 lbs	0.05 lb			

Species	Broadcast Rates: Pure Live Seed (PLS) Rate Per Acre[2]	Broadcast Rates: Pure Live Seed (PLS) Per 1000 sqft	Resource Area[3]	Planting Dates by Resource Area (Solid lines indicate optimum dates, dotted lines indicate permissible but marginal dates.) J F M A M J J A S O N D	Remarks
MAIDENCANE *Panicum hemitomon*					
sprigs	2' x 3' spacing	ALL			For very wet sites. May clog channels. Dig sprigs from local sources. Use along river banks and shorelines.
PANICGRASS, ATLANTIC COASTAL *Panicum amarum var amarulum*					
	20 lbs	0.5 lb	P C		Grows well on coastal sand dunes, borrow areas, and gravel pits. Provides winter cover for wildlife. Mix with Sericea lespedeza except on sand dunes.
REED CANARY GRASS *Phalaris arundinacea*					
alone	50 lbs	1.1 lb	M-L		
with other perrenials	30 lbs	0.7 lb	P		Grows similar to Tall fescue
SUNFLOWER, 'AZTEC' MAXIMILLIAN *Helianthus maximiliani*					
	10 lbs	0.2 lb	M-L P C		227,000 seed per pound. Mix with Weeping lovegrass or other low-gwoing grasses or legumes.

1 Reduce seeding rates by 50% when drilled
2 PLS is an abbreviation for Pure Live Seed. Refer to Section V.E. of these specifications.
3 M-L represents to Mountain; Blue Ridge; and Ridges and Valleys MLRAs
P represents the Southern Piedmont MLRA
C represents the Souther Coastal Plain;Sand Hills;Black Lands;and Atlantic Coast Flatwoods MLRAs. See Figure 6-4.1

DETAIL

Table 6-4.1 - Temporary Cover or Companion Cover Crops

PLANT, PLANTING RATE, AND PLANTING DATE FOR TEMPORARY COVER OR COMPANION CROPS [1]

Species	Broadcast Rates: Pure Live Seed (PLS) Rate Per Acre[2]	Broadcast Rates: Pure Live Seed (PLS) Per 1000 sqft	Resource Area[3]	Planting Dates by Resource Area (Solid lines indicate optimum dates, dotted lines indicate permissible but marginal dates.) J F M A M J J A S O N D	Remarks
BARLEY *Hordeum vulagre*					
alone	3 bu. (144 lbs)	3.3 lbs	M-L		14,000 seed per pound. Winter hardy. Use on productive soils.
in mixture	1/2 bu. (24lbs)	0.6 lb	P		
			C		
LESPEDEZA, ANNUAL *Lespedeza striata*					
alone	40 lbs	0.9 lb	M-L		200,000 seed per pound. May volunteer for sev-eral years. Use inoculant EL.
in mixture	10 lbs	0.2 lb	P		
			C		
LOVEGRASS, WEEPING *Eragrostis curvula*					
alone	4 lbs	0.1 lb	M-L		1,500,000 seed per pound. May last for several years. Mix with Sericea lespedeza.
in mixture	2 lbs	0.05 lb	P		
			C		
MILLET, BROWNTOP *Panicum fasciculatum*					
alone	40 lbs	0.9 lb	M-L		137,000 seed per pound. Quick dense cover. Will provide excessive competion in mixtures if seeded at high rate.
in mixture	10 lbs	0.2 lb	P		
			C		

Species	Broadcast Rates: Pure Live Seed (PLS) Rate Per Acre[2]	Broadcast Rates: Pure Live Seed (PLS) Per 1000 sqft	Resource Area[3]	Planting Dates by Resource Area (Solid lines indicate optimum dates, dotted lines indicate permissible but marginal dates.) J F M A M J J A S O N D	Remarks
MILLET, PEARL *Pennesetum glaucum*					
alone	50 lbs	1.1 lbs	M-L		88,000 seed per pound. Quick dense cover. May reach 5 feet in height. Not recommended for mixtures.
			P		
			C		
OATS *Avena sativa*					
alone	4 bu. (128 lbs)	2.9 lbs	M-L		13,000 seed per pound. Use on productive soils. Not as a winter hardy as rye or barley.
in mixture	1 bu. (32 lbs)	0.7 lb	P		
			C		
RYE *Secale cereale*					
alone	3 bu. (168 lbs)	3.9 lbs	M-L		18,000 seed per pound. Quick cover. Drought tolerant and winter hardy.
in mixture	1/2 bu. (28 lbs)	0.6 lb	P		
			C		
RYEGRASS, ANNUAL *Lolium temulentum*					
alone	40 lbs	0.9 lb	M-L		227,000 seed per pound. Dense cover. Very com-petitive and is not to be used in mixtures.
			P		
			C		
SUDANGRASS *Sorghum sudanese*					
alone	60 lbs	1.4 lbs	M-L		55,000 seed per pound. Good on droughty sites. Not recommended for mixtures.
			P		
			C		

Species	Broadcast Rates: Pure Live Seed (PLS) Rate Per Acre[2]	Broadcast Rates: Pure Live Seed (PLS) Per 1000 sqft	Resource Area[3]	Planting Dates by Resource Area (Solid lines indicate optimum dates, dotted lines indicate permissible but marginal dates.) J F M A M J J A S O N D	Remarks
TRITICALE *X-Triticosecale*					
alone	3 bu. (144 lbs)	3.3 lbs	C		Use on lower part of Southern Coastal Plain and in Atlantic Coastal Flatwoods only.
in mixture	1/2 bu. (24 lbs)	0.6 lb			
WHEAT *Triticum aestivum*					
alone	3 bu. (180 lbs)	4.1 lbs	M-L		15,000 seed per pound. Winter hardy.
in mixture	1/2 bu. (30 lbs)	0.7 lb	P		
			C		

[1]Temporary cover crops are very competitive and will crowd out perennials if seeded too heavily
[2]Reduce seeding rates by 50% when drilled.
[3]M-L represents the Mountain; Blue Ridge; and Ridges and Valleys MLRAs
P represents the Southern Piedmont MLRA
C represents Southern Coastal Plan; Sand Hills; Black Lands; and Atlantic Coast Flatwoods MLRAs
(see Figure 6-4.1, p. 6-40)

DISTURBED AREA STABILIZATION - WITH SODDING (Ds4)

PERMANENT VEGETATIVE PRACTICES (Ds3)

TEMPORARY VEGETATIVE PRACTICES (Ds2)

This document, together with the concepts and designs presented herein, as an instrument of service, is intended only for the specific purpose and client for which it was prepared. Reuse of and improper reliance on this document without written authorization and adaptation by Gaskins + LeCraw, a Pape-Dawson Company shall be without liability to Gaskins + LeCraw, a Pape-Dawson Company, Copyright Gaskins + LeCraw, a Pape-Dawson Company, 2026

Drawing name: C:\Users\cklontz\Gaskins+LeCraw Dropbox\Shared Folders\Engineering\75670007 - Praxis3 - Fifth Third - Warner Robins_GA\CADD\CONSTR\75670007 - 05 - ESPC DETAILS.dwg EROSION CONTROL DETAILS - 2 Jul 09, 2026 10:51am by cklontz