Psychological / Behavioural Needs - Deep Dive Assessment

A printable version of every question in the eleven-section optional Psychological / Behavioural deep dive. Complete it on paper first if you like, then enter your answers online to receive your personalised report. Every question is optional.

Section 1. Psychological Profile

Capture a

Has your child been diagnosed with any of the following? Select all that apply.

[ ] ADHD
[ ] Autism Spectrum Disorder
[ ] Anxiety Disorder
[ ] Depression
[ ] PTSD
[ ] OCD
[ ] Bipolar Disorder
[ ] Oppositional Defiant Disorder (ODD)
[ ] Conduct Disorder
[ ] Adjustment Disorder
[ ] Trauma-related concerns
[ ] Attachment concerns
[ ] Emotional dysregulation
[ ] Eating disorder
[ ] Sleep disorder
[ ] Sensory Processing Disorder
[ ] No diagnosis
[ ] Diagnosis pending
[ ] Prefer not to answer

Anything specific you would like the report to note (optional)?

Section 2. Mental Health Professional

Identify th

Is your child currently seeing a mental health professional? Select all that apply.

[ ] Child Psychologist
[ ] Child Psychiatrist
[ ] Licensed Professional Counsellor (LPC)
[ ] Licensed Clinical Social Worker (LCSW)
[ ] Marriage and Family Therapist (LMFT)
[ ] Play Therapist
[ ] Behavioural Therapist
[ ] ABA Therapist
[ ] Trauma Therapist
[ ] School Counsellor
[ ] No current provider

Do both parents know who the provider is?

( ) Always
( ) Usually
( ) Sometimes
( ) Rarely
( ) Never

Does each parent attend appointments when appropriate?

( ) Always

( ) Usually
( ) Sometimes
( ) Rarely
( ) Never

Do both parents receive treatment updates?
( ) Always
( ) Usually
( ) Sometimes
( ) Rarely
( ) Never

Do parents communicate about recommendations?
( ) Always
( ) Usually
( ) Sometimes
( ) Rarely
( ) Never

Do parents follow treatment recommendations consistently?
( ) Always
( ) Usually
( ) Sometimes
( ) Rarely
( ) Never

Section 3. Confidence in the Provider

Assess pa

How confident are you that the provider understands your child's needs?
( ) Very Confident
( ) Confident
( ) Neutral
( ) Somewhat Confident
( ) Not Confident

How confident are you in the treatment plan?
( ) Very Confident
( ) Confident
( ) Neutral
( ) Somewhat Confident
( ) Not Confident

Do you trust the provider's recommendations?
( ) Very Confident
( ) Confident
( ) Neutral
( ) Somewhat Confident
( ) Not Confident

Do both parents have confidence in the provider?
( ) Very Confident
( ) Confident
( ) Neutral
( ) Somewhat Confident
( ) Not Confident

Disagreements about treatment can be discussed respectfully.
( ) 1 Strongly disagree ( ) 2 Disagree ( ) 3 Unsure ( ) 4 Agree ( ) 5 Strongly agree ( ) N/A

Section 4. Medication Management

Understar

Is your child prescribed medication?
( ) Yes
( ) No

Who prescribed the medication?
( ) Paediatrician
( ) Psychiatrist
( ) Neurologist
( ) Other
( ) Not applicable

Do both parents understand:
[ ] Medication purpose
[ ] Dosage
[ ] Side effects
[ ] Administration schedule
[ ] Monitoring requirements

Medication is administered consistently in both homes.
( ) 1 Strongly disagree ( ) 2 Disagree ( ) 3 Unsure ( ) 4 Agree ( ) 5 Strongly agree ( ) N/A

Parents communicate about medication changes.
( ) 1 Strongly disagree ( ) 2 Disagree ( ) 3 Unsure ( ) 4 Agree ( ) 5 Strongly agree ( ) N/A

Refill schedules are coordinated between homes.
( ) 1 Strongly disagree ( ) 2 Disagree ( ) 3 Unsure ( ) 4 Agree ( ) 5 Strongly agree ( ) N/A

Side effects are discussed between parents.
( ) 1 Strongly disagree ( ) 2 Disagree ( ) 3 Unsure ( ) 4 Agree ( ) 5 Strongly agree ( ) N/A

Concerns are reported promptly to the prescriber.
( ) 1 Strongly disagree ( ) 2 Disagree ( ) 3 Unsure ( ) 4 Agree ( ) 5 Strongly agree ( ) N/A

Section 5. Alternatives to Medication

Assess no

Which non-medication interventions has your family discussed or used? Select all that apply.
[ ] Behavioural Therapy
[ ] Cognitive Behavioural Therapy (CBT)
[ ] Parent Training
[ ] Occupational Therapy
[ ] Social Skills Groups
[ ] Speech Therapy
[ ] Executive Function Coaching
[ ] Exercise Programs
[ ] Nutrition
[ ] Sleep Interventions
[ ] Mindfulness
[ ] Meditation
[ ] Biofeedback
[ ] Sensory Regulation
[ ] Family Therapy
[ ] Other

Both parents support these interventions.
( ) 1 Strongly disagree ( ) 2 Disagree ( ) 3 Unsure ( ) 4 Agree ( ) 5 Strongly agree ( ) N/A

Alternative therapies are implemented consistently in both homes.
( ) 1 Strongly disagree ( ) 2 Disagree ( ) 3 Unsure ( ) 4 Agree ( ) 5 Strongly agree ( ) N/A

The child participates in these interventions regularly.

( ) 1 Strongly disagree ( ) 2 Disagree ( ) 3 Unsure ( ) 4 Agree ( ) 5 Strongly agree ( ) N/A

Outcomes are reviewed together by both parents.

( ) 1 Strongly disagree ( ) 2 Disagree ( ) 3 Unsure ( ) 4 Agree ( ) 5 Strongly agree ( ) N/A

Section 6. Therapy Participation

Assess co

Does your child currently attend therapy?

( ) Yes
( ) No

How consistently does your child attend therapy?

( ) Always
( ) Usually
( ) Sometimes
( ) Rarely
( ) Never

Who typically transports the child?

( ) Mother
( ) Father
( ) Both
( ) Other caregiver

Who communicates with the therapist?

( ) Mother
( ) Father
( ) Both
( ) Other caregiver

Does the therapist provide homework?

( ) Yes
( ) No

Therapy homework is completed at home.

( ) 1 Strongly disagree ( ) 2 Disagree ( ) 3 Unsure ( ) 4 Agree ( ) 5 Strongly agree ( ) N/A

Coping strategies are reinforced in both homes.

( ) 1 Strongly disagree ( ) 2 Disagree ( ) 3 Unsure ( ) 4 Agree ( ) 5 Strongly agree ( ) N/A

Section 7. Behavioural & Emotional Support

Assess co

How consistent are the strategies for anxiety?

( ) Always Consistent
( ) Usually Consistent
( ) Sometimes Consistent
( ) Rarely Consistent
( ) Never Consistent

How consistent are the strategies for emotional regulation?

( ) Always Consistent
( ) Usually Consistent
( ) Sometimes Consistent
( ) Rarely Consistent
( ) Never Consistent

How consistent are the strategies for meltdowns?

( ) Always Consistent
( ) Usually Consistent
( ) Sometimes Consistent
( ) Rarely Consistent

( ) Never Consistent

How consistent are the strategies for anger?
( ) Always Consistent
( ) Usually Consistent
( ) Sometimes Consistent
( ) Rarely Consistent
( ) Never Consistent

How consistent are the strategies for transitions?
( ) Always Consistent
( ) Usually Consistent
( ) Sometimes Consistent
( ) Rarely Consistent
( ) Never Consistent

How consistent are the strategies for social interactions?
( ) Always Consistent
( ) Usually Consistent
( ) Sometimes Consistent
( ) Rarely Consistent
( ) Never Consistent

How consistent are the strategies for school stress?
( ) Always Consistent
( ) Usually Consistent
( ) Sometimes Consistent
( ) Rarely Consistent
( ) Never Consistent

How consistent are the strategies for peer relationships?
( ) Always Consistent
( ) Usually Consistent
( ) Sometimes Consistent
( ) Rarely Consistent
( ) Never Consistent

How consistent are the strategies for self-esteem?
( ) Always Consistent
( ) Usually Consistent
( ) Sometimes Consistent
( ) Rarely Consistent
( ) Never Consistent

Section 8. Crisis Planning

Assess wi

Do the parents have a shared plan if the child experiences:
[ ] Severe anxiety
[ ] Panic attacks
[ ] Emotional crisis
[ ] Aggressive behaviour
[ ] Self-harm concerns
[ ] Suicidal statements
[ ] Psychiatric emergency

Do both parents know the emergency contacts?
( ) Yes
( ) No

Do both parents know the crisis procedures?
( ) Yes

( ) No

Is the crisis plan documented in writing?

( ) Yes
( ) Partial
( ) No

Section 9. Communication Between Parents

Assess ho

How often do parents discuss appointment scheduling?

( ) Always
( ) Usually
( ) Sometimes
( ) Rarely
( ) Never

How often do parents discuss medication changes?

( ) Always
( ) Usually
( ) Sometimes
( ) Rarely
( ) Never

How often do parents discuss behaviour changes?

( ) Always
( ) Usually
( ) Sometimes
( ) Rarely
( ) Never

How often do parents discuss school concerns?

( ) Always
( ) Usually
( ) Sometimes
( ) Rarely
( ) Never

How often do parents discuss treatment recommendations?

( ) Always
( ) Usually
( ) Sometimes
( ) Rarely
( ) Never

How often do parents discuss therapy progress?

( ) Always
( ) Usually
( ) Sometimes
( ) Rarely
( ) Never

How often do parents discuss new diagnoses?

( ) Always
( ) Usually
( ) Sometimes
( ) Rarely
( ) Never

How often do parents discuss changes in symptoms?

( ) Always
( ) Usually

( ) Sometimes
( ) Rarely
( ) Never

Section 10. Psychological Decision-Making

Assess wi

How often do parents agree on starting therapy?
( ) Always Agree
( ) Usually Agree
( ) Sometimes Agree
( ) Rarely Agree
( ) Never Agree

How often do parents agree on changing therapists?
( ) Always Agree
( ) Usually Agree
( ) Sometimes Agree
( ) Rarely Agree
( ) Never Agree

How often do parents agree on medication?
( ) Always Agree
( ) Usually Agree
( ) Sometimes Agree
( ) Rarely Agree
( ) Never Agree

How often do parents agree on medication adjustments?
( ) Always Agree
( ) Usually Agree
( ) Sometimes Agree
( ) Rarely Agree
( ) Never Agree

How often do parents agree on psychological testing?
( ) Always Agree
( ) Usually Agree
( ) Sometimes Agree
( ) Rarely Agree
( ) Never Agree

How often do parents agree on neuropsychological evaluation?
( ) Always Agree
( ) Usually Agree
( ) Sometimes Agree
( ) Rarely Agree
( ) Never Agree

How often do parents agree on behaviour plans?
( ) Always Agree
( ) Usually Agree
( ) Sometimes Agree
( ) Rarely Agree
( ) Never Agree

How often do parents agree on school mental health services?
( ) Always Agree
( ) Usually Agree
( ) Sometimes Agree
( ) Rarely Agree

( ) Never Agree

How often do parents agree on alternative treatments?

( ) Always Agree
( ) Usually Agree
( ) Sometimes Agree
( ) Rarely Agree
( ) Never Agree

How often do parents agree on family therapy?

( ) Always Agree
( ) Usually Agree
( ) Sometimes Agree
( ) Rarely Agree
( ) Never Agree

Section 11. Home Support

Assess ho

How consistently does each home provide predictable routines?

( ) Always Consistent
( ) Usually Consistent
( ) Sometimes Consistent
( ) Rarely Consistent
( ) Never Consistent

How consistently does each home provide emotional support?

( ) Always Consistent
( ) Usually Consistent
( ) Sometimes Consistent
( ) Rarely Consistent
( ) Never Consistent

How consistently does each home provide positive reinforcement?

( ) Always Consistent
( ) Usually Consistent
( ) Sometimes Consistent
( ) Rarely Consistent
( ) Never Consistent

How consistently does each home provide calm environment?

( ) Always Consistent
( ) Usually Consistent
( ) Sometimes Consistent
( ) Rarely Consistent
( ) Never Consistent

How consistently does each home provide safe expression of emotions?

( ) Always Consistent
( ) Usually Consistent
( ) Sometimes Consistent
( ) Rarely Consistent
( ) Never Consistent

How consistently does each home provide consistent expectations?

( ) Always Consistent
( ) Usually Consistent
( ) Sometimes Consistent
( ) Rarely Consistent
( ) Never Consistent

How consistently does each home provide healthy coping strategies?

( ) Always Consistent
( ) Usually Consistent
( ) Sometimes Consistent
( ) Rarely Consistent
( ) Never Consistent

How consistently does each home provide stress reduction?

( ) Always Consistent
( ) Usually Consistent
( ) Sometimes Consistent
( ) Rarely Consistent
( ) Never Consistent

This is an optional printable workbook. It does not diagnose, provide legal or medical advice, or determine parental fitness. Complete the online deep dive to receive your personalised report.