

AIC, MATHEMATICS LEARNING AREA
YEAR 11 MATHEMATICS APPLICATIONS – UNIT 2
Assessment type: Response
TASK 6 – TEST 4

Student Name: Marking Key ID: _____ Date: _____

TIME ALLOWED FOR THIS PAPER

Reading and Working time for this paper: 55 minutes in class under test conditions

MATERIAL REQUIRED FOR THIS PAPER

TO BE PROVIDED BY THE SUPERVISOR

Question/answer booklet.

TO BE PROVIDED BY THE CANDIDATE

Standard Items: pens, pencils, pencil sharpener, highlighter, eraser, ruler, drawing templates

IMPORTANT NOTE TO CANDIDATES

No other items may be taken into the examination room. It is **your** responsibility to ensure that you do not have any unauthorised notes or other items of a non-personal nature in the examination room. If you have any unauthorised material with you, hand it to the supervisor **before** reading any further.

Structure of this paper

Section	Number of questions available	Number of questions to be attempted	Suggested working time (minutes)	Marks available
Calculator Assumed	7	7	50	43
			Marks available:	
			Task Weighting	7%

Instructions to candidates

- The rules for the conduct of this examination are detailed in the booklet *WACE Examinations Handbook*. Sitting this examination implies that you agree to abide by these rules.
- Answer the questions in the spaces provided.
- Spare answer pages can be used. If you need to use them, indicate in the original answer space where the answer is continued.

SCSA Content – Topic 2.1 Univariate data analysis and the statistical investigation process

The statistical investigation process

2.1.1 review the statistical investigation process; identifying a problem and posing a statistical question, collecting or obtaining data, analysing the data, interpreting and communicating the results

Making sense of data relating to a single statistical variable

2.1.2 classify a categorical variable as ordinal, such as income level (high, medium, low) or nominal, such as place of birth (Australia, overseas); use tables/bar charts to organise and display data

2.1.3 classify a numerical variable as discrete, such as the number of rooms in a house, or continuous, such as the temperature in degrees Celsius

2.1.4 with the aid of an appropriate graphical display (chosen from dot plot, stem plot, bar chart or histogram), describe the distribution of a numerical data set in terms of modality (uni or multimodal), shape (symmetric versus positively or negatively skewed), location and spread and outliers, and interpret this information in the context of the data

2.1.5 determine the mean and standard deviation of a data set using technology and use these statistics as measures of location and spread of a data distribution, being aware of their limitations

2.1.6 use the number of deviations from the mean (standard scores) to describe deviations from the mean in normally distributed data sets

Univariate data analysis and the statistical investigation process. Comparing data for a numerical variable across two or more groups

2.1.10 construct and use parallel box plots (including the use of the ' $Q1 - 1.5 \times IQR$ ' and ' $Q3 + 1.5 \times IQR$ ' criteria for identifying possible outliers) to compare groups in terms of location (median), spread (IQR and range) and outliers, and interpret and communicate the differences observed in the context of the data

2.1.11 compare groups on a single numerical variable using medians, means, IQRs, ranges or standard deviations, and as appropriate; interpret the differences observed in the context of the data and report the findings in a systematic and concise manner

2.1.12 implement the statistical investigation process to answer questions that involve comparing the data for a numerical variable across two or more groups; for example, are Year 11 students the fittest in the school?

**TO BE AWARDED FULL MARKS ALL WORKING OUT AND
CALCULATIONS MUST BE SHOWN**


Question 1 need to change for next year

(5 marks)

The number of daily absentees at a small school over 15 consecutive days are listed below:

~~7, 6, 4, 5, 6, 6, 3, 9, 7, 6, 7, 6, 4, 5, 4.~~
 3 4 4 4 5 5 6 6 6 6 7 7 7 9

Using the data set above, construct a box-plot on the scale below.



min = 3 $Q_1 = 4$ med = 6 $Q_3 = 7$ max = 9

Question 2 need to change for next year

(4 marks)

State whether the following type of data is Discrete, Continuous, Nominal or Ordinal.


- (a) The mass of strawberries in a basket. (1 mark)
 Continuous ✓
- (b) The quality rating of hotels in Perth. (1 mark)
 Ordinal ✓
- (c) The number of computers in a classroom. (1 mark)
 Discrete ✓
- (d) The colour of cars in a shopping centre car park. (1 mark)

Nominal

Question 3

(8 marks)

A hydroponic grower was trialling two different greenhouse systems for growing tomatoes. To compare the systems, the weight of tomatoes produced by each plant in the two greenhouses were recorded. The data is summarised below.



- (a) Ignoring the outlier, compare the range of weights produced by plants in greenhouse A with that of greenhouse B. (2 marks)

$$\begin{aligned} \text{Range A} &= 17.3 - 12.2 = 5.1 \\ \text{Range B} &= 17.8 - 12.5 = 5.3 \end{aligned} \quad \left. \begin{array}{l} \\ \end{array} \right\} \checkmark \text{ Calc}$$

B has greater range $\checkmark$ Statement

- (b) State and use the interquartile ranges to compare the spread of weights produced by plants in greenhouse A with that of greenhouse B. (2 marks)

$$\begin{aligned} \text{IQR A} &= 16.5 - 14.0 = 2.5 \\ \text{IQR B} &= 16.4 - 14.1 = 2.3 \end{aligned} \quad \left. \begin{array}{l} \\ \end{array} \right\} \checkmark$$

A has a greater spread of the middle 50% of data $\checkmark$

- (c) Given outliers are defined as values, 'more than 1.5 x Interquartile range from the nearest quartile,' use the result to, explain why one of the weights in greenhouse B was identified as an outlier. (2 marks)

$$\begin{aligned} \therefore \text{Lower limit} &= Q_1 - 1.5 \times \text{IQR} = 14.1 - 1.5 \times 2.3 \\ &= 10.65 \quad \checkmark \end{aligned}$$

Value = 10.4, below limit of 10.65 $\checkmark$

- (d) Explain whether there is evidence to support the conjecture that the system in one greenhouse produces a larger crop of tomatoes than the other. (2 marks)

Yes, Greenhouse B produces a larger crop as the median is higher and IQR is less from the higher median $\checkmark$

Question 4**(7 marks)**

The overtime hours worked last week by some factory workers are shown in the table below.

Hours (x)	0	1	2	3	4	5
Workers (f)	4	4	6	8	3	9

8 14 22 25 34

(a) Determine, for the number of hours overtime worked:

(i) the mean. (1 mark)

2.85 hours ✓

(ii) the median. (1 mark)

3 hours ✓

(iii) the standard deviation. (1 mark)

1.68 ✓

(b) How many workers had their hours recorded? (1 mark)

34 ✓

Another worker worked eight hours of overtime that week, but did not have the hours recorded.

(c) If those hours were included with the rest, how would this affect each of the answers to (a)? Your answers will be "increase", "decrease" or "no change". (3 marks)

mean = Increase ✓

median = No change ✓

S.d. = Increase ✓

Question 5**(4 marks)**

Prices of art work sold at auction are normally distributed with a mean of \$15,000 and a standard deviation of \$2,500.

- (a) Determine the price which is two standard deviations above the mean. (1 mark)

$$15,000 + 2500 \times 2 = \$20,000 \checkmark$$

- (b) What is the lowest price that is one standard deviation from the mean? (1 mark)

$$15,000 - 2500 = \$12,500 \checkmark$$

- (c) How many standard deviations from the mean is a price of \$9,750? (2 marks)

$$\$15,000 - \$9,750 = \$5,250 \checkmark$$

$$\therefore \frac{\$5,250}{\$2,500} = 2.1 \text{ standard deviations below } \checkmark$$

Question 6

(9 marks)

As part of an investigation into youth fitness, a researcher collected the sit-and-reach (SR) measurements of 250 students. The data is summarised in the table below.

SR measurement (cm)	Number of students
$18 < x \leq 22$	5
$22 < x \leq 26$	10
$26 < x \leq 30$	32
$30 < x \leq 34$	68
$34 < x \leq 38$	90
$38 < x \leq 42$	36
$42 < x \leq 46$	9

20
24
28
32
36
40
44


- (a) Use the mid-point of each class interval to determine the mean and standard deviation of the sit-and-reach measurements. (2 marks)

mean = 33.95 cm ✓
std. dev. = 4.88 ✓

- (b) Explain why it was necessary to use the mid-point of each class interval to determine the statistics in (a). (1 mark)

Class interval represents a range of values, midpoint is used to estimate the mean & std. dev. ✓

- (c) Draw a histogram on the axes below to display the distribution of SR measurements. (3 marks)



✓ correct spacing
✓ correct heights

✓ correct width

- (d) Use features of the histogram to describe the distribution of SR measurements for this group of students. (3 marks)

Data is negatively skewed (tail to left)

Modal class is 34 - 38 cm

Median class is 34 - 38 cm

Range is from 18 - 46 cm


IQR is from 30 - 40 cm

} Any 3 valid points

Question 7

(8 marks)

The following bell-shaped curve shows the speed of cars in km/h on a road. Using the 68.3%, 95.4%, 99.7% rule answer the following questions:



- (a) What is the mean and standard deviation shown on the graph? (2 marks)

$$\bar{x} = 50 \quad \checkmark \quad \text{s.d} = 5 \quad \checkmark$$

- (b) If a driver was travelling at 57 km/h, what would be his standardised score? (2 marks)

$$\text{standardised score} = \frac{57 - 50}{5} = 1.4 \quad \checkmark$$

- (c) Driving between 40 km/h and 50 km/h is recommended on this road, what is the probability a driver is driving within this limit? (2 marks)

40 - 60 the probability is 95.4%

$$40 - 50 \text{ is half } \therefore \frac{95.4}{2} = 47.7\% \quad \checkmark \quad \checkmark$$

EXTRA WORKING PAGE:

Question: _____