

OKLAND SAFETY, HEALTH, AND ENVIRONMENTAL MANUAL

Okland Specific

OKLAND

OKLAND SAFETY, HEALTH, AND ENVIRONMENTAL POLICY

WE BELIEVE:

Nothing we do is more important to Okland than the safety, health, and well-being of our employees and their families, our subcontractor workers and their families, our clients and their families, and the general public that may be impacted by our construction activities.

All injuries, occupational illnesses, and incidents are preventable; we can achieve and sustain a zero-incident culture.

At Okland, we are all safety leaders who act with a sense of urgency to eliminate or effectively control safety and health hazards.

WE EXPECT:

Each worker to have an individual commitment to work safely and comply with the requirements of our safety and health program.

Each worker to show their safety leadership by not only looking after the well-being of themselves but also of each other.

Every activity we do to be adequately planned out and to be in compliance with all applicable rules and regulations.

WE COMMIT:

To own the overall safety and health program for our company; to convey, with clarity, our expectation of the effective implementation of the Okland Safety and Health program; and to provide the resources and policies that are needed to establish and maintain a positive, proactive, and corporate-wide safe and healthy culture.

Bill Okland, CEO

Brett Okland, President

OKLAND

Table of Contents

TABLE OF CONTENTS

LINKS TO EXTERNAL DOCUMENTS

L1-1	Visitor Orientation (Non-Blue Vest)	http://docs.okland.com/msa/safety/L1-1.pdf
L1-2	Visitor Orientation (Blue Vest)	http://docs.okland.com/msa/safety/L1-2.pdf
L2-1	Pre-Task Plan (PTP) Form	http://docs.okland.com/msa/safety/L2-1.pdf
L2-2	Pre-Task Plan (PTP) Guide Sheet	http://docs.okland.com/msa/safety/L2-2.pdf
L3	Job Hazard Analysis (JHA)	http://docs.okland.com/msa/safety/L3.pdf
L4	Rigging & Electrical Color-Code	http://docs.okland.com/msa/safety/L4.pdf
L5	Hot Work Permit	http://docs.okland.com/msa/safety/L5.pdf
L6 - 1	Soil Type A – Over 4' Excavation & Trench Access Permit	http://docs.okland.com/msa/safety/L6-1.pdf
L6 - 2	Soil Type B – Over 4' Excavation & Trench Access Permit	http://docs.okland.com/msa/safety/L6-2.pdf
L6 - 3	Soil Type C – Over 4' Excavation & Trench Access Permit	http://docs.okland.com/msa/safety/L6-3.pdf
L7	Site Specific Steel Erection Plan and Checklist	http://docs.okland.com/msa/safety/L7.pdf
L8	Heat Stress Index Action Table	http://docs.okland.com/msa/safety/L8.pdf
L9	Lift Planning Worksheet – Hydraulic/Lattice Crane	http://docs.okland.com/msa/safety/L9.pdf
L10	Lift Planning Worksheet – Tower Crane	http://docs.okland.com/msa/safety/L10.pdf
L11	Subcontractor Substance Abuse Program Compliance Requirements	http://docs.okland.com/msa/safety/L11.pdf
L12	Hierarchy of Controls	http://docs.okland.com/msa/safety/L12.pdf
L13-1	DANGER Red Tape Sign	http://docs.okland.com/msa/safety/L13-1.pdf
L13-2	CAUTION Yellow Tape Sign	http://docs.okland.com/msa/safety/L13-2.pdf
L13-3	CARE Tape Sign	http://docs.okland.com/msa/safety/L13-3.pdf
L14	FST Sign-In Sheet	http://docs.okland.com/msa/safety/L14.pdf
L15	Toolbox Safety Meeting Attendance Sheet	http://docs.okland.com/msa/safety/L15.pdf
L16	Injury/Illness Report Form	http://docs.okland.com/msa/safety/L16.pdf
L17	Property Damage Report Form	http://docs.okland.com/msa/safety/L17.pdf
L18	Driver Accident Report Form	http://docs.okland.com/msa/safety/L18.pdf
L19	Okland Vehicle & Driving Policy	http://docs.okland.com/msa/safety/L19.pdf
L20	Release Waiver and Indemnity Agreement for Equipment Use	http://docs.okland.com/msa/safety/L20.pdf
L21	Risk Ranking Matrix	http://docs.okland.com/msa/safety/L21.pdf
L23	Corporate Silica Exposure Control Plan	http://docs.okland.com/msa/safety/L23.pdf
L24	Project Fence Standard	http://docs.okland.com/msa/safety/L24.pdf

L25	Crane Request Form	http://docs.okland.com/msa/safety/L25.pdf
L26	Disciplinary Action Form	http://docs.okland.com/msa/safety/L26.pdf
L27	Forklift Operators Inspection Form	http://docs.okland.com/msa/safety/L27.pdf
L28	MEWP Operators Inspection Form	http://docs.okland.com/msa/safety/L28.pdf
L29-1	Mobile Equipment Pre-Operation Checklist Form	http://docs.okland.com/msa/safety/L29-1.pdf
L29-2	Mobile Equipment Pre-Operation Inspection Guide	http://docs.okland.com/msa/safety/L29-2.pdf
L30	Baker Scaffold Quick Reference Sheet	http://docs.okland.com/msa/safety/L30.pdf
L31	Fabricated Frame Scaffold Quick Reference Sheet	http://docs.okland.com/msa/safety/L31.pdf
L32	Confined Space Permits	http://docs.okland.com/msa/safety/L32.pdf
L33-1	Soil Disturbance Permit – EXAMPLE ONLY	http://docs.okland.com/msa/safety/L33-1.pdf
L33-2	Soil Disturbance Permit Process Map	http://docs.okland.com/msa/safety/L33-2.pdf
L33-3	Utility Backfill Standards	http://docs.okland.com/msa/safety/L33-3.pdf
L33-4	Survey Layout Standards	http://docs.okland.com/msa/safety/L33-4.pdf
L34	Hazard Communication Program	http://docs.okland.com/msa/safety/L34.pdf
L35	Floor Opening Hole Cover Standard	http://docs.okland.com/msa/safety/L35.pdf
L36	Barricade Tape Guidelines	http://docs.okland.com/msa/safety/L36.pdf
L37	Boot Requirements	http://docs.okland.com/msa/safety/L37.pdf
L38	Pro-Jax Narrow Frame Scaffolding Daily Inspection Form	http://docs.okland.com/msa/safety/L38.pdf
L39	Respiratory Protection Program	http://docs.okland.com/msa/safety/L39.pdf
L40	Stationary Supported Scaffold Permit	http://docs.okland.com/msa/safety/L40.pdf
L41	Mudsill Reference Sheet	http://docs.okland.com/msa/safety/L41.pdf
L42	Permit Sleeve/Magnet Tag Tracking Policy	http://docs.okland.com/msa/safety/L42.pdf
L43	Okland Required PPE Variance Policy	http://docs.okland.com/msa/safety/L43.pdf
L44	Water Crash Cart Policy	http://docs.okland.com/msa/safety/L44.pdf
L45	Near Miss Incident Report	http://docs.okland.com/msa/safety/L45.pdf
L46	Environmental Incident Report	http://docs.okland.com/msa/safety/L46.pdf
L47	Glove Matrix	http://docs.okland.com/msa/safety/L47.pdf
L48	Flagger PPE Requirements	http://docs.okland.com/msa/safety/L48.pdf
L49	Drilling Piles/Caissons Excavation Permit	http://docs.okland.com/msa/safety/L49.pdf
L50	Temporary Heater Permit	http://docs.okland.com/msa/safety/L50.pdf
L51	Demolition Permit – Selective Demolition	http://docs.okland.com/msa/safety/L51.pdf
L52	Demolition Permit – Total Demolition	http://docs.okland.com/msa/safety/L52.pdf

L53	Okland Heat Illness Prevention Policy	http://docs.okland.com/msa/safety/L53.pdf
L54	Guardrail Removal and Modification Permit	http://docs.okland.com/msa/safety/L54.pdf
L55	Danger – Overhead Work Sign	http://docs.okland.com/msa/safety/L55.pdf
L56	Danger – Energized Electrical Room Sign	http://docs.okland.com/msa/safety/L56.pdf
L57	Scaffold Stair Tower Permit	http://docs.okland.com/msa/safety/L57.pdf
L58	Trash Chute Permit	http://docs.okland.com/msa/safety/L58.pdf
L59	Overhead Protection at Building Perimeter Policy	http://docs.okland.com/msa/safety/L59.pdf
L60	Non-Crane Lift Planning Worksheet	http://docs.okland.com/msa/safety/L60.pdf
L61	Tower Crane Assembly Checklist	http://docs.okland.com/msa/safety/L61.pdf
L62	Tower Crane Disassembly Checklist	http://docs.okland.com/msa/safety/L62.pdf
L63	Tower Crane Assembly/Disassembly Authorization Form	http://docs.okland.com/msa/safety/L63.pdf
L64	Eye Protection Activities Table	http://docs.okland.com/msa/safety/L64.pdf
L65	Okland's Deadman Design	http://docs.okland.com/msa/safety/L65.pdf
L66	Okland's Personnel/Material Hoist Checklist	http://docs.okland.com/msa/safety/L66.pdf
L67	Okland's Personnel/Material Hoist Authorization Form	http://docs.okland.com/msa/safety/L67.pdf
L68	Critical Lift Criteria & Permit	http://docs.okland.com/msa/safety/L68.pdf
L69	Mobile Equipment in Public Right of Way Permit	http://docs.okland.com/msa/safety/L69.pdf

EXPECTATIONS

Okland management/supervisors are expected to establish operating practices that are consistent with maintaining the safety & health of workers and others exposed to Okland activities.

At a minimum, Okland operating practices must meet and be in strict compliance with:

- All local, state, and federal governmental regulations (i.e., legal obligations)
- Contractual obligations including the requirements set forth in the contractual agreement between Okland and Owner
- This Safety & Health Manual and those documents incorporated by reference within it.
- Project established requirements.
- The manufacturer's recommendations for all tools, materials, and equipment used by Okland and/or Subcontractor.

If there is a conflict as to which requirement is to be adhered to between local, state, and/or federal governmental regulations, contractual obligations, this S&H Manual, and those documents incorporated by reference within it, Project requirements, and/or manufacturer recommendations, the most stringent components of each shall apply while always maintaining compliance with legal obligations. In many cases this will result in having to comply with legal obligations as well as additional items required in this S&H Manual. This is intentionally the design, and in part, the intent of this S&H Manual.

Management/supervision shall plan safety into each work task. Although the ultimate success of our Safety, Health and Environmental Program depends on the full commitment and cooperation of each individual employee, management/supervision is responsible to ensure that applicable rules and procedures are established and enforced and that effective training programs are employed.

Safety, occupational health, and environmental protection must never be sacrificed for production. These elements are integral parts of quality control, cost reduction and job efficiency. Each supervisor must be personally concerned with the performance demonstrated by employees under his/her supervision as their performance relates to these elements.

SCOPE

The requirements set forth in this manual shall apply to all work managed by Okland Construction Co., Inc.

The requirements in this manual have been placed in their respective sections only to facilitate the cross-referencing of the requirements with specific OSHA regulations.

However, unless otherwise stipulated in this manual, all requirements in this manual shall apply to all scopes of work irrespective of the requirement's heading or location it has been placed within the manual.

ACRONYMS & DEFINITIONS

For the sole purpose of this manual, the following definitions shall apply.

ADA	Americans with Disabilities Act
ANSI	American National Standards Institute
AWG	American Wire Gauge
CFR	Code of Federal Regulations
Competent Person	One who is capable of identifying existing and predictable hazards in the surroundings or working conditions which are unsanitary, hazardous, or dangerous to employees, and who has authorization to take prompt corrective measures to eliminate them
EPA	Environmental Protection Agency
GFCI	Ground Fault Circuit Interrupter
Infeasible	It is impossible to perform the work in compliance with the Okland specified requirement(s). Subcontractor/Supervisor has the burden of establishing infeasibility, regardless of cost or immediately available manpower, tools, equipment and/or materials.
JHA	Job Hazard Analysis
LOTO	Lock-Out Tag-Out
MSA	Master Subcontract Agreement
MUTCD	Manual on Uniform Traffic Control Devices
Narrow Frame Scaffold	A scaffold that is 46” or less in its least dimension
NFPA	National Fire Protection Association
OEM	Original Equipment Manufacturer
Okland	Okland Construction Co., Inc., and all affiliated companies respective to the contract documents
OSHA	Occupational Safety and Health Administration
Owner	The entity Okland Construction Co., Inc. has established a Prime Contract with
PEL	Permissible Exposure Limit
PFAS	Personal Fall Arrest System
PPE	Personal Protective Equipment
PPM	Parts Per Million
Project	Those areas indicated in the contract documents where construction work is performed for Okland. This includes, but is not necessarily limited to, accessible areas of the Project, staging areas, fenced construction areas, jobsite trailers, warehouses, company-provided parking areas, vehicles and equipment on the Project, driveways, lockers, toolboxes, or other related storage areas used by employers and/or employees.
Project Management	The Okland Project Director, Project Manager, Project Superintendent(s)

Project Team	Engineer(s), and any full-time Project Safety Manager(s) assigned to the Project and/or multiple Projects managed by the same team.
PTP	Pre-Task Plan
QR	Qualified Rigger
QSP	Qualified Signal Person
Qualified Person	One who, by possession of a recognized degree, certificate, or professional standing, or who by extensive knowledge, training, and experience, has successfully demonstrated his/her ability to solve or resolve problems related to the subject matter, the work, or the project.
ROPS	Roll Over Protective Structure
SDS	Safety Data Sheets (formerly MSDS)
Subcontractor	The entity that Okland is contracted with to provide work on the Project and their respective lower-tiered Subcontractors.
Supervisor	An employee designated by his/her employer to supervise activities relating to work on the Project and who meets Okland's requirements to be a Supervisor on an Okland Project
Supported Scaffold	Any scaffolding other than suspended scaffolding (e.g., scaffolds supported by outrigger beams, brackets, poles, legs, uprights, posts, frames, or similar rigid supports)
SWPPP	Storm Water Pollution Prevention Plan
Zero Tolerance	Not allowing work to begin or continue if it is not safe or not in compliance with the established requirements

SAFETY, HEALTH & ENVIRONMENTAL RESPONSIBILITY MATRIX

Senior Leadership Team

Ownership of the overall Safety Health & Environmental Program. Convey Senior Leadership's expectation of the effective implementation of the Okland Safety & Health Program to all company employees. Provide the resources and policies that are needed to establish and maintain a positive, proactive, corporate wide, Safety & Health culture.

Director of Operations

Provide Project Directors a clear understanding of their responsibilities and establish processes to validate their active participation in the Okland Safety, Health & Environmental Program. Ensure safety roles and outcomes for each Operations position are clearly outlined in the position's "scorecard". Hold Project Directors accountable for their Project's Safety & Health performance by effective & clear direction and feedback in the review process and one-on-one meetings. Communicate Okland's expectation that all Operations personnel proactively participate in the Safety, Health & Environmental program. Contribute to policy development that will enhance safe, healthy & Environmental processes and behavior that decreases risk to hazard exposures. Provide the necessary staffing and support for Project's that will allow for the effective implementation of the Safety, Health & Environmental Program.

Field Operations Directors

Provide Superintendents a clear understanding of their responsibility and establish processes to validate their active participation in the Okland Safety, Health & Environmental Program. Ensure safety roles and outcomes for Superintendents are clearly outlined in the Superintendent's "scorecard". Hold Superintendents accountable for their Project's Safety, Health & Environmental performance by effective & clear direction and feedback in the review process and jobsite visits. Communicate the company's expectation that all Operations personnel proactively participate in the Safety, Health & Environmental program. Contribute to policy development that will enhance safe & healthy processes and behavior that decreases risk to hazard exposures. Work with the Director of Operations to provide the necessary staffing and support for project's that will allow for the effective implementation of the Safety, Health, & Environmental Program.

Project Directors

Evaluate Owner Requests for Proposals (RFPs) and identify unique safety, health and/or environmental risks inherent to the proposed projects. Reach out to Regional Safety and Health Directors, as needed, to help in hazard evaluation and identification of needed controls to mitigate the identified unique risks. Validate proactive participation in the Safety, Health, & Environmental Program by each member of the Project Management Team. Provide adequate budgets and resources for each project that will allow for the effective implementation of the Okland Safety, Health, & Environmental Program. Prior to construction, identify high level safety, health, and/or environmental risks for the project and establish effective control plans for each. Hold Project Management Teams accountable for the Project's safety, health, and environmental performance by effective & clear direction and feedback in the review process, regular site visits, and review of the safety Key Performance Indicators in the PSR. Ensure a Project kick-off meeting takes place for each Project.

Project Managers

Provide oversight of, and participates in, the Project's implementation of the Safety, Health, & Environmental Program. Include the Project assigned Safety Professional in all high-risk preconstruction meetings. Validates all additional project specific safety, health, or environmental requirements are included in the bid documents and referenced in each Notice to Proceed & Work Order. Establish effective project management processes that will foster good communication and coordination to develop and sustain a proactive and positive safety & health culture. Ensure all members of the project team participates in and leads safety processes on the project site including the weekly Project safety inspection.

General Superintendents

Provide Superintendents a clear understanding of their responsibility in the Safety, Health, & Environmental Program. Provides leadership and coaching to Superintendents in a manner that promotes a positive and proactive safety & health culture. Hold Superintendents that they provide oversight for accountable for their support of the Safety, Health, and Environmental Program by effective & clear direction and feedback in the review process and jobsite visits. Contribute to policy development that will enhance safe & healthy processes and behavior that decreases risk to hazard exposures. Conducts, delegates, manages quality assurance reviews of the manner in which the work is being performed to assure safe methods are being used and addresses substandard safety behavior.

Project Superintendents

Effectively leads and implements Okland's Safety, Health, & Environmental Program on their assigned Project. Develops a project schedule that reflects the effective implementation of Okland's Safety, Health, & Environmental Program. Validate that Okland's Key Performance Indicators for Safety are consistently and successfully being accomplished. Ensures that a weekly Project safety inspection is conducted and drives the resolution of all identified issues in a timely manner. Conducts, delegates, manages quality assurance reviews of the manner in which the work is being performed to assure safe methods are being used and addresses substandard safety behavior. Enables all Okland FLC Employees to participate in required safety trainings, which includes but is not limited to: Project Orientations, Toolbox Safety Meetings, Monthly Field Safety Trainings and the Monthly F10 video and quiz. Holds Assistant Superintendents, General Foreman, Foreman, and Subcontractors accountable for their safety, health, and environmental performance.

Project Engineers

Participates in and supports the Project Manager and the Project Superintendent with the oversight and the implementation of the Okland Safety, Health, & Environmental program. Leads by example.

Assistant Superintendents/General Foreman/Foreman/Field Engineers

Field leader in the Safety, Health, & Environmental Program and leads by example. Holds direct reports and assigned subcontractors accountable for their safety, health, and environmental performance. Conducts task risk assessments and develops Job Hazard Analysis and Pre-Task Plans that identify and mitigate risks. Trains crews, facilitates safety meetings, and provides all needed tools, equipment, PPE, and safe access for the tasks. Reviews work sequencing with Superintendent to ensure safe execution of objectives. Conducts quality assurance reviews of the manner in which the work is being performed to assure safe methods are being used and addresses substandard safety behavior. Conducts quality assurance reviews of the manner in which the work is being performed to assure safe methods are being used and addresses substandard safety behavior.

Lead Carpenters

Field leader in the Safety, Health, & Environmental Program within individual crews and leads by example. Reports any issues that develop during daily tasks to their supervisor. Works with their assigned crew, coaches and monitors safety performance and addresses substandard safety behavior. Support Foreman in conducting task risk assessments and assists in the development of Job Hazard Analysis and Pre-Task Plans. Inspects tools, equipment, PPE, work area, and safety systems that the crew will be using.

All Okland Workers

Maintains a positive safety attitude, leads by example, and addresses unsafe behavior they observe by other workers. Works in a manner consistent with Okland's Safety & Health Program to produce a quality product without compromising the safety of self or others. Inspects their work area, all PPE, tools, and equipment prior to use. Brings safety or health concerns to the attention of supervisors and provides constructive feedback. Reviews the JHA for the work scope, participates in a daily PTPs, attends all assigned trainings and toolbox safety meetings.

Crane Superintendent

Provide crane, hoisting and rigging technical expertise and leadership to Okland's Project Management Teams (e.g. reviewing lift plans, approving critical lifts, participates in selecting the appropriate Okland cranes for the project, etc.). Supports governance of the Corporate Safety, Health, and Environmental program by periodically monitoring compliance with Okland's crane, hoisting, and rigging safety requirements and legal obligations. Provides oversight and training for all Okland Crane Operators. Provides training for all Okland riggers and crane signal personnel. Provides training for all Okland Superintendents on Crane Lift Plan preparation and reviews.

Human Resource

Evaluate potential candidates to measure their compatibility with Okland's safety culture and validate credentials for safety sensitive positions taking that into consideration prior to offering the candidate a position with the company. Maintain a Disciplinary Action Program. Establish and maintain an active database that tracks disciplinary action events. Execute Okland's onboarding process for all new Okland personnel.

Estimating

Assist in the evaluation of Owner Requests for Proposals (RFPs) and identify unique safety, health and/or environmental risks inherent to the proposed projects. Reach out to Regional Safety and Health Directors, as needed, to help in hazard evaluation and identification of needed controls to mitigate the identified unique risks. Ensure costs are captured for the additional risk mitigation controls. Disseminates information about identified hazards in bid documents and Notice To Proceeds (NTPs). Ensure bidders captured costs for mitigation efforts in their bid proposals prior to awarding related scopes of work.

Business Development

Evaluate Owner Requests for Proposals (RFPs) and identify unique safety, health and/or environmental risks inherent to the proposed projects. Reach out to Regional Safety and Health Directors, as needed, to help in hazard evaluation and identification of needed controls to mitigate the identified unique risks. Make sound judgements on pursuing projects that have inherent high-level risks or are atypical to Okland's expertise.

Table of Contents

Marketing
Support the Safety, Health, & Environmental department on branding of safety correspondence, posters, banners, alerts, trainings, etc. Consult with Regional Safety & Health Directors in the promotion of Okland's safety program. Vet construction site photos and videos with Regional Safety & Health Directors prior to publishing. Involve the Safety and Health department in the development of site signage, banners and fencing plans that is not addressed in our established fencing standard.

Quality Assurance/Quality Control
Establishes effective quality control systems and processes for the completion of work scopes that are of high quality and do not need to be reworked; thus, inherently reducing risk. Promotes generic QA/QC systems and processes that can be applied horizontally across the company to improve quality of work; thus, inherently reducing risk.

Virtual Design and Construction Dpt. (VDC) & Survey
Support risk evaluations of project sites prior to start of construction by assisting in the identification and location of known and unknown underground utilities or other unique risks. Using the 3D model, visually review for potential areas of risk and share with Safety and Health Department. Be prepared, with short notice, to support the Safety and Health Department in incident scene investigations and documentation of existing conditions following a catastrophic loss.

Supply Chain/Equipment Directors
Establish processes for the identification, inspection, repair, and maintenance of Okland issued tools and equipment prior to use or distribution to Projects. Manages Okland's fleet vehicle program and ensures processes are in place that promotes the safe operation and maintenance of the fleet. Provides oversight and governance of Okland's Department of Transportation (DOT) compliance program. Manages Okland's Yard & Warehouse processes ensuring adequate resources and procedures are established to promote safe operations. Hold warehouse and yard personnel accountable for their safety, health, & environmental performance.

Warehouse & Maintenance Support
Execute the processes established by the Supply Chain/Equipment Director for the inspection, repair, and maintenance of Okland issued tools and equipment prior to self-use or distribution to Projects.

IT Department
Support the Safety, Health, & Environmental Department in providing functional platforms for the distribution of safety, health, and environmental related information and electronic execution of specific safety, health, and environmental related tasks.

In-house Legal Counsel
Provides legal advice concerning Okland Policies, Systems, and Standards. Is a member of the Risk Oversight and Safety Committee. Manages high-level claims, including any work with Okland's outside legal counsel. Provides support to Risk Department concerning less-than-high-level claims. Responds to safety related legal questions. Reviews contracts and identifies high-level safety related risks. Serves as the Crisis Communication Lead for outward communications following a catastrophic loss. Promotes safety efforts that drive the adoption of needed risk mitigation actions to lower potential risks to an acceptable level.

Claims Manager
Provides technical expertise, leadership, and support in claims management. Establishes and implements claims management processes and claims data tracking systems. Manages day-to-day

claims operations, bringing claims to fair and quick resolution. Provides the Safety and Health Department with technical and higher-level administrative support. Oversees Risk and Safety Administrative Support Personnel.

Risk & Safety Administrative Support

Provides administrative support for the Safety, Health & Environmental Department. Establishes and maintains department files to ensure document control and responds to inquiries for Safety & Health Department documentation. Creates and maintains safety training and operator certification databases. Conducts preliminary reviews of Subcontractor prequalification submittals to ensure complete information is provided. Specifically supports FLC Spanish only speaking employees by fielding general safety related questions and translating safety training information into Spanish. Posts and distributes safety related information and events.

Regional Safety and Health Directors

Provide safety, health, environmental, and operational risk technical expertise and leadership to Okland's Senior Leadership Team, Corporate Directors, and the Senior Operations Team. Develop, implement, and provide governance of effective corporate safety, health, environmental, and operational risk management systems. Manage Corporate mitigation efforts for mid to high-level Corporate operational risks. Represent Okland in construction industry associations and in government regulatory interactions. Lead and coach Safety & Health Managers and Claims Manager. Periodically walks Projects with Project Safety Managers, Directors, and Superintendents.

Safety and Health Managers – Rovers

On a roving basis: Provide safety and risk technical expertise and leadership to Okland's Project Management Teams, Field Labor, and subcontractors to develop and sustain a proactive, positive, project safety culture. Support governance of the Corporate Safety, Health, and Environmental program by monitoring the Project's compliance with Okland's corporate and project specific safety, health, and environmental requirements and legal obligations. Provide Project Teams and Subcontractors with positive feedback and identify opportunities for improvement related to the implementation of Okland's Safety, Health, and Environmental Program. Attends preconstruction meetings for high-risk work scopes. Liaison with third party and government entities related to safety, health, & environmental (e.g., OSHA, EPA, Fire, Insurance Reps). Recommends OSHA and ANSI compliant equipment and PPE required for effective safety systems.

Safety and Health Managers – Project Based

On a full-time basis (will involve more direct ownership and task assignments vs. a Rover): Provide safety and risk technical expertise and leadership to Okland's Project Management Teams, Field Labor, and Subcontractors to develop and sustain a proactive, positive, project safety culture. Support governance of the Corporate Safety, Health, and Environmental program by monitoring the Project's compliance with Okland's corporate and project specific safety, health, and environmental requirements and legal obligations. Provide Project Teams and Subcontractors with positive feedback and identify opportunities for improvement related to the implementation of Okland's Safety, Health, and Environmental Program. Attends preconstruction meetings for high-risk work scopes. Liaison with third party and government entities related to safety, health, & Environmental (e.g., OSHA, EPA, Fire, Insurance Reps). Recommends OSHA and ANSI compliant equipment and PPE required for effective safety systems.

SECTION 1

GENERAL REQUIREMENTS

GENERAL REQUIREMENTS

THE WILLIAMS-STEIGER OCCUPATIONAL SAFETY AND HEALTH ACT OF 1970

Section 5. Duties

a. Each employer
    i. shall furnish to each of his employees' employment and a place of employment which are free from recognized hazards that are causing or are likely to cause death or serious physical harm to his employees;
    ii. shall comply with occupational safety and health standards promulgated under this Act.
b. Each employee shall comply with occupational safety and health standards and all rules, regulations, and orders issued pursuant to this Act which are applicable to his own actions and conduct.

"THE GENERAL DUTY CLAUSE"

Section 5(a)(1) of the William-Steiger Occupational Safety and Health act of 1970 has become known as "The General Duty Clause". It is a catch-all clause for citations if OSHA identifies unsafe conditions for which no specific clause exists.

In practice, OSHA court precedent and the review commission have established that if the following elements are present, a "general duty clause" citation may be issued.

a. The employer failed to keep the workplace free of a hazard to which employees of that employer were exposed.
b. The hazard was recognized (Examples might include: through safety personnel, employee(s), organization(s), trade organization(s) or industry customs).
c. The hazard was causing or was likely to cause death or serious physical harm.
d. There was a feasible and useful method to correct the hazard.

GENERAL PROJECT REQUIREMENTS

1. **Stop Work Authority:**
   a. Every worker on the project shall have Stop Work Authority if they believe the activity is not safe or not in compliance with the established requirements of this manual.
      i. If work is stopped, the supervisor over the work shall be immediately notified.
      ii. In addition, the supervisor for the worker initiating the Stop Work action shall also be notified immediately.
      iii. Work shall not proceed until the concern noted has been effectively addressed or found to be in compliance with the requirements of this manual.

2. **Supervision:**
   a. Okland is to have a competent, English proficient supervisor on site at all times while work is being performed under the Okland's contracted scope of work.
   b. For supervision outside of regular working hours (e.g. early morning, late nights, weekends, holidays, etc.) where members of the Okland Project Management Team are not on site, the Okland Superintendent shall ensure that the Okland Project Responsible Person (PRP) being assigned to the project:
      i. Has completed the OSHA 10-hr. or 30-hr. training.
      ii. Has a current first aid & CPR certification.
      iii. Has completed the Okland 4-Hr. Project Responsible Person Training (PRPT).
      iv. Has Meet on site with the Superintendent or Project Manager prior to coverage for an overview & job walk.
      v. Has a mobile cellphone.
      vi. Has been given emergency contact phone numbers.
      vii. Has access to the job trailer.
      viii. Has access to forms (you should print forms for them that are only on the intranet).
      ix. Has been given keys to the jobsite (e.g., fences, trailers, locks).
      x. Has been given a subcontractor contact list for onsite supervisors.
      xi. Has been given information as to where the nearest clinic and hospital is.
      xii. Has been given the job number & cost code.
   c. Interns shall not serve as the Project Responsible Person.
   d. Each Okland supervisor shall implement and enforce the safety & health requirements.
   e. Okland supervisors shall have authority to stop, correct and/ or change work activities performed by any worker under Okland's scope of work.
   f. Subcontractors shall not be on Okland projects without an Okland supervisor (i.e. Okland Project Responsible Person) being on site.

3. **Site-Specific Safety Plan:**
   a. If Subcontractor's safety performance is found to not be consistent with the requirements set forth in this manual, at the discretion of Okland, Subcontractor shall develop and submit to Okland, a Site-Specific Safety Plan that details the specific activities, hazards, and controls for Subcontractor's scope of work.
      i. At no time shall Subcontractor's Site-Specific Safety Plan stipulate requirements less than those established in this manual.

4. Lone Worker
    a. Workers conducting the following activities shall only do so when they can be visually seen and heard by at least one other worker. If the other worker(s) is/are not on the lone-worker's crew, the pre-task plan must identify who will be within sight and earshot of the lone worker. The identified person must be conducting a joint activity with the lone worker.
        i. Activities where a Personal Fall Arrest System (PFAS) is required to be used.
        ii. Activities where work is being performed on elevated decks/floors where:
            1. A fall hazard exists on a roof that is being controlled with a warning line system; or
            2. One or more ladders of any type are the sole means of access/egress.
        iii. Activities in a trench 4’ or greater in depth.
        iv. Entering a permit or a non-permit required confined space.
        v. Conducting live electrical work of any voltage.
        vi. Use of a respirator for any reason.
        vii. Conducting demolition work.
        viii. Work on or around the project outside of normal hours.
        ix. Operating earth or material handling equipment (e.g., forklifts, skid-steers, back-hoes, scrapers, graders) where at least one of these conditions exist:
            1. Operation is in remote areas on the project.
            2. Operation is in a remote yard.
            3. Operation poses a risk of other workers or the public being struck by the equipment.
        x. Activities involving the maintenance or repair of mobile or fixed equipment (e.g., MEWPs, man/material hoists, forklifts, skid-steers, back-hoes, scrapers, graders) where there is a potential for the released of stored energy (e.g., electrical, hydraulic, gravity).

5. Meetings:
    a. Project Management Teams are to hold subcontractor preconstruction, weekly subcontractor coordination, and weekly or bi-weekly internal staff meetings and ensure that a specific safety section is a component of each.
    b. Project Management Teams are to conduct additional meetings with our self-performed teams as well as our subcontractors to address safety-related issues as necessary.

6. Documentation:
    a. Project Management Teams shall complete and maintain safety, Health, and Environmental related documentation:
        i. As necessary to adequately support Okland’s safety, health, and environmental program.
        ii. As required by OSHA regulations.
        iii. As required by this manual.
    b. These documents include but are not limited to: project orientations, verification of subcontractor’s compliance with Okland’s substance abuse prevention program, hot work permits, soil disturbance permits, PTPs, JHAs, weekly safety inspections, injury and incident reports, etc.
    c. Okland shall maintain the confidentiality of all medical records and documents that contain personal identification or other information that are private in their nature.

7. **Permits**
    a. All Okland safety related permits (e.g., hot work, soil disturbance, over 4-foot excavation and trench access, piling drilling, over 24-foot scaffold erection) shall be issued and tracked pursuant to the Okland Permit Sleeve / Magnet Tag Tracking Policy.
    b. Additional Okland and/or project specific training may be required for supervisors and workers prior to issuing them permits.

8. **Required Age:**
    a. No person under the age of eighteen (18) shall be allowed on Okland projects, which includes access through project gates, irrespective of the minor staying in a vehicle. Exceptions to this requirement are listed in the Visitors section of this manual.
    b. No person under the age of eighteen (18) shall be allowed to work on the Project.

9. **Tobacco:**
    a. Use of tobacco products, including e-cigarettes, are prohibited on the project except in areas designated by Okland's Project Management Team.

10. **Animals:**
    a. No animals shall be allowed on the Project including pets, irrespective of the animal staying in the cab of a vehicle, in an office, in a lock-up or similar work/break area.

11. **Audio Devices:**
    a. Audio devices such as radios, speakers, and similar that are audible in the general work area are prohibited.

12. **Communication Devices:**
    a. The use of personal cellular/mobile telephones, on the Project are prohibited unless used in designated areas (e.g., fire extinguisher areas, water stations, break areas).
    b. The use of cellular/mobile telephones, on the Project while in a safety sensitive position (e.g., operating equipment, exposed to a fall hazard, climbing ladders, walking around mobile equipment) is prohibited.
    c. Okland's onsite project management team may, at their discretion, institute additional restrictions on the use of electronic devices including cellular/mobile telephones.

13. **Unsafe Conditions/Acts:**
    a. Employees are to report unsafe acts/conditions to their supervisor immediately. If the employee feels as though his/her safety concern is not being addressed, they are encouraged and expected to report their concern to the Okland Superintendent and/or the Okland Project Manager. If for any reason the employee feels as though his/her safety concern is not being addressed, they are encouraged to report their concern to the Okland corporate Safety Department and/or Okland's corporate Human Resource department.
    b. Employees shall not work under unsafe conditions.
    c. Employees shall not conduct unsafe acts.
    d. Horseplay shall not be tolerated.
    e. Fighting shall not be tolerated (this includes physically touching any other person with the intent to do harm, threaten, or intimidate).

14. Disciplinary Action:
    a. If an Okland employee is observed not in compliance or found to have been not in compliance with the requirements stipulated in this manual, they are subject to disciplinary action which may include, but not limited to: verbal warnings, documented write-ups, temporary suspension of work and pay, and/or termination of employment.
    b. Disciplinary action will be consistent with Okland's Zero Tolerance approach to noncompliance with Okland's safety, health, and environmental program and be documented on the Disciplinary Action Form.

15. Okland Designated Parking Lots/Locations:
    a. Okland employees, including temporary workers directly contracted to Okland, shall either walk or utilize Okland provided transportation to and from Okland designated parking lots/locations. Use of other forms of transportation (e.g., scooters of any type, bicycles of any type, onewheels, hoverboards, segways, skateboards, etc.) is strictly prohibited.

VISITORS

1. A visitor is any individual who visits a project site and who does not have a contractual relationship with Okland Construction. Individuals who are performing or supervising work on the project are not considered visitors. Each visitor must have a signed Release of Liability-Waiver agreement with Okland Construction and complete the required safety orientation course.

2. Before accessing the project, all prospective visitors to the project shall report to the Okland project office to check in with the Okland Superintendent or other authorized Okland supervisor.

3. All visitors will be designated as either "Visitors" (see #5) or "Blue Vest Visitors" (see #6)
   a. See "Orientation and Waiver Requirements" matrix below.

4. All visitors under the age of 18 will be designated as "Blue Vest Visitors" and are subject to the additional requirements set forth in #7 below.

5. Visitors are individuals who (i) are familiar with construction sites, (ii) have experience being on construction sites, <u>and</u> (iii) are wearing all the project's required PPE.
   a. Okland's Superintendent or other authorized Okland supervisor must do the following before Visitors are granted access to the project:
      i. Ensure each Visitor has proper authorization from an Okland project management team member before each Visitor is allowed on the project site.
      ii. Ensure each visitor reads and signs a Visitor Orientation and Release of Liability-Waiver Form.
      iii. Ensure each visitor is instructed that photos and videos are not permitted without approval from the Project Director.
      iv. Question the Visitor on the specific area(s) that he or she would like to visit.
      v. Advise the visitor(s) on time limits of the visit and describe any restricted areas, including any area(s) the visitor has requested to visit.
      vi. Ensure the visitor will be wearing the project's required PPE at all times while on the project site.
      vii. Verify each visitor parked their vehicle in the proper location.

6. Blue Vest Visitors are individuals who (i) are not familiar with construction sites; (ii) do not have sufficient experience visiting construction sites; or (iii) are not wearing all the project's required PPE. In addition to the Visitor rules listed above, Blue Vest Visitors must:
   a. Read and sign the Okland Blue Vest Visitor Orientation and Release of Liability-Waiver form.
   b. Wear an Okland-issued blue visitor safety vest.
   c. Meet the following minimum requirements for apparel and PPE while visiting the project:
      i. Closed toed shoes.
      ii. No shorts (although not recommended, skirts or dresses are allowable for Blue Vest Visitors).
      iii. Hard hat.
      iv. Glasses (safety glasses are preferred, but non-safety rated prescription eyeglasses are also acceptable).
   d. Be accompanied by an Okland-approved escort at all times while on the project site.

7. Minor Visitors are visitors under the age of 18. Minors cannot visit the project site during normal hours of operation (i.e., before 5 p.m.). Visits must be limited to areas where there are no potentially hazardous operations, e.g., unloading of steel, tensioning of cables, or other operations that may occur during off-peak times. These individuals must follow the requirements listed for Blue Vest Visitors and either (a) or (b) below:
    a. Visitor or visitor groups that have eight (8) or fewer minors who are all at least 12 years old:
        i. Approval by the project's Superintendent and one of either an Operations Director or Safety Director must be obtained at least 48 hours before the visit.
        ii. The ratio of minors to adults must not exceed 4 to 1.
        iii. Each minor must provide to Okland the Okland Blue Vest Visitor Orientation and Release of Liability-Waiver form signed by his or her parent or guardian.
        iv. Ladders and scaffolding must not be used or accessed for any reason.
        v. Areas within 6' of edges that are protected with temporary guardrails are off limits.
        vi. The group must remain together and must be accompanied by an Okland-approved escort at all times while on the project site.
    b. Visitor groups of more than eight (8) minors or groups that include at least one individual under 12 years old:
        i. A request must be sent by email at least one week before the visit to the following individuals:
            1. Project Superintendent
            2. Project Director
            3. Operations Director
            4. Safety Director
        ii. The request should include:
            1. Total number of adults and minors in the group
            2. Purpose of the visit
            3. Ages of all minors in the group
            4. Date and time of proposed visit
            5. Specific area(s) of the project site that will be accessed during the visit
        iii. Written approval (e.g., text or email) must be received from the Safety Director and an Operations Director, which should be provided within 48 hours of the request.
        iv. The ratio of minors to adults must not exceed 4 to 1.
        v. Each minor must provide to Okland the Okland Blue Vest Visitor Orientation and Release of Liability-Waiver form signed by his or her parent or guardian.
        vi. Ladders and scaffolding must not be used or accessed for any reason.
        vii. Areas within 6' of edges that are protected with temporary guardrails are off limits.
        viii. The group must remain together and must be accompanied by an Okland-approved escort at all times while on the project site.

VISITOR ORIENTATION & WAIVER REQUIREMENTS

INDIVIDUAL	BLUE VEST ORIENTATION FORM/WAIVER	VISITOR ORIENTATION FORM/WAIVER	FULL ORIENTATION
OKLAND			
Active Management	N/A	N/A	YES
Guests of Okland	YES	N/A	N/A
Child	YES	N/A	N/A
Employees not Involved in Project	N/A	N/A	YES
OWNERS			
Active Management (Owner Reps Included)	N/A	YES	N/A
Guests of Owners	YES	N/A	N/A
Owner's Child	YES	N/A	N/A
Non-related Parties	YES	N/A	N/A
ARCHITECTS AND ENGINEERS (NON-DESIGN/BUILD)			
Active Management	N/A	YES	N/A
Guests of AE	YES	N/A	N/A
Owner's Child	YES	N/A	N/A
Non-related Parties	YES	N/A	N/A
TRADE PARTNERS & SUPPLIERS			
Trade Partners - Active on Project	N/A	N/A	YES
Trade Partners Office Personnel	N/A	YES	N/A
Manufactures/Materials Rep	N/A	YES	N/A
Guests or Trade Partner	YES	N/A	N/A
VISITORS			
Student Visitors	YES	N/A	N/A
Curious Community Members	YES	N/A	N/A
VIP's	YES	N/A	N/A

Table of Contents

GENERAL LIABILITY

1. As the general public does not have the knowledge and awareness of construction-related hazards, all work in and/or adjacent to the public right-of-way shall be conducted with added precaution. In addition, since there are no specific regulations addressing what added controls need to be implemented to prevent injury to the general public, each exposure shall be evaluated on a case-by-case basis. **Project Management Teams shall plan for added control measures anytime the general public might be exposed to construction-related hazards.** Okland's risk management and/or Safety Department may require that we increase our general liability control measures if they determine that existing and/or planned control measures are inadequate.

2. Appropriate control measures shall be implemented to address/abate all attractive nuisances. For the purpose of this manual, an attractive nuisance is a hazardous condition that meets the following criteria:
    a. The place where the condition exists is one upon which Okland knows **or has reason to know** that the general public is likely to trespass.
    b. The condition is one of which Okland knows **or has reason to know** and realizes **or should realize** will involve an unreasonable risk of injury, death, or serious bodily harm to the general public.
    c. The general public, because of their lack of knowledge and understanding to construction related hazards, may not discover the condition, or realize the risk involved in inter-meddling with it or in coming within the area made dangerous by it.
    d. The utility to Okland of maintaining the condition and the burden of eliminating the danger are slight as compared with the risk to the general public involved.
    e. Okland fails to exercise reasonable care to eliminate the danger or otherwise to protect the general public.

3. Okland shall not perform any work in, modify, or close any public sidewalk or road without a City permit and State permit (if it is under the authority of the State) and without the explicit authorization of Okland's Project Manager and Okland's Superintendent.

4. An Okland Safety Manager shall be consulted prior to any work in the public right-of-way.

SECURITY

1. Okland's Project Management Team is to advise each Subcontractor that they are responsible for the security of their property (which includes but is not limited to their tools, their employee's tools, their trailers, their conexes, their building materials, and similar) while on the Project.

2. Before beginning construction, the Okland Project Management Team is to evaluate the public safety and general security needs for the Project and develop a Project Fencing Plan designed to protect the public and adequately secure the site. This fencing plan shall meet the requirements stipulated in Okland's Project Fence Standard.

3. Okland's Project Management Team has the authority to prohibit any unauthorized personnel from accessing the Project or any portion thereof.

4. Okland's Project Management Team has the right but not the duty to periodically conduct random searches of vehicles on site, lunch boxes, toolboxes, etc. for controlled or prohibited substances and/or stolen tools, materials, etc.

5. Okland personnel must not give away and/or remove building materials from the Project without explicit written permission from Okland's Superintendent.

SECTION 2

SPECIFIC SAFETY REQUIREMENTS

SPECIFIC SAFETY REQUIREMENTS

Subpart A – General

In addition to the regulations set forth in OSHA 29 CFR 1926 (construction regulations), and other Local, State, and Federal regulations, and those requirements established in the EXPECTATIONS section of this manual, the following requirements shall apply:

1. Project Management Teams shall immediately inform Okland's Safety Department of all OSHA and/or other regulatory agency inspections and/or notices of complaint.

Subpart B – General Interpretations

In addition to the regulations set forth in OSHA 29 CFR 1926 (construction regulations), and other Local, State, and Federal regulations, and those requirements established in the EXPECTATIONS section of this manual, the following requirements shall apply:

1. Okland's preconstruction team shall ensure that the requirements set forth in the **Okland Subcontractor Specific Safety & Health Manual** are included in the contract documents for all Subcontractors.

2. Okland's Project Management Team are to implement the requirements set forth in **this manual and the Okland Subcontractor Specific Safety & Health Manual**.

3. All recognized and/or identified hazards in their work environment must be immediately abated.

4. If the recognized/identified hazard is not Okland's responsibility, (i.e., it is a Subcontractor's) Okland must either correct the hazard or remove any exposed worker from exposure to the hazard and immediately notify the responsible Subcontractor. All workers must remain removed from the hazard until the hazard is abated.

Subpart C – General Safety and Health Provisions

In addition to the regulations set forth in OSHA 29 CFR 1926 (construction regulations), and other Local, State, and Federal regulations, and those requirements established in the EXPECTATIONS section of this manual, the following requirements shall apply:

1. Safety Inspections:
    a. Okland's General Foremen and Foremen shall ensure that a daily safety inspection of their work areas, materials, tools, equipment, and personnel.
    b. Okland's Project Superintendent shall ensure that a weekly **documented** safety inspection (COSI) of the overall project is conducted. These inspections are to be recorded in the Projects' designated Management System Platform (B3F, Procore, Autodesk, etc.).
    c. In Okland's Arizona market, the Okland Project Superintendent & each Subcontractor shall conduct weekly documented Heat Safety focused inspections between June 15th and September 30th of each year. Inspections are to be recorded in the Project's designated Management System Platform (B3F, Procore, Autodesk, etc.).

   d. In Okland's Arizona market, the Okland Project Superintendent & each Subcontractor shall conduct weekly documented Monsoon Preparedness focused inspections between June 15th and September 30th of each year. Inspections are to be recorded in the Project's designated Management System Platform (B3F, Procore, Autodesk, etc.).

2. Work Activity Planning - Written:
   a. Prior to the start of each work shift, and as needed throughout the day as tasks change, Foreman shall plan for and review the necessary safety measures for that work shift with their employees. This work plan shall include an inspection of their work area in an effort to identify and correct unsafe conditions prior to the start of work. Documentation of this process shall be kept on file at the jobsite. Okland's Pre-Task Plan form (PTP) shall be utilized for this purpose. To ensure adequate communication and participation in the PTP meetings, the size of the meeting should be kept to not more than 10 employees per each meeting.
      i. PTPs shall be kept in the work area so adjustments can be made when warranted and/or so additional team members can review the PTP with their supervisor if they join the work task after the PTP has been completed.
   b. For work activities that are unusual or pose a higher degree of risk, Okland's Superintendent, General Foreman, and/or Foreman shall complete a written hazard assessment prior to the beginning of such activity. This assessment is commonly referred to as a Job Hazard Analysis (JHA). The JHA shall be specific to the Project. The JHA shall detail the controls that will be implemented and enforced to achieve compliance with all applicable requirements. Modifications to the initial JHA will be required as conditions and/or means/methods change.
   c. While conducting the PTP and JHA process the Hierarchy of Controls must be considered to ensure that the most feasibly effective controls are implement.

3. Safety Education:
   a. Project Orientation:
      i. Prior to conducting work on an Okland Project, all workers shall:
         1. Complete Okland's Annual Safety Orientation.
            (a) This orientation shall be completed virtually, via Okland's Trade Partner Orientation Platform
            (b) This orientation shall be completed PRIOR to attending Okland's Site Specific Orientation.
            (c) The duration of the Annual Safety Orientation is approximately:
               i. English: 2 hours and 10 minutes
               ii. Spanish: 2 hours and 30minutes
            (d) The Annual Safety Orientation shall be completed, at least annually, by each worker.
         2. Attend a Site-Specific safety orientation conducted by Okland at their project office.
            (a) The duration of the Site-Specific Orientation is typically 30 minutes. However, additional time may be required to address client, facility, regulatory, or other Site-Specific hazards/requirements.
         3. These orientations are not intended to be a training course but general orientations of general hazards on a construction site as well as to convey an expectation of compliance with Okland's safety and health requirements to each worker.

4. All workers attending the orientations shall be properly trained and authorized **by their supervisor (or their designee)** to conduct their respective duties.

ii. Project Management Teams in consultation with their assigned Safety Manager shall develop a Site-Specific Orientation that follows Okland's standard format as issued by the Okland corporate Safety Department.

iii. Project Management Teams shall develop a Project specific sticker which will be issued to workers that complete the Site-Specific Orientation. The sticker shall be approved by Okland Marketing.

iv. Site-Specific Orientations are to be conducted at Okland's Project office, by an authorized Okland employee, and follow Okland's standard format as issued by the Okland corporate Safety Department.

v. Prior to issuing Subcontractor workers a Project sticker, the Okland employee conducting the Orientation must first validate that each worker is in compliance with Okland's substance abuse policy as defined in the Subcontractor Substance Abuse Program Compliance Requirements section of this manual. This allows for either:

1. Individual verification by way of each worker showing the Okland employee conducting the orientation the results of their substance abuse screening and that screening validates compliance with the Subcontractor Substance Abuse Program Compliance Requirements. NOTE: Okland may record the date from such validation but shall neither take possession of nor make a copy of such validation. In addition, Okland must not ask the Subcontractor supervisors to submit their employee's substance abuse screening results for them as this may be considered a breach of confidentiality between the Subcontractor and their employees.

or

2. The company that the worker is employed by is on the Okland Accepted Substance Abuse Programs list. An updated list of those companies that have been approved can be found on the SAFETY page of the YARD.

vi. Site-Specific Orientations shall be conducted by an authorized Okland employee and are only intended to be conducted in English.

vii. If Okland will have Okland employees who do not speak and/or understand English on the Project, Okland shall schedule a separate non-English Site-Specific orientation and provide an interpreter for the Site-Specific orientations to ensure each Okland employee is provided the information presented in the Site-Specific orientation in the language that they understand.

viii. If a Subcontractor wants individuals who do not speak and/or understand English to work on the Project, the Subcontractor shall schedule a separate non-English Site-Specific orientation with Okland's Superintendent to accommodate these individuals. The Subcontractor must give a 48-hour notice to Okland for the separate non-English Site-Specific orientation. It is the responsibility of Subcontractor to provide an interpreter for the Site-Specific orientations.

ix. The Project Management Team shall document each workers participation in the Site-Specific Orientation via the standard electronic platform (Okland's and Trade Partner's) established by the Okland corporate Safety Department.

b. Okland + Orientations:
    i. Additional orientations will be required for Okland work authorized by “Permit” (e.g., Hot Work, Soil Disturbance, etc.) as well as other specific high risk work activities (e.g., crane operation, rigging, etc.)
c. Field Safety Trainings:
    i. Superintendents for each Project shall ensure that a Field Safety Training (FST) is conducted each month.
    ii. Superintendents are expected to plan for the training by setting the date and time of the training and reviewing the monthly FST issued by the Okland corporate Safety Department. Superintendents are to either conduct the field activity suggested in the FST or develop their own so long as it is specifically related to the FST topic.
    iii. It is expected that the Project Superintendent be the main facilitator for the FST. However, they can use other members of the Project Management Team and their assigned Safety Manager **for support** so long as the Superintendent is present for the FST, and the Superintendent participates in and maintains ownership of the FST.
    iv. FSTs are to be:
        1. Completed each month.
        2. **Hands-On Training.**
        3. Approximately 45-minutes long.
        4. Required for all Okland employees on site including FLC **and OMC personnel.**
        5. A “refresher course” for the OSHA 10 & 30 Hr. trainings.
        6. Open to Subcontractors but NOT Mandatory for them to attend.
        7. Documented on the FST Sign in Sheet and submitted to Corporate Safety.
d. OSHA 10-hr. Trainings:
    i. All Okland non-supervisory project employees shall complete an OSHA 10-hr. training within their first year of employment. For Field Labor Corporation employees, this time period may be reduced if they are to be eligible for the annual safety incentive bonus program.
e. OSHA 30-hr. Trainings:
    i. All Okland supervisory <u>Operations</u> personnel shall complete an OSHA 30-hr. training within their first year of employment. For Field Labor Corporation employees, this time period may be reduced if they are to be eligible for the annual safety incentive bonus program.
f. Operation of Okland Motor Vehicles or Personal Vehicles for Okland Business:
    i. Prior to being allowed to drive an Okland vehicle or to drive a personal vehicle for Okland business, Okland employees shall first:
        1. Submit a signed copy of the Okland Vehicle and Driving Policy: Acknowledgement, Agreement, Authorization Form
        2. Complete, within the allotted time established by Okland Human Resource (HR) Department, the online Defensive Drivers Course and submit a copy of the course completion certificate to HR.
    ii. All operators of motor vehicles shall have a valid State issued driver’s license issued to them, in their name and in their possession/on their person while operating a motor vehicle in the course of their work while on or off the Project.
g. Other Conditions, Equipment & Material:
    i. As the need arises and/or as direct by Okland’s corporate office, additional safety education shall be conducted with Okland employees and/or Subcontractor workers. This may occur when unusually hazardous conditions are present or are

likely to become present, when the use of specialized equipment is necessary and/or when the use of hazardous materials will be required.

4. Reporting and Investigation of Injuries and Incidents:
    a. The Okland Superintendent shall immediately inform the Project assigned Safety Manager of all work-related injuries, illnesses, and incidents (including near incidents/near misses/close calls) that occur or are potentially related to operations of the Project. This includes work-related injuries, illnesses, and incidents involving Okland employees, Subcontractor workers, and lower-tier Subcontractor workers.
    b. Okland's Project Superintendent shall, within 24 hours of the injury or incident, provide a written investigation report pertaining to the incident/injury to the Okland corporate Safety Department. Reports shall be completed by the employee(s)/worker(s) involved in the incident/injury and supervisor(s) of the employee(s)/worker(s) involved in the incident/injury. Additionally, if any witnesses have information pertaining to the incident/injury the witnesses also shall complete a report.
        i. For Injuries, Okland's Injury Report Form shall be utilized.
        ii. For Incidents with no injuries, Okland's Property Damage Report Form shall be utilized.
    c. If the incident involved an Okland Motor Vehicle or an Okland employee operating a personal vehicle while conducting work for Okland, the Okland employee shall complete the Okland Driver Accident Report Form and comply with Okland's Vehicle & Driving Policy.
    d. Okland's Project Superintendent shall immediately report all known actual and/or potential losses to the Okland Safety Department.
    e. Okland's Safety Department has the right but not the duty to suspend operations and personnel from the site until satisfied that all information pertaining to safety-related incidents is examined and investigated by Okland.
    f. Okland employees shall participate and cooperate in any injury or incident investigation process as determined by Okland's Safety Department.
    g. Okland employees are required to attend and participate in any investigative/Root Cause Analysis, follow up, and /or disciplinary review meetings as a result of an injury or incident as directed by the Okland Safety Department.
    h. Okland's Project Management team is required to conduct a Root Cause Analysis on all incidents and injuries pursuant to Okland's **Injury & Incident Response Guide**

5. Housekeeping:
    a. Okland's Project Management Team shall put effective controls and systems into place to ensure Okland's self-performed crews and Okland Subcontractors are keeping the Project clear and clean of their debris throughout the day on an "as-you-go" basis and that Subcontractors provide equipment and labor necessary to remove all debris and surplus material from the site. If, in the opinion of Okland's Project Management Team, this requirement is not being met, Okland should provide the labor and/or equipment necessary to perform the required clean-up. All associated costs from this should then be deducted from the Subcontractor's contract.
    b. Okland's Project Management Team must ensure that there are adequate number of trash receptacles to facilitate the collection of debris generated from the respective scopes of work.
    c. Once full, trash receptacles must be promptly emptied.
    d. Stairways and walkways shall be kept clear of debris, materials, tools, and other obstructions.

e. Loose material that has the potential to be picked up and carried by the wind shall be adequately secured to prevent displacement of the material by the wind.
f. Dumpsters shall be placed in locations free from ignition sources.
g. Dumpsters shall be placed at least 15' away from any portable chemical toilet.

6. Emergency Action Plans:
    a. Project Management Teams, in consultation with their assigned Safety Manager, shall develop Project Emergency Action Plans that address the most common emergencies in the construction industry as well as any risks specific to the project that could likely cause an emergency. The Okland **Project Emergency Action Plan Template** should be utilized for this process.
        i. These plans are to be periodically evaluated and revised as necessary.
        ii. To assist with the notification of an evacuation, ALL Okland projects shall be equipped with hand-held air horns. These air horns shall be kept in the Okland project office.
            1. To differentiate between an air-horn used for crane hoisting purposes and an evacuation notification, evacuation notifications shall be conducted by sounding 3 quick air horn blasts.
            2. Qualified Riggers/Signal Persons shall NEVER use 3 quick air horn blasts for crane hoisting purposes.
    b. Communication:
        i. *Emergency Telephone Numbers* – A list of emergency telephone numbers shall be posted in each Okland project office. A **Project Emergency Telephone Numbers Template** is provided for reference and use.
        ii. *Interpreters* – Okland and its Subcontractors shall provide an interpreter to be on-site at all times when their employees who do not understand and/or speak English are on site to ensure proper communication during emergencies.
    c. An Emergency Information Sheet shall be installed on the front of each Okland provided fire extinguisher stand.
        i. The Emergency Information Sheet shall be placed in a red border sleeve.
        ii. The information sleeve shall contain key information from the Project's emergency plan such as:
            1. The project's name.
            2. The project's address.
            3. Emergency contact mobile telephone numbers.
            4. Emergency evacuation assembly points.
            5. A QR code to access Okland's SDS online database.
    d. Okland's Project Management Team must ensure that training on the requirements of the Project's Emergency Action Plans is conducted with all personnel under Okland's control at least on a quarterly basis.

Subpart D – Occupational Health and Environmental Controls
In addition to the regulations set forth in OSHA 29 CFR 1926 (construction regulations), and other Local, State, and Federal regulations, and those requirements established in the EXPECTATIONS section of this manual, the following requirements shall apply:

1. First Aid:
    a. Okland's Project Superintendent shall ensure that a person certified in First Aid and CPR is on site while work is being conducted.

b. Okland's Project Superintendent shall ensure adequate first aid supplies are on site while work is being conducted. This shall include:
    i. An Okland standard issue First Aid Kit
    ii. An Okland standard issue Trauma Kit
c. Where the eye(s) of any person may be exposed to any injurious chemical, Okland shall ensure that Okland (if Okland employees are exposed) or the Subcontractor, provides a suitable eye wash station and it is immediately available in the immediate work area for emergency use. Eye wash stations shall be of sufficient size to adequately flush the chemical from the eye(s).

2. Sanitation:
    i. **Toilets**: Okland's Project Management Team shall put effective controls and systems into place to ensure adequate toilet facilities are made available and kept in a sanitary condition on the Project.
        i. Toilets shall be located and relocated as necessary to ensure that it takes less than 10 minutes for a worker to get to one of them.
        ii. Employees found relieving themselves in areas other than the Project established toilet facilities shall be *immediately* and *permanently* removed from all Okland Projects.
        iii. Hand cleansing or sanitizing agents shall be provided for each toilet unit.
        iv. Toilets shall be placed in an area not exposed to overhead hazards (e.g., on the perimeter of buildings where overhead work is taking place) and shall be at least 15' away from any dumpster.
    ii. **Food and Drink**: Food and drink shall only be permitted and allowed to be consumed in areas designated by the Okland Project Management Team.
    iii. **Smoking and Tobacco**: Smoking and use of tobacco products shall only be permitted in areas designated by the Okland Project Management Team and in compliance with legal obligations.
    iv. **Potable Water:**
        i. Okland's Project Superintendent shall ensure that potable water is supplied to all *Okland employees* on the project.
        ii. Okland's Project Management Team shall put effective controls and systems into place to ensure that Subcontractors are providing adequate potable water to their employees.
        iii. When reusable water containers are utilized for potable water, they are to be effectively cleaned at least every two days with a sanitizing agent to prevent the spread of disease.

3. Illumination: (see Subpart K of this document).

4. Hazard Substances and Hazard Communication
    a. All Okland employees shall comply with Okland's Hazard Communication Program.
    b. Okland Superintendents shall secure a Safety Data Sheet (SDS) for any unique hazardous chemical, substance, material, product, or similar that Okland employees will be utilizing that is not already in the Okland SDS database. The Okland SDS database can be found on the Safety Page of the YARD.
    c. Okland Superintendents shall consult the Project assigned Okland Safety Manager anytime a unique hazardous chemical, substance, material, product, or similar will be used by Okland employees or when Okland employees may be exposed to such. This consultation is to be conducted prior to the product's arrival on the Project.

d. Okland supervisors shall ensure that their employees are adequately trained on the safe handling, use, storage, emergency procedures, and disposal of all hazardous chemicals, substances, materials, products, or similar that they will be assigned to use or be exposed to.
    i. This training shall be conducted prior to the employees being exposed to, handling, using, storing, and/or disposing of such.
e. All chemical containers, including small daily use and one-time use containers, must be labeled.
f. Under no circumstance shall food or beverage containers be utilized to hold hazardous chemicals, substances, materials, products, or similar of any nature.
g. All chemical containers shall be covered with a lid when not in use.
h. Unless otherwise stipulated in the contract documents Okland's Project Management Team shall hold each Subcontractor responsible for the waste they generate from the use of hazardous chemicals, substances, materials, products, or similar as well as the associated costs.
i. All waste generated from the use of hazardous chemicals, substances, materials, products, or similar shall be disposed of in accordance with manufacturer's recommendations as well as all local, State and Federal regulations. Hazardous waste and/or hazardous chemicals, substances, materials, products, or similar shall not be disposed of in general waste receptacles/dumpsters nor shall they be disposed of in drains, manholes, vaults, or tanks.
j. Unless otherwise stipulated in the contract documents, Okland's Project Management Team shall hold each Subcontractor responsible to remove all unused hazardous chemicals, substances, materials, products, or similar from the project immediately after the scope of work they were used for is completed.
k. Each project shall have at a minimum, one 30-gallon universal spill kit readily available. Additional spill kits shall be required to be provided by each subcontractor that is of adequate size and type to address spills of chemicals involved in their scope of work.
l. When conducting activities that will disturb on coatings on surfaces (e.g., welding, cutting, burning, grinding, chipping, abrasive blasting, rivet busting, etc.), a pre-assessment shall be conducted to determine if the coating is hazardous or will become hazardous once it is disturbed. If a hazard is identified, the hazard must be effectively controlled.

5. Mold:
    a. All Okland employees shall comply with Okland's **Water Intrusion Management Plan** for the prevention and remediation of any mold.

6. Lasers:
    a. Areas in which lasers, of any type, are used shall be posted with a Warning Sign stating: "Laser in Use".
    b. These signs shall be posted at all main access points to the area where the laser is in use.

7. Wind:
    a. The Okland project superintendent The Okland project superintendent, or the Okland Project Responsible Person (PRP), and the supervisor for each Subcontractor shall monitor daily and weekly forecasts and ensure that all materials, building components, temporary fences, and equipment are adequately stored and secured for the anticipated wind forces forecasted.

Okland and Subcontractor shall comply with the following actions when wind speeds, sustained or frequent gusts meet or exceed the below listed Miles Per Hour (MPH):

i. 20 MPH = The Okland project superintendent, or the Okland Project Responsible Person (PRP), and the supervisor for each Subcontractor shall evaluate their exterior elevated work and determine if the work can safely proceed or needs to be suspended.
    1. Examples of work activities that should be suspended are:
        (a) Critical crane lifts of any type (unless OEM allows for a higher, or requires a lower wind speed for the configuration the crane is in)
        (b) Hoisting of personnel with a crane man-basket
        (c) Use of luffing type cranes (unless OEM allows for a higher wind speed for the configuration the crane is in)
        (d) Hoisting of large surface area loads (e.g., gang forms, tilt panels, window systems, sheet piles) with cranes, forklifts and/or other mobile equipment (e.g., boom-trucks, excavators, front-end loaders)
        (e) Wrapped scaffolds, regardless of height (unless engineered for a higher wind speed)

ii. 30 MPH = In addition to complying with the requirements for 20 MPH winds, all elevated work exposed to the wind shall be suspended.
    1. Examples of elevated work activities that shall be suspended are:
        (a) All crane activities
        (b) All hoisting activities with mobile equipment where the load is hoisted in a suspended fashion (e.g., loads below the tines of a forklift, loads below the bucket of an excavator, loads below the bucket of a front-end loader)
        (c) Aerial lifts
        (d) Bucket trucks
        (e) Scissor lifts
        (f) Scaffolds of any type (unless engineered for a higher wind speed)
        (g) Work from ladders
        (h) Forklift man-baskets
        (i) Activities on roofs
        (j) Elevated activities near the perimeter of elevated floors
        (k) Working from the sides of walls, formwork, rebar assemblies, or similar
        (l) Manual handling of material with large surface areas (e.g., sheetrock, plywood, glazing)

iii. 40 MPH = In addition to complying with the requirements for 20 MPH and 30 MPH winds, all outdoor activities shall be suspended.
    1. Examples of outdoor work activities that shall be suspended are:
        (a) Any activity where the worker is not protected by an enclosed cab of equipment or vehicle.
        (b) Any demolition activity.
        (c) Scaffold stair towers (unless engineered for a higher wind speed).
        (d) Use of exterior Man/Material hoists (unless the OEM or AHJ allows for/requires a higher/lower wind speed).
        (e) Placement of concrete with a concrete pump truck when the boom is elevated.
        (f) Placement of concrete with a fixed concrete placing boom exposed to the wind.

b. Examples of the wind speed visual clues can be found at: https://www.weather.gov/pqr/wind
c. Many factors can affect wind speed on a project (e.g., elevation, terrain, proximity to other structures). General wind speeds for your closest large airport can be found at: https://www.weather.gov/
d. Alternately, there are many mobile apps. on the market that you can download to monitor the windspeed for your project's location.
    i. Examples are:
        1. Windy: https://www.windy.com
        2. UAV Forecast: https://www.uavforecast.com/
e. Following wind events that are greater than 40 MPH, and prior to production work resuming, the Okland project superintendent, or the Okland Project Responsible Person (PRP), or their designee, and the supervisor for each Subcontractor shall inspect the work areas to determine if safety hazards were created during the wind event (e.g., unstable scaffolding, unstable stair towers, damage to cranes, displacement of materials, building components, temporary fences, and equipment, etc.). Hazardous conditions shall be immediately rectified or properly barricaded until rectified.

8. Lightning:
    a. Okland and Subcontractor shall comply with the following actions when lightning is detected within the miles-to-project proximity listed below:
        i. Within 10 miles = All exterior elevated work shall be suspended until 30 minutes following the last lightning strike. Note: If additional strikes are detected, the 30-minute wait period shall be reset.
            1. Examples of elevated work activities that shall be suspended are:
                (a) Placement of concrete with a concrete pump truck when the boom is elevated.
                (b) Placement of concrete with a concrete placing boom.
                (c) All crane activities.
                (d) All hoisting activities with mobile equipment where the load is hoisted in a suspended fashion (e.g. loads below the tines of a forklift, loads below the bucket of an excavator, loads below the bucket of a front-end loader).
                (e) Aerial lifts.
                (f) Bucket trucks.
                (g) Scissor lifts.
                (h) Scaffolds of any type including stair towers.
                (i) Work from ladders.
                (j) Forklift man-baskets.
                (k) Activities on roofs.
                (l) Working from the sides of walls, formwork, rebar assemblies, or similar.

    b. Within 5 miles = All outdoor activities shall be suspended until no lighting is detected for a period of 30 minutes.
        i. Examples of work activities that shall be suspended are:
            1. Any outdoor activity where the worker is not protected by an enclosed cab of equipment or vehicle.
    c. There are many mobile apps. on the market that you can download to monitor lightning for your project's location.
        i. Examples are:

            1. WeatherBug: https://www.weatherbug.com/appdownload/
            2. My Lightening Tracker & Alerts: https://apps.apple.com/us/app/my-lightning-tracker-alerts/id1175031987

9. Heat Illness Prevention:
    a. Okland Supervisors and Employees shall comply with Okland's Heat Illness Prevention Policy and the actions established in the Okland Heat Stress Index Action Table.
    b. The Okland Project Superintendent and each Subcontractor shall conduct weekly documented Heat Safety focused inspections between June 15th and September 30th of each year. Inspections are to be recorded in the Project's designated Management System Platform (B3F, Procore, Autodesk, etc.).

Subpart E – Personal Protective Equipment (PPE)

In addition to the regulations set forth in OSHA 29 CFR 1926 (construction regulations), and other Local, State, and Federal regulations, and those requirements established in the EXPECTATIONS section of this manual, the following requirements shall apply:

1. Superintendents shall maintain, on site, an adequate supply of safety equipment and a PPE inventory appropriate for Okland's self-performed scope of work and for visitors.

2. Minimum work attire and Personal Protective Equipment:
    a. The following work attire and personal protective equipment is required to be worn 100% of the time while conducting work on the Project:
        i. **Hard hat meeting ANSI Z89.1**. Okland employees shall only wear Okland standard issue hard hats with the employee's name visibly displayed on the front part of the hard hat. Employees shall not alter or cover Okland standard branding on their hard hat. Okland employees shall wear their hard hats with the brim/peak/bill/visor to the front. Bump caps and cowboy style hard hats are prohibited. Okland branded and issued hard hats and vests are provided for Okland employees and visitors of Okland. These items are issued to personnel for use while performing Okland authorized activities. They are expected to be collected from the Okland employee when the employee ceases to be employed by Okland and when the visitor completes their visit to the Okland project.
        ii. **Eye protection meeting ANSI Z87.1 with "side-shield" protection.** In addition, if prescription glasses are required to be worn by an employee, the prescription glasses shall meet the ANSI Z87.1 requirements with side-shields or the employee shall utilize the appropriate ANSI Z87.1 eye protection over the prescription glasses. Okland has a prescription safety glasses discount and Kask visor program available to Okland employees who wear prescription glasses. Contact Okland's Safety Department for details and eligibility for this program.
            1. Dark lens safety glasses shall not be worn indoors.
            2. Dark lens safety glasses shall not be worn outdoors when lighting is below 5-foot candles.
            3. In addition to wearing approved eye protection, additional eye protection is required for specific tasks. Refer to the Eye Protection Activities Table for those tasks.

iii. **Boots.**
    1. Subcontractor workers and Okland <u>**non**</u>-field operations OMC employees shall wear, at a minimum, over the ankle work boots. Sport shoes (including ANSI approved) are prohibited.
    2. Safety-toed boots and metatarsal protection is required to be worn when operating any equipment that poses a risk of injury to the top of a worker's foot (e.g., walk-behind, or jumping-type compactor, jackhammers)
    3. As of April 1, 2021, all Okland FLC employees and Field Engineers shall wear, at a minimum, work boots that meet the following criteria:
        (a) 6" or higher
        (b) Protective Toe that meets ASTM F2413 standard
    4. As of October 1, 2021, all Okland OMC field operations employees shall wear, at a minimum, work boots that meet the following criteria:
        (a) 6" or higher
        (b) Protective Toe that meets ASTM F2413 standard

iv. **Shirt.** Shirts, at a minimum, shall fully cover the employee's torso to the waist and have sleeves that cover the upper arms.

v. **Pants.** Pants at a minimum shall fully cover the employee from the employee's waist to the employee's ankles. Sweatpants do not meet the intent of this requirement and are prohibited.

vi. **High visibility shirt, vest, or jacket.** Okland employees are expected to only wear Okland branded vests, shirts, or jackets as their most outer clothing. If an Okland employee does not have Okland branded shirts or jackets or choses to wear shirts or jackets that are not Okland branded, an Okland branded vest shall be worn over the top of their shirt or jacket.
    1. For daytime work, the employee's most outer shirt, vest, or jacket shall be a bright and vibrant color (e.g., orange, fluorescent yellow, fluorescent green, or similar). This is required to be worn anywhere on the project site inside or outside.
    2. For nighttime work, areas with limited lighting, and work around equipment, the employee's most outer shirt, vest, or jacket shall be a bright and vibrant color (e.g., orange, fluorescent yellow, fluorescent green, or similar) **and** shall also be retro-reflective or fitted with retro-reflective striping. The retro-reflective material shall be visible at a minimum distance of 1,000'.
    3. Anytime employees are exposed to public vehicular traffic, the requirements for High-Visibility Safety Apparel listed in the Manual on Uniform Traffic Control Devices (MUTCD) shall apply to ALL workers with the exposure NOT just the flaggers.
        (a) All Okland flaggers, including temporary workers representing Okland, that are flagging public vehicle traffic shall be equipped with Okland's Standard Flagger High Visibility PPE & Tools.
            i. Outerwear:
                1. Class 3 orange high visibility vest/jacket
                    a. During night or low visibility, high visibility orange leg gaiters shall also be worn.
            ii. Hard Hat- fluorescent orange with a minimum of 10" square retro-reflective material.
            iii. Tools:
                1. Stop/Slow Paddle
                    a. Size: 7' tall, 24" x 24" with 8" letters

2. During night or low visibility, red flagging wands shall also be provided.
4. If "hot work" is being conducted, the employee's high visibility shirt, vest, or jacket shall also be constructed from flame-resistant materials.

3. Gloves:
    a. All Okland employees (including Okland temp.-labor workers and OMC personnel), must have a pair of gloves in their possession while on the Project, in the field. These gloves shall, at a minimum, be a leather glove or a glove with an ANSI A3 cut resistant rating.
    b. Gloves must be worn, as warranted, to mitigate exposure to hand & finger injuries.
        i. At a minimum, the glove type and/or cut rating for the following activities shall be adhered to:
            1. Minimum Glove for Cut Protection Table
        ii. For activities NOT listed on the Minimum Glove for Cut Protection Table, and for those activities that require hand protection for hazards other than lacerations, (e.g. impact protection, chemical protection, etc.) the selection of the type of glove is to be determined by each Superintendent/Supervisor, in consult with their project assigned Safety Manager, as no single glove can provide appropriate protection for every work situation. The selected glove must simply be suitable to provide general protection from the anticipated hazards of the worker's task.
    c. Okland Project Management Teams shall provide gloves and have glove belt clips available for Okland employees and Okland temporary labor workers.

4. Okland issued hard hats & vests:
    a. Okland branded and issued hard hats and vests are provided for Okland employees and visitors of Okland. These items are issued to personnel for use while performing Okland authorized activities. They are expected to be returned to Okland when the employee ceases to be employed by Okland and when visitors complete their visit to the Okland project.
    b. All Okland employees, (including Okland temporary labor workers and OMC personnel), that are issued a helmet with a chin strap, shall ensure that the chin strap is properly worn under the chin and is buckled while the helmet is being worn.

5. Green hard hats are not allowed on any Okland Project unless the worker wearing it is a 'Qualified Rigger' as defined by OSHA and is actively engaged in rigging activities for the project.
    a. Unless otherwise agreed to in contract documents, Qualified Riggers who are actively rigging and/or signaling hoisted loads, of any type, shall be wearing a green hardhat, a high visibility hard hat sock/cover, or an alternative means of visibility identifying the rigger with highly visible hard hat decals that can be observed by the crane operator from a distance.
        i. This includes rigging/signaling activities that do not involve a crane (e.g., rigging with chain falls, come-alongs, electric hoists, coffing hoist, forklifts, and earthmoving equipment).
    b. Okland employed Qualified Riggers/Signal Persons (QR/SP), that are NOT full-time QRs/SPs, shall have their Okland issued helmets demarcated with green decals, provided by Okland, pursuant to the location stipulated by Okland.

6. Hard hats shall be replaced as per the manufacturer's recommendation.

7. Face-shields shall be worn at all times while operating a grinder and/or chop-saw, irrespective of what type of blade or disk is being utilized with the tool or what type of material the tool is

being utilized to cut/grind.

8. Face-shields shall be worn at all times concrete chipping tools pose a hazard to the face.

9. When employees are required to conduct work while kneeling, knee pads shall be worn.

10. At all times that hand-operated/controlled/held power tools that generate substantial vibration are being utilized, vibration-dampening gloves shall be worn by the operator of such tool.

11. Safety-toed boots and metatarsal protection are required to be worn when operating any walk-behind or jumping-type compactor.

12. Where respiratory protection is necessary, the use of respirators shall be a last resort. Alternate controls shall first be evaluated and where feasible, effectively implemented.

13. Okland employees who have to utilize respiratory protection shall comply with Okland's Respiratory Protection Program.

14. Workers using a respirator, for any reason, shall only do so when they can be visually seen and heard by other workers within their company.

15. Filtering face piece type respirators, commonly referred to as dust masks, shall not be utilized for respiratory protection above the Occupational Exposure Limits (OEL's) of any substance.

16. Where filtering face pieces are being used below the Occupational Exposure Limits (OEL's) their required use, regardless of the filtering face piece's construction, shall constitute the use of a respirator. Thus, employers shall ensure that all personnel required to utilize a filtering face piece is medically qualified, trained, and fit-tested prior to utilizing the filtering face piece.

17. When the voluntary use of a respirator is being conducted, each employer shall secure written documentation from their employees voluntarily utilizing a respirator acknowledging their receipt of OSHA's "Information for Employees Using Respirators When Not Required Under the Standard."

18. Loose fitting earrings, necklaces, and/or bracelets shall not be worn. Workers who have the potential to have their hand(s) and/or finger(s) caught in/on material, equipment, tools, or similar shall not wear any form of bracelets and/or rings while exposed to such hazards.

19. Variances to Okland's PPE requirements shall only be allowed if it is in compliance with Okland's PPE Variance Policy.

Subpart F – Fire Protection and Prevention

In addition to the regulations set forth in OSHA 29 CFR 1926 (construction regulations), and other Local, State, and Federal regulations, and those requirements established in the EXPECTATIONS section of this manual, the following requirements shall apply:

1. Okland employees shall comply with the fire protection and prevention requirements stipulated throughout this manual. The fire protection and prevention requirements will be evaluated periodically and may be revised to meet the specific needs of the Project.

2. Subcontractor shall take all necessary steps to protect all installed life safety systems (e.g., fire suppression sprinkler heads & lines, smoke detection devices, fire stand-pipes, etc.).

3. The fire hydrants located on and around the Project shall remain in service if at all possible.

4. Okland or its Subcontractors shall not take out of service an existing fire hydrant unless they have the explicit written permission from Okland's Superintendent and have given verbal notification to, and obtain authorization from, the City and/or State Fire Marshal's office, the City Fire Department, and the City Public Utilities office prior to taking the fire hydrant out of service.

5. Okland or its Subcontractor shall not utilize a fire hydrant as a source of "construction water" without the explicit written permission from Okland's Superintendent and the City Public Utilities office. In addition, they shall give verbal notification to, and obtain authorization from, Okland's Superintendent, the City/State Fire Marshal's office, and the City Fire Department prior to the commencement of such activity.

6. The fire hydrants and the adjacent occupied buildings' Fire Department Connections (FDCs) shall not be blocked, damaged, or covered for any reason.

7. Okland or its contracted representative shall stage "general location" fire extinguishers in strategic locations throughout the Project as required by federal, state, and local regulations. Maximum travel distance to the nearest unit shall not exceed 100'.
    a. A minimum of a 10-pound ABC type fire extinguisher shall be used for all "general location" fire extinguishers.

8. Employees shall not consider the "general location" fire extinguishers placed by Okland to meet the requirement for them to provide their own fire extinguisher during "hot work" (e.g., welding, torch use) or "fire sensitive work" (e.g., the use of flammable liquids).

9. Employees shall not damage, remove, relocate, block, or otherwise render these "general location" fire extinguishers inactive.

10. Okland's Project Superintendent shall ensure that an effective process is in place to inspect all general location fire extinguishers on a monthly basis.

11. If any extinguisher is found to be damaged or inactive in any way it shall be taken out of the field, properly "tagged" as "OUT OF SERVICE" and either repaired, recharged, or discarded.

12. At a minimum, a three-foot clearance shall be maintained around all fire extinguishers so as to facilitate quick and safe access to the extinguishers.

13. Any portion of an active fire alarm system and/or fire water sprinkler system shall not be rendered inactive unless the employee has the explicit written permission from Okland's Superintendent.

14. Fire lanes shall not be blocked for any length of time.

15. Plastic containers shall not be utilized for any flammable or combustible liquid including diesel fuel.

Table of Contents

16. All flammable and combustible liquids shall be kept covered when not in immediate use.

17. A minimum of a ten-pound ABC type fire extinguisher shall be placed within 25’ of the use and/or storage of flammable and/or combustible liquids or other fire sensitive materials or work.

18. Flammable and combustible liquids in containers larger than 5 gallons shall be stored in/on a spill containment system that provides for 110% containment.

19. Flammable materials (e.g., roofing adhesives, coatings, paints) shall not be stored within the building or on the roof

20. Only the quantity of flammable materials (e.g., roofing adhesives, coatings, paints) that will be used in a single day’s shift shall be taken into the building or to the roof.

21. All flammable material and their containers (full, partially used, or empty) (e.g., roofing adhesives, coatings, paints), rollers, rags, and other related tools or materials that have flammable material on them, shall be removed from the building and the roof at the end of each shift.

22. Flammable materials (e.g., roofing adhesives, coatings, paints) shall be stored at least 50’ away from the building, in manufacturer approved containers with tightly sealed lids.

23. Liquefied Petroleum Gas (LPG) containers shall be kept upright at all times.

24. LPG containers shall not be stored indoors at any time.

25. LPG containers shall be considered “in storage/stored” if not in immediate use.

26. LPG containers shall not be taken into nor stored in conexes, hooches, gang-boxes, tented areas, and similar confined areas for any amount of time.

27. The proper signage in LPG storage areas warning personnel of the potential flammability of the area shall be installed.

28. Where plastic is used for weather protection or temporary barriers/enclosures, and it is anticipated that the plastic will be in close proximity to or be exposed to fire hazard sources, such as welding, cutting, grinding, temporary heaters, etc., fire retardant plastic shall be used.

29. **Temporary Heaters:**
    a. Prior to the installation/use of a temporary heater, a Temporary Heater Permit must be completed for the use of the heater and the use of its fuel source delivery system.
    b. Only trained, competent, and authorized employees shall install, adjust, turn off/on, move, and/or maintain a heater and/or its fuel source delivery system.
    c. A detailed inspection of the heater and fuel source delivery system by a competent person shall be conducted prior to placing them into service.
    d. A general daily inspection by a competent person shall be conducted of the heater and the fuel source delivery system while it is in operation. This daily inspection shall be documented on a heater inspection tag. That tag shall be placed on or near each heater.
    e. LOTO shall be implemented anytime maintenance or repairs are being performed on the heaters and/or the fuel source delivery system.

f. When heaters are being used on the project, subcontractor shall instruct their employees:
    i. That only trained, competent, and authorized employees area allowed to install, adjust, turn off/on, move, and/or maintain a heater and/or its fuel source delivery system.
    ii. What to do if they smell gas
    iii. How to handle heater and fuel gas related emergencies
g. Heaters, hoses, manifolds, and valves shall be protected from damage.
h. Hoses being placed directly on the ground shall not be run over by equipment or have material placed on top of them.
i. Hoses shall never come in contact with sharp edges such as metal studs or be pinched in doorways or windows.
j. When a mainline fuel source is used to deliver fuel into the building shut-off valves shall be installed at each of these locations:
    i. At the main, where gas originates from the meter or tank.
    ii. At each floor of the building.
    iii. At each "T" in the gas line.
    iv. At the end of each hose assembly, just prior to the heater connection.
k. The shut-off valve location at each floor of the building shall be demarcated with a sign for quick identification in the event of an emergency.
l. Only specific compatible components shall be used for construction of the fuel source delivery system.
m. Prior to placing the fuel source delivery system into service, each connection shall be tested to ensure leaks are not present.
n. Manufacturer's clearances for heaters shall be maintained.
o. Heaters shall only be moved by their designated components, NEVER by the fuel source piping.
p. Heaters shall not be in operation while being moved.
q. Safety features on the heaters shall NEVER be overridden.
r. Absolutely no alterations shall be made to the factory onboard controls of a temporary heating device to bypass factory output discharge air temperature settings.

Subpart G – Signs, Signals, and Barricades

In addition to the regulations set forth in OSHA 29 CFR 1926 (construction regulations), and other Local, State, and Federal regulations, and those requirements established in the EXPECTATIONS section of this manual, the following requirements shall apply:

1. Overhead Protection at Building Perimeter Policy:
    a. When any work is taking place on an elevated level, within 10-feet from an elevated edge that is not protected by a solid wall or a floor-to-ceiling net, or when elevated work is taking place on the exterior of building (e.g., from an aerial lift, swing stage scaffold, etc.), the area below the elevated level shall be barricaded with an effective barricade system. At a minimum, RED DANGER TAPE, shall be used as the barricade system.
    b. Signage:
        i. Signage shall be placed on the barricade system notifying personnel of the overhead hazard.
        ii. Signage shall state: "DANGER DO NOT ENTER OVERHEAD WORK"
        iii. Signage shall be placed so that it is facing all directions that workers could potentially enter the barricaded area.
            1. The number of signs required is dictated by the configuration of the barricaded area and the number of visual obstructions of the signs. Signage

shall not exceed more than 80 feet between signs and be placed at the most likely points of entry (doorways, corridors, envelope penetrations, etc.) into the barricaded area. Additional signage shall be placed when a visual obstruction prohibits the other signs from being seen.

iv. At least one Danger Barricade Tape Information Sign shall also be posted on the barricade system so other workers can be informed of the barricade owner and contact information.

c. Barricade Distance:

i. The barricade system shall be placed from the face of the building and extend outward to the minimum distances listed in the table below and extend 10 feet on both sides of the work area.

1. If the work is taking place on the exterior of the building from an aerial lift, swing stage or other elevated access system, the barricade system shall be placed from the face of the building and extend outward to the minimum distance listed in the table below, <u>plus the width of the elevated access system</u>, and extend 10 feet on both sides of the work area.

ii. The barricade system shall also be placed from the face of the building and extend <u>inward</u> no less than 2 feet. This is to prevent workers from extending their head or torso into the potential drop zone of an object from the interior of the building.

1. If a wall is in place that prevents workers from extending their head or torso into the potential drop zone, barricade tape, in the area the wall is in place, is not required.

(a) All openings in walls must be barricaded with the 2 foot inward extension barricade system.

Working Level Height	Equation	Minimum Barricade Distance
Up to 40’	None - Minimum	10’
Up to 50’	$4\text{mph}\sqrt{\frac{2x50}{15}} = 10.3’$	10’- 4”
Up to 60’	$4\text{mph}\sqrt{\frac{2x60}{15}} = 11.3’$	11’- 4”
Up to 70’	$4\text{mph}\sqrt{\frac{2x70}{15}} = 12.2’$	12’- 3”
Up to 80’	$4\text{mph}\sqrt{\frac{2x80}{15}} = 13’$	13’-3”
Up to 90’	$4\text{mph}\sqrt{\frac{2x90}{15}} = 13.9’$	13’- 11”
Up to 100’	$4\text{mph}\sqrt{\frac{2x100}{15}} = 14.6’$	14’ - 7”
Up to 110’	$4\text{mph}\sqrt{\frac{2x110}{15}} = 15.3’$	15’- 4”
Up to 120’	$4\text{mph}\sqrt{\frac{2x120}{15}} = 16’$	16’

2. Barricade tape, when used, shall be placed around all sides of the hazard area to establish a defined Restricted Access Zone (RAZ).

3. Barricade tape shall be place in accordance with Okland's Barricade Tape Guidelines.

4. Barricade tape signage links: DANGER, CAUTION, & CARE

5. **"Caution" (yellow) tape** shall only be utilized to warn personnel of potential hazards that are not immediately dangerous to life or health. Personnel will be allowed to cross caution tape only after they have identified the hazard/condition, are wearing the required personal protective equipment to protect them from the hazard and the hazard is not immediately dangerous to life or health.
    a. When "Caution" (yellow) tape is utilized, and specific PPE is required to be worn prior to entering the barricaded area, it shall have a Caution Barricade Tape Information Sign place on it identifying the specific PPE required, who placed the barricade tape, their company name, the date it was placed, the contact number for the person who placed the tape and why the barricade tape is in place (i.e. the hazards). The sign shall face away from the exposure.

6. **"Danger" (red) tape** shall be utilized to warn personnel of hazards that are immediately dangerous to life or health. Danger tape shall be placed at an appropriate distance so as to prevent personnel from being exposed to the hazard being barricaded. Personnel *shall not cross* Danger tape until they have identified the hazard(s), have been trained on the proper procedure(s) to control exposure to the hazard(s), are wearing the required personal protective equipment to protect them from the hazards, and have permission to enter the area from the individual(s) who placed the danger tape.
    a. When "Danger" (red) tape is utilized it shall have a Danger Barricade Tape Information Sign placed on it identifying who placed the barricade tape, their company name, the date it was placed, the contact number for the person who placed the tape and why the barricade tape is in place (i.e. the hazards). The sign shall face away from the exposure.

7. **"Special" barricade tape** shall be utilized on an as needed basis and be of sufficient type to adequately inform workers of the hazards associated with the work (e.g., RADIATION, ASBESTOS, LEAD).

8. Barricade tape of any type shall NOT be utilized as a means of fall protection/prevention.

9. **"CARE" (blue) Tape:**
    a. Blue CARE Tape should be used to protect finished surfaces, rooms, stocked building materials, assemblies, equipment, etc. from damage.
    b. When "CARE" (blue) tape is utilized, it is strongly recommended (i.e., not required) to place a CARE Tape Information Sign that identifies the specific finishes that need to be protected and the necessary controls (e.g., boot covers), who placed the barricade tape, their company name, the date it was placed, the contact number for the person who placed the sign. The sign should face away from the finishes being protected.
    c. Blue CARE tape shall not be used in lieu of Danger or Caution tape when safety hazards are present.
    d. Danger or Caution tape shall not be used in lieu of Blue CARE tape when no safety hazards are present.
    e. Reference Okland's Barricade Tape Guidelines document for further guidance.

10. When any barricade tape is utilized, it shall have a **Barricade Tape Information Sign** placed on it identifying who placed the barricade tape, why the barricade tape is in place (i.e., the hazards), and when the barricade tape was initially placed. The tag/sign shall face away from the exposure. DANGER Sign & CAUTION Sign.

11. Where when work must be conducted overhead of workers, sensitive equipment, other sensitive building materials, or within close proximity to other workers below, that are within the barricaded area, tool tethers are required to be used with all tools.

12. Barricading of work areas shall provide for the complete safety of the general public and all construction personnel. Sequencing and barricading shall be performed in such a manner as to create a minimum amount of interference with the normal flow of pedestrian and construction foot, vehicle, and equipment traffic.

13. **Under no circumstance shall barricade tape and signage alone be placed to prevent the general public from entering a hazardous area. Hard/physical barricades and signage shall also be utilized in such areas.**

14. Signs, signals, and barricades shall be maintained in an appropriate manner when the hazard(s) is/are present.

15. Signs, signals, and barricades shall be immediately removed from the work area and properly stored or discarded when the hazard(s) is/are no longer present. In no case shall signs, signals, and/or barricades be left lying on the ground.

16. Prior to barricading access/egress routes (e.g., stairwells) employees shall secure the approval from the Okland Supervisor overseeing the specific area being barricaded. If approved, the Okland Superintendent shall coordinate alternate access/egress routes with all affected Okland crews and Subcontractors.

Subpart H – Materials Handling, Storage, Use, and Disposal.
In addition to the regulations set forth in OSHA 29 CFR 1926 (construction regulations), and other Local, State, and Federal regulations, and those requirements established in the EXPECTATIONS section of this manual, the following requirements shall apply:

1. Cranes, Hoisting, and Rigging:
    a. All crane, hoisting, and/or rigging operations shall be in compliance with Subpart CC of this document.
        i. Operations that do not involve a crane **must still** comply with the Rigging and Critical Lift sections of Subpart CC of this document.
        ii. Operations that do not involve a crane (e.g., rigging to a forklift carriage, rigging to an excavator, chain falls, winches, etc.) that meet the Okland criteria of a Critical Lift, shall complete the Non-Crane Lift Planning Worksheet.

2. Proper lifting techniques:
    a. Employees shall plan their path prior to lifting items that need to be carried to another location to ensure that the path is clear and safe.
    b. Employees shall not lift any item that exceeds his/her weightlifting limitations (i.e., employees shall not lift items that are beyond their capability).

c. Employees shall squat down so the item being lifted is lifted with the employee's legs and arms rather than their back.
d. Employees shall keep the item being lifted close to their torso.
e. Employees shall keep their back as straight as possible while the item is being held.
f. Employees shall not twist at the waist while carrying a load. Employees shall turn their legs along with their torso.
g. Employees shall set loads down by squatting down while continuing to keep the load close to their torso.
h. To the extent practical, employees shall utilize equipment, tools, and machinery to assist with lifting and moving loads.

3. Dropping Material:
   a. No material shall be dropped greater than a distance of 20' without the use of chutes. The chute discharge shall be into a dumpster receptacle or similar. The area around the dumpster shall be barricaded with hard barricades. Signage shall be placed instructing personnel not to get on or near the trash chute and/or dumpster. Barricades shall be placed a sufficient distance away from the dumpster to prevent personnel from being struck by material that may ricochet out of the dumpster.
      i. When trash chutes are installed, a daily documented inspection of the entire trash chute system shall be conducted by a competent person.
      ii. Prior to maintenance or adjustments being made to a trash chute system, an effective lock-out, tag-out system shall be put into place, on each trash chute accessible floor, that will prevent use of the trash chute system.
   b. Prior to the construction of any trash chute, a Trash Chute Permit must be obtained from the Okland Project Management Team.
   c. Where any material is dropped less than a distance of 20' to an open area below, the area below shall be completely barricaded on all accessible sides. If soft barricades are utilized, a sufficient number of spotters shall be positioned around the area below so as to ensure personnel do not walk under or near falling material.
   d. Where any material is dropped less than 20' into a dumpster receptacle or similar, the area around the dumpster shall be barricaded with hard barricades. Signage shall be placed instructing personnel not to get on or near the dumpster. Barricades shall be placed a sufficient distance away from the dumpster to prevent personnel from being struck by material that may ricochet out of the dumpster.
   e. Where debris is pushed or lifted over an edge of a structure, the equipment used to push or lift such debris shall not be exposed to an unguarded edge where it may drive or slide over the edge of the structure. Material used to prevent the equipment from driving or sliding over the edge must be sufficiently anchored to stop the movement of the equipment.

Subpart I – Tools, Hand, and Power

In addition to the regulations set forth in OSHA 29 CFR 1926 (construction regulations), and other Local, State, and Federal regulations, and those requirements established in the EXPECTATIONS section of this manual, the following requirements shall apply:

1. All manufacturer-provided guards and safety devices on hand and power tools shall be in place and operating properly at all times.

2. The misuse of tools such as the use of a screwdriver as a chisel, a wrench as a hammer, overloading a wrench by using a pipe extension (**cheater bar**) on the handle, or similar action is prohibited.

3. Tools in need of repair shall be tagged out-of-service and immediately removed from the work area.

4. As of January 1, 2026, only self-retracting razor knives/utility knives shall be used by Okland employees and/or Okland Temporary labor employees.

5. As of January 1, 2026, all handheld power tools, used by Okland employees, where a manufacturer has provided an anti-kickback/anti-rotation/e-clutch feature for the power tool shall be equipped with that feature.

6. Grinders with a “lock-on” function are prohibited from Okland Projects.

7. Prior to drilling/penetrating into any enclosed electrical or mechanical unit of any type, the unit shall be opened and inspected to ensure the drilling/penetrating activity will not damage any pre-installed wiring, lines, etc.
    a. If wiring, lines, etc. could be damaged, adequate controls shall be implemented to ensure damage does not occur.
    b. If the enclosed unit has already been energized, appropriate de-energization and Lock-Out / Tag-Out controls shall be initiated prior to opening the unit. Controls shall remain in place until the entire operation is complete.

8. When handheld circular saws (e.g., Skill Saws) are used, workers shall keep both hands on the saw while operating the saw.
    a. The material being cut (e.g., lumber) shall NOT be held in the hand of any worker while it is being cut.
        i. The material being cut shall be mechanically secured with clamps, nailed down, screwed down, etc.
    b. Stable cut stations (e.g., sawhorses) shall be utilized to support the material being cut.
        i. Workers shall NOT utilize their foot, leg, or any other part of the body to support the material being cut.





9. The depth of the blade of all saws shall be appropriately adjusted for the thickness of the lumber being cut so the blade does not extend beyond the lumber more than necessary.

10. Pneumatic power tool hoses with an inside diameter that exceeds ½ in. shall have:
    a. Pins or wire securing all twist lock connections.
        i. When pins are used, at least one pin is required at each coupling connection point.
        ii. When wire is used, wire shall secure both lock locations at each coupling connection point.
    b. A metal cable spring loaded whip check device installed on both sides of the coupling connection points.
    c. A safety device at the source of supply or branch line to reduce pressure in case of hose failure.

        i. When hoses larger than ½ in. are used for cleaning deck forms, this requirement is not applicable.

    d. Pneumatic power tools shall not be left unattended when they are under pressure (e.g., disconnect the tool or release the hose pressure).
        i. Unattended means when the tool is not within the line-of-sight of the worker.
    e. Workers shall ensure all stored energy is released from pneumatic tools prior to leaving the tool unattended (e.g., squeeze the tool trigger to ensure it is in a zero-energy state).
        i. Unattended means when the tool is not within the line-of-sight of the worker.

11. Whip-check devices shall be installed at all air hose connections from the air compressor to the tool/machine. Whip-check devices shall be utilized in addition to the pin connections in the hose couplings. Whip-check devices shall be spread to the furthest extent possible.

12. Pneumatic and/or hydraulic hoses shall not be dropped from heights, nor shall they be run over with equipment or tools.

13. Pneumatic tools shall not be lowered by the hoses.

14. Employees who utilize powder or gas-actuated tools shall be trained and certified in the safe operation of the specific tool being utilized and shall follow the requirements stipulated in the training.

15. Employees shall always have certification cards on their person while operating powder or gas actuated tools.

16. Hearing protection shall be worn while utilizing a powder & gas actuated tool.

17. Prior to the use of powder or gas actuated tools, employees shall install signage warning other personnel of the use of powder actuated tools in the area.
    a. The sign shall be a yellow CAUTION sign stating that a Powder or Gas Actuated Tool is in Use, Hearing Protection Required in This Area.

18. If a powder or gas actuated tool is used in a horizontal position (e.g., shooting into a steel column), the operator of the tool shall establish a controlled access zone with, at a minimum, red DANGER tape and DANGER signage on the opposite side of the material that the fastener is being fastened into.

19. Powder and gas actuated tools shall be stored unloaded.

20. Subcontractors shall not store powder cartridges on the project. They are to be brought to and from the project each day in a manufacturer's approved storage container.

21. Fired or unfired powder cartridges shall not be disposed of in project trash receptacles or dumpsters. Subcontractors shall remove all fired and unfired powder cartridges from the project daily and dispose of them off the project in compliance with applicable local, state, and federal regulations.

22. Supervisors are responsible for the proper offsite disposal of gas actuated tool fuel cells. These fuel cells (full, partially used, or empty) shall not be thrown into project trash receptacles or dumpsters.

Table of Contents

23. **Lithium Batteries (LBs)**
    a. LBs and chargers shall be inspected for damage before use.
        i. LBs and chargers that are cracked, corroded, or melted shall be immediately removed from service.
    b. LBs and chargers shall be kept clean.
    c. Only matching Original Equipment Manufacturer (OEM) LBs and chargers shall be used. (i.e., aftermarket LBs shall never be placed to charge on a charger that is NOT of the same manufacturer).
    d. LBs and chargers shall only be used as instructed by the OEM.
    e. Workers utilizing LBs shall review the owner's manual and all labels before use.
    f. Workers utilizing LBs shall pay attention to LB performance, including runtime and power output. If a significant decline is observed, the LB shall be replaced.
    g. A minimum of a 10-pound ABC rated fire extinguisher shall be placed within 15' of all active chargers.

    h. Charging within a Building Under Construction/Improvement/Demolition:
        i. Daytime: Charging shall be done in well-ventilated areas free of flammable and explosive atmospheres.
        ii. Overnight/Weekends: Charging shall be done in a 35' diameter area free of all flammable and combustible materials, on a non-combustible surface (e.g., concrete, metal, soil), and in well-ventilated areas free of flammable and explosive atmospheres.
            1. **LBs SHALL NEVER BE LEFT TO CHARGE OVERNIGHT/WEEKENDS IN ANY TYPE OF STICK FRAMED BUILDING/STRUCTURE** (This requirement does not apply to temporary job trailers).
    i. Charging within a Temporary Job Trailer or Conex:
        i. Charging shall be done in areas free of flammable and explosive atmospheres.
    j. Charging should only be conducted between 32°F and 120°F.
    k. While charging multiple LBs in one location, workers shall ensure the power supply is not overdrawn. (Note: check the amperage demand on each charger's label.)
    l. If the batteries are frozen (below 32°F), allow them to warm up to room temperature before charging.
    m. If batteries are overheated due to weather or storage, allow it to cool down below 120°F before charging.
    n. If batteries are overheating due to use or charging, they shall be removed immediately from service.
    o. Storage:
        i. Store batteries in cool (less than 120°F), dry locations.
        ii. Batteries and chargers should be kept away from direct sunlight or any other heat source.
    p. When transporting batteries, protect leads to prevent contact with metal (coins, keys, nails, screws, tools, etc.). Batteries should only be transported with the OEMs provided lead covers in place, or in separate plastic bags.
    q. Dispose of batteries at a local battery recycling location or as directed by the manufacturer and the local authorities. They shall NOT be placed in project trash cans and/or project dumpsters.
    r. LBs shall immediately be removed from service if they are overheating, emitting any odor, change in color or shape, leaking, emit odd noises, have observed cracks, or holes, etc.

s. LBs shall never be modified, altered, or disassembled. Opening battery casings or altering wiring is strictly prohibited. Doing so can expose individuals to chemicals and electrical hazards.
t. Field repairs shall not be conducted on LBs or chargers. Only OEM authorized technicians shall conduct repairs.
u. All LBs shall be UL listed.
v. LB power tools shall not be overloaded. This can strain batteries, decrease performance, and lead to overheating.
w. Chargers shall not be exposed to liquids, oils, grease, etc.
x. LBs shall not be cleaned with solvents or corrosive chemicals.
y. LBs shall not be charged if they are found to be damaged, defective, or overheated.
z. Charger vents shall not be covered; Overheating may occur.
aa. LBs shall not be stored or charged in wet or damp conditions.
bb. Damaged or defective batteries shall not be stored together.

Subpart J – Welding and Cutting

In addition to the regulations set forth in OSHA 29 CFR 1926 (construction regulations), and other Local, State, and Federal regulations, and those requirements established in the EXPECTATIONS section of this manual, the following requirements shall apply:

1. Compressed gas cylinders shall only be hoisted in an upright and secured position, with the gauges removed, cylinder caps installed and in an approved lifting device. Approved lifting devices shall only include those devices that are specifically and commercially manufactured for that purpose or those that are constructed per the design of a registered professional engineer and are specifically designed for hoisting compressed gas cylinders.

2. Compressed gas cylinders shall be kept secured and upright at all times.

3. Compressed gas cylinders shall not be stored indoors at any time.

4. Compressed gas cylinders shall be considered "in storage/stored" when not used for greater than a 24-hour period.

5. Compressed gas cylinders shall not be taken into nor stored in conexes, hooches, gang-boxes and similar confined areas for any amount of time.

6. Gauges and hoses shall be removed from compressed gas cylinders at the end of each shift.

7. Valve protection caps shall be installed on compressed gas cylinders when not in use.

8. Western couplers must be used to connect hose to torch and hose to hose. Screw type hose clamps are not acceptable.

9. Flash arrestors and back-flow prevention devices are required to be utilized with all oxygen and/or fuel gas operations.

10. Compressed gas cylinders shall be kept within sight and immediately accessible to the individual utilizing them or the fire watch.

11. Only strikers shall be used to ignite a torch, weed burner, and similar fuel gas tools. The use of lighters, matches, etc. for this purpose is prohibited.

12. Hoses shall not be repaired with tape.

13. Hot Work Permits:
    a. Hot work is defined as: a process which, because of its design or function, can cause ignition of a product/material or gaseous/vaporous atmosphere due to direct or indirect contact. Examples of hot work include, but are not limited to, welding, torch cutting, burning, soldering, grinding, use of a chop-saw, use of a demo-saw, etc.
        i. Hot work also includes activities that generate heat but do not generate a flame or spark, such as, but not limited to, exothermic heat (e.g., two-part foams, two-part epoxies) and hot wires used to cut structural foam blocks. As such, these activities also require a hot work permit.
    b. The supervisor overseeing the hot work operation shall obtain a daily (unless an extended duration is authorized by the Okland Superintendent, if so, it shall not exceed 7-days) written Hot Work Permit from the Okland Superintendent prior to the execution of any hot work.
    c. **Prior to requesting the Hot Work Permit the requesting supervisor shall inspect the work area and developed a fire prevention plan for the hot work activity.**
    d. Prior to issuing a hot work permit for hot work activities that will be conducted on, above, or one level below a roof, the Okland supervisor issuing the permit is to visually inspect both the hot work area and the roof to assess the means and methods of how the hot work will be performed and to validate that adequate controls will be in place for those means and methods.
    e. All tools and equipment, including the fire extinguisher(s), shall be inspected prior to beginning the hot work activity.
    f. To the extent practical, hot work operations shall be conducted in areas which pose the least potential exposure for a fire.
    g. Where plastic is used for weather protection or temporary barriers/enclosures, and it is anticipated that the plastic will be in close proximity to or be exposed to fire hazard sources, such as welding, cutting, grinding, temporary heaters, etc., fire retardant plastic shall be used.
    h. Okland's Safety Department shall be notified prior to conducting any hot work on coated metals and prior to any inert gas metal-welding being performed on stainless steel.
        i. When conducting hot work on surfaces that have a coating, a pre-assessment shall be conducted to determine if the coating is hazardous or will become hazardous once it is heated. If a hazard is identified, the hazard must be effectively controlled.
    i. The Hot Work Permit process is as follows:
        i. The supervisor inspects the work area and develops a fire prevention plan for the hot work activity. This inspection shall include an assessment of all potential fire hazards that currently exist or will exist due to the hot work activity.
            1. The assessment shall encompass a 35-foot radial sphere around the proposed hot work activity.

        2. All fire hazards shall be removed or adequately protected prior submitting the hot work permit to Okland for signature and prior to the start of any hot work.
        3. All openings to adjacent areas should be sealed to prevent sparks, slag, etc. from falling into other areas.
    ii. The supervisor completes the permit and signs the Supervisor line.
    iii. The person performing the hot work inspects all hot work tools and equipment, including the fire extinguisher(s)
    iv. The person performing the hot work reviews the permit and signs the permit.
    v. The fire watch reviews the permit and signs the permit.
    vi. The Okland Superintendent reviews the permit for completeness and coordination and signs the permit.
    vii. The Okland Superintendent is to take a photo of the permit and upload it into Procore system or the project designated system. If the permit is for a Subcontractor, the Superintendent can designate this to the Subcontractor if the Subcontractor is on the Project's Procore or the project designated system.
    viii. The Okland Superintendent shall then place the permit in an Okland issued plastic sleeve and provide a wire tie, zip-tie or similar method for securing the sleeve in the field.
    ix. The physical permit and sleeve is then to be attached to the equipment where the hot work is to be performed.
    x. The supervisor shall monitor the effectiveness of their controls and adjust if improvement is necessary to prevent fire or damage to building materials.
    xi. Each time the hot work activity stops (e.g., breaks, lunch, end of day), the fire watch is to remain for the duration stipulated on the permit to ensure fire does not start following the work and then sign the back of the permit.
    xii. At the end of the duration of the permit, the supervisor is to return the permit to the Okland Superintendent.
    xiii. Completed permits should remain in project files for at least 90 days.
j. Additional Hot Work Permits and/or requirements may be added in cases where hot work is performed within or near occupied structures. In these cases, Okland's Superintendent shall coordinate the securing of such permits from the respective building owner/manager and conveying to Okland Supervisors or Subcontractors the additional requirements.
k. Hot work permits shall not be valid for more than one day.
    i. For hot work that is stationary and only generates sparks (e.g a stationary chop saw station for cutting metal studs) a hot work permit may be valid for up to 7-days.
        1. The Okland supervisor issuing the hot work permit for these fixed stationary activities will make the determination of the duration the hot work permit is valid for, but it shall not extend more than 7-days.
        2. A dedicated fire watch is not required for these fixed stationary hot work activities. However, a competent person shall inspect the work fixed station prior to and after each shift for any fire hazards. This inspection shall be documented on the hot work permit.
        3. The workstation must be set up to contain all sparks.
        4. The fixed station must be marked off or barricaded to section off the area (e.g., use of candle sticks and caution tape).
        5. Caution signage must be placed at the fixed station stating: **"CAUTION - HOT WORKSTATION - NO FLAMMABLE OR COMBUSTIBLE STORAGE"**

l. After the Hot Work Permit has been issued, but prior to beginning the hot work activity, the supervisor shall review the requirements listed on the Hot Work Permit, as well as the requirements of the Supervisor's fire prevention plan, with the employee(s) conducting the hot work and the fire watch established.
    i. The supervisor shall furnish and assign a trained fire watch equipped with at least a 10A 60B:C or greater rated fire extinguisher.
        1. The supervisor shall instruct the fire watch on the responsibilities of his/her assignment and specifically on what to do in the event of a fire or fire related injury.
        2. The fire watch shall continue to monitor the area in which he/she has been assigned to watch for fire for the duration stipulated on the Hot Work Permit following the completion of the hot work activity. This duration shall not be less than 30-minutes after the hot work activity has been completed.
        3. *A fire watch shall have no other duties other than fire watch.*
    ii. Soldering and/or Brazing: A designated, full time, fire watch is not necessary in a steel/concrete structure where no flammable and/or combustible materials (e.g., drywall, insulation, plywood) are present within a 10' sphere around the employee conducting the work and the worker conducting the work can immediately access the area where soldering/brazing splatter may fall. When a designated, full time, fire watch is not utilized, the employee conducting the soldering and/or brazing shall serve as their own fire watch and **is responsible to execute all the fire watch responsibilities noted on the Hot Work Permit.**
m. Sparks and/or slag shall be contained at the source of the hot work operation by use of catch pans/basins, fire blankets or any combination of these or by other effective means.
    i. Plywood or similar combustible material shall not be utilized for protection against sparks and/or slag.
n. In cases where sparks and/or slag cannot be contained at the source of the hot work operation, the supervisor shall assign additional fire watch personnel to guard against fire on/in all areas and/or floors in which the sparks and/or slag generated from the hot work activity are being dropped.
    i. The areas where sparks and/or slag can drop to shall be barricaded with red DANGER tape. These areas shall also be protected with adequate fire protection measures such as, but not limited to, removing all flammable materials, removing, or covering all combustible materials with fire blankets, protection of all finishes.

14. Welding screens shall be utilized when conducting welding operations where other trades and/or the general public may be exposed to the hazards of arc-flash.

15. Sufficient mechanical ventilation shall be provided by Subcontractor whenever interior welding or cutting operations are performed to ensure appropriate air exchange.

16. When arc welding or cutting operations are conducted on aluminum, stainless steel, and galvanized materials, workers must also utilize respiratory protection (i.e., respirators) until personal exposure monitoring is conducted and it is determined that respiratory protection is not needed for that specific scope of work.

Subpart K – Electrical

In addition to the regulations set forth in OSHA 29 CFR 1926 (construction regulations), and other Local, State, and Federal regulations, and those requirements established in the EXPECTATIONS section of this manual, the following requirements shall apply:

1. Pulling wire through conduit, or similar, shall not be conducted from an extension ladder or a standard A-frame ladder (the safe use of a platform ladder, scaffold or a scissor lift would be acceptable).

2. Monthly documented inspections of all Okland extension cords, power tool cords, welding leads, temporary lighting, and similar, shall be conducted. Those conducting the inspection shall utilize Okland's Rigging & Electrical Color-Code system to identify that it has been inspected and found safe to use.

3. Where overhead powerlines span above <u>ANY access/egress point to/from the project</u>, where vehicles and/or mobile equipment may travel, large (3' x 3' minimum) prominent, signage shall be posted, that is visible from both directions, warning drivers/operators of the overhead power lines.

4. Where overhead powerlines span above ANY point <u>on the project</u>, where vehicles and/or mobile equipment may travel, large (3' x 3' minimum) prominent, signage shall be posted, that is visible from both directions, warning drivers/operators of the overhead power lines.

5. Cords, Welding Leads & Tools:
    a. All extension cords must be 12 AWG or thicker and be of a 3-wire type (i.e., it must have a ground).
    b. Electrical cords, welding leads, and cables shall be covered, elevated, or otherwise protected from damage and from creating additional hazards to employees (e.g., they must not be run in the *middle of hallways*, walkways, or stairs nor can they be routed in or under water or ice).
    c. Okland shall conduct periodic "site-wide roll-ups" of all cords for inspection. Cords shall be inspected and properly organized when rolled back out.
    d. Only industrial rated "three-ways" and similar splitters shall be utilized.
    e. Repairs to electrical cords, welding leads and cables with electrical tape is prohibited. Only manufacturer approved repair methods shall be used. Subcontractor shall supply to Okland, if requested, documented proof of the manufacturer's approval of the repair method.
    f. The use of a Ground Fault Circuit Interrupter (GFCI) is required when utilizing extension cords, power tools, and/or electrical machinery that are connected to an electrical receptacle. The GFCI shall be placed at the receptacle. This shall be accomplished with either a GFCI receptacle or a portable GFCI device plugged into the receptacle.
    g. The use of makeshift electrical multi-ways (e.g., knock-out boxes not properly mounted) is prohibited.
    h. All electrical equipment and components shall be utilized in the manner and condition of its Underwriter Laboratories (UL) listing.
    i. Neither Okland nor Subcontractor shall utilize Romex electrical cable (or similar) for temporary wiring, temporary lighting, and/or to feed temporary power supply panels, boxes, lighting, outlets or similar.
    j. Okland and/or Subcontractor, shall NOT move, alter, repair, disconnect, or similar, any electrical gear of any type that is owned and/or operated by the local power company unless:

        i. Contracted to do so.
        ii. Authorization has been secured from the power company.
        iii. The power has been validated to be disconnected.

6. Temporary Lighting:
    a. Okland Superintendents shall ensure all Project general access/egress ways, stairwells, and general site lighting is established and maintained.
    b. Weekly inspections of the lighting systems shall be conducted to ensure adequate lighting is established and fire hazards due to poor maintenance are not present.
    c. As of January 1, 2025, all temporary, interior, lighting, both task lighting and general access/egress lighting, shall be LED type lighting.
    d. Supervisors shall provide employees the necessary task lighting to illuminate their work areas.
    e. Helmet lights and flashlights shall not be the only means of task lighting. Subcontractor shall provide lighting that illuminates the general work area for their worker(s).
    f. All light stringers must be 12 AWG or thicker and be a 3-wire type (i.e., it must have a ground).
    g. If temporary lighting is wired directly into a panel, the respective breaker must be a GFCI type breaker.
    h. All lighting shall be Underwriters Laboratories (UL) listed. The use of "job-made" or "shop-made" lighting is prohibited.
    i. All temporary lighting shall be equipped with a lamp cage to keep other objects from coming into contact with the lamp. The outer lens of a halogen or similar light does not meet the intent of this requirement. Exception to this requirement is if the temporary lighting is LED and manufactured without a cage.
    j. Night and or low light activities must have sufficient lighting to eliminate shadows that can create visual hazards.
    k. Halogen light bulbs containing mercury shall not be utilized in temporary light stringers unless the contractor responsible for maintenance of the temporary lighting has submitted to Okland a cleanup and remediation process for broken bulbs.

7. Control of Hazardous Energy Sources (Electrical & **Other**) – **Lock-Out Tag-Out**:
    a. The unexpected energizing or start-up of machines, tools or equipment, or the release of stored energy that could cause injury to employees or damage to equipment (e.g., Electrical, Hydraulic, Pneumatic, Magnetic, Heat, Mechanical, Radiation, Gravitational, Chemical, Stored Energy, such as in springs, batteries, and items under tension) shall be controlled through an effective Lock-Out Tag-Out (LOTO) program. Okland employees shall comply with the requirements stipulated in Okland's **Control of Hazardous Energy Program.**
        i. All electrical wiring shall be treated as though it is energized until it is determined that the wiring is not yet connected to an electrical source, or the electrical source is properly locked-out and tagged.
        ii. <u>Each</u> employee exposed to a potential hazard from the unexpected energizing or startup of machines, tools or equipment, or the release of stored energy, shall be protected with <u>their own</u> lock and tag.
        iii. When it can be done safely, an appropriate test of the LOTO shall be done to ensure that it has been effectively implemented.
        iv. Employees shall unplug all hand tools prior to servicing the tool (e.g., unplugging a grinder prior to changing the grinding disk).
        v. All combustion equipment shall be turned off prior to fueling the equipment (e.g., turning off a compressor prior to fueling it).

8. Energized Electrical Work
    a. Employees shall exhaust every effort to perform electrical work with electrical systems de-energized.
    b. Workers conducting live electrical work of any voltage shall only do so when they can be visually seen and heard by other workers within their company.
    c. Energized electrical work includes working on or near any energized electrical system, whether alternating or direct current, including, but not limited to, services entrance sections, distribution switchgear, transformers, distribution panels, UPS systems, and branch circuit wiring where an employee is required to deliberately, or could accidentally, place any part of their body or any type of tool or material in to or around such electrical devices where the voltage has been determined to be in excess of 50 volts. Examples of such work includes, but is not limited to:
        i. Voltage testing.
        ii. Circuit testing.
        iii. Troubleshooting.
        iv. Power switching.
        v. De-energizing and re-energizing procedures.
        vi. Pushing fish-tapes and/or pushing/pulling wire into an energized enclosure.
        vii. Work performed on or in energized enclosures.
        viii. Excavations near underground energized lines.
    d. Employees shall comply with the energized electrical work safety requirements stipulated in the most current edition of *NFPA 70E, Electrical Safety in the Workplace, including the use of an Energized Electrical Work Permit,* when conducting energized electrical work.
        i. The following shall be submitted to Okland prior to the any live electrical work taking place:
            1. An executed copy of Subcontractor's Energized Electrical Work Permit
            2. A copy of Subcontractor's Job Hazard Analysis for the specific live electrical work activity that will be taking place
            3. A detailed Method of Procedure specific to the live electrical work activity that will be takin place
    e. Access to energized electrical rooms or other areas where electrical work is taking place shall be limited to those employees who are wearing the required PPE and who are engaged in the energized electrical work.
    f. The electrical subcontractor, in coordination with Okland's Superintendent, shall maintain control of all energized electrical rooms and panels.
    g. Physical barriers that are lockable (e.g., doors with locks) and danger signs shall be used to prevent unauthorized entry to areas where energized electrical systems are in place and/or where any energized electrical work is being performed. Signage shall state "DANGER ENERGIZED ELECTRICAL ROOM AUTHORIZED PERSONNEL ONLY"
    h. Metal belt buckles, jewelry, key chains, cell phones, pagers, etc. shall be removed when working on any energized system. Hands shall be clean and free of any lotion, sunscreen or similar coating that may reduce the voltage rating of any rated glove liner being worn.

Subpart L – Scaffolds

In addition to the regulations set forth in OSHA 29 CFR 1926 (construction regulations), and other Local, State, and Federal regulations, and those requirements established in the EXPECTATIONS section of this manual, the following requirements shall apply:

1. Capacity
    a. Except as stipulated in OSHA Regulations 29 CFR 1926.451(a)(1), each scaffold and scaffold component shall be capable of supporting, without failure, its own weight and at least 4 times the maximum intended load applied or transmitted to it.
    b. Workers must know the capacity of the scaffold they will work from prior to accessing the scaffold.

2. Scaffold Construction
    a. Prior to the construction of a stationary supported scaffold that has a platform height of greater than 24', a Stationary Supported Scaffold Erection Permit must be obtained from the Okland Project Management Team.
        i. A copy of the signed permit shall be posted at or near the scaffold.
    b. Prior to construction of any scaffold stair tower, a Scaffold Stair Tower Permit, must be obtained from the Okland Project Management Team.
        i. All scaffold stair towers shall be designed by a registered professional engineer and shall be constructed per that design.
    c. Scaffold base plates, mud sills, and/or casters shall only be placed on flat surfaces.
    d. Scaffolds shall be erected, used, modified, moved, and dismantled per the manufacturer's recommendations.
    e. Scaffolds shall be fully planked irrespective of the use of a personal fall arrest system.
    f. Scaffold platforms shall be at least 18" wide irrespective of the use of a personal fall arrest system. (e.g., for standard wood planks that are 12" wide, two planks are required).
    g. All scaffold planking shall be secured from movement/displacement (e.g., wired down, cleated, locked in)
    h. Where up lift can occur, which would displace any scaffold end frame or panel, the frames or panels shall be locked together vertically by pins or equivalent means.
    i. Cross braces are required on both sides of scaffolding between each frame section unless the scaffold manufacture has provided written instructions that allow for other cross bracing configurations.
    j. Job built scaffolds shall be constructed with lumber that is construction grade #1 spruce and plywood decking must be construction grade 3/4" at a minimum.
    k. All cantilevered scaffolds and/or cantilevered landing platforms (e.g., Preston Decks) shall be designed by a registered professional engineer and shall be constructed per that design. Design drawings shall be Project and application specific. Documentation of the design shall be submitted to the Okland Superintendent prior to the construction or installation of the scaffold/platform.
    l. All multi-sectional scaffolding must be tied into the building or stable structure, at a minimum, every 30' horizontally and, when the width to height ratio is less than 4:1, every 15' vertically.
    m. All scaffolds wrapped or enclosed with fabric, plastic or similar wrap shall be designed by a qualified person and shall be constructed per that design. Design drawing shall be Project and application specific. Documentation of the design shall be submitted to the Okland Superintendent prior to the construction of the scaffold/platform.
        i. The scaffold tieback system should be designed by registered professional engineered to address additional loading due to wind.
        ii. When direct fire heaters are used:
            1. The hazards of carbon monoxide buildup must be controlled.
            2. Additional housekeeping shall be conducted to ensure that combustibles and debris are not allowed to accumulate around the heat source.
            3. Tarps/tenting/wrapping must be of the flame-retardant type.

n. If mud sills are required, mud sills shall be of adequate dimension to ensure stability of the scaffold and be secured to the scaffold base plate with a minimum of 2 nails per base plate.
    i. When mud sills are used for scaffolding over 24' in height, the mud sills shall be, at a minimum, 2" thick x 10" wide x 24" in length when not installed on a concrete surface.
    ii. When scaffolding over 24' in height is installed on a concrete or other similar structurally sound surface, mud sills are still required and shall be consistent with the requirements listed in the Mudsill Reference Sheet.
    iii. When scaffolding over 24' in height is installed on soft or loose ground; wet sites; on other earth type surfaces; or will be heavily loaded, the proposed mud sill type shall be reviewed with an Okland Authorized Scaffold Reviewer.
o. Base plates or casters are required on all fabricated frame scaffolds irrespective of the scaffold being on a solid surface, such as concrete. A Fabricated Frame Scaffold Quick Reference Sheet is included in this manual for reference.
p. Okland's Corporate Risk Management and/or Safety Department, may require, due to the elevated level of risk a scaffold poses, that the scaffold or certain components of the scaffold (i.e., scaffold wrap) be designed/engineered by a registered professional engineer. Such designs may include but not be limited to the scaffolding and scaffold wrap anchoring methods and requirements.

3. Criteria for Suspended Scaffolds

    a. The Okland Superintendent, in consult with the Project assigned Okland Safety Manager, shall develop a written plan detailing the safe construction, use and inspection of suspension scaffolds if used.
    b. Okland's Safety department shall be advised prior to the use of any type of suspension scaffold on a project.
    c. The construction and use of suspension scaffolds shall be per the design of a registered professional engineer. Design drawings shall be Project and application specific. A copy of the design shall be submitted to Okland's Superintendent prior to the construction of the suspension scaffold. If the system being proposed is a "manufactured system", and the installation and use of the scaffold system is within its intended design, the manufacturer's use/operation/installation manual shall suffice.
    d. Two-point suspension scaffolds (swing stages) shall not be less than 20" or more than 36" wide overall.
    e. A complete guardrail system including toe boards shall be provided on swing stage platforms.
    f. Suspension wires and ropes shall be protected from damage by heat or sharp edges.

4. Access

    a. Scaffolds equipped with guardrail at their access/egress points shall have an access/egress gate that opens onto the platform at each point of access/egress. Climbing over/under/around the guardrail as a means of access/egress is prohibited.
    b. Fixed vertical ladders, greater than 24', shall only be permitted if alternative access systems are infeasible (e.g., internal stair systems, external stair systems, internal ladder, and hatch systems.).
        i. When fixed vertical ladders greater than 24' are used, a PFAS shall be used while working from and/or climbing the ladder (e.g., a retractable lanyard, a fixed ladder climb safety device).

            1. Yellow CAUTION tags shall be attached at every access point (all levels) indicating that fall protection is required to utilize the scaffold ladder.

    c. Where direct access is provided from the inside of a building to the scaffold:
        i. The access must be constructed with a solid platform that fully bridges the gap between the scaffold and the building.
            1. Guardrail shall be installed on both sides of the access bridge.
            2. Safe access onto, and from, the bridge to the building's floor and to the scaffold platform shall be provided.
                (a) If the bridge is elevated greater than 19" above the building floor or the scaffold platform, a scaffold ladder, stairs, ramp, or similar safe access shall be provided.
                (b) If the bridge, or the method of access to/from the bridge (e.g., scaffold ladder, stairs, ramp), creates a potential fall hazard, additional fall protection (e.g., adding additional guardrail) shall be provided to control the fall hazard.

5. Use & Inspection
    a. Scaffolds (of all types) shall be inspected by a competent person prior to each shift and following any modifications including new assembly. Each inspection shall be documented on a scaffold tag. Inspection tags shall be attached to the scaffold at the base of the access ladder and any other access point.
        i. If a scaffold is utilized by different contractors, a competent person of each contractor shall complete a documented inspection of the scaffold unless other written agreements are made. The contractor having care, custody, and control of the scaffold shall establish a process of reporting and correcting deficiencies with the scaffold and a system for complying with the inspection tag requirement.
            1. If a scaffold is utilized by different contractors, the scaffold shall not be modified by any other contractor, without the explicit permission from the contractor having care, custody, and control of the scaffold.
        ii. "Green Tags" shall signify that the scaffold is complete and can be utilized with ordinary precaution.
        iii. "Yellow Tags" shall signify that there are specific hazards associated with the scaffold that requires specific controls to be executed. Access and use shall be addressed through a JHA.
        iv. "Red Tags" shall signify that the scaffold is NOT safe to access or use.
    b. If a scaffold does not have an inspection tag posted, employees shall assume that it is "Red Tagged" and not safe for use.
    c. Ladders, buckets, or any other makeshift object shall not be a component of any scaffold.
    d. Employees shall not stand on the guardrail of any scaffold including scissor lifts.
    e. Working from the scaffold ladder is prohibited.
    f. Workers must know the capacity of the scaffold they will work from prior to accessing the scaffold.
    g. Scaffolds, or any component of a scaffold, shall not be placed within 10' from an electrical hazard. If the voltage is over 50kv, the distance shall be increased by 0.4-inches for every 1kv over 50kv.

6. Fall Protection
    a. Scaffold erectors/dismantlers shall utilize fall protection when exposed to a fall of 6’ or more.
    b. Guardrail, mid-rail and toe-board are required on all scaffolds if at all feasible. Workers do not have the option of utilizing a personal fall arrest system in lieu of completing a scaffold if it is reasonably feasible to install guardrails.
    c. Guardrail is required on all open sides of fixed/stationary scaffolds when the scaffold’s work platform is 6’ or more above a lower level, with the exception of OSHA’s variance under 1926.451(b)(3), (b)(3)(i), & (b)(3)(ii) – (outrigger scaffolds & lathing/plastering operations).
    d. Cross braces on scaffolding do not constitute guardrail. Guardrail systems shall be horizontally installed. The use of diagonal or vertical members as guardrail top-rail or mid-rail is prohibited.
    e. Guardrail is required on all sides of any scaffold which has a work platform of 46” or less in its least dimension when the scaffold’s work platform is 4’ or more above a lower level (e.g., on “Baker” scaffolds).
    f. Guardrail is required on all open sides of mobile scaffolds (i.e., scaffolds equipped with wheels – locked or unlocked, including Baker type scaffolds) when the scaffold’s work platform is 4’ or more above a lower level. A Baker Scaffold Quick Reference Sheet is included in this manual for reference.
    g. A complete guardrail system including toe boards shall be provided on swing stage platforms.
    h. When a scaffold, of any type, is positioned within 6’ from an edge that is elevated 6’ or more above a lower level, guardrail must be installed on the scaffold, regardless of the height of the scaffold.
        i. If it is infeasible to install a guardrail system on the scaffold, a Personal Fall Arrest System (PFAS) shall be utilized by each worker that works from the scaffold.
            1. The PFAS shall be engaged to the anchor point prior to the worker climbing the scaffold ladder to gain access to the scaffold.
    i. Fall protection when working from and/or climbing any scaffold ladder is required where the fall exposure to the employee is greater than 24’.
    j. Fall Arrest wires and ropes shall be protected from damage by heat or sharp edges.
    k. Suspension scaffolds require a rescue/retrieval plan prior to use.
    l. Occupants must be fitted with suspension straps while on the scaffold.
    m. If modifications to guardrail is required (e.g., to facilitate building materials being installed, and/or tools, materials, equipment, or debris, being loading into or out of the building, etc.), the Subcontractor creating the need for the modification is responsible to properly modify the guardrail and/or install equally effective guardrail further back from the fall exposure. Subcontractor shall notify Okland’s Project Superintendent and secure a <u>Guardrail Removal/Modification Permit</u> from Okland prior to modifying or removing any guardrail that is under the care, custody and control of Okland and/or provides protection for any other company or the public (i.e., a permit is not needed when Subcontractor is modifying their own guardrail [e.g., ironworkers adjusting cable guardrail on a deck that is not yet turned over to Okland, a mason subcontractor modifying guardrail on their scaffolding that is not controlled by Okland, etc.]).
        i. A Personal Fall Arrest System must be utilized during the guardrail removal and installation when a fall exposure is present.
        ii. If a scaffold guardrail system is going to be modified, a Scaffold Competent Person shall be present during the modification.

7. Falling Object Protection
    a. When overhead work must be completed and effective falling object controls cannot be implemented, staggering of work schedule or sequence shall be instituted to eliminate the exposure of the falling objects.
    b. When members of the same crew must work in tandem to execute the assigned task and that work must be conducted with one or more worker working overhead other workers involved in the same task, the overhead worker shall utilize tool/equipment/material tethers/lanyards to ensure a falling object does not strike the lower worker.
    c. When scaffold work takes place at the perimeter of a building, Subcontractor shall comply with Okland's Overhead Protection at Building Perimeter Policy. See Subpart G.

8. Ladder jack scaffolds
    a. Ladder jack scaffolds shall not be utilized on Okland Projects.

9. Stair Towers/Stair Scaffolds
    a. Stair towers shall include landing platforms at each level in each direction of travel.
    b. Toe-boards shall be installed on each landing platform.

10. Suspension Scaffolds (swing stages)
    a. Two-point suspension scaffolds (swing stages) shall not be less than 20" or more than 36" wide overall.
    b. A complete guardrail system including toe boards shall be provided on swing stage platforms.

11. Multi-point adjustable suspension scaffolds, stonesetters' multi-point adjustable suspension scaffolds, and masons' multi-point adjustable suspension scaffolds.
    a. Meet OSHA Regulation.

12. Mobile & Narrow Frame Scaffolds
    a. Scaffolds shall be erected, used, modified, moved, and dismantled per the manufacturer's recommendations.
    b. The surfaces on which mobile scaffolds are erected, moved, used, and/or dismantled shall be:
        i. Solid and within 3-degrees of level.
        ii. Free of open pits, holes, unprotected elevation changes, and other similar hazards that could upset the stability of the scaffold as it is moved.
        iii. Free of debris, hoses, cords, welding lead or any other obstruction that could upset the stability of the scaffold as it is moved.
    c. Narrow Frame Scaffolds (i.e., Baker's scaffolds) shall NOT be used as a means of support ends to "bridge" scaffold planks/platforms to other "Baker" scaffolds, other scaffolds, other supports, or similar.
    d. Guardrail is required on all sides of any scaffold which has a work platform of 46" or less in its least dimension when the scaffold's work platform is 4' or more above a lower level (i.e., on "Baker" scaffolds).
    e. Guardrail is required on all open sides of mobile scaffolds (i.e., scaffolds equipped with wheels – locked or unlocked, including Baker type scaffolds) when the scaffold's work platform is 4' or more above a lower level. A Baker Scaffold Quick Reference Sheet is included in this manual for reference.
    f. When freestanding mobile scaffold towers are used in a stationary position, the height shall not exceed 3 times the minimum base dimensions.
    g. Narrow framed scaffolds shall not exceed a height to base ratio of 3:1.

h. Outriggers shall be placed on all narrow frame scaffolds any time the scaffold is stacked (i.e., the scaffold is more than one section in height).
   i. Outriggers shall be placed on all four legs of the scaffold.
      1. When the scaffold is positioned against a wall that is of sufficient strength to support the scaffold, outriggers shall be installed on the two legs of the scaffold opposite of the wall.
i. Employees shall lock all wheels on mobile scaffolds prior to accessing the scaffold.
j. Employees shall ensure that all wheels stay locked while they are working from a mobile scaffold in a stationary position (i.e. a mobile scaffold that is not being moved uninterruptedly).
k. Employees shall NOT "ride" on any mobile scaffold which has a work platform of 46" or less in its least dimension (i.e., "Baker" scaffolds). On these scaffolds, wheels shall stay locked at all times an employee is on the scaffold.
l. Prior to an employee "riding" on any mobile scaffold with a work platform of more than 46" in its least dimension, a JHA shall be completed, the JHA shall be submitted to Okland, and the employee's supervisor shall ensure that all the requirements under OSHA's 29 CFR 1926.452(w)(6) are met.
m. While working from a scaffold, workers shall not stand on the guardrail, ladders, boxes, buckets, or other objects.
n. Working from the scaffold ladder is prohibited.
o. Workers must know the capacity of the scaffold they will work from prior to accessing the scaffold.
p. Base plates or casters are required on all narrow frame scaffolds irrespective of the scaffold being on a solid surface, such as concrete.
q. Scaffolds, or any component of a scaffold, shall not be placed within 10' from an electrical hazard. If the voltage is over 50kv, the distance shall be increased by 0.4-inches for every 1kv over 50kv.
r. When a scaffold, of any type, is positioned within 6' from an edge that is elevated 6' or more above a lower level, guardrail must be installed on the scaffold, regardless of the height of the scaffold.
   i. If it is infeasible to install a guardrail system on the scaffold, a Personal Fall Arrest System (PFAS) shall be utilized by each worker that works from the scaffold.
      1. The PFAS shall be engaged to the anchor point prior to the worker climbing the scaffold ladder to gain access to the scaffold.

s. Positioning Narrow Frame Scaffolds Near an Edge:
   i. When a narrow frame scaffold is positioned parallel to an edge that is elevated 6' or more above a lower level, the parallel side of the scaffold shall not be placed within 6' from the edge.
      1. If it is infeasible to reposition the scaffold so that it is not parallel to the edge or use an alternate means to access the work (e.g., a scissor lift, a scaffold that is not a narrow frame scaffold) a Personal Fall Arrest System (PFAS) shall be utilized by each worker that works from the scaffold.
         (a) The PFAS shall be engaged to the anchor point prior to the worker climbing the scaffold ladder to gain access to the scaffold.
t. When a narrow frame scaffold is positioned perpendicular to an edge that is elevated 6' or more above a lower level, the perpendicular side of the scaffold shall not be placed within 3' from the edge.
   i. Workers shall only access the scaffold from the ladder access point furthest from the edge.

ii. If it is infeasible to position the scaffold so that it is not closer than 3' from the edge or use an alternate means to access the work (e.g., a scissor lift, a scaffold that is not a narrow frame scaffold) a Personal Fall Arrest System (PFAS) shall be utilized by each worker that works from the scaffold.
    1. The PFAS shall be engaged to the anchor point prior to the worker climbing the scaffold ladder to gain access to the scaffold.

u. While conducting inspections of Okland Narrow Frame Scaffolds, the Okland Competent Person must document the inspection on the Okland Pro-Jax Narrow Frame Scaffolding Daily Inspection Form.
   i. The completed inspection form must be posted on the scaffold in a plastic sleeve.
   ii. The corresponding-colored tag, (Red, Yellow, or Green) shall be placed on the scaffold as visual notification of the result of the documented inspection.

v. Okland owned Narrow Frame Scaffolds and Narrow Frame Scaffolds used by Okland employees, must not exceed two-sections or 12' (whichever is less) in height regardless of the use of outriggers.

13. Mobile Elevated work Platforms (MEWP)

a. Each Mobile Elevated Work Platform (MEWP) (e.g., scissor lifts, aerial lift, vertical mast lifts) must also have a documented inspection conducted by a competent person on the MEWP Operators Inspection Form prior to each shift. The scaffold tagging system is not required to be utilized on these types of equipment unless Subcontractor chooses to use them.

b. Employees shall not stand on the guardrail of any scaffold including scissor lifts.

c. Unless explicitly allowed, in writing, within the OEM operators manual, scissor lifts shall be fully lowered prior to moving.

d. Mobile Elevated Work Platforms (e.g., aerial lifts, scissor lifts) shall only be fitted with attachments that are approved by the Original Equipment Manufacturer (OEM) (i.e., shop made/job made attachments are prohibited).

e. Spotters:
   i. During the **Pre-Task Plan (PTP)**, the need for a spotter shall be evaluated, including determining the appropriate number of spotters and how they will be used effectively.
   ii. When a spotter is used, the spotter shall be on the ground, not in the scissor lift.
   iii. At a minimum, a spotter is required when the scissor lift <u>is being operated</u> (i.e., raised, lowered, or moved horizontally):
      1. In finished areas.
      2. Through any doorway where the finish door frame has already been installed.
      3. In confined or congested areas (e.g., work near mechanical piping, electrical systems, overhead ductwork, within tight areas such as partitioned zones etc.).
      4. Within 3-feet of an elevated edge that is not protected by a solid wall.
      5. On any elevated platform of any type.
      6. Up or down any type of ramp.
      7. In any occupied area.
      8. Where there is any potential for public exposure.
      9. When loading and unloading of MEWPs from man/material hoists or elevators.
      10. During any night or low light work.
      11. In any location where the operator of the lift is in a Lone Worker situation.

f. MEWPs shall not be operated on elevated decks, roofs, or similar without adequate perimeter protection that can effectively stop the MEWP from traveling beyond the elevated edge, penetration, shaft, skylight, or similar ("edge").
    i. The elevated edge protection shall be in place around the entire elevated deck, roof or similar that the MEWP can access.
        1. The elevated edges needing protected can be minimized by having adequate area specific protection in place that can effectively stop the MEWP keeping it in a specific area.

Subpart M – Fall Protection

In addition to the regulations set forth in OSHA 29 CFR 1926 (construction regulations), and other Local, State, and Federal regulations, and those requirements established in the EXPECTATIONS section of this manual, the following requirements shall apply:

1. Irrespective of OSHA regulations governing specific fall protection requirements, a positive means of fall protection (e.g., guardrail system, safety net system, or personal fall arrest system) shall be utilized whenever employees are exposed to a fall which is 6' or more above a lower level. The only three exceptions to this requirement is the fall protection requirements for employees working from mobile ladders which is covered in Subpart X of this document, the requirement for fall protection when climbing scaffold ladders which is covered in Subpart L of this document and the requirement for fall protection on "Baker" scaffolds which is required at 4-feet.

2. Prior to assigning a worker to conduct work requiring the use of a personal fall arrest system, the supervisor of that worker shall establish a fall rescue plan, ensure the needed rescue equipment is in safe working condition and that equipment is readily available.

3. Workers conducting activities where a Personal Fall Arrest System (PFAS) is required to be used shall only do so when they can be visually seen and heard by other workers within their company.

4. Personnel utilizing a Personal Fall Arrest System (PFAS) while exposed to a fall hazard shall not work alone. One or more personnel, that are NOT anchored to the same PFAS, must be in sight to initiate the fall rescue plan if a fall occurs.

5. Okland employees shall only utilize Okland approved PFAS (e.g., harness', lanyards, Self Retracting Lanyards [SRLs], horizontal lifelines).

6. C-clamps or other accessories (e.g., shackles, slings, chain, wire-rope clips) not commercially manufactured by a fall protection specific manufacturer, that are manufactured outside of the United States (e.g., China) shall not be utilized as components of a fall protection system (e.g., guardrail, lifelines).

7. All falls, arrested or non-arrested, shall be immediately reported to the Okland Safety department so they can support a thorough incident investigation.

8. All components subjected to a fall arrest shall be immediately removed from service.

9. Workers are expected to clean their assigned harness and lanyard(s), on a regular basis, to ensure they are kept free of contaminants that may affect their safe performance.

10. In addition to the user inspecting their fall protection prior to each use, each personal fall arrest systems shall be inspected on an annual basis by a qualified person other than the user.

11. Personal fall arrest systems used for edge work shall be rated by the manufacturer for use in edge work.

12. A set of suspension trauma safety straps shall be properly attached to each personal fall arrest harness.

13. When a positioning hook device is utilized, and the worker is exposed to a fall of 6' or more above a lower level, a personal fall arrest lanyard shall also be utilized.

14. If a horizontal lifeline system is proposed to be utilized as part of a personal fall arrest system, Subcontractor shall submit written documentation to Okland which demonstrates that the entire personal fall arrest system has been designed by a registered professional engineer and is in compliance with OSHA regulations. If the system being proposed is a manufactured system, the manufacturer's use/operation/installation manual will suffice.

15. The use of a Self-Retracting Lifeline (SRL) shall not expose the user to dangerous swing in the event of a fall.

16. **Prior to** a warning line system being utilized, a written plan and sketch of its configuration shall be submitted to Okland and reviewed by Okland's Project assigned Safety Manager.
    a. **Warning Lines shall only be utilized on ROOFS**.
    b. Warning Lines when used where **ONLY ROOFERS** are on the roof conducting roofing work, shall be at least **6'** from any edge where a fall exposure greater than (6' exists.
    c. Warning Lines when used where **OTHER TRADES** (other than roofers) are on the roof shall be at least **15'** from any edge where a fall exposure greater 6' exists.
    d. Prior to workers traveling beyond a Warning Line System, 100% tie-off shall be utilized.
    e. Warning Line Systems should only be utilized when roofing work is taking place. If no roofing work is taking place, a guardrail system or the use of a personal fall arrest system should be utilized.

17. If an Okland employee creates a hole in a walking/working surface, the Okland supervisor overseeing the work shall ensure that the hole is covered, and the cover is maintained. Hole covers shall be properly constructed, marked, and secured from accidental displacement.

18. Hole covers must meet Okland's Floor Opening Hole Cover Standard.

19. Covers must be readily available in the immediate work area prior to creating a hole.

20. If modifications to a hole cover is required to facilitate building materials being installed by Okland employees, the Okland supervisor overseeing the work that is creating the need for the modification is responsible to ensure that the hole cover is properly modified and secured from accidental displacement.

21. The tops of all hole covers shall be labeled "HOLE" or "COVER". If the cover is too small to label it, the cover shall be completely coated in orange (e.g., with orange paint).

22. All hole covers shall be cleated to prevent accidental displacement.

23. Skylights themselves shall not constitute an acceptable hole cover.

24. Skylight covers shall be capable, at a minimum, to support 500-lbs.

25. When skylights will not be covered with an Okland acceptable cover, one of the following shall be implemented:
    a. A guardrail system shall be installed around the skylight.
    b. A warning line system shall be installed around the skylight that is set, at a minimum, 15' back from the edge of the skylight.
        i. A personal fall arrest system must be worn and properly utilized by any worker entering the area between the warning line system and the unprotected skylight.
            1. The personal fall arrest system shall be rated for leading edge work.

26. When floor holes/penetrations that are protected with a guardrail system must be covered for weather/dust protection or similar needs, and the material being used does not meet the requirements of a hole cover (e.g., plastic, Visqueen, corrugated plastic.), the top of the material shall be clearly marked with a danger sign(s) stating **"DANGER" "OPEN HOLE" "DO NOT STEP"**. In addition, signage shall be placed on the guardrail system protecting the hole/penetration stating **"DANGER" "100% TIE-OFF BEYOND THIS POINT"**
    a. When this condition exists and work must take place within the guardrail system, workers shall utilize a personal fall arrest system, shall be tied-off prior to crossing the guardrail system, and shall maintain 100% tie-off at all times.

27. Prior to the removal of a guardrail system that is in place around a floor hole/penetration that has been covered with weather/dust protection such as plastic, Visqueen, corrugated plastic, or similar material that does NOT meet the OSHA and Okland requirement for a hole cover, the weather/dust protection shall be removed a compliant hole cover shall be installed.

28. A personal fall arrest system shall be utilized by all workers exposed to a hole that is greater than 12" in its least dimension when a fall exposure of 6' or more is present.

29. Employees working in incomplete elevator cabs shall maintain 100% tie-off at all times the employee is in the elevator cab.

30. Employees working on top of elevator cabs shall maintain 100% tie-off at all times and the elevator shall be properly locked and tagged out.

31. Fall restraint systems, at a minimum, shall have the capacity to withstand at least 3,000 pounds of force or twice the maximum expected force that is needed to restrain the worker from exposure to the fall hazard.

32. Okland supervisors are still responsible for providing fall protection for Okland employees even if Okland was not responsible for creating the fall hazard.

33. "Slab-Grabber" guardrail systems shall not be utilized on Okland Projects without first consulting the Project assigned Safety Manager and developing an installation and maintenance plan that is consistent with the manufacturer's recommendations.

34. Guardrails shall be the primary form of fall protection utilized. If guardrail cannot be installed, the use of a personal fall arrest system shall be implemented.

35. Guardrail shall be installed on the inside or the top of the posts/stanchions.

36. Guardrail shall be mechanically fastened with screws, bolts, nails, etc. Tie-wire, 9-wire, or similar shall not be utilized to secure guardrail in place.

37. Guardrail systems shall be horizontally installed. The use of diagonal or vertical members as guardrail is prohibited.

38. When wood, pipe, or structural steel is utilized to construct the guard rail system it shall be constructed to meet or exceed the guidelines in 1926 Subpart M Appendix B.

39. If cable is used to construct a guardrail system:
    a. It shall consist of a 3/8" diameter cable top-rail installed 42" (+/- 3") above the height of the finished concrete floor (not the metal deck), a 3/8" diameter cable mid-rail installed 21" above the height of the finished concrete floor (not the metal deck) and a minimum of a 3-½" toeboard.
    b. All cable connections shall be looped (not lapped) and shall be connected with a minimum of **three** wire rope clips (U.S. only) on each loop regardless of the cable size requiring less.
    c. Wire rope clips must be installed properly (never saddle a dead horse).
    d. Wire rope dead tail ends should be shorter than 6". If the dead tail is longer than 6", install an additional wire rope clip or otherwise tie up and secure the tail.

40. 100% tie-off must be utilized if any part of the worker's head or torso is placed outside the guardrail system.

41. If modifications to guardrail is required (e.g., to facilitate building materials being installed, and/or tools, materials, equipment, or debris, being loading into or out of the building, etc.), the Subcontractor creating the need for the modification is responsible to properly modify the guardrail and/or install equally effective guardrail further back from the fall exposure. Subcontractor shall notify Okland's Project Superintendent and secure a <u>Guardrail Removal/Modification Permit</u> from Okland prior to modifying or removing any guardrail that is under the care, custody and control of Okland and/or provides protection for any other company or the public (i.e., a permit is not needed when Subcontractor is modifying their own guardrail [e.g., ironworkers adjusting cable guardrail on a deck that is not yet turned over to Okland, a mason subcontractor modifying guardrail on their scaffolding that is not controlled by Okland, etc.]).
    a. A Personal Fall Arrest System must be utilized during the guardrail removal and installation when a fall exposure is present.
    b. If a scaffold guardrail system is going to be modified, a Scaffold Competent Person shall be present during the modification.

42. Guardrail, when used to protect leading edge exposures, shall be placed between 6' – 30' back from the leading edge and, when feasible, shall be placed parallel with the leading edge.

43. Danger signs shall be placed on guardrail protecting leading edge work stating "DANGER" "100% TIE OFF REQUIRED BEYOND THIS POINT."

44. When the height of a wall form scaffold, or similar deck, is placed in a configuration that the top of the wall form is less than 39" from the walking/working surface, a guardrail system should be

installed on the backside of the wall form to provide fall protection for the workers on the wall form scaffold. When the installation of guardrail is not feasible, all workers on the wall form scaffold shall utilize a personal fall arrest system and maintain 100% tie-off.

45. Knots of any kind shall not be placed in any type of fall arrest, restraint or prevention system including anywhere along its midpoint or its anchor point.

46. Guardrail or equivalent barriers shall be posted at each excavation and/or trench that is 6' or more in depth. Additional barricading requirements for excavations are listed in Subpart P of this document.

47. Bike barricades and similar types of non-fall protection barricades, shall not be within 20' of an edge where G-rail or other similar temporary base-weighted guardrail is in place so as the bike barricades are NOT mistaken for a proper guardrail device.

48. Falling Objects:

    a. Where the potential exists for an object to fall from a person, building, structure, or equipment due to circumstances which require the object to be located at, near, above, or beyond the installed falling object protection (e.g., toe-boards, screens, mesh) additional positive control measures shall be implemented to prevent the object from falling to any lower level. The duty and cost of implementing additional controls shall be the responsibility of the Subcontractor creating the hazard. Examples of additional control measures include, but are not limited to, lanyards, debris nets, and catch basins.
    b. Where overhead work is taking place, such as steel erection, decking, welding, bolting up, etc. and it is not feasible to implement a positive control measure, the entire area below the operation that could be potentially impacted from a falling object(s) shall be completely barricaded and the necessary number of spotters needed to control the area shall be assigned to stand outside the barricaded area to prohibit access to the area while a falling object hazard exists.
    c. Screens, panels, or similar must be installed where objects have the potential to fall to from an upper level down to a public area.

    d. **Designated Covered Access/Egress Points:**

        i. To protect personnel from overhead hazards, Okland's Project Management Team shall ensure established covered entry and exit points, to buildings under construction, are in place.

        ii. The covered entry and exit points shall be in compliance with Okland's Overhead Protection at Building Perimeter Policy:

            1. Covers shall extend at least 10-feet out from the face of the building for overhead exposures of 40' or less.

            2. For overhead exposures greater than 40' reference the table below for the required extension from the face of the building:

Building Height	Equation	Minimum Barricade Distance
Up to 50’	$4mph\sqrt{\frac{2x50}{15}} = 10.3'$	10’- 4”
Up to 60’	$4mph\sqrt{\frac{2x60}{15}} = 11.3'$	11’- 4”
Up to 70’	$4mph\sqrt{\frac{2x70}{15}} = 12.2'$	12’- 3”
Up to 80’	$4mph\sqrt{\frac{2x80}{15}} = 13'$	13’- 3”
Up to 90’	$4mph\sqrt{\frac{2x90}{15}} = 13.9'$	13’- 11”
Up to 100’	$4mph\sqrt{\frac{2x100}{15}} = 14.6'$	14’- 7”
Up to 110’	$4mph\sqrt{\frac{2x110}{15}} = 15.3'$	15’- 4”
Up to 120’	$4mph\sqrt{\frac{2x120}{15}} = 16'$	16’

3. Covered walkways shall be capable of supporting live loads150-pounds per square foot (psf).
    (a) If overhead hazards are anticipated to impose live loads greater than 150-psf, the covered walkway shall:
        i. Be reinforced to support the anticipated live load; or
        ii. Be relocated to an area where the anticipated live load would not exceed 150-psf; or
        iii. Be closed and adequately barricaded to prevent its use
4. Be designed and constructed to support all imposed loads
5. Covered walkways shall be a minimum of 4-feet wide and have a minimum clear height of 8-feet from the walking surface to the lowest point of the cover/ceiling.
6. Covered walkways shall be illuminated to a minimum of 5-foot-candles and be free of any trip hazards.
7. SIGNAGE:
    (a) Okland branded SAFE ENTRY/EXIT signage (2’x2’) shall be placed adjacent to the exterior entry of the covered walkway.
    (b) Building perimeter signage must be strategically placed at locations around the perimeter of the building, directing workers to the safe entry/exit points.
        i. If the interior perimeter of the building will be barricaded to guide team members to the safe entry and exit points, use snow fence. Do <u>not</u> use caution or danger tape.
8. Covered walkways shall be inspected and approved by the project’s assigned Okland Safety Manager prior to putting the walkway into service.
9. While there are multiple methods to construct a covered walkway compliant with Okland’s requirements below are 4-recommneded methods:
    (a) A scaffolding system

(b) A stick framed system
(c) A shoring system (see your project's General Superintendent for design recommendations)
(d) Conexes (See Okland's Equipment/Warehouse Manager for options)

10. If a scaffold system, or similar system, is placed over the covered walkway, extend the covered walkway a distance equal to the width of the scaffold system as measured from the face of the building to the backside of the scaffolding.
11. When there is no space for a covered walkway, or when a covered walkway cannot extend the required distance from the face of the building, a debris netting system (floor to ceiling) shall be established on each floor (floor-to-ceiling) that is above and in direct line with the entry and exit point and extend 10' on both sides of the entry and exit point.
(a) Any areas not protected by a floor to ceiling debris netting system (for example, work taking place on a roof), a cantilevered debris net system shall be used; the debris net shall not be placed lower than one floor below the uppermost floor and must extend a minimum of 10' horizontally.
(b) A guardrail system must also be used on both sides of the safe entry/exit point that extends 6' out from the face of the building.
(c) While there are several debris netting systems in the market, Okland's preferred Net System Vendor is:
www.trionetsinc.com
Marvyn Ramdeen,
Telephone: (346) 216-1281
Email: marvyn@trionetsinc.com

iii. Workers shall utilize the designated access/egress points established by Okland for access/egress to/from buildings under construction.
iv. A covered walkway (safe entry/exit point) can be removed when:
1. The building's envelope system is fully installed, on all levels, directly above the safe entry and exit point AND when all roof work is completed directly above.

49. Overhead Protection at Building Perimeter Policy:
a. When any work is taking place on an elevated level, within 10-feet from an elevated edge that is not protected by a solid wall or a floor-to-ceiling net, or when elevated work is taking place on the exterior of building (e.g., from an aerial lift, swing stage scaffold, etc.), the area below the elevated level shall be barricaded with an effective barricade system. At a minimum, RED DANGER TAPE, shall be used as the barricade system.
b. Signage:
i. Signage shall be placed on the barricade system notifying personnel of the overhead hazard.
ii. Signage shall state: "DANGER DO NOT ENTER OVERHEAD WORK"
iii. Signage shall be placed so that it is facing all directions that workers could potentially enter the barricaded area.
1. The number of signs required is dictated by the configuration of the barricaded area and the number of visual obstructions of the signs. Signage shall not exceed more than 80-feet between signs and be placed at the

most likely points of entry (doorways, corridors, envelope penetrations, etc.) into the barricaded area. Additional signage shall be placed when a visual obstruction prohibits the other signs from being seen.

iv. At least one Danger Barricade Tape Information Sign shall also be posted on the barricade system so as other workers can be informed of the barricade owner and contact information.

c. Barricade Distance:

i. The barricade system shall be placed from the face of the building and extend outward to the minimum distances listed in the table below and extend 10-feet on both sides of the work area.

1. If the work is taking place on the exterior of the building from an aerial lift, swing stage or other elevated access system, the barricade system shall be placed from the face of the building and extend outward to the minimum distance listed in the table below, plus the width of the elevated access system, and extend 10-feet on both sides of the work area.

ii. The barricade system shall also be placed from the face of the building and extend inward no less than 2-feet. This is to prevent workers from extending their head or torso into the potential drop zone of an object from the interior of the building.

1. If a wall is in place that prevents workers from extending their head or torso into the potential drop zone, barricade tape, in the area the wall is in place, is not required.

(a) All openings in walls must be barricaded with the 2-foot inward extension barricade system.

50. Overhead Protection at Building Perimeter Policy:

a. When any work is taking place on an elevated level, within 10-feet from an elevated edge that is not protected by a solid wall or a floor-to-ceiling net, or when elevated work is taking place on the exterior of building (e.g., from an aerial lift, swing stage scaffold, etc.), the area below the elevated level shall be barricaded with an effective barricade system. At a minimum, RED DANGER TAPE, shall be used as the barricade system.

b. Signage:

i. Signage shall be placed on the barricade system notifying personnel of the overhead hazard.

ii. Signage shall state: "DANGER DO NOT ENTER OVERHEAD WORK"

iii. Signage shall be placed so that it is facing all directions that workers could potentially enter the barricaded area.

1. The number of signs required is dictated by the configuration of the barricaded area and the number of visual obstructions of the signs. Signage shall not exceed more than 80-feet between signs and be placed at the most likely points of entry (doorways, corridors, envelope penetrations, etc.) into the barricaded area. Additional signage shall be placed when a visual obstruction prohibits the other signs from being seen.

iv. In addition, at least one Danger Barricade Tape Information Sign shall also be posted on the barricade system so as other workers can be informed of the barricade owner and contact information.

c. Barricade Distance:

i. The barricade system shall be placed from the face of the building and extend outward to the minimum distances listed in the table below and extend 10-feet on both sides of the work area.

1. If the work is taking place on the exterior of the building from an aerial lift, swing stage or other elevated access system, the barricade system shall be placed from the face of the building and extend outward to the minimum distance listed in the table below, plus the width of the elevated access system, and extend 10-feet on both sides of the work area.

ii. The barricade system shall also be placed from the face of the building and extend inward no less than 2-feet. This is to prevent workers from extending their head or torso into the potential drop zone of an object from the interior of the building.

1. If a wall is in place that prevents workers from extending their head or torso into the potential drop zone, barricade tape, in the area the wall is in place, is not required.
2. All openings in walls must be barricaded with the 2-foot inward extension barricade system.

Working Level Height	Equation	Minimum Barricade Distance
Up to 40’	None - Minimum	10’
Up to 50’	4mph $\sqrt{\frac{2x50}{15}}$ = 10.3’	10’- 4”
Up to 60’	4mph $\sqrt{\frac{2x60}{15}}$ = 11.3’	11’- 4”
Up to 70’	4mph $\sqrt{\frac{2x70}{15}}$ = 12.2’	12’- 3”
Up to 80’	4mph $\sqrt{\frac{2x80}{15}}$ = 13’	13’- 3”
Up to 90’	4mph $\sqrt{\frac{2x90}{15}}$ = 13.9’	13’- 11”
Up to 100’	4mph $\sqrt{\frac{2x100}{15}}$ = 14.6’	14’- 7”
Up to 110’	4mph $\sqrt{\frac{2x110}{15}}$ = 15.3’	15’ – 4”
Up to 120’	4mph $\sqrt{\frac{2x120}{15}}$ = 16’	16’

51. When work must be conducted overhead of workers, sensitive equipment, other sensitive building materials, or within close proximity to other workers below, that are within the barricaded area, tool tethers are required to be used with all tools.

52. When rigging accessories are used as part of a Personal Fall Arrest System (PFAS), the rigging shall:
    a. Be marked with Green Electrical Tape immediately next to the rigging’s identification tag.
    b. Be in like new condition.
    c. Be used within its manufacture’s listed capacity.
    d. NEVER have been loaded (e.g., never been used for hoisting, towing)
    e. NOT be equipped with any form of mechanical function (e.g., come-alongs, chain-falls)

Subpart N – Helicopters, Hoists, Elevators, and Conveyors
In addition to the regulations set forth in OSHA 29 CFR 1926 (construction regulations), and other Local, State, and Federal regulations, and those requirements established in the EXPECTATIONS section of this manual, the following requirements shall apply:

1. Okland's Safety Department shall be advised and involved in all proposed helicopter operations.

2. Personnel & Material Hoists
    a. Prior to the assembly and/or disassembly of any personnel or material hoist, Okland's Personnel/Material Hoist Checklist process shall be executed and a completely signed Okland Tower Crane & M/M Hoist Assembly/Climb/Disassembly Authorization Form shall be secured.
    b. The manufacturer's specifications and limitations applicable to the operation, use and maintenance of personnel and material hoists shall be available on site, complied with, and posted within the operator's station of the specific hoist. A copy of this information shall be submitted to a Okland Superintendent prior to erection of the hoist.
    c. All personnel and/or material hoists shall be operated, inspected, and maintained as per the manufacturer's recommendations. All inspections and maintenance shall be documented. A copy of the inspections and maintenance record shall be kept on file at the operator's station.
    d. Construction & operation of personnel hoists shall comply with ANSI A10.4 – the most current.
    e. Construction & operation of material hoists shall comply with ANSI A10.5 – the most current.

Subpart O – Motor Vehicles, Mechanized Equipment (*Including Forklifts*), and Marine Operations
In addition to the regulations set forth in OSHA 29 CFR 1926 (construction regulations), and other Local, State, and Federal regulations, and those requirements established in the EXPECTATIONS section of this manual, the following requirements shall apply:

1. Prior to any mobile equipment being used in the Public Right of Way (i.e., outside our project fence or in any area where a project fence is not established), a Mobile Equipment in Public Right of Way Permit must be obtained from the Okland Project Management Team.

2. Workers conducting activities before normal working hours or after normal working hours involving the use of earth or material handling equipment (e.g., forklifts, skid-steers, back-hoes, scrapers, graders) shall only do so when they can be visually seen and heard by other workers within their company.
    a. When this equipment is used during normal working hours and its use is in areas where the operator cannot be visually seen and heard by others within their company (e.g., remote yard, remote areas of the project), the supervisor and the operator shall establish a method to verbally check-in with each other while those operations are taking place (e.g., radio communication, phone communication).

3. Workers conducting activities involving the maintenance or repair of mobile or fixed equipment (e.g., MEWPs, man/material hoists, forklifts, skid-steers, back-hoes, scrapers, graders) where there is a potential for the released of stored energy (e.g., electrical, hydraulic, gravity) shall only do so when they can be visually seen and heard by other workers within their company.

4. Equipment Keys
    a. The keys of all Okland owned or leased mobile equipment and on-site vehicles (e.g., water trucks, vans) shall be removed at the end of each shift and placed in a company issued lockable key box.
        i. The key box shall be attached to the wall in the Okland project office.
        ii. The end of shift Okland Project Responsible Person (PRP) is to validate that the operator(s) of mobile equipment have returned all Okland keys prior to leaving for the day.
            1. If a key is not returned, the PRP is to retrieve the key from the mobile equipment.
        iii. The key box shall be locked by the Okland PRP after all keys have been returned and placed in the key box.
        iv. The code to access the key box shall only be provided to Okland PRPs.
        v. PRPs shall only distribute keys to individuals who are authorized to operate the specific mobile equipment.
        vi. Stickers, or similar, shall be placed on the interior of the key box identifying the location where the specific key for each specific equipment is to be placed creating a shadow-board. This will allow the project team to quickly identify which keys are in use or missing.
    b. Subcontractors shall ensure all keys are removed from their equipment at the end of each shift.
    c. Subcontractors shall ensure that only authorized individuals are allowed to operate their mobile equipment.

5. Documented daily inspections on Okland's Mobile Equipment Pre-Operation Checklist shall be conducted on all Okland mobile equipment (e.g., forklifts, skid-steers, earthmoving equipment) utilized on the project. Copies of inspection forms must be submitted to the Okland Superintendent.

6. All cab glass shall be safety glass and shall be free from any cracks and/or damage.

7. Operation of Motor Vehicles:
    a. All operators of *motor vehicles* shall have a valid State issued driver's license issued to them, in their name and in their possession/on their person while operating a motor vehicle in the course of their work while on or off the Project.
    b. Prior to being allowed to drive an Okland vehicle or to drive a personal vehicle for Okland business, Okland employees shall first:
        i. Submit a signed copy of the Okland Vehicle and Driving Policy: Acknowledgement, Agreement, Authorization Form
        ii. Complete, within the allotted time established by Okland Human Resource (HR) Department, the online Defensive Drivers Course and submit a copy of the course completion certificate to the HR.

8. Operators of *mobile equipment* shall have a valid State issued driver's license, in their name and in their possession/on their person while operating equipment on public streets.

9. Operators of mobile equipment shall have adequately demonstrated to their supervisor their ability to safely operate the specific type of equipment being assigned prior to operation.

10. Operators shall understand the owner's/operator's manual for the specific equipment they are operating and ensure a copy of the manual is readily available.

11. Additional Okland and/or project specific training may be required for supervisors and workers prior to operating mobile equipment on the project.

12. Operators shall have no physical, visual, or mental restrictions or impairments that will affect the safe operation of the mobile equipment.

13. Seatbelts shall be installed and utilized in all equipment manufactured with a seat and with a Roll Over Protective Structure (ROPS).

14. Employees shall not ride in the beds, buckets, sides, tops, or similar of motor vehicles and/or equipment.

15. Take 3 Initiative:
    a. Prior to Exiting Mobile Equipment:
        i. Prior to exiting the cab of any mobile equipment, the operator shall take three seconds to remove their hands and feet from the equipment controls and ensure:
            1. The equipment has come to a complete stop.
            2. The equipment is not on a grade or slope that will allow the equipment to roll if the park break fails.
            3. The equipment's transmission is placed in neutral.
            4. The equipment is turned off.
            5. The park brake is set, and it holds.
            6. The forks, bucket, or other attachment is lowered to the ground.
            7. Their hard hat is on.
            8. Their safety glasses are on.
            9. Their high visibility shirt, vest, or jacket is on.
            10. While exiting, use three points of contact (i.e., no jumping out of the equipment)

16. Motor vehicles shall not be left unattended when started (i.e., operator not at the operator's station).

17. No modifications to motor vehicles or equipment shall be made which affects their safe operation. Motor vehicles or equipment with such modifications shall not be allowed on the Project.

18. All mobile equipment shall be equipped with a functional and audible back-up alarm (audible above the surrounding noise level).

19. All motor vehicles with an obstructed view to the rear and all forklifts shall be equipped with a functional back-up alarm irrespective of the use of signal personnel/spotters.

20. Spotters shall be used when work with mobile equipment is being performed:
    a. Around parked vehicles.
    b. Around sensitive equipment.
    c. Around live utilities.
    d. In tight areas that are within 2' of any structure or equipment.
    e. Around public foot or vehicular traffic.

f. In areas of high foot, vehicle and/or equipment traffic.
g. In areas where the operator's view is obstructed.
h. Specific to MEWPs:
    i. During the **Pre-Task Plan (PTP)**, the need for a spotter shall be evaluated, including determining the appropriate number of spotters and how they will be used effectively.
    ii. When a spotter is used, the spotter shall be on the ground, not in the scissor lift.
    iii. At a minimum, a spotter is required when the scissor lift is being operated (i.e., raised, lowered, or moved horizontally):
        1. In finished areas.
        2. Through any doorway where the finish door frame has already been installed.
        3. In confined or congested areas (e.g., work near mechanical piping, electrical systems, overhead ductwork, within tight areas such as partitioned zones etc.).
        4. Within 3-feet of an elevated edge that is not protected by a solid wall.
        5. On any elevated platform of any type.
        6. Up or down any type of ramp.
        7. In any occupied area.
        8. Where there is any potential for public exposure.
        9. When loading and unloading of MEWPs from man/material hoists or elevators.
        10. During any night or low light work.
        11. In any location where the operator of the lift is in a Lone Worker situation.

21. Motor Vehicles and equipment shall not exceed a speed of 5 miles per hour while being operated on the Project.

22. Motorized equipment/vehicles with wheels and/or tracks, regardless of it being a ride on or walk behind, shall not be operated on elevated decks, roofs, or similar without adequate perimeter protection that can effectively stop the equipment/vehicle from traveling beyond the elevated edge, penetration, shaft, skylight, or similar ("edge").
    a. The elevated edge protection shall be in place around the entire elevated deck, roof or similar that the motorized equipment/vehicle can access.
        i. The elevated edges needing protected can be minimized by having adequate area specific protection in place that can effectively stop the equipment/vehicle keeping it in a specific area.

23. A berm or equivalent of sufficient height and strength shall be constructed on all sides of runways, ramps, and along the perimeter of excavations to keep motor vehicles and/or equipment from driving off the edge. At no time shall a berm be at a height less than the height of the highest axle for the motor vehicle and/or equipment being driven on the runway, ramp, or perimeter of the excavation.

24. **Stay Clear, Be Seen & Get Acknowledged Initiative:**
When mobile equipment is in use, employees shall **STAY CLEAR** of the mobile equipment. When employees need to approach the operating area of mobile equipment, they shall ensure that they are **SEEN** by the operator. Prior to approaching or crossing in the path of operation of the mobile equipment, employees shall ensure the operator **ACKNOWLEDGES** their presence.

25. Okland supervisors shall document all training that they conduct of Okland employees on equipment. That documentation shall be submitted to the Okland Safety Department. Supervisors can use Okland's **Equipment Training Form** for this documentation.

26. Employees shall neither walk nor stand on, or near, the sides of dump-trucks/trailers while they are being loaded.

27. Combustion engines being operated within a building or a similar structure (e.g., tented area) shall be equipped with "scrubbers" on their exhaust system. In addition, portable carbon monoxide alarming devices shall be strategically placed within the area the engine is being operated to warn employees of carbon monoxide levels in excess of 35 PPM.

28. Irrespective of the use of "scrubbers," interior carbon monoxide concentrations shall not exceed 35 PPM in any area of a building or structure that a combustion engine is being operated in or adjacent to buildings or structures. In addition, exhaust from combustion engines shall not be in concentrations that result in employees, occupants of adjacent buildings or structures, or the general public becoming ill, irrespective of the carbon monoxide concentration in the specific area.

29. All lighting the manufacturer constructed into the design of the equipment shall be fully functional at all times.

30. Rigging attachment points that are installed on earthmoving equipment shall not be utilized (e.g., a hook welded onto a bucket of a track-hoe) unless the manufacturer of the equipment specifically designed the equipment in such a manner or the attachment point was installed per the design and specifications of the manufacturer or a registered professional engineer who has provided load charts or equivalent reference data with the design specific to the equipment.

31. Drilling Piers:
    a. Manufacturer's recommended safe operating procedures for the equipment being utilized shall be adhered to.
    b. Equipment which has been modified without the explicit written approval of the manufacturer and/or the explicit written approval of a professional registered engineer licensed in the United States, shall not be utilized on the Project.
    c. Danger tape shall surround the entire pier drilling operation. At a minimum, the tape shall be placed 10' away from any open hole and shall include the swing radius of the drilling rig.
    d. A guardrail system shall be put in place at least 6' away from any open hole creating a restricted access zone.
    e. If a worker must access a restricted access zone, a personal fall arrest system must be utilized.
    f. When personal fall arrest systems are utilized, no part of the system shall cross the hole or get in close proximity to the auger while it is in operation so as the fall arrest system doesn't become entangled into the rotating auger.
    g. Open holes must be attended to or covered at all times. If not immediately attended to, a hole cover shall be immediately placed over the open hole, or a guardrail system shall be maintained around all sides of the open hole.
    h. Each hole cover shall be marked "HOLE," be secured from accidental displacement, and be designed to support twice the anticipated load expected to be applied to it.
    i. Holes greater than 3' in diameter must be protected by a guardrail system or an engineered hole cover must be used.

j. If backed-out auger is used to protect the hole, the gap between the auger and the edge of the hole shall not be more than 4”.
k. A barricade system shall be placed around all test piles. Employee exposure to test piles shall be minimized. Employees shall only spend the time necessary near the test piles needed to collect the required data. Barricade systems shall be placed far enough away from the test piles to protect employees from the hazards of a pile or jack failure.

32. Where overhead powerlines span above <u>ANY access/egress point to/from the project</u>, where vehicles and/or mobile equipment may travel, large (3’ x 3’ minimum) prominent, signage shall be posted, that is visible from both directions, warning drivers/operators of the overhead power lines.

33. Where overhead powerlines span above ANY point <u>on the project</u>, where vehicles and/or mobile equipment may travel, large (3’ x 3’ minimum) prominent, signage shall be posted, that is visible from both directions, warning drivers/operators of the overhead power lines.

34. All work in public streets and/or sidewalks shall be conducted in compliance with the most current edition of the Manual on Uniform Traffic Control Devices (MUTCD) irrespective of the absence of any legal obligation to do so.

35. All flaggers assigned to control public traffic on public streets shall be certified flaggers and shall have on their person proof of certification while flagging.

36. The use of grey-market equipment on the Project is prohibited unless it meets all regulatory safety requirements required in the United States for that specific make and model of equipment.

37. Motorized Carts:
    a. Okland’s Superintendent must approve the use of any motorized cart on the project.
    b. Personally owned motorized carts and/or trailers are prohibited on the Project.
    c. Operators of motorized carts shall:
        i. Have a valid State issued driver’s license.
        ii. Follow all traffic laws.
        iii. Not operate motorized carts on any open public sidewalk.
        iv. Ensure that no unsecured or unstable loads are being transported in the cart.
        v. Conduct a daily inspection of the cart prior to operation.
        vi. Ensure all safety devices are operating appropriately on the cart prior to operation.
        vii. Not operate the cart perpendicular on inclines.
        viii. Operate the cart in accordance with the manufacturer’s recommendations.
        ix. Give foot traffic and machinery the right-of-way.
        x. Not travel within 3’ of pedestrian foot traffic.
        xi. Ensure the cart is not loaded beyond its rated capacity.
        xii. Stop the cart at blind corners and honk the horn before proceeding.
        xiii. Not operate the cart while distracted (e.g., talking on a mobile telephone).
        xiv. Switch the engine off, set the parking brake and remove the key when parking the cart.
    d. All operators of and passengers in motorized carts shall:
        i. Be transported in the seat of the cart only.
        ii. Be secured to the seat with a seatbelt.
        iii. Keep their arms, legs, and head within the cart.

e. All motorized carts shall be equipped with the following:
    i. A seatbelt for the driver and each passenger
    ii. A cab.
    iii. A flag mounted on a flexible 8' pole.
    iv. A functional beacon light mounted on the top of the cab if the cart is operated on open public streets.
    v. A slow-moving vehicle marker visible from the rear of the cart.
    vi. A fire extinguisher.
    vii. A functional back-up alarm.
f. Tools or material shall not extend beyond the sides of the bed of the motorized cart.
g. Tools or material that extend 2' beyond the back end of the bed of a motorized cart shall be secured and shall be properly marked with RED flagging.
h. If trailers are connected to motorized carts the trailer shall also be equipped with a slow-moving vehicle marker posted on the back of the trailer.
i. A motorized cart shall not be modified in any way that will affect its safe operation.
j. All motorized carts shall be adequately secured after hours to prevent unauthorized use and theft.

38. Forklifts:
a. Only certified operators who can read and understand English shall be authorized to operate Okland owned and/or Okland leased forklifts.
b. Subcontractors or others shall not be allowed to utilize Okland owned or leased forklifts without the explicit authorization from the Okland Project Superintendent. Prior to allowing a subcontractor or other to utilize an Okland owned or leased forklift, the Okland Superintendent shall:
    i. Ensure that a copy of the operator's certification card received.
        1. The card is current (i.e., not expired)
        2. The card is applicable to the type of forklift Okland is lending out.
    ii. If the subcontractor or other does not have an established MSA with Okland, a person authorized to commit the subcontractor or other's company must sign the Okland Release Waiver and Indemnity Agreement for Equipment Use
c. Prior to operating a forklift for production, the certified operator shall, in a safe and clear area, practice and familiarize themselves with the controls of each forklift BEFORE production operation:
    i. Example: safety devices (e.g., horn, wipers, lights), forward, neutral, reverse, clutch cut-out foot controls, tilt levers, outrigger controls, etc.
d. The 29 CFR 1910.178 Powered Industrial Trucks (forklift) standard shall apply to forklift operations on Okland projects (i.e., not just the training requirements).
e. Prior to operating a forklift on the Project, forklift operators shall submit a copy of their current forklift operator certification to Okland's Superintendent.
f. Forklift operators shall keep on their person a copy of their current forklift operator certification while operating a forklift on the Project.
g. If forks/tines are installed on earthmoving or any other type of equipment, the equipment shall be considered a forklift. Thus, the requirements stipulated in this manual and the OSHA regulations governing forklifts/powered industrial trucks (29 CFR 1910.178) shall be met.
h. Forklift operators shall conduct a daily documented inspection of the forklift on Okland Forklift Operators Inspection From prior to operating the forklift.
    i. If deficiencies are found, forklift operators shall document the deficiency on the inspection log and immediately reported it to their supervisor.

    ii. If the deficiency affects or could potentially affect the safe operation of the forklift, the forklift shall be tagged out of service and shall not be operated until the deficiency is corrected.

i. Forklifts shall be maintained in accordance with manufacturer's recommendations.
j. Forklifts shall NOT be used to squash-down debris in a dumpster as this damages the forklift.
k. Loads shall not be suspended under the tines of a forklift without a manufactured approved attachment which allows for centering of the suspended load and the operation is conducted in compliance with the manufacturer's load chart.
l. All hoisting attachments installed onto the tines of a forklift shall be fitted with a secondary connection system that will prevent the attachment from sliding off the tines (e.g., if the tines were inadvertently tilted forward).
m. Forklift rigging shall be marked with white electrical tape and the current monthly inspection color pursuant to Okland's Rigging & Electrical Color-Code system.
n. Rigging used for towing and/or with any other material handling equipment (e.g., forklifts, skid-steers, loaders, etc.) shall not be allowed to be used on a crane.
o. Forklift operators shall wear a hardhat and safety glasses while in all open cab-type forklifts.
p. Forklift Operation.
    i. When the operator's view is obstructed, a signalman/spotter shall be utilized.
    ii. Project and public street speed limits shall be adhered to.
    iii. Forklifts **shall not** travel on public streets **with or without a load** unless:
        1. A Job Hazard Analysis is first conducted to assess the risks associated with the operation and the appropriate controls are put into place.
        2. Okland's project superintendent is made aware of the operation and given a copy of the completed JHA.
        3. The operation is conducted with strict compliance to all municipal and State requirements for operating on public streets.
    iv. If a forklift is utilized to support a personnel platform, the following shall apply:
        1. The operation shall be conducted in accordance with the manufacturer's recommendations (both the forklift and the personnel platform).
        2. If the personnel platform is a manufactured system, the manufacturer's use/operation/installation manual shall be adhered to and shall be within the platform while in use.
        3. If the personnel platform is a non-manufactured system, it shall be designed by a registered professional engineer and it shall be constructed and utilized per that design.
        4. The Subcontractor utilizing the personnel platform shall develop a written work plan.
        5. Fall protection shall be utilized; both a guardrail system and a person fall arrest system.
        6. The total lifting capacity shall be reduced by 50%
        7. There shall be a certified operator at the controls of the forklift with the truck engine running at all times when platform is occupied by personnel.
        8. The transfer of loads from one forklift to another while elevated is prohibited.
q. Forklift Inspections shall, at a minimum, be conducted at the following intervals:
    i. Daily – Each operator of the unit is responsible for performing a daily inspection that shall include items specified by the manufacturer.
    ii. Weekly - Weekly inspections are required to be documented and filed in the unit's permanent file. A trained operator or supervisor can perform this inspection.

    iii. Annual – Conducted by an authorized service center and documented with copies in the permanent equipment file.
    iv. Post Incident Inspections – Conducted by an authorized service representative or, for Okland owned equipment, a qualified Okland Mechanic.
  r. Prior to an operator exiting the cab, operators must:
    i. Ensure the forklift has come to a complete stop.
    ii. Ensure the forklift is not on a grade or slope.
    iii. Ensure the forklift's transmission is placed in neutral.
    iv. Ensure the park brake is set.
    v. Ensure the forks or the attachment is lowered to the ground.
    vi. Enter and exit the forklift using 3 points of contact and facing the cab.
    vii. Remove the key from the equipment at the end of the shift.
  s. Fork Adjustment:
    i. Prior to adjusting the forks, ensure the forklift is in neutral and the park brake is set.
    ii. The operator must not be outside of the forklift cab with the forks elevated. Another person must be used to adjust the forks.
    iii. If the forks are not sliding, inspect to see if they need to be greased (do not over grease).
    iv. Do NOT attempt to use the ground to adjust the forks this will damage the forklift.

39. Drones:
  a. Drones shall not be operated on or around the project site without the explicit written authorization of Okland's Project Manager and Okland's Superintendent.
  b. All legal obligations for operating a drone at/around the Project shall be understood by the operator and operators shall maintain compliance with those obligations.
  c. Operators shall develop, and submit to the Okland Superintendent, a written JSA for the drone operation prior to the operation taking place.
  d. If the drone will be operated by Okland personnel or for Okland by others (i.e., not by a Subcontractor for the Subcontractor), the following shall be met:
    i. An Unmanned Aircraft System Insurance Application form must be completed and sent to Okland's Safety Department prior to its use (Blank forms can be obtained from the Okland Safety Department)
      1. Each Pilot must be named on the form.
    ii. The pilot's hours of training/experience must be >10.
    iii. The estimated annual flight hours must be <100.
    iv. The maximum takeoff weight of the drone must be <4.4 lbs.
    v. The maximum altitude the drone will be flown must be <= 400'.
    vi. The maximum flight duration must be < 30 minutes each flight.
    vii. The drone must be utilized in daylight hours only.
    viii. The drone must not be flown within 5 miles of an airport.
    ix. The drone must always stay in the line of site of the pilot.
    x. The drone must not fly over property not controlled by Okland Construction.
    xi. The drone must not fly near people or stadiums.
    xii. The drone must never be used as service to others.

Subpart P – Excavations, Trenches, & Any Soil Disturbance

In addition to the regulations set forth in OSHA 29 CFR 1926 (construction regulations), and other Local, State, and Federal regulations, and those requirements established in the EXPECTATIONS section of this manual, the following requirements shall apply:

1. Okland's Project Superintendent must establish an Okland Blue Stakes ticket number and visible utility markings prior to the start of the Project. The Blue Stake ticket number shall remain open/active for the full duration of the work when Okland, itself, is conducting soil disturbance activities.

2. Blue Stake markings and other underground utility markings shall be refreshed as soon as the markings are showing signs of deterioration. Markings shall be inspected at least every 2 weeks and after each rain.

3. Okland's Project Management Team must develop a Utility Plot Plan/Map and Soil Disturbance Permit which identifies all known utilities prior to the start of any soil disturbance operations. The Plot Plan/Map must be kept updated (within 2 weeks) and made available in Procore.
    a. Survey shall comply with Okland's Survey Layout Standard.
    b. Backfilling of utility excavations shall comply with Okland's Utility Backfill Standard.
    c. Supervisors shall reference Okland's Soil Disturbance Permit Map Process to ensure all aspects of Oklands Soil Disturbance Process are followed.

4. Operations that involve the disturbance of any soil requires the supervisor to secure and ensure compliance with Okland's Soil Disturbance Permit process. Such operations include, but are not limited to: driving stakes or posts into the ground, digging in the soil with a shovel, auguring, boring, trenching (even with a small light duty trenching machine), drilling, directional drilling, vacuum excavating, hydro excavating, potholing, clearing & grubbing, excavating, trenching, etc.

5. Hand Digging / Non-destructive Excavating (e.g., hydro-vacing):
    a. All excavations within 2'-0" of each side of existing utilities, regardless of depth, shall be hand dug or a form of non-destructive excavating (e.g., hydro-vacing) shall be utilized. This is designated as a 'hand dig zone'. Note: Hand digging shall not include any form of tool that can puncture the utility (e.g., pick-axe / pick-mattock)
        i. For Example:
            1. If you have a 6" pipe, with the 24" hand dig zone, your total hand dig zone would be 54". (24" + 24" + 6" pipe = 54" hand dig zone)
            2. If you have a bank of utilities that are 20" wide. Your total hand dig zone would be 68". (24" + 24" + 20"utility bank = 68" hand dig zone).
    b. The hand dig zone is from the sky, down to the lowest utility in a vertical line, regardless of depth.
    c. The entity conducting the soil disturbance shall mark hand dig locations on the SDP Map and in the field.
    d. The Okland supervisor who issues the SDP is expected to validate that the hand dig zone is marked out on the ground before the SDP is issued.

6. Spotter Zones:
    a. While excavating activities are taking place within 5'-0" of each side of existing utilities, regardless of depth, a spotter shall be present. This area is designated as a 'spotter zone'.
    b. A spotter is an individual that will observe and guide the operator during the excavating activity, looking for any signs of a utility (i.e. warning tape, change in dirt fill, etc.) and <u>shall ensure the operator does not excavate within the hand dig zone.</u>
    c. The spotter shall be present at all times while in this zone and shall have no other duties other than spotting for the operator.

d. The entity conducting the soil disturbance shall mark the spotter zone locations on the SDP Map and in the field.
e. The spotter zone goes from the sky, down to the lowest utility in a vertical line, regardless of depth.
f. The entity conducting the soil disturbance shall mark spotter zone locations on the SDP Map and in the field.
g. The Okland supervisor who issues the SDP is expected to validate that the spotter zone is marked out on the ground before the SDP is issued.

7. Okland's Over 4' Excavation & Trench Access Permit process and Okland's Permit Sleeve / Magnet Tag Tracking Policy shall be followed for all operations that involve excavation and/or trenching activities, and/or work in excavations or trenches, that are equal to or greater than 4' in depth:
    a. Soil Type A Over 4' Excavation & Trench Access Permit
    b. Soil Type B Over 4' Excavation & Trench Access Permit
    c. Soil Type C Over 4' Excavation & Trench Access Permit

8. The supervisor overseeing the soil disturbance operation shall obtain a Soil Disturbance Permit **daily**, and if needed an Over 4' Excavation & Trench Access Permit process, from the Okland Superintendent prior to disturbance of any soil.

9. **Planning:**
    a. Prior to requesting the written Soil Disturbance Permit and/or an Excavation Permit, the requesting supervisor shall inspect the work area and determine the soil type via a competent person.
    b. Identification of the location of all underground utilities that may be impacted by the soil disturbance activity shall be conducted prior to the excavating of any soil.
        i. Blue stakes or the State's designated locating service shall be utilized to identify all public utilities. The blue stakes reference number needs to be available to add to the soil disturbance permit.
        ii. All nonpublic-ran utilities shall be identified.
    c. The Okland utility plot plan shall also be referenced.
    d. The location of isolation valves/switches for utilities in close proximity to the soil disturbance operation must be located and identified by all workers involved in the soil disturbance work.
    e. An emergency action plan shall be developed for the operation specific to a utility strike. The plan shall be conveyed to all workers involved in operation.

10. Obtaining a Soil Disturbance Permit and/or an Excavation Permit shall not relieve supervisor from any responsibility or accountability associated with the soil disturbance activity.

11. The supervisor shall monitor the effectiveness of their controls and adjust if improvement is necessary.

12. Okland Superintendents shall ensure a competent person is present to supervise and train Okland employees engaged in excavation and/or trenching activities or that are working in excavations and/or trenches.

13. Workers conducting activities in a trench 4' or greater in depth shall only do so when they can be visually seen and heard by other workers within their company.

14. The competent person or designee must remain at the excavation/trench until employees exit and are accounted for.

15. Undermining of any structure, including sidewalks and pavement, is not allowed without prior approval from Okland's Superintendent and Okland safety in conjunction with an engineered shoring system. The operation must be conducted after the area is closed to any public exposure and not opened again until it is completed, or the shoring system is appropriately installed.

16. Other than spoil piles that are paced 2' back from the top edge of an excavation, nothing heavier than 1,000-lbs. is allowed to be stored next to the edge of an excavation unless it is placed further than a 1 ½: 1 angle plus 2' as measured from the toe of the excavation. Exceptions to this must be approved by a Registered Professional Engineer in writing.

17. The competent person or designee shall ensure that proper barricading is in place while the excavation is being dug as well as when the excavation is completed and open.

18. All sloped trenches and/or excavations shall at a minimum be demarcated with barricade tape.

19. All vertical trenches and/or excavations less than 6' in depth shall be demarcated with an adequate hazard identification system.

20. All vertical trenches and/or excavations greater than 6' in depth shall be demarcated with a standard guardrail system or an equivalent hard barricade. All workers who must conduct work between the guardrail system and the edge of the excavation shall be protected by a Personal Fall Arrest System.

21. All trenches and/or excavations that the public and/or the building occupants could reasonably be exposed to regardless of depth shall be demarcated with a solid hard barricade or a chain-link fence that is so constructed as to prevent the public and/or building occupants from falling into the trench/excavation. Fences shall be at least 2' away from the edge of the excavation.

22. Where there is pedestrian foot traffic, all temporary pedestrian bridges, trench plates, walkways, hole covers, and similar that are installed over excavations, roadways, site work, etc. must be free of trip hazards, secured from displacement, and have beveled edges; final construction of such shall meet current ADA requirements.

23. If the sloped or vertical trench or excavation is in close proximity to an access/egress pathway for vehicular/equipment, such as a drive lane, additional controls shall be implemented such as berms, jersey barricades/k-rail, or similar protection.

24. All underground utility lines, temporary and permanent, shall be demarcated with underground warning tape.

25. When underground utilities are suspected, they shall be located first by hand digging or by non-destructive excavating (e.g., hydro excavating).

26. Underground systems or lines shall be protected, supported, or removed to protect employees entering excavations.

27. Energized lines or systems shall be protected from physical damage by the excavation, work process, and backfill operations.

28. Drilling Piers:
    a. Prior to drilling any piers, piles, caissons, or similar, a Drilling Piles/Caissons Excavation Permit shall be completed, and Okland's Permit Sleeve / Magnet Tag Tracking Policy shall be followed.
    b. Manufacturer's recommended safe operating procedures for the equipment being utilized shall be adhered to.
    c. Equipment which has been modified without the explicit written approval of the manufacturer and/or the explicit written approval of a professional registered engineer licensed in the United States, shall not be utilized on the Project.
    d. Danger tape shall surround the entire pier drilling operation. At a minimum, the tape shall be placed 10' away from any open hole and shall include the swing radius of the drilling rig.
    e. A guardrail system shall be put in place at least 6' away from any open hole creating a restricted access zone.
    f. If a worker must access a restricted access zone, a personal fall arrest system must be utilized.
    g. When personal fall arrest systems are utilized, no part of the system shall cross the hole or get in close proximity to the auger while it is in operation so as the fall arrest system doesn't become entangled into the rotating auger.
    h. Open holes must be attended to or covered at all times. If not immediately attended to, a hole cover shall be immediately placed over the open hole, or a guardrail system shall be maintained around all sides of the open hole.
    i. Each hole cover shall be marked "HOLE", be secured from accidental displacement, and be designed to support twice the anticipated load expected to be applied to it.
    j. Holes greater than 3' in diameter must be protected by a guardrail system or an engineered hole cover must be used.
    k. If backed-out auger is used to protect the hole, the gap between the auger and the edge of the hole shall not be more than 4".
    l. A barricade system shall be placed around all test piles. Employee exposure to test piles shall be minimized. Employees shall only spend the time necessary near the test piles needed to collect the required data. Barricade systems shall be placed far enough away from the test piles to protect employees from the hazards of a pile or jack failure.

Subpart Q – Concrete and Masonry Construction

In addition to the regulations set forth in OSHA 29 CFR 1926 (construction regulations), and other Local, State, and Federal regulations, and those requirements established in the EXPECTATIONS section of this manual, the following requirements shall apply:

1. Prior to the construction of any masonry wall that will exceed 18-feet in height, Subcontractor shall submit a bracing plan, designed by a registered professional engineer, to Okland's Project Management Team.

2. Supervisors shall plan for the safe set-up of concrete pump-trucks and other concrete conveyance systems.

3. The manufacturer's recommendations for the safe set up of their concrete conveyance systems shall be followed.

4. Employees not involved in concrete placement operations shall stay out from underneath concrete placement booms and shall not stand near surface run slick-lines or placement hoses.

5. Workers shall stay back 20' when the pump is first initiating and when draining the slurry.

6. Deadman Construction:
   a. Okland constructed Deadman shall be consistent with OKLAND'S DEADMAN DESIGN.
      i. Deviations from that design shall only be done if approval from Okland's in-house structural engineer is secured, in writing, prior to the Deadman construction.

7. Deadman Usage:
   a. When using Okland Deadman as wall form bracing anchors, they shall be consistent with the Okland Deadman Weight Required Chart, placed no more than 8' on center, and weigh no less than 4050lbs.

Deadman Weight Req'd (lbs)					
		Wind Speed (MPH)			
		30	40	50	60
Wall Height (ft)	14	919	1634	2554	3677
	16	1051	1868	2918	4202
	18	1182	2101	3283	4728
	20	1313	2335	3648	5253
	22	1445	2568	4013	5778
	24	1576	2802	4378	6304
	26	1707	3035	4742	6829
	28	1839	3269	5107	7354
	30	1970	3502	5472	7880

   b. For Okland wall formwork greater than 20' high, or when forecasted wind speeds may exceed 40 mph, Project Teams shall consult with the Project designated Safety Manager and their General Superintendent to review additional requirements for bracing.
   c. Project teams utilizing Okland Deadman for wall bracing, of any type, shall ensure forecasts for projected wind speeds are known on a daily basis and a method for monitoring the actual wind speed on site is made available.
   d. When Subcontractor is utilizing Deadman for wall bracing, of any type, Subcontractor shall provide engineered documentation to support their bracing plan.

8. Metal plated caps (e.g., rebar caps) or the equivalent shall be utilized to protect employees from all impalement hazards.

9. The practice of wiring a piece of material (e.g., wood 2x4, rebar, pipe) to the side of the impalement hazard shall not be considered adequate impalement protection.

10. Impalement hazards to which the public and/or the building occupants could reasonably be exposed, shall be capped with metal plated caps and/or the equivalent. In addition, the protective cap or the equivalent shall be secured to the object so it cannot be accidentally knocked off/removed.

11. Only authorized personnel shall erect, alter and/or remove shoring systems.

12. Damaged shoring shall be immediately reported to the Okland Superintendent.

13. Shoring systems shall be inspected daily and upon any event that may have altered the integrity of the shoring system.

14. All forming and shoring system walking/working surfaces shall be, at a minimum, 12" in width. All scaffolds shall be, at a minimum, 18" in width.

15. When the height of a wall form scaffold, or similar deck, is placed in a configuration that the top of the wall form is less than 39" from the walking/working surface, a guardrail system should be installed on the backside of the wall form to provide fall protection for the workers on the wall form scaffold. When the installation of guardrail is not feasible, all workers on the wall form scaffold shall utilize a personal fall arrest system and maintain 100% tie-off.

16. Gang Form Placement: Gang forms shall not be released from a crane until adequate bracing is in place to safely support them and all employees on the form.
17. Gang Form Stripping*: (effective 1.5.26. Enforced 2.1.26.)*
    a. Prior to the placement of concrete, a Concrete Superintendent or General Foreman shall coordinate with the Wall Foreman to jointly select the required amount, and location, of ties for each gang form panel that will serve as the designated "Hold Tie(s)."
        i. The purpose of the "Hold Tie(s)" is to ensure that all of the formwork ties are not prematurely removed from a gang form panel prior to the panel being connected to the rigging and stabilized by the crane.
        ii. Each gang form panel section shall have at least one designated "Hold Tie".
            1. Additional "Hold Ties" may be required depending upon the gang form's size and/or configuration.
    b. The "Hold Tie(s)" shall have a physical tag attached to it to serve as a clear visual indicator identifying it as a "Hold Tie".
        i. Only Okland issued "Hold Tie" tags shall be used for this purpose.
        ii. "Hold Tie" tags shall be placed on BOTH sides of the tie(s).
        iii. Each "Hold Tie" tag shall have the name of the designated crew member on it that is responsible for confirming that:
            1. The panel is properly connected to the rigging; and
            2. The panel is ready to be stripped and safely removed from the wall.
    c. Only the designated crew member can remove the "Hold Tie" tag(s) and disengage the "Hold Tie(s)" allowing for the panel to be safely broken free from the wall.

18. When sliding out table forms, a dedicated spotter is required to be present on the level the table form is being removed from.

a. The spotter shall have no duties other than visually observing the sliding/hoisting operation and the personnel involved in the operation so as he/she can immediately notify the signal person to stop if a hazard is observed.
b. The spotter shall be actively spotting from the time the table is connected to the crane until the table and all tag-lines are completely out of, and clear from, the building.

19. Concrete Pumping Safety.
    a. All manufacturer's safety recommendations for the placement pumping system shall be complied with.
    b. All components of pump trucks shall maintain a 20' clearance from all energized power lines.
    c. If continuation pipes/hoses are connected to the end hose, they must not impose any load on the boom.
    d. End hoses shall not exceed 13' unless the manufacturer of the pumping system allows for a longer length.
    e. End hoses, reducers, tremies, and similar conveyance adapters connected to the boom shall be fastened with a secondary safety cable and shall not exceed the weight of the manufacturer supplied end hose.
    f. Pump trucks shall not drive with their placing booms unfolded.
    g. Proper placement of outriggers shall be verified by the pump truck operator prior to the concrete placement operation taking place.
    h. Outriggers shall be placed a safe distance from any excavation/trench so as not to collapse the excavation/trench.
    i. If the pump operator cannot see the discharge end of the placing hose/pipe, a positive means of communication shall be established between the pump operator and a designated spotter positioned at the discharge end of the placing hose/pipe.
    j. Placement booms shall not be unfolded when lightning is present.
    k. Blockages in the pump or delivery pipelines/hoses shall not be removed by applying high pressure to it. If "rocking" the concrete back and forth with the forward/reverse function doesn't break the blockage loose, the blockage shall be removed manually.
    l. Pressurized sections of pipelines/hoses shall not be opened. Prior to opening any section of pipeline/hose, the operator shall ensure the pressure is removed by first putting the pump in the "reverse" mode for several strokes.
    m. Unless required for the placement of concrete, employees shall not stand directly under placement booms.
    n. Employees shall neither attempt to hold down a hose or pipe nor shall they be in close vicinity to a hose or pipe that is being cleaned with pressurized air.
    o. Employees shall neither attempt to hold down a hose or pipe nor shall they be in close vicinity to a hose or pipe that is being "rocked" to remove a blockage.
    p. Employees shall not sit on, stand on or straddle pipelines/hoses while pressurized.
    q. Employees shall not place any part of their body between the end of the delivery system and a fixed object.
    r. Employees shall not look into a delivery hose or pipe that is connected to a pumping system.
    s. Employees shall neither stand in front of a delivery hose or pipe that is connected to a pumping system nor shall they point/aim the end of a delivery hose or pipe toward another employee.

Subpart R – Steel Erection
In addition to the regulations set forth in OSHA 29 CFR 1926 (construction regulations), and other Local, State, and Federal regulations, and those requirements established in the EXPECTATIONS section of this manual, the following requirements shall apply:

1. Okland's Site Specific Steel Erection Plan and Checklist shall be used as a planning tool prior to steel erection taking place.

2. The fall prevention/protection requirements listed in Subpart M of this document shall apply.

3. All rigging shall be conducted per the requirements stipulated in Subpart H and in Subpart CC of this document.

4. Employees working from steel shall be tied off in a manner that prevents a free-fall of no more than 6'. Thus, the use of "loose" rigging/beam straps wrapped around the steel is prohibited.

5. "Climbing Columns" is prohibited irrespective of the use of a personal fall arrest system.

6. When workers other than those engaged in decking operations are on an incomplete deck, barriers around openings in decking and where leading-edge work is taking place, has been stopped, or has been suspended shall be protected with hard barriers and those barriers shall be equivalent to the criteria of a guardrail system.

7. Multiple lift rigging (Christmas Treeing/Treeing) shall be in compliance with Subpart CC of this document.

Subpart S – Underground Construction, Caissons, Cofferdams, and Compressed Air
In addition to the regulations set forth in OSHA 29 CFR 1926 (construction regulations), and other Local, State, and Federal regulations, and those requirements established in the EXPECTATIONS section of this manual, the following requirements shall apply:

1. Where a check-in/check-out procedure is required per Subpart S of OSHA regulations, Okland's Superintendent shall be responsible to ensure a check-in/check-out process and log for Okland employees is in place.

2. The Project Management Team shall provide the necessary equipment needed for air monitoring where required.

3. If a suspected atmospheric hazard is present due to Okland operations, Okland's Project Management Team will have the burden of proof to show that levels of atmospheric hazards are below the OSHA PEL for the suspected hazard.

4. Where mechanical ventilation is required due to Okland activities, the Project Management Team shall install a mechanical ventilation system that is sufficient in keeping the atmospheric hazards below the OSHA PEL for all affected workers.

Subpart T – Demolition

In addition to the regulations set forth in OSHA 29 CFR 1926 (construction regulations), and other Local, State, and Federal regulations, and those requirements established in the EXPECTATIONS section of this manual, the following requirements shall apply:

1. Prior to beginning any selective or total demolition activity, Subcontractor shall secure a Selective Demolition Permit or a Total Demolition Permit from Okland's Project Management Team.
2. A registered professional structural engineer shall evaluate the planned means and methods in relation to the engineering survey required by OSHA regulations for demolition to ensure that the proposed means and methods are safe. This evaluation shall be conducted prior to the start of demolition. Written documentation of the review shall be kept on file.
3. Where a registered professional engineer has issued, instructions, directives and or plans pertaining to the demolition operation, supervisors shall make arrangements to have the registered professional engineer on site to adequately review and inspect the means and methods used to comply with the registered professional engineer's instructions, directives and/or plans.
4. Prior to the construction of any trash chute, a Trash Chute Permit must be obtained from the Okland Project Management Team.
5. Workers conducting demolition work shall only do so when they can be visually seen and heard by other workers within their company.
6. Fall hazards created during demolition shall be immediately protected by hole covers and/or guardrail systems.
7. Evaluation and control of employee, worker, and public exposure to dusts, silica, and other hazardous emissions generated from demolition activity shall be conducted.
8. Equipment used for demolition shall have steel cages installed sufficient to protect the operator from flying debris.
9. Equipment shall not be placed, operated, and/or driven on elevated structures that cannot sufficiently support the weight of the working equipment. Thus, maximum capacities of elevated structures shall be known prior to equipment being placed, operated, and/or driven on the elevated structures.
10. Debris and material shall not be permitted to accumulated on or against or fall onto structures unless they are of sufficient strength to hold such loads.
11. Prior to the demolition or renovation of any facility a hazardous materials survey shall be conducted. The Owner is responsible to conduct the hazardous materials survey that will identify areas where hazardous materials are on the Project. This survey shall be kept on file and available for review at the request of any employee. Employees may contact Okland's Superintendent to obtain access to the survey.

12. If a hazardous materials survey was not conducted by the owner of the building prior to bid and award, Okland's Project Management Team is to ensure that one is completed prior to the start of renovation or demolition activities. This requirement is expected to be followed regardless of the age of the building or the size of the renovation or demolition. The basic steps of this process are:
    a. **Step #1:**
        i. Determine if the owner or Okland will be contracting and coordinating the Hazardous Material Survey.
        ii. Contact Industrial Hygiene (IH) consultants (unless the owner has a go-to IH firm) and request a bid for a full hazardous materials survey.
        iii. Ensure that the IH firm is told that we need a full general hazardous materials survey NOT one for just asbestos. **We need the full survey.** This is to include, at a minimum:
            1. Asbestos
            2. Lead paint via XRF Analyzer
            3. Mercury-containing thermostats
            4. Mercury-containing fluorescent light fixture lamps
            5. PCB-containing fluorescent light fixture ballasts and/or transformers
            6. Refrigeration units containing CFCs
            7. Misc. containers of liquid or hazardous waste
            8. Underground storage tanks
            9. Waste Batteries (Like vehicle batteries)
            10. Grease/oil separators
        iv. They'll want a description of the building, its age, and the historical use of the building as well as the scope of the renovation or demolition.

    b. **Step #2:**
        i. Select the IH Consultant/Inspector and conduct the inspection/survey.
    c. **Step #3:**
        i. Once we have the survey report in hand, and assuming there is no asbestos or other hazardous materials found, our subcontractor can submit for our 10-day notification of renovation or demolition to the State's Department of Environmental Quality (DEQ).
        ii. If the consultant identifies asbestos or other hazardous materials, we'll have to discuss steps for remediation with the owner.
            1. Permits for these remediation operations can be found on the DEQ websites for each State.
        iii. Similarly, once the report is in hand, we and our IH Consultant/Inspector can file the Pre-Renovation/Demolition Inspection Form to the County Health Department. The forms for this can be found on the websites for each County.
    d. **Step #4**
        i. Once all State and County permits and notifications are in hand and the hazardous materials are remediated, the demolition or renovation can progress as it pertains to Hazardous Materials so long as it is conducted in compliance with those permits and notifications as well as the requirements in this manual.

13. If disturbance of asbestos is necessary to execute Okland's scope of work, the following conditions shall be met:
    a. Explicit written approval shall be secured from Okland's Corporate Risk Management and Corporate Safety Departments.
    b. Okland's insurance coverage is evaluated, and any additional coverage needed is secured.

c. All supervisors and employees who are working with asbestos regulated or not regulated by the EPA shall receive training in accordance with OSHA's asbestos regulations. A copy of the documentation of such training shall be submitted to Okland's Superintendent prior to beginning work.
d. At no time shall non-friable asbestos be rendered friable or regulated (e.g., via the use of power tools, sanding).
e. At no time shall asbestos be disturbed that is regulated by the Environmental Protection Agency (EPA) and/or classified as friable as defined by the EPA unless explicitly Okland is contracted to do so.
f. Friable and/or EPA regulated asbestos shall only be disturbed by Subcontractors and employees licensed and certified by the State that the Project is in. Copies of such licenses and certificates shall be submitted to Okland's Superintendent prior to beginning work.
g. All required training to conduct asbestos work shall be conducted.
h. A copy of all manifests which documents the proper disposal of all regulated asbestos shall be provided to the Okland Superintendent immediately after the asbestos is disposed of.

Subpart U – Blasting and the Use of Explosives

In addition to the regulations set forth in OSHA 29 CFR 1926 (construction regulations), and other Local, State, and Federal regulations, and those requirements established in the EXPECTATIONS section of this manual, the following requirements shall apply:

1. A site-specific written safety plan detailing the proposed use of explosives shall be developed. The plan shall be submitted to Okland Superintendent and the Okland Safety Department in advance of the explosive Subcontractor's mobilization on the Project to allow for adequate time for review of the plan by Okland and the Owner.

Subpart V – Power Transmission and Distribution

In addition to the regulations set forth in OSHA 29 CFR 1926 (construction regulations), and other Local, State, and Federal regulations, and those requirements established in the EXPECTATIONS section of this manual, the following requirements shall apply:

1. The safety requirements in NFPA 70E shall be adhered to.

Subpart W – Rollover Protective Structures; Overhead Protection

In addition to the regulations set forth in OSHA 29 CFR 1926 (construction regulations), and other Local, State, and Federal regulations, and those requirements established in the EXPECTATIONS section of this manual, the following requirements shall apply:

1. Roll Over Protective Structures (ROPS) shall not be altered or removed from any equipment in which the manufacturer has installed and/or recommended them.

Subpart X – Stairways and Ladders

In addition to the regulations set forth in OSHA 29 CFR 1926 (construction regulations), and other Local, State, and Federal regulations, and those requirements established in the EXPECTATIONS section of this manual, the following requirements shall apply:

1. Okland expects ladders to be a choice of last resort. First, all work that can feasibly be conducted on the ground should be. If work must be performed at heights, alternate means of access to perform work should be considered before ladders; These include, scaffolding, scissor lifts, aerial lifts, vertical mast lifts, etc. If a ladder must be used a podium or platform ladder is preferred.

2. The use of wood A-frame type ladders is prohibited.

3. Pulling wire through conduit, or similar, shall not be conducted from an extension ladder or a standard A-frame ladder (the safe use of a platform ladder, scaffold or a scissor lift would be acceptable).

4. Portable ladders shall be fiberglass and at a minimum a Type IA (300lbs), heavy-duty industrial ladder and be suitable for its intended use.

5. Ladders shall be inspected prior to use. Ladders found to be damaged shall not be used and shall be tagged (i.e., with a danger tag) and removed from service.

6. In addition to the pre-use inspection, all ladders shall have a thorough annual inspection. The date of the last annual inspection shall be posted on the ladder.
    a. For Okland owned ladders, each ladder shall have thorough annual inspection in January of each year.

7. All Okland owned extension and A-frame ladders shall have an inspection steps and safe use sticker posted on the ladder.

8. Field and/or shop repairs to ladders are prohibited (e.g., adding splints, braces).

9. Ladders shall not be spliced together.

10. Extension ladders shall be secured at the top of the ladder to prevent displacement during use and when feasible, also at the bottom. If an extension ladder cannot be secured at the top, the base of the ladder shall be stabilized by an additional person to prevent displacement of the ladder while it is being used.

11. Extension ladders shall not be separated, and the sections utilized separately for any reason whatsoever (e.g., use of a section of the ladder to access/egress trenches/excavations is prohibited).

12. The top three rungs of an extension ladder shall not be used to step on.

13. Job made ladders shall comply with the most current ANSI 14.4 Job-Made Wooden Ladders standard.

14. Double cleated job made ladders shall not exceed 24’ in length and single cleat ladders shall not exceed 30’ in length.

15. Extension and A-frame ladders shall be located at least 1½ times the ladder height from an exposed edge.

    a. If this is not feasible, the worker shall utilize a fall restraint or a personal fall arrest system while working from and/or climbing the ladder.
    b. Exception: When podium or platform ladders are being used, these ladders may be placed as close as 3' to the exposed edge if the ladder is orientated so that the access to podium or platform is away from and perpendicular to the exposed edge.

16. Fall protection during ladder use is also required when working from and/or climbing any type of ladder, including scaffold ladders, where the fall exposure to the worker is greater than 24'.

17. Workers shall not use step stools or stand on any materials, tools, or equipment that is near an exposed edge that would create a fall exposure to the employee over that edge if the fall exposure were greater than 6'.

18. Three points of contact shall be maintained while climbing a ladder.

19. Nothing shall be carried in the hands while climbing a ladder.

20. Employees shall not lean out beyond the side rails of the ladder (i.e., their center of mass shall not extend outside the side-rails of the ladder).

21. A-frame ladders must not be used as straight ladders unless designed and manufactured for that purpose.

22. The top two steps of an A-frame ladder shall not be utilized to sit or step on.

23. Straddling the top of an A-frame ladder is prohibited.

24. Employees shall face the ladder at all times.

25. Ladders shall not be placed on scaffolds, in scissor-lifts, or in aerial lifts.

26. Stepstools shall not be greater than 32".

27. Metal style stepstools shall not be used where an electrical hazard could potentially exist (e.g., corded electrical tools cannot be used while working from metal stepstools).

Subpart Y – Diving

In addition to the regulations set forth in OSHA 29 CFR 1926 (construction regulations), and other Local, State, and Federal regulations, and those requirements established in the EXPECTATIONS section of this manual, the following requirements shall apply:

1. There are no additional requirements other than those stipulated elsewhere in this manual.

Subpart Z – Toxic and Hazardous Substances

In addition to the regulations set forth in OSHA 29 CFR 1926 (construction regulations), and other Local, State, and Federal regulations, and those requirements established in the EXPECTATIONS section of this manual, the following requirements shall apply:

1. If Okland's operations will involve exposure to silica, supervisors must ensure that the activity is in compliance with Okland's Corporate Silica Exposure Control Plan.

2. Prior to the demolition or renovation of any facility a hazardous materials survey shall be conducted. The Owner is responsible to conduct the hazardous materials survey that will identify areas where hazardous materials are on the Project. This survey shall be kept on file and available for review at the request of any employee. Employees may contact Okland's Superintendent to obtain access to the survey.

3. If a hazardous materials survey was not conducted by the owner of the building prior to bid and award, Okland's Project Management Team is to ensure that one is completed prior to the start of renovation or demolition activities. This requirement is expected to be followed regardless of the age of the building or the size of the renovation or demolition. The basic steps of this process are:
    a. **Step #1:**
        ii. Determine if the owner or Okland will be contracting and coordinating the Hazardous Material Survey.
        iii. Contact Industrial Hygiene (IH) consultants (unless the owner has a go-to IH firm) and request a bid for a full hazardous materials survey.
        iv. Ensure that the IH firm is told that we need a full general hazardous materials survey NOT one for just asbestos. **We need the full survey**. This is to include, at a minimum:
            1. Asbestos
            2. Lead paint via XRF Analyzer
            3. Mercury-containing thermostats
            4. Mercury-containing fluorescent light fixture lamps
            5. PCB-containing fluorescent light fixture ballasts and/or transformers
            6. Refrigeration units containing CFCs
            7. Misc. containers of liquid or hazardous waste
            8. Underground storage tanks
            9. Waste Batteries (Like vehicle batteries)
            10. Grease/oil separators
        v. They'll want a description of the building, its age, and the historical use of the building as well as the scope of the renovation or demolition.
    b. **Step #2:**
        i. Select the IH Consultant/Inspector and conduct the inspection/survey.
    c. **Step #3:**
        i. Once we have the survey report in hand, and assuming there is no asbestos or other hazardous materials found, our subcontractor can submit for our 10-day notification of renovation or demolition to the State's Department of Environmental Quality (DEQ).
        ii. If the consultant identifies asbestos or other hazardous materials, we'll have to discuss steps for remediation with the owner.
            1. Permits for these remediation operations can be found on the DEQ websites for each State.
        iii. Similarly, once the report is in-hand, we and our IH Consultant/Inspector can file the Pre-Renovation/Demolition Inspection Form to the County Health Department. The forms for this can be found on the websites for each County.
    d. **Step #4**
        i. Once all State and County permits and notifications are in hand and the hazardous materials are remediated, the demolition or renovation can progress as it pertains to Hazardous Materials so long as it is conducted in compliance with those permits

and notifications as well as the requirements in this manual. All areas in which Okland employees are required to work should be free of asbestos and other hazardous materials. However, in the unlikely event the employees encounter material reasonably believed to be asbestos, or any other hazardous waste or substance, the employee shall immediately stop work that may disturb the suspected material. Employees shall immediately report the condition to Okland's Superintendent. The work in the affected area shall only resume in the absence of asbestos or reported hazardous material or when it has been rendered harmless according to federal, state, and local standards.

4. If disturbance of asbestos is necessary to execute Okland's scope of work, the following conditions shall be met:
    a. Explicit written approval shall be secured from Okland's Corporate Risk Management and Corporate Safety Departments.
    b. Okland's insurance coverage is evaluated, and any additional coverage needed is secured.
    c. All supervisors and employees who are working with asbestos regulated or not regulated by the EPA shall receive training in accordance with OSHA's asbestos regulations. A copy of the documentation of such training shall be submitted to Okland's Superintendent prior to beginning work.
    d. At no time shall non-friable asbestos be rendered friable or regulated (e.g., via the use of power tools, sanding).
    e. At no time shall asbestos be disturbed that is regulated by the Environmental Protection Agency (EPA) and/or classified as friable as defined by the EPA unless explicitly Okland is contracted to do so.
    f. Friable and/or EPA regulated asbestos shall only be disturbed by Subcontractors and employees licensed and certified by the State that the Project is in. Copies of such licenses and certificates shall be submitted to Okland's Superintendent prior to beginning work.
    g. All required training to conduct asbestos work shall be conducted.
    h. A copy of all manifests which documents the proper disposal of all regulated asbestos shall be provided to the Okland Superintendent immediately after the asbestos is disposed of.

Subpart AA – Confined Spaces in Construction

In addition to the regulations set forth in OSHA 29 CFR 1926 (construction regulations), and other Local, State, and Federal regulations, and those requirements established in the EXPECTATIONS section of this manual, the following requirements shall apply:

1. Okland employees who must enter a confined space shall comply with Okland's **Confined Space Entry Program**.

2. Supervisors shall complete Okland's Confined Space Entry Permit prior to any Okland employee entering a confined space.

3. Workers entering a permit or a non-permit required confined space shall only do so when they can be visually seen and heard by other workers within their company.

4. Atmospheric testing shall be conducted prior to any Okland employee entering any confined space.

5. Supervisors shall provide for all necessary equipment needed for Okland employees to safely enter a confined space (e.g., emergency rescue, ventilation, atmospheric testing).

6. Okland's Superintendent shall notify the Project assigned Okland Safety Manager prior to any Okland employee entering a confined space.

7. At a minimum, **one** attendant (i.e., hole watch) shall be assigned **for each** confined space.

8. Attendants shall have NO other duties other than being an attendant.
   a. The attendant(s) shall be equipped with an operating telephone to summon rescue and emergency assistance if they are needed.
   b. The attendant(s) shall be capable of understanding and relaying emergency information in English and the language of those employees entering the confined space.

9. The supervisors of those entering the confined space, the entering employees and the attendant(s) shall be trained on the emergency action plan by their employer prior to the entry.

Subpart CC – Cranes

In addition to the regulations set forth in OSHA 29 CFR 1926 (construction regulations), and other Local, State, and Federal regulations, and those requirements established in the EXPECTATIONS section of this manual, the following requirements shall apply:

1. General Requirement:
   a. Prior to the selection and procurement of any Okland leased, Okland owned, or Okland managed crane, the Project Management Team shall complete Okland's Crane Request Form, validate that the necessary permits and agreements can be secured, and obtain the required signatures.
   b. Prior to the mobilization of any Subcontractor crane that will have any part of the crane, or any crane load, extend beyond the project fence line, the Okland Project Management Team shall complete Okland's Crane Request Form, validate that the necessary permits and agreements can be secured, and obtain the required signatures.
   c. Prior to the selection, assembly, and disassembly of any type of tower crane (hammer head, luffing, self-erector, cast in place foundation, ballast foundation, etc.), regardless of the crane being an Okland owned/leased crane or a subcontractor owned/leased crane, Okland's Tower Crane Assembly Checklist or Okland's Tower Crane Disassembly Checklist process shall be executed and a completely signed Okland Tower Crane & M/M Hoist Assembly/Climb/Disassembly Authorization Form shall be secured.
   d. Okland Superintendents must receive training on Okland's Lift Plan process.
   e. The Okland Superintendent shall submit a lift plan to the Okland Crane Superintendent at least 14 days prior to a crane lift taking place and prior to the crane being allowed on site. This is to allow adequate review of the operation by Okland's Crane Superintendent or his designee. The lift plan shall include:
      i. Okland's **Lift Planning Worksheet** filled out completely for each of the crane's locations and for its heaviest lift at those locations (Hydraulic/Lattice Crane – Tower Crane).
      ii. A copy of the load chart(s) for the exact configuration(s) the crane will be used in.
      iii. A copy of the crane's annual inspection report (i.e., the actual report document **NOT** a photo of the inspection sticker).

1. **NOTE**: Annual inspections of all cranes shall be conducted by a qualified **third-party** inspector. Annual inspections conducted in-house will **NOT** be accepted.

iv. A copy of the crane operator's current NCCCO card.

v. A copy of the crane operator's current medical certification card.

vi. A copy of the certifications/qualifications for all riggers and signal personnel *(this is typically a card or a certificate).*

2. Qualifications:
   a. Qualified Rigger (QR/QSP): All riggers shall meet the qualifications stipulated by OSHA for a qualified rigger and the qualifications listed in this document.
      i. Unless otherwise agreed to in contract documents, Qualified Riggers who are actively rigging and/or signaling hoisted loads, of any type, shall be wearing a green hardhat or a high visibility hard hat sock/cover.
         1. This includes rigging/signaling activities that do not involve a crane (e.g., rigging with chain falls, come-alongs, electric hoists, coffing hoists, forklifts, earthmoving equipment).
         2. Green hard hats are not allowed on any Okland Project unless the worker wearing it is a 'Qualified Rigger,' as defined by OSHA, and is actively engaged in rigging activities for the project.
         3. Okland employed Qualified Riggers/Signal Persons (QR/SP), that are NOT full-time QRs/SPs, shall have their Okland issued helmets demarcated with green decals pursuant to the location stipulated by Okland.
      ii. QR shall understand spoken and written English.
      iii. Okland QRs shall have previously demonstrated to the Okland Crane Superintendent or his designee their skill and competency in using rigging principles. The Okland Crane Superintendent or his designee will assign them an Okland Qualified Rigger Level I, II, or III pursuant to the following:
         1. **QUALIFIED RIGGER LEVEL I –** An Okland Qualified Rigger Level I can perform simple, repetitive rigging tasks when the rigging configurations are provided. A Level I Rigger can perform rigging tasks supervised and in the direct view of the crane operator. Level I Riggers should have knowledge in:
            a) Perform pre-use inspection of rigging and lift points.
            b) Identify and attach rigging with basic knowledge of hitch configurations and capacities.
            c) Recognize associated hazards.
            d) Signal operations.
         2. **QUALIFIED RIGGER LEVEL II –** An Okland Qualified Rigger Level II, can perform simple, repetitive rigging tasks when the load weight, center of gravity, the rigging, and rigging configuration are provided or known by the rigger through experience or on-the-job training prior to the rigging activities. Specifically, Level II Riggers should be able to demonstrate or have knowledge of how to:
            (a) Perform pre-use inspection of rigging and lift points.
            (b) Identify and attach rigging with basic knowledge of hitch configurations and capacities.
            (c) Recognize associated hazards.
            (d) Signal operations.
            (e) Use various types of rigging equipment and basic hitches and their applications.

3. **QUALIFIED RIGGER LEVEL III –** In addition to knowing and demonstrating Rigger Level I & II knowledge and skills, an Okland Qualified Rigger Level III can select rigging components and procedures based on rigging capacity. A Level III Rigger can perform the following rigging tasks unsupervised:
    - (a) Perform pre-use inspection of rigging and lift points.
    - (b) Identify and attach rigging with knowledge of hitch configurations and load angle factors, rigging capacities, and load integrity.
    - (c) Recognize associated hazards.
    - (d) Signal operations.
    - (e) Estimate load weight and center of gravity.
    - (f) Identify lift points.
    - (g) Determine and select rigging based on loading.
    - (h) Understand load dynamics and associated hazards.
    - (i) As applicable, Level III Riggers will also have a working knowledge of hoisting equipment.

b. Qualified Signal Person (QSP): All signal personnel shall meet the qualifications stipulated by OSHA for a signal person and the qualifications listed in this document.
    - i. QSP shall have previously demonstrated to their employer, or their employer's representative, their skill and competency in signaling cranes.
    - ii. The QSP's employer shall field verify the QSP's capabilities to adequately and safely conduct signaling operations.
    - iii. QSP shall be certified by their employer, or their employer's representative, to conduct their assigned signaling tasks.
    - iv. QSP shall understand spoken and written English.

c. Operator: All crane operators shall meet the qualifications stipulated by OSHA and the qualifications listed in this document.
    - i. Operators of all cranes shall be certified by The National Commission for the Certification of Crane Operators (NCCCO). The certification shall be for the specific type of crane they are operating (e.g., Telescopic Boom Cranes—Swing Cab, Lattice Boom Crawler Cranes, tower crane). Certification from other organizations may be permitted so long as they are equivalent to NCCCO certification, meet the requirements of the ASME B 30.5 mobile crane standard, and are accredited by the US National Commission for Certifying Agencies (NCCA).
        1. As of the date of this manual, the only two organizations that meet the Okland crane operator criteria are:
            - (a) NCCO
            - (b) Operating Engineers Certification Program (OECP)
        2. No variance from the Okland stipulated Crane Operator qualification requirements, or acceptance of certifications from any organization except for NCCO or the OECP, shall be allowed without the explicit written approval from:
            - (a) Okland's Crane Superintendent; and
            - (b) Okland's Crane Safety Manager; and
            - (c) Okland's Regional Safety Director; and
            - (d) Okland's Field Operations Director
    - ii. Operators shall meet ASME B30.5 physical requirements while operating crane(s) on the Project.
    - iii. Operators shall have adequately demonstrated to their employer their ability to safely operate the specific type of crane being assigned prior to the operator conducting hoisting operations on the project.

iv. Operators shall have a complete understanding of the owner's/operator's manual for the specific crane they are operating and ensure a copy of the manual and hard copy load charts are in the crane's cab.
v. Operators shall understand standard hand and voice signals.
vi. Operators shall have no physical, visual, or mental restrictions or impairments that will affect the safe operation of the assigned crane.
vii. Operators shall be able to understand spoken and written English.

3. Crane Set-up:
   a. Prior to the start of the erection and dismantle of a crane, Subcontractor and/or Supplier of the crane, including those involved in supporting the erection and dismantle process of another crane, must identify to Okland a competent and qualified person as the Assembly/Disassembly Director. The Assembly/Disassembly Director shall meet the criteria of the designation pursuant to OSHA regulations and execute the responsibilities of the position.
   b. Tubular crane booms shall only be handled with nylon slings.
   c. Boom lacings shall never be used to lift or handle the boom.
   d. The entire swing radius of the rotating superstructure of a mobile crane shall be barricaded to prevent employees and/or equipment from entering the area. Barricades shall be, at a minimum, red DANGER tape.
   e. Cribbing shall be utilized under all outrigger pads.
   f. Cribbing shall be of the appropriate size and dimension to adequately support the crane.
   g. Wire rope spool ends shall not be used for outrigger pads.
   h. All cranes shall be equipped with a functional anti-two-block device.
   i. Personnel erecting, climbing, and/or dismantling a tower crane, when exposed to a fall greater than 6', shall be equipped with and shall utilize an appropriate personal fall arrest system. Lanyards shall be a "dual/Y" type and the end hooks shall be compatible with the anchorage points on the tower crane.
   j. The Federal Aviation Administration (FAA) requires a permit be issued for a crane any time they will exceed a specific height (i.e., typically 200' but this may vary in different states and/or when in close proximity to any type of airport). Subcontractor shall ensure all FAA required permits are secured prior to crane erection.
   k. The base of each tower crane shall be secured with, at a minimum, an 8' plywood wall structure with an access door that is capable of being locked and unlocked from both sides.
      i. As the structure is built adjacent to or around the crane's tower, all accessible points to the cranes tower shall be similarly barricaded with, at a minimum, an 8' plywood wall structure.

4. Crane Inspections:
   a. Annual and post incident inspections of all cranes shall be conducted by a qualified **third-party** inspector. Annual and post incident inspections conducted in-house will **NOT** be accepted.
   b. Operators shall conduct *documented* inspections of the crane they will be operating prior to its operation as stipulated by OSHA regulations. Documentation of these inspections shall be kept in the crane's cab.
   c. Tower Cranes shall be inspected by a qualified third-party inspector prior to erection but after transportation to the work site. Documentation of this inspection shall be provided to Okland.

d. Technicians, and/or their company, overseeing the erection, climbing, and/or disassembly of a tower crane shall not be used for the third-party inspection of the tower crane post erection, climbing, and/or disassembly. Nor shall they be used for the annual inspection of the tower crane.
e. All Tower Cranes, of any type, including self-erectors, shall have a third-party inspection of the crane at the following intervals:
    i. Pre-erection – on the ground. Unless otherwise approved by Okland's Regional Safety Director and Operations Director, the inspection must occur **after transportation to the work site**.
    ii. Post-erection - in the air
    iii. Annually – no later than the post-erection annual anniversary date
f. Documentation of crane inspections shall be kept on file in the cab of the crane as well as in the Project Files.

5. Operation:
    a. All crane operations shall be conducted with a certified operator, a qualified rigger, and a qualified signal person. It is acceptable to have the qualified rigger and the qualified signal person be the same person if they are qualified to do both.
    b. Crane operators shall not work more than:
        i. 12 hrs. in one day for intermittent hook use
        ii. 10 hrs. in one day for continuous hook use
        iii. 60 hrs. max in one week
    c. All safety devices and operational aids installed by the manufacturer of the crane shall be operating effectively.
    d. The crane's operator's manual and hard copy load charts shall be available to the operator in the cab of the crane.
    e. Loads shall not be flown over or immediately adjacent to the public right-of-way without adequate controls in place as stipulated in the General Liability section of this manual. This may require temporarily closing the affected public right-of-way.
    f. Loads shall not be flown over any building occupied by the public.
    g. Operators, QRs and QSPs shall ensure all needed public safety measures are in place prior to the hoisting operation (e.g., closing of streets, closing of pedestrian walkways, barricading of areas)
    h. Operators, QRs and QSPs shall ensure any required LOTO procedures have been properly executed prior to the hoisting operation (e.g., de-energization and LOTO of power lines).
    i. Operators, QRs and QSPs shall understand the maximum loading capacity of the floor/slab/scaffold/platform/deck or similar surface prior to setting any load on it. Loads set on such surfaces shall not exceed 90% of the surface's rated capacity (taking into account the weight of existing loads already on the surface).
    j. Operators shall ensure that the crane is not operated in winds that exceed the manufacturer's recommended wind speed.
    k. Operators of lattice boom cranes, tower cranes, and any crane with a luffing jib in place, shall have immediate access to and utilize an anemometer to determine wind speeds.
    l. Operators shall immediately suspend all hoisting operations that are in progress that if continued, would be classified as a critical lift (i.e., a critical lift was not previously anticipated). Operators shall then ensure that the critical lift process is implemented.
    m. Operators shall respond to signals from only one person at a time.
    n. Operators shall not follow any signal that is not understood.
    o. Operators shall always follow the stop signal.

p. Operators shall not leave the control station while loads are suspended or connected to the crane.
q. When conflict is possible between other crane booms, lines, or loads, it is the responsibility of the operators of each crane and their supervisor to establish an effective method of communication and placement of an adequate number of spotters and signal personnel to prevent contact of the crane booms, lines, or loads.
r. The QSP shall ensure that only be one QSP is giving signals to the crane operator at a time.
s. The QSP shall ensure that loads are routed in a manner that presents the least exposure to personnel injury and property damage.
t. All Qualified Signal Persons and Qualified Riggers shall have in their immediate possession a safety whistle while conducting crane signaling operations.
u. As needed, the Qualified Signal Person or Qualified Rigger, shall sound a safety whistle to notify personnel in the vicinity of a rigged load, that a load is being hoisted or set down near them. The intent of this requirement is to gain the immediate attention of personnel in the vicinity of the load, on an as needed basis.
v. Mobile cranes with rubber tires shall not be used for hoisting unless outriggers are deployed, and all tires are off the ground (i.e., cannot pick “on rubber”).
w. When left unattended all cranes shall be secured in a manner that prevents unauthorized startup, operation, or movement of the machine.
x. Where a crane is operated from a remote control the operator must be in the position where the entire crane and load are in full view of the operator. Where this not possible, a sufficient number of persons, having radio communication with the operator, must serve as spotter(s) for the obstructed portion(s) of the crane.
y. Operators of self-erector tower cranes shall not rig and signal their own loads.
z. Cranes shall have an accessible fire extinguisher readily available.
aa. Suspended loads shall not be “anchored” to any object/structure.
bb. “Shock Loading” & “Side Loading” the crane is prohibited.
cc. Hoisting of loads that are secured to the surface they are being hoisted from is prohibited (e.g. loads frozen to the ground).
dd. Increasing the load weight after it has been hoisted is prohibited.

6. Rigging:
    a. Operations that do not involve a crane must still comply with this section as stipulated in Subpart H of this document.
    b. Operations that do not involve a crane (e.g., rigging to a forklift carriage, rigging to an excavator, chain falls, winches, etc.) that meet the Okland criteria of a Critical Lift, shall complete the Non-Crane Lift Planning Worksheet.
    c. All riggers shall meet the qualifications stipulated by OSHA for a qualified rigger and the qualifications listed in this document (Qualified Rigger Qualifications).
    d. The QR shall determine the approximate weight of each load prior to the hoisting operation.
    e. The QR shall read the identification tags on the rigging prior to use and shall determine what the “weakest link” is in their rigging assembly to ensure the load is within the rigging’s capacities.
    f. The QR shall conduct a pre-use inspection of the rigging, attachment points, and any specialty type of rigging equipment, such as pallet-forks, concrete buckets, skips, approved Oxygen Acetylene carts, bins, bags, cages, or similar containers, prior to each use. Damaged components shall not be used and shall be immediately taken out of service, properly tagged, or destroyed.

g. Monthly documented inspection of all Okland rigging and specialty type of rigging equipment shall be conducted. Those conducting the inspection shall utilize Okland's Rigging & Electrical Color-Code system to mark the rigging if it has been inspected and found safe to use.
h. Subcontractors shall conduct a monthly documented inspection of all of Subcontractor's rigging and specialty type of rigging equipment. Subcontractor shall utilize Okland's Rigging & Electrical Color-Code system to mark their rigging once inspected each month.
i. Rigging attachment points that are installed on earthmoving equipment shall not be utilized (e.g., a hook welded onto a bucket of a track-hoe) unless the manufacturer of the equipment specifically designed the equipment in such a manner or the attachment point was installed per the design and specifications of the manufacturer or a registered professional engineer who has provided load charts or equivalent reference data with the design specific to the equipment.
j. Loads shall be placed on dunnage or similar blocking to prevent damage to the rigging.
k. A crane or other mechanical means shall not be used to pull rigging out from under a load.
l. A crane shall not be used to drag or pull a load or any other object.
m. Hosting of equipment shall only be executed utilizing the manufacturer's specified rigging attachment points.
n. The QR shall determine the load's center of gravity prior to rigging the load.
o. The load shall be rigged in a manner to ensure that the center of gravity is maintained in alignment with the hoist line.
p. Personnel shall not ride on a suspended load, hooks, ball/blocks, or rigging.
q. Loads with plastic or similar weak banding holding dunnage under the load shall not be hoisted by a crane without first removing the dunnage.
r. All loose material shall be removed from the load prior to it being lifted.
s. All rigging shall have its capacity identified on the rigging.
t. The use of job-made rigging is prohibited (e.g., wire rope with wire rope clips, makeshift hooks).
u. Lifting inserts which are embedded or otherwise attached to loads shall be capable of supporting at least four times the maximum intended load applied or transmitted to them.
v. **All custom designed hooks; grabs; rigging; "flyable" carts, boxes, bins, drums, barrels containers, spreader bars, and similar** shall be:
    i. Designed by a registered professional engineer.
    ii. Have a safety factor of at least two times its maximum rated capacity.
    iii. Have its rated capacity clearly marked/tagged on it for each configuration it can be placed in.
    iv. Proof tested prior to use to **125%** of its maximum rated load by a third-party testing/rigging company.
w. When rigging equipment is not in use it shall be removed from the work area and properly stored to protect it from damage and exposure to degradation from environmental elements (i.e., weather).
x. Rigging shall be kept free of mud, ice, and chemicals.
y. All hooks shall have an operable self-closing throat latch.
z. Rope, knots, and non-commercially manufactured splices shall not be utilized in rigging applications.
aa. Rigging accessories (e.g., C-clamps, shackles, slings, chain, wire-rope clips) manufactured outside of the United States (e.g., China) shall not be utilized.
bb. Shackles shall be utilized when nylon straps are placed in a chocked configuration (pin in eye).
cc. Identification tags on all rigging shall be placed in the up position, meaning towards the hook.

dd. All rigging, including crane load blocks and headache balls, with missing or illegible manufacturer's name, size, trademark and/or rated load capacity identification shall not be utilized and be immediately taken out of service.

ee. Basket hitches shall not be utilized unless there is a positive means to prevent the rigging from sliding.

ff. Adequate and appropriate softeners shall be utilized on all sharp edges (sharp is relative to the weight of the material being lifted and the type of rigging assembly being utilized).

gg. Workers shall keep their hands away from rigging pinch points at all times.

hh. Workers shall wear leather or equivalent gloves when handling wire rope.

ii. **Pallets** shall not be rigged/picked with a crane unless a proper set of crane pallet forks (e.g., Jeffery Forks) are used. Loads must be positively anchored to the forks. Loose items must be positively secured and shrink wrapped (e.g., CMU, stone, brick).

jj. **Flexible Intermediate Bulk Containers (FIBC) and similar rigging containers (e.g., Bulk Bags)** shall not be hoisted **overhead or above 5'** by any crane, for any purpose other than to place them in an **immediately adjacent** staging area or in an **immediately adjacent** approved and rated hoisting skip or similar approved and rated metal hoisting container. The secondary hosting skip or similar metal hoisting container can then be utilized as the overhead hoisting apparatus to carry the FIBC or similar rigging container during the overhead hoisting activity. All FIBCs shall be inspected prior to hoisting as stipulated in **Subpart CC – Cranes 6.e. – pre-use inspection** of this document.

kk. **Compressed gas cylinders** shall only be hoisted in an upright and secured position, with the gauges removed, cylinder caps installed and in an approved lifting device. Approved lifting devices shall only include those devices that are specifically and commercially manufactured for that purpose or those that are constructed per the design of a registered professional engineer and are specifically designed for hoisting compressed gas cylinders.

ll. **Portable Chemical Toilets**

  i. Portable toilets shall not be connected to any crane hook without first verifying that the toilet is not occupied. Once a portable toilet is connected to the crane, the rigger/signal person shall stay immediately adjacent to the front of the toilet to ensure that no one enters the toilet prior to it being hoisted.
  ii. Signage shall be placed on all four sides of each portable toilet that is equipped with a fixed crane hoisting assembly advising the rigger: CAUTION – Prior to Connecting the Rigging to a Crane, verify that the Toilet is NOT Occupied
  iii. Signage, in English & in Spanish, shall be placed on each portable toilet that is equipped with a fixed crane hoisting assembly advising users: WARNING – This Chemical Toilet is pre-rigged to be hoisted by a crane. Ensure that it is NOT Connected to a Crane Prior to Use. This signage shall be placed on the exterior of the door.

mm. **Tag line**

  i. A tag line(s) shall be attached to all loads.
  ii. The use of more than one tag line is permitted so long as it does not interfere with the safety of the operation.
  iii. Tag lines shall be the appropriate length to provide adequate control of the load.
  iv. Tag lines shall be adequately secured to the load.
  v. Tag lines shall be secured in a manner as not to upset the load's center of gravity when the tag line is pulled on.
  vi. Tag lines shall be free of knots and similar obstructions that could cause the tag line to get caught on another object.
  vii. Tag\ lines shall not be utilized to "anchor" the load.

Table of Contents

nn. **Multiple Lift Rigging** (Christmas Treeing/Treeing) shall only be allowed for **steel erection** activities.
   i. Prior to a multiple lift rigging operation, Subcontractor shall complete and submit to the Okland Superintendent a detailed written lift plan.
   ii. If, at the planned boom angle and lift height, any load will be able to contact the crane boom or if the headache ball/load line wedge socket will be hoisted closer than 5' from the boom sheaves, the number of loads shall be reduced accordingly.
   iii. Wind limits shall be established, and wind speed shall be monitored.
   iv. During multiple lift rigging, each piece of steel must be equipped with an individual tag line.

7. Critical Lifts:
   a. Operations that do not involve a crane must still comply with this section as stipulated in Subpart H of this document.
   b. **A critical lift is any one or more of the following:**
      i. Any lift with a **mobile crane** in excess of **90%** of the crane's rated capacity for the configuration it is in.
      ii. Any lift with a **tower crane** that is in excess of **95%** of the crane's rated capacity for the configuration it is in.
      iii. Any lift involving **steel erection** with any crane that is in excess of **75%** of the crane's rated capacity for the configuration it is in.
      iv. Any lift where any component of the **rigging** will be loaded in excess of **90%** of the rigging's rated capacity for the configuration it is in.
      v. Any lift that requires the concurrent use of two or more cranes or two or more of any other type of hoisting equipment.
      vi. Any lift that involves hoisting with a crane and lifting or movement of the load with any other type of equipment or vehicle.
      vii. Any lift involving the pick and carry of a load with a track/crawler crane(s).
      viii. Any lift of **100,000 pounds** or more.
      ix. Any **lifting of personnel** (e.g., hoisting personnel in a man-basket).
      x. Using a crane where fully extended outriggers can **NOT** be used.
      xi. Using a crane where the **360˚** load chart can **NOT** be used.
      xii. Crane operations in which any part of the equipment, load line, or load (including rigging and lifting accessories) **could become closer, intentionally or unintentionally,** than the minimum clearance distance to overhead power lines as listed in OSHA regulation 29 CFR 1926.1408 Table A.
      xiii. Lifting a load with **unknown weight** and/or **center of gravity**.
      xiv. A lift that Okland has determined requires exceptional care in handling. This includes, but is not limited to: the size of the load, the weight of the load, close-tolerance installation, a load that is highly susceptible to damage, a load that is of high monetary value, a load that has a long lead time for replacement, etc.
   c. Critical Lift Procedure:
      i. An Okland Critical Lift Permit & **Lift Planning Worksheet** that is specific to the Critical Lift operation shall be completed. (Hydraulic/Lattice Crane – Tower Crane).
      ii. **A Written Critical Lift Plan** for the critical lift operation shall be completed. The **Written Critical Lift Plan** shall include all pertinent information necessary to adequately evaluate the safety of the lift. This may include, but is not limited to the following:

1. Details of the crane's specifications and/or other hoisting equipment specifications.
2. Details of the load.
3. Details of the rigging components being used.
4. Details of the necessary ground conditions.
5. Weather limitations.
6. Operational sequence of the lifts.
7. Detailed signaling procedures.
8. Duties of personnel involved in the lift.
9. Considerations of all obstructions (e.g., buildings, boom clearances, other equipment, power lines).
10. Drawings and diagrams
11. Job Hazard Analysis

iii. When planning **multiple crane or crane in combination with other equipment lifts**, no crane shall be loaded to more than 75% of the crane's capacity at the given radius as posted in the load chart for the specific crane and its configuration, unless the lift is engineered by a qualified registered professional engineer.

iv. Prior to hoisting personnel Subcontractor shall utilize a checklist to validate compliance with OSHA regulations for hoisting personnel.

v. The completed Lift Planning Worksheet and the Written Lift Plan shall be submitted to the Okland Superintendent at least **14 days prior to the lift.** This is to allow adequate review of the operation by Okland's Crane Superintendent or his designee.

vi. Okland's Risk Management and/or Safety Department, may require, the Critical Lift Plan or certain portions of the Critical Lift Plan to be developed/designed/engineered by a registered professional engineer due to the complexity or high risk of the planned lift.

vii. A **pre-operation meeting** shall be conducted at least two days prior to the critical lift with the supervision of all involved individuals so as the Critical Lift Plan can be reviewed, and expectations clearly conveyed to each. This pre-meeting will give an opportunity for the plan to be adjusted, if necessary, before the operation takes place.

viii. A **pre-lift meeting** shall be conducted each day prior to the critical lift(s) with all involved individuals so as the Critical Lift Plan can be reviewed, and expectations clearly conveyed to each. Subcontractor shall ensure all questions are answered and all information is effectively communicated prior to the lift taking place.

ix. A copy of the Written Critical Lift Plan shall remain on site, in the immediate work area so as it can be referenced as needed.

8. Landing Platforms:
   a. All landing platforms shall be capable of supporting without failure four times the maximum intended load applied or transmitted to it.
   b. The maximum allowable load for each platform shall be clearly marked on the platform.
   c. All loads being applied or transmitted to the platform shall be equally distributed across the surface of the platform.
   d. All landing platforms shall be designed by a registered professional engineer.

9. Tower Crane Climbing
   a. During climbing activities, for Okland owned or leased tower cranes, a qualified third-party consultant shall be on site to actively monitor the climbing activity and provide

expert opinion to the Okland project management team on the quality and safety performance of the climbing activity. This third-party consultant shall be in addition to the crane technician that is directly overseeing the climbing operation.

Pollution Liability

1. Okland and Subcontractor shall comply with Okland's Water Crash Cart Policy.

2. Okland and Subcontractor shall comply with Okland's project specific Water Mitigation Policy.

3. Storm Water Pollution Prevention:
    a. Employees shall comply with the requirements stipulated in the Project's Storm Water Pollution Prevention Plan (SWPPP).
    b. All modifications or removal of any SWPPP controls that are already in place shall only be done with prior authorization from Okland's Project Superintendent.

4. Fugitive Dust:
    a. Employees shall comply with the requirements stipulated in the Project's Fugitive Dust Control Plan.

5. Noise:
    a. Employees shall comply with all local noise ordinances and project specific noise restrictions.

6. Mold:
    a. Employees shall comply with Okland's **Water Intrusion Management Plan** for the prevention and remediation of any mold.
    b. Employees shall immediately report the presence of mold that they observe on any portion of the project to the Okland Superintendent.
    c. Unless otherwise directed by Okland, employees shall not remove or disturb visible mold contaminated materials. If such direction is given it shall be conducted in compliance with industry standard safety requirements and under the guidance of Certified Industrial Hygienist.

7. Hazardous Substances:
    a. Subcontractor shall comply with the hazardous substances' requirements stipulated in Subpart D of this document, Occupational Health and Environmental Controls.

Substance Abuse Screening (i.e., Drug Testing)

1. Okland employees shall comply with Okland's Substance Abuse Screening Programs:
    a. **Okland Substance Abuse Screening Program – Non-DOT**
    b. **Okland Substance Abuse Screening Program – DOT**
    c. Subcontractor Substance Abuse Program Compliance Requirements
    NOTE: Quick/Rapid Screenings MUST be sent to a lab for final confirmation regardless of initial result. The results of a quick/rapid test alone shall not be accepted.

SECTION 3

RESERVATION OF RIGHTS AND SEVERABILITY

RESERVATION OF RIGHTS

Okland reserves the right to administer the requirements of this manual and the attached programs and policies and to interpret the requirements set forth at its sole discretion. In addition, Okland reserves the right to change and/or rescind the requirements in whole or in part at its sole discretion.

SEVERABILITY

If any portion of this manual and/or the attached programs and policies or the application of any portion to any person or circumstance is held invalid, the remainder of the manual and/or the attached programs and policies shall remain in effect without the invalid portion or application.

ANNUAL REVIEW

The requirements in this manual will be reviewed for effectiveness of safety, health, and environmental protection at least annually.

This manual was last reviewed on:
December 2025

This manual is due for its next review in:
December 2026

END