Introduction to Spatial Data

HES 505 Fall 2023: Session 3

Matt Williamson

Today's Plan

- 1. Ways to view the world
- 2. What makes data (geo)spatial?
- 3. Coordinate Reference Systems
- 4. Geometries, support, and spatial messiness

How do you view the world?

... As a Series of Objects?

- The world is a series of *entities* located in space.
- Usually distinguishable, discrete, and bounded
- Some spaces can hold multiple entities, others are empty
- Objects are digital representations of entities



... As a Continuous Field

How did the data arise?


Spatial data as a stochastic process

$$Z(\mathbf{s}): \mathbf{s} \in D \subset \mathbb{R}^d$$

Areal Data


$$Z(\mathbf{s}): \mathbf{s} \in D \subset \mathbb{R}^d$$

- D is fixed domain of countable units
- Typically involve some aggregation



Geostatistical data

$$Z(\mathbf{s}): \mathbf{s} \in D \subset \mathbb{R}^d$$




- D is a fixed subset of \mathbb{R}^d
- Z(s) could be observed at any location within D.
- Models predict unobserved locations

Point patterns

$$Z(\mathbf{s}): \mathbf{s} \in \mathbf{D} \subset \mathbb{R}^d$$

• D is random; where **s** depicts the location of events



How is the data stored?

What is a data model?

- Data: a collection of discrete values that describe phenomena
- Your brain stores millions of pieces of data
- Computers are not your brain
 - Need to organize data systematically
 - Be able to display and access efficiently
 - Need to be able to store and access repeatedly
- Data models solve this problem

2 Types of Spatial Data Models

- **Raster:** grid-cell tessellation of an area. Each raster describes the value of a single phenomenon. More next week...
- **Vector:** (many) attributes associated with locations defined by coordinates

The Vector Data Model

- **Vertices** (i.e., discrete x-y locations) define the shape of the vector
- The organization of those vertices define the *shape* of the vector
- General types: points, lines, polygons





Image Source: Colin Williams (NEON)




Vectors in Action


- Useful for locations with discrete, well-defined boundaries
- Very precise (not necessarily accurate)

The Raster Data Model

- Raster data represent spatially continuous phenomena (NA is possible)
- Depict the alignment of data on a regular lattice (often a square)
- Geometry is implicit; the spatial extent and number of rows and columns define the cell size




Types of Raster Data




- Regular: constant cell size; axes aligned with Easting and Northing
- Rotated: constant cell size; axes not aligned with Easting and Northing
- **Sheared**: constant cell size; axes not parallel
- Rectilinear: cell size varies along a dimension
- **Curvilinear**: cell size and orientation dependent on the other dimension

Types of Raster Data

- Continuous: numeric data representing a measurement (e.g., elevation, precipitation)
- Categorical: integer data representing factors (e.g., land use, land cover)





What makes data (geo)spatial?


Location vs. Place

- Place: an area having unique physical and human characteristics interconnected with other places
- **Location:** the actual position on the earth's surface
- Sense of Place: the emotions someone attaches to an area based on experiences
- Place is location plus meaning

- nominal: (potentially contested) place names
- absolute: the physical location on the earth's surface

Describing Absolute Locations


- **Coordinates:** 2 or more measurements that specify location relative to a *reference system*
- Cartesian coordinate system
- *origin* (*O*) = the point at which both measurement systems intersect
- Adaptable to multiple dimensions (e.g. *z* for altitude)



Cartesian Coordinate System

Locations on a Globe

• The earth is not flat...



Latitude and Longitude

Locations on a Globe

- The earth is not flat...
- Global Reference Systems (GRS)
- *Graticule*: the grid formed by the intersection of longitude and latitude
- The graticule is based on an ellipsoid model of earth's surface and contained in the *datum*

Global Reference Systems

The *datum* describes which ellipsoid to use and the precise relations between locations on earth's surface and Cartesian coordinates

- Geodetic datums (e.g., WGS84): distance from earth's center of gravity
- Local data (e.g., NAD83): better models for local variation in earth's surface

- 3. Coordinate Reference Systems
- 4. Geometries, support, and spatial messiness

