Assignment 1 Psuedocode

Monday, October 26, 2026 12:44 AM

FrogJmp Pseudocode:

```
START
  FUNCTION solution(X,Y,D)
     distance = Y-X
     Jumps = distance divided by D

     IF Jumps has a remainder THEN
          Jumps = Jumps+1
     END IF

     Return Jumps
END
```

PermCheck Pseudo Code

```
START
  FUNCTION solution(A):
     N= length of A
    seen_values= empty set
     FOR each value in A:
      IF value > N or value in seen_values:
           RETURN 0
      ELSE:
           add value to seen_values
     RETURN 1
END
```

Cylic Rotation Pseudo code

```
START
  FUNCTION solution(A, k)
     IF A is empty:
       Return A
     FOR i from 1 to k:
       last: remove last element of A
       Put last at the front of A
     RETURN A
```

RETURN -1
END

Passing Cars Pseudocode

```
START
  FUNCTION solution(A):
    zeros = 0
    total = 0

    FOR each car in A:
      IF car is 0:
        add 1 to zeros
      ELSE:
        add zeros to total
        IF total > 1,000,000,000:
          RETURN -1
      RETURN total
  END
```

FrogRiverOne Pseudocode

```
START
  FUNCTION solution(X, A):
    covered_spots = empty set
    FOR time in 0 to (length of A - 1)
      add A(time) to covered_spots
      IF length of covered_spots = X:
        return time
    RETURN -1
END
```