BookVault API

1.0.0 OAS 3.1

/openapi.json

A RESTful API for book discovery, reviews, and analytics.

Authentication

Write endpoints (POST, PUT, DELETE) require an **X-API-Key** header.
Read endpoints (GET) are publicly accessible.

Endpoints

- **Books** — full CRUD + recommendations + top-rated
- **Authors** — browse authors and view stats
- **Genres** — manage and browse genres
- **Reviews** — create and manage book reviews
- **Users** — register and manage user accounts
- **Analytics** — rating distribution, top publishers, publication trends

Authorize

Books

GET /books/ Get Books

Parameters Cancel

Name	Description
search `string | (string | null)` *(query)*	Search by title or author East of Eden
year `integer | (integer | null)` *(query)*	Filter by year of publication year
limit `integer`	20

Name	Description
(query)	*maximum: 100* *minimum: 1*
offset integer *(query)*	0 *minimum: 0*

Execute | Clear

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/books/?search=East%20of%20Eden&limit=20&offset=0' \
  -H 'accept: application/json'
```

Request URL

```
http://127.0.0.1:8000/books/?search=East%20of%20Eden&limit=20&offset=0
```

Server response

Code	Details
200	**Response body**


```
{
  "total": 4,
  "limit": 20,
  "offset": 0,
  "results": [
    {
      "id": 1276,
      "bookID": "4408",
      "title": "East of Eden",
      "authors": "John Steinbeck",
      "average_rating": 4.37,
      "isbn": "0142004235",
      "isbn13": "9780142004234",
      "language_code": "eng",
      "num_pages": null,
      "publication_date": "6/18/2002",
      "publisher": "Penguin Books",
      "review_count": 0
    },
    {
      "id": 1278,
      "bookID": "4415",
      "title": "East Of Eden",
      "authors": "John Steinbeck",
      "average_rating": 4.37,
      "isbn": "0553116088",
      "isbn13": "9780553116083",
      "language_code": "eng",
```


Download

Response headers

Code	Details
	content-length: 1120 content-type: application/json date: Thu,12 Mar 2026 20:59:15 GMT server: uvicorn

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** Schema `"string"`	*No links*
422	Validation Error Media type **application/json** **Example Value** Schema `{ "detail": [ { "loc": [ "string", 0 ], "msg": "string", "type": "string", "input": "string", "ctx": {} } ] }`	*No links*

POST /books/ Create a new book

Add a new book to the database. Requires an **X-API-Key** header.

Parameters Try it out

No parameters

Request body required

application/json

Example Value Schema


```
{
  "authors": "Mark P. O. Morford",
  "average_rating": 3.9,
  "bookID": "0195153448",
  "isbn": "0195153448",
  "isbn13": "9780195153446",
  "language_code": "eng",
  "num_pages": 292,
  "publication_date": "2002",
  "publisher": "Oxford University Press",
  "ratings_count": 2,
  "text_reviews_count": 1,
  "title": "Classical Mythology"
}
```


Responses

Code	Description	Links
201	Successful Response Media type application/json Controls `Accept` header. **Example Value** Schema `"string"`	*No links*

Code	Description	Links
422	Validation Error	*No links*

Media type

application/json

Example Value Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET `/books/top-rated` Top Rated Books

Parameters Try it out

Name	Description
limit `integer` *(query)*	*Default value* : 10 10 *maximum: 50* *minimum: 1*

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/books/top-rated?limit=10' \
  -H 'accept: application/json'
```

Request URL

```
http://127.0.0.1:8000/books/top-rated?limit=10
```

Server response

Code	Details

200	**Response body**
	`[]`
	Download
	Response headers
	`content-length: 2`
	`content-type: application/json`
	`date: Thu,12 Mar 2026 20:59:32 GMT`
	`server: uvicorn`

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** Schema `"string"`	*No links*
422	Validation Error Media type **application/json** **Example Value** Schema `{ "detail": [ { "loc": [ "string", 0 ], "msg": "string", "type": "string", "input": "string", "ctx": {} } ] }`	*No links*

GET `/books/recommendations` Get Recommendations

Parameters Try it out

Name	Description
rating_min number *(query)*	Minimum average rating *Default value* : 4 4 *maximum: 10* *minimum: 1*
limit integer *(query)*	*Default value* : 10 10 *maximum: 50* *minimum: 1*

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** Schema `"string"`	*No links*
422	Validation Error Media type **application/json** **Example Value** Schema `{ "detail": [ { "loc": [ "string", 0 ], "msg": "string", "type": "string", "input": "string", "ctx": {} } ]`	*No links*

Code	Description	Links

```
  ]
}
```

GET /books/{book_id} Get Book

Parameters Try it out

Name	Description
book_id * required string *(path)*	book_id

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** Schema `"string"`	*No links*
422	Validation Error Media type **application/json** **Example Value** Schema	*No links*

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
```

Code	Description	Links

```
  ]
}
```

PUT /books/{book_id} Update a book

Update one or more fields on an existing book. Only include the fields you want to change. Requires an **X-API-Key** header.

Parameters Try it out

Name	Description
book_id * required string *(path)*	book_id

Request body required application/json

Example Value Schema

```
{
  "publisher": "Oxford University Press",
  "title": "Classical Mythology (Updated Edition)"
}
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. **Example Value** Schema `"string"`	*No links*

Code	Description	Links
422	Validation Error	*No links*

Media type

application/json

Example Value Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```


DELETE `/books/{book_id}` Delete a book

Permanently delete a book by its ID. Requires an **X-API-Key** header.

Parameters

Try it out

Name	Description
book_id * required `string` *(path)*	book_id

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value Schema

Code	Description	Links
	"string"	

422	Validation Error
	Media type
	application/json
	Example Value Schema
	{
	"detail": [
	{
	"loc": [
	"string",
	0
	],
	"msg": "string",
	"type": "string",
	"input": "string",
	"ctx": {}
	}
	]
	}
		No links

Reviews

GET /reviews/ Get Reviews

Parameters Try it out

Name	Description
book_id string | (string | null) *(query)*	Filter by book ID book_id
user_id integer | (integer | null) *(query)*	Filter by user ID user_id
min_rating number | (number | null) *(query)*	Minimum rating (1.0–10.0) min_rating *maximum: 10* *minimum: 1*
limit	*Default value* : 20

Name	Description
integer (query)	20 *maximum: 100* *minimum: 1*
offset integer (query)	*Default value* : 0 0 *minimum: 0*

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** Schema `"string"`	*No links*
422	Validation Error Media type **application/json** **Example Value** Schema `{ "detail": [ { "loc": [ "string", 0 ], "msg": "string", "type": "string", "input": "string", "ctx": {} } ] }`	*No links*

POST /reviews/ Create a new review

Submit a review for a book. Both `book_id` and `user_id` must already exist in the database. Each user can only submit one review per book. Requires an **X-API-Key** header.

Parameters Try it out

No parameters

Request body required application/json

Example Value Schema

```
{
  "book_id": "0195153448",
  "rating": 8.5,
  "review_text": "A comprehensive and well-written introduction to classical mythology.",
  "user_id": 1
}
```

Responses

Code	Description	Links
201	Successful Response Media type application/json Controls `Accept` header. **Example Value** Schema `"string"`	*No links*
422	Validation Error Media type application/json **Example Value** Schema	*No links*

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
```

Code	Description	Links


```
        "type": "string",
        "input": "string",
        "ctx": {}
      }
    ]
  }
```


GET /reviews/{review_id} Get Review

Parameters

Try it out

Name	Description
review_id * required integer *(path)*	review_id

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** Schema `"string"`	*No links*
422	Validation Error Media type **application/json** **Example Value** Schema `{ "detail": [ { "loc": [ "string", 0 ], "msg": "string",`	*No links*

Code	Description	Links


```
            "type": "string",
            "input": "string",
            "ctx": {}
          }
        ]
      }
```


PUT `/reviews/{review_id}` Update a review

Update the rating and/or text of an existing review. Only include the fields you want to change. Requires an **X-API-Key** header.

Parameters Try it out

Name	Description
review_id * required `integer` *(path)*	review_id

Request body required application/json

Example Value Schema


```
{
  "rating": 9,
  "review_text": "Even better on a second read — highly recommended."
}
```


Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header. **Example Value** Schema `"string"`	*No links*

Code	Description	Links
422	Validation Error Media type application/json **Example Value** Schema	*No links*

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

DELETE `/reviews/{review_id}` Delete a review

Permanently delete a review by its ID. Requires an **X-API-Key** header.

Parameters

Try it out

Name	Description
review_id * required `integer` *(path)*	review_id

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header.	*No links*

Code	Description	Links

Example Value Schema

```
"string"
```

422 Validation Error *No links*

Media type

application/json

Example Value Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

Authors

GET `/authors/` Get Authors

Parameters Try it out

Name	Description
search `string | (string | null)` *(query)*	Search by author name search
limit `integer` *(query)*	*Default value* : 20 20 *maximum: 100* *minimum: 1*
offset `integer` *(query)*	*Default value* : 0 0 *minimum: 0*

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** Schema `"string"`	*No links*
422	Validation Error Media type **application/json** **Example Value** Schema `{ "detail": [ { "loc": [ "string", 0 ], "msg": "string", "type": "string", "input": "string", "ctx": {} } ] }`	*No links*

GET `/authors/{author_name}/books` Get Author Books

Parameters

Try it out

Name	Description
author_name * required `string` *(path)*	author_name

Name	Description
limit integer (query)	*Default value* : 20 20 *maximum: 100* *minimum: 1*
offset integer (query)	*Default value* : 0 0 *minimum: 0*

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** Schema `"string"`	*No links*
422	Validation Error Media type **application/json** **Example Value** Schema `{ "detail": [ { "loc": [ "string", 0 ], "msg": "string", "type": "string", "input": "string", "ctx": {} } ] }`	*No links*

GET `/authors/{author_name}/stats` Get Author Stats

Parameters

Try it out

Name	Description
author_name * required `string` *(path)*	author_name

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** Schema `"string"`	*No links*
422	Validation Error Media type **application/json** **Example Value** Schema `{ "detail": [ { "loc": [ "string", 0 ], "msg": "string", "type": "string", "input": "string", "ctx": {} } ] }`	*No links*

Users

GET /users/ List all users

Retrieve a paginated list of all users. Requires an **X-API-Key** header.

Parameters

Cancel

Name	Description
search string | (string | null) *(query)*	Search by username bookworm99
limit integer *(query)*	20 *maximum: 100* *minimum: 1*
offset integer *(query)*	0 *minimum: 0*

Execute Clear

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/users/?search=bookworm99&limit=20&offset=0' \
  -H 'accept: application/json' \
  -H 'X-API-Key: bookvault-dev-key-123'
```

Request URL

http://127.0.0.1:8000/users/?search=bookworm99&limit=20&offset=0

Server response

Code	Details
200	**Response body**


```
{
  "total": 1,
  "limit": 20,
  "offset": 0,
  "results": [
    {
      "id": 1,
```

Code	Details

Download


```
      "username": "bookworm99",
      "review_count": 0
    }
  ]
}
```


Response headers

```
content-length: 95
content-type: application/json
date: Thu,12 Mar 2026 21:02:12 GMT
server: uvicorn
```

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value Schema


```
"string"
```


422	Validation Error	*No links*

Media type

application/json

Example Value Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```


POST `/users/` Create a new user

Register a new user account. Usernames must be unique. Requires an **X-API-Key** header.

Parameters

Cancel

No parameters

Request body required

application/json

Edit Value Schema

```
{
  "password": "securepassword123",
  "username": "bookworm99"
}
```

Execute

Responses

Code	Description	Links
201	Successful Response Media type application/json Controls `Accept` header. **Example Value** Schema `"string"`	*No links*
422	Validation Error Media type application/json **Example Value** Schema	*No links*

Code	Description	Links


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```


GET `/users/{user_id}` Get a user by ID

Retrieve a single user's profile and their review count.

Parameters

Try it out

Name	Description
user_id * required *integer* *(path)*	user_id

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** Schema `"string"`	*No links*
422	Validation Error Media type	*No links*

Code	Description	Links

application/json

Example Value Schema


```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```


PUT /users/{user_id} Update a user

Update a user's username or password. Only include the fields you want to change. Requires an **X-API-Key** header.

Parameters Try it out

Name	Description
user_id * required integer *(path)*	user_id

Request body required application/json

Example Value Schema


```
{
  "username": "bookworm2025"
}
```


Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** Schema `"string"`	*No links*
422	Validation Error Media type **application/json** **Example Value** Schema	*No links*

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

DELETE `/users/{user_id}` Delete a user

Permanently delete a user account and all their reviews. Requires an **X-API-Key** header.

Parameters Try it out

Name	Description
user_id * required `integer` *(path)*	user_id

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header. **Example Value** Schema `"string"`	*No links*
422	Validation Error Media type application/json **Example Value** Schema `{ "detail": [ { "loc": [ "string", 0 ], "msg": "string", "type": "string", "input": "string", "ctx": {} } ] }`	*No links*

Analytics

GET `/analytics/summary` Summary

Parameters

Try it out

No parameters

Responses

Curl

```
curl -X 'GET' \
  'http://127.0.0.1:8000/analytics/summary' \
  -H 'accept: application/json'
```

Request URL

```
http://127.0.0.1:8000/analytics/summary
```

Server response

Code	Details
200	**Response body**


```
{
  "total_books": 11123,
  "total_user_reviews": 0,
  "total_goodreads_ratings": 199578299,
  "overall_avg_rating": 3.93,
  "top_rated_book": {
    "title": "The Complete Calvin and Hobbes",
    "authors": "Bill Watterson",
    "average_rating": 4.82,
    "ratings_count": 32213
  }
}
```


Download

Response headers

```
content-length: 237
content-type: application/json
date: Thu,12 Mar 2026 20:59:49 GMT
server: uvicorn
```

Responses

Code	Description	Links
200	Successful Response	*No links*

Media type

application/json

Controls `Accept` header.

Example Value Schema

```
"string"
```

GET `/analytics/rating-distribution` Rating Distribution

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** Schema `"string"`	*No links*

GET `/analytics/top-publishers` Top Publishers

Parameters

Try it out

Name	Description
limit `integer` *(query)*	*Default value* : 10 10 *maximum: 50* *minimum: 1*
min_books `integer` *(query)*	Minimum books published to qualify *Default value* : 5 5
min_ratings `integer` *(query)*	Minimum total ratings across all publisher books to qualify *Default value* : 100 100

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header. **Example Value** Schema `"string"`	*No links*
422	Validation Error Media type application/json **Example Value** Schema `{ "detail": [ { "loc": [ "string", 0 ], "msg": "string", "type": "string", "input": "string", "ctx": {} } ] }`	*No links*

GET `/analytics/publication-trends` Publication Trends

Parameters Try it out

Name	Description
start_year `integer | (integer | null)` *(query)*	start_year
end_year `integer | (integer | null)` *(query)*	end_year

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** Schema `"string"`	*No links*
422	Validation Error Media type **application/json** **Example Value** Schema	*No links*

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

GET `/analytics/most-rated` Most Rated

Parameters

Try it out

Name	Description
limit *integer* *(query)*	*Default value* : 10 10 *maximum: 50* *minimum: 1*

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls `Accept` header. **Example Value** Schema `"string"`	*No links*
422	Validation Error Media type application/json **Example Value** Schema `{ "detail": [ { "loc": [ "string", 0 ], "msg": "string", "type": "string", "input": "string", "ctx": {} } ] }`	*No links*

GET `/analytics/language-breakdown` Language Breakdown

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** Schema `"string"`	*No links*

Root

GET / Root

Parameters Try it out

No parameters

Responses

Code	Description	Links
200	Successful Response Media type **application/json** Controls `Accept` header. **Example Value** Schema `"string"`	*No links*

Schemas

BookCreate ^ Collapse all `object`

bookID ^ Collapse all `(string | null)`

Book ID from dataset

Any of ^ Collapse all `(string | null)`

#0 `string`

#1 `null`

Example="0195153448"

title* ^ Collapse all `string`

Title of the book

Example="Classical Mythology"

authors* ^ Collapse all `string`

Author(s) of the book

Example="Mark P. O. Morford"

average_rating ^ Collapse all `(number | null)`

Average rating

Any of ^ Collapse all `(number | null)`

#0 `number`

#1 `null`

Example=3.9

isbn ^ Collapse all `(string | null)`

ISBN-10

Any of ^ Collapse all `(string | null)`

#0 `string`

#1 `null`

Example="0195153448"

isbn13 ^ Collapse all `(string | null)`

ISBN-13

Any of ^ Collapse all `(string | null)`

#0 `string`

#1 `null`

Example="9780195153446"

language_code ^ Collapse all `(string | null)`

Language code

Any of ^ Collapse all `(string | null)`

#0 `string`

#1 `null`

Example="eng"

num_pages ^ Collapse all `(integer | null)`

Number of pages

Any of ^ Collapse all `(integer | null)`

#0 `integer`

#1 `null`

Example="292"

`ratings_count` ^ Collapse all `(integer | null)`

Total ratings count

Any of ^ Collapse all `(integer | null)`

`#0 integer`

`#1 null`

Example=2

`text_reviews_count` ^ Collapse all `(integer | null)`

Total text reviews count

Any of ^ Collapse all `(integer | null)`

`#0 integer`

`#1 null`

Example=1

`publication_date` ^ Collapse all `(string | null)`

Publication date

Any of ^ Collapse all `(string | null)`

`#0 string`

`#1 null`

Example="2002"

`publisher` ^ Collapse all `(string | null)`

Publisher name

Any of ^ Collapse all `(string | null)`

`#0 string`

`#1 null`

Example="Oxford University Press"

Example ^ Collapse all `object`

authors="Mark P. O. Morford"

average_rating=3.9

bookID="0195153448"

isbn="0195153448"

isbn13="9780195153446"

language_code="eng"

num_pages=292

publication_date="2002"

publisher="Oxford University Press"

ratings_count=2

text_reviews_count=1

title="Classical Mythology"

BookUpdate ^ Collapse all `object`

`title` ^ Collapse all `(string | null)`

New title

Any of Collapse all `(string | null)`

`#0` `string`

`#1` `null`

Example="*Classical Mythology*"

`authors` Collapse all `(string | null)`

New author(s)

Any of Collapse all `(string | null)`

`#0` `string`

`#1` `null`

Example="*Mark P. O. Morford*"

`average_rating` Collapse all `(number | null)`

Average rating

Any of Collapse all `(number | null)`

`#0` `number`

`#1` `null`

Example=*3.9*

`isbn` Collapse all `(string | null)`

ISBN-10

Any of Collapse all `(string | null)`

`#0` `string`

`#1` `null`

Example="*0195153448*"

`isbn13` Collapse all `(string | null)`

ISBN-13

Any of Collapse all `(string | null)`

`#0` `string`

`#1` `null`

Example="*9780195153446*"

`language_code` Collapse all `(string | null)`

Language code

Any of Collapse all `(string | null)`

`#0` `string`

`#1` `null`

Example="*eng*"

`num_pages` Collapse all `(integer | null)`

Number of pages

Any of Collapse all `(integer | null)`

`#0` `integer`

`#1` `null`

Example=*292*

`ratings_count` Collapse all `(integer | null)`

Total ratings count

Any of ^ Collapse all (integer | null)

#0 integer

#1 null

Example=2

text_reviews_count ^ Collapse all (integer | null)

Total text reviews count

Any of ^ Collapse all (integer | null)

#0 integer

#1 null

Example=1

publication_date ^ Collapse all (string | null)

Publication date

Any of ^ Collapse all (string | null)

#0 string

#1 null

Example="2002"

publisher ^ Collapse all (string | null)

Publisher name

Any of ^ Collapse all (string | null)

#0 string

#1 null

Example="Oxford University Press"

Example ^ Collapse all object

publisher="Oxford University Press"

title="Classical Mythology (Updated Edition)"

HTTPValidationError ^ Collapse all object

detail ^ Collapse all array<object>

Items ^ Collapse all object

loc* ^ Collapse all array<(string | integer)>

Items ^ Collapse all (string | integer)

Any of ^ Collapse all (string | integer)

#0 string

#1 integer

msg* string

type* string

input any

ctx object

ReviewCreate ^ Collapse all object

book_id* ^ Collapse all **string**

ID of the book being reviewed (must exist in the database)

Example="0195153448"

user_id* ^ Collapse all **integer**

ID of the user submitting the review (must exist in the database)

Example=1

rating ^ Collapse all **(number | null)**

Rating out of 10 (1.0–10.0)

Any of ^ Collapse all **(number | null)**

#0 **number** [1, 10]

#1 **null**

Example=8.5

review_text ^ Collapse all **(string | null)**

Written review text

Any of ^ Collapse all **(string | null)**

#0 **string**

#1 **null**

Example="A comprehensive and well-written introduction to classical mythology."

Example ^ Collapse all **object**

book_id="0195153448"

rating=8.5

review_text="A comprehensive and well-written introduction to classical mythology."

user_id=1

ReviewUpdate ^ Collapse all **object**

rating ^ Collapse all **(number | null)**

Updated rating out of 10

Any of ^ Collapse all **(number | null)**

#0 **number** [1, 10]

#1 **null**

Example=9

review_text ^ Collapse all **(string | null)**

Updated review text

Any of ^ Collapse all **(string | null)**

#0 **string**

#1 **null**

Example="Even better on a second read — highly recommended."

Example ^ Collapse all **object**

rating=9

review_text="Even better on a second read — highly recommended."

UserCreate ^ Collapse all `object`

`username*` ^ Collapse all `string`

Unique username for the account

Example="bookworm99"

`password*` ^ Collapse all `string`

Password for the account

Example="securepassword123"

Example ^ Collapse all `object`

password="securepassword123"

username="bookworm99"

UserUpdate ^ Collapse all `object`

`username` ^ Collapse all `(string | null)`

New username

Any of ^ Collapse all `(string | null)`

`#0 string`

`#1 null`

Example="bookworm2025"

`password` ^ Collapse all `(string | null)`

New password

Any of ^ Collapse all `(string | null)`

`#0 string`

`#1 null`

Example="newpassword456"

Example ^ Collapse all `object`

username="bookworm2025"

ValidationError ^ Collapse all `object`

`loc*` ^ Collapse all `array<(string | integer)>`

`Items` ^ Collapse all `(string | integer)`

Any of ^ Collapse all `(string | integer)`

`#0 string`

`#1 integer`

`msg* string`

`type* string`

`input any`

`ctx object`