AN EVOLUTION OF CUBESAT SUBSYSTEM DESIGN METHODS FOR...

by

Matthew Philip Voll

A thesis submitted in partial fulfillment of the requirements for the degree

of

Master of Science

in

Electrical Engineering

MONTANA STATE UNIVERSITY Bozeman, Montana

April, 2017

©COPYRIGHT

by

Matthew Philip Voll

2017

All Rights Reserved

ACKNOWLEDGEMENTS

I would like acknowledge \dots Acknowledgments must be double spaced and is limited to one page.

TABLE OF CONTENTS

| 1. | INTRODUCTION | 1 |
|----|--|----|
| | Section Subsection Subsubsection Subsection With a Very Very Very Very Very Very Very Long Title Another Subsection With a Very Long Title | 2 |
| 2. | BACKGROUND | 3 |
| 3. | DESIGN STUDY - SOLAR CELL EXPERIMENT | 4 |
| | Requirements and Conceptual Design Circuit Simulations and Calculations PCB Layout and Mechanical Design Calibration and Results. | 4 |
| 4. | DESIGN STUDY - ELECTRICAL POWER SUBSYSTEM | 5 |
| | Requirements and Conceptual Design Circuit Simulations and Calculations PCB Layout and Mechanical Design Lessons Learned and Future Work | 5 |
| 5. | DESIGN STUDY - ELECTRICAL GROUND SUPPORT EQUIP- MENT | 6 |
| | Requirements and Conceptual Design Circuit Simulations and Calculations PCB Layout and Mechanical Design Lessons Learned and Future Work | 6 |
| 6. | FUTURE METHODS | 7 |
| 7. | CONCLUSION | 8 |
| RE | EFERENCES CITED | 9 |
| ΑF | PPENDICES | 10 |
| | APPENDIX A: Example Code | 11 |

TABLE OF CONTENTS - CONTINUED

| APPENDIX B: Example Schematic | | .3 |
|-------------------------------|--|----|
|-------------------------------|--|----|

LIST OF FIGURES

| Figure | | Page |
|--------|-----------------------------------|------|
| B.1 | Large schematic on landscape page | 14 |

ABSTRACT

The abstract must be single spaced and no more than 350 words, indent first line five spaces. The abstract must contain the following elements: (1) statement of the problem, (2) procedure or methods, (3) results, and (4) conclusions. Mathematical formulas, abbreviations, diagrams, and other illustrative materials should not be included. It should be written to be understood by a person who does not have expertise in the field.

INTRODUCTION

Welcome to the Montana State University electronic Thesis/Dissertation (ETD) LATEX template. In this chapter various sections, subsections, and subsubsections are created and filled with random text). In Ch. ?? methods to write equations and how to include figures and tables are explored. Conclusions are drawn in Ch. 7.

Section

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Subsection

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut

massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Subsubsection Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

For long subsection titles use the command \longsubsection{#1}{#2}, where #1 is the first line of the long title, and #2 is the second line of the long title. You can also pass an optional argument to this command that puts a shorter title in the table of contents as shown by the subsection below.

The are **not** similar commands for sections and subsubsections as these are not specified in the MSU style guide.

BACKGROUND

CubeSats are a growing industry and are becoming increasingly more capable and affordable space mission options. Off-the-shelf components can be used to develop complex missions....

DESIGN STUDY - SOLAR CELL EXPERIMENT

This subsystem design was part of the FIREBIRD-II mission, and was an electronic load used to measure the performance of a spacecraft's solar cells on orbit. By working with an industry partner, the SSEL was able to utilize cutting edge solar cell technology in exchange for providing the customer with low-cost flight heritage and useful environmental data. This chapter will focus on the design method used to fulfill the requirements as defined by the collaboration between the SSEL team and the customer. After discussing the subsystem requirements, the concept design can take shape, followed by the analyses and calculations performed to verify circuit functionality.

At this time, the SSEL relied on the Mentor Graphics PADS Suite for electrical computer aided design (ECAD), and integrated SPICE simulation was not a feature that was readily available. Therefore, simulations of the critical circuits and subcircuits was performed using LTSpice developed by Linear Technology. Then, a full schematic was captured in PADS for creating the PCB layout files and bill-of-materials needed for fabrication and assembly of the subsystem.

Requirements and Conceptual Design

Circuit Simulations and Calculations

PCB Layout and Mechanical Design

Calibration and Results

DESIGN STUDY - ELECTRICAL POWER SUBSYSTEM

This subsystem was designed to facilitate the expanded mission capabilities of the IT-SPINS mission. Building on the success of the electrical power subsystem (EPS) designed for the FIREBIRD-II mission, an updated version of the Phoenix EPS was conceptualized in the Spring of 2016.

Requirements and Conceptual Design

Circuit Simulations and Calculations

PCB Layout and Mechanical Design

Lessons Learned and Future Work

DESIGN STUDY - ELECTRICAL GROUND SUPPORT EQUIPMENT

This is the VOID EGSE design example.

Requirements and Conceptual Design

Circuit Simulations and Calculations

PCB Layout and Mechanical Design

Lessons Learned and Future Work

FUTURE METHODS

Investigating the possible methods for future use.

CONCLUSION

LATEX produces documents that look great, automatically handles references and citations, and easily incorporates figures and tables. This is not a guide to LATEX but rather an introduction to the MSU style. If you want more information about LATEX many introductory guides can be found online.

REFERENCES CITED

APPENDICES

APPENDIX A

EXAMPLE CODE

```
% MATLAB code to say 'hello world'
disp('Hello world')
```

APPENDIX B

EXAMPLE SCHEMATIC




Figure B.1: Large schematic on landscape page