

## **POSTGRESQL LIKE**







Quei	ry Editor Query History	Da	ta Output Explain	Messages
1 2	You can combine the percent (%)with underscore ( _) to construct a pattern	4	first_name character varying (45)	last_name character varying (45)
3	as the following example:	1	Cheryl	Murphy
4		2	Sherri	Rhodes
5	SELECT	3	Sherry	Marshall
6	first_name,	4	Theresa	Watson
7	last_name		moreou	Tratoon .
8	FROM			
9	customer			
LØ	WHERE			
L1	first_name LIKE '_her%'			
12	ORDER BY			
13	first_name;			

Query Editor Query History		Data Output Explain Messages			
<ul><li>1uses the NOT LIKE operator to find customers</li><li>2whose first names do not begin with Jen:</li></ul>	4	first_name character varying (45)	last_name character varying (45)		
3 SELECT	1	Aaron	Selby		
4 first_name,	2	Adam	Gooch		
5 last_name	3	Adrian	Clary		
6 FROM	4	Agnes	Bishop		
7 customer	5	Alan	Kahn		
8 WHERE	3	Alali	Naiii		
9 first_name NOT LIKE 'Jen%'	6	Albert	Crouse		
0 ORDER BY	7	Alberto	Henning		
first_name	8	Alex	Gresham		
	9	Alexander	Fennell		
	10	Alfred	Cacillac		

