



OpenAPI definition v0 OAS 3.0

/api-docs

Servers

http://localhost:8080 - Generated server url

Members Endpoints for managing gym members and their membership statuses

GET

/api/member Get all members

Retrieves a complete list of all registered members.

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{}
```

POST

/api/member Register a new member

Creates a new member profile and assigns them to a membership plan.

Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{
  "firstName": "string",
  "lastName": "string",
  "email": "string",
  "membershipId": 0
}
```

Responses

Code	Description	Links
201	Member successfully registered	No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{
  "firstName": "string",
  "lastName": "string",
  "status": "string",
  "membershipStartDate": "2026-05-06",
  "membershipName": "string",
  "gymName": "string"
}
```

Code	Description	Links
400	Invalid input data provided	No links
Media type		
/		
Example Value Schema		
<pre>{ "firstName": "string", "lastName": "string", "status": "string", "membershipStartDate": "2026-05-06", "membershipName": "string", "gymName": "string" }</pre>		

GET	/api/member/{id} Get member by ID	⌵
Retrieves detailed information about a specific member using their unique ID.		
Parameters		Try it out
NameDescription		
id * required		
integer(\$int32)	id	
(path)		
Responses		
Code	Description	Links
200	Member found	No links
Media type		
/		
Controls Accept header.		
Example Value Schema		
<pre>{ "firstName": "string", "lastName": "string", "status": "string", "membershipStartDate": "2026-05-06", "membershipName": "string", "gymName": "string" }</pre>		

Code	Description	Links
404	Member not found	No links
Media type		
/		
Example Value Schema		
<pre>{ "firstName": "string", "lastName": "string", "status": "string", "membershipStartDate": "2026-05-06", "membershipName": "string", "gymName": "string" }</pre>		

PATCH

/api/member/activate/{id} Activate membership

Sets the member's status to ACTIVE. Use this to reactivate a previously deactivated account.

Parameters

Try it out

Name	Description
id * required integer(\$int32) (path)	id

Responses

Code	Description	Links
200	Membership successfully activated	No links
404	Member not found	No links
409	Conflict: Member is already ACTIVE	No links

PATCH

/api/member/deactivate/{id} Deactivate membership

Sets the member's status to INACTIVE. Use this when a member cancels or pauses their plan.

Parameters

[Try it out](#)

Name	Description
------	-------------

id * required

integer(\$int32)
(path)

Responses

Code	Description	Links
200	Membership successfully deactivated	No links
404	Member not found	No links
409	Conflict: Member is already INACTIVE	No links

Gyms

Endpoints for managing gym facilities and financial reports



GET

/api/gym Get all gyms



Returns a list of all registered gym facilities.

Parameters

[Try it out](#)

No parameters

Responses

Code	Description	Links
200	OK	No links

Media type



Controls Accept header.

Example Value | Schema

```
{ }
```

Code	Description	Links

POST

/api/gym Register a new gym

^

Creates a new gym entry. The name must be unique across the system.

Parameters

Try it out

No parameters

Request body required

application/json

Example Value | Schema

```
{
  "name": "string",
  "address": "string",
  "phoneNumber": "string"
}
```

Responses

Code	Description	Links
201	Gym created successfully	No links
	Media type */* Controls Accept header. Example Value Schema <pre>{ "gymId": 0, "name": "string", "address": "string", "phoneNumber": "string" }</pre>	
409	Conflict: A gym with this name already exists	No links
	Media type */* Example Value Schema	

Code	Description	Links
	<pre>{ "gymId": 0, "name": "string", "address": "string", "phoneNumber": "string" }</pre>	

GET

/api/gym/{id} Get gym by ID

Retrieves detailed information about a specific gym.

Parameters

Try it out

Name	Description
id * required integer(\$int32) (path)	id

Responses

Code	Description	Links
200	Gym found successfully Media type */* Controls Accept header. Example Value Schema <pre>{ "gymId": 0, "name": "string", "address": "string", "phoneNumber": "string" }</pre>	No links
404	Gym with the given ID does not exist Media type */* Example Value Schema <pre>{ "gymId": 0, "name": "string", "address": "string",</pre>	No links

Code	Description	Links
	<pre>"phoneNumber": "string" }</pre>	

GET

/api/gym/revenue

Get global revenue

^

Calculates and returns the revenue for all gyms based on active memberships.

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	OK	No links

Media type

/

Controls Accept header.

Example Value | Schema

```
{}
```

Memberships

Endpoints for defining and retrieving membership plans

^

GET

/api/membership

Get all membership plans

^

Retrieves a list of all membership plans across all gyms.

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	OK Media type */* Controls Accept header. Example Value Schema {}	No links

POST

/api/membership

Create a new membership plan

Defines a new membership tier (e.g., Gold, Silver) with a specific price and currency.

Parameters

Try it out

No parameters

Request body

required

application/json

Example Value

Schema

```
{
  "name": "string",
  "maxMembers": 0,
  "membershipType": "string",
  "amount": 0,
  "currency": "string",
  "gymId": 0
}
```

Responses

Code	Description	Links
201	Membership plan created successfully Media type */* Controls Accept header. Example Value Schema	No links

Code	Description	Links
	<pre>{ "membershipId": 0, "name": "string", "maxMembers": 0, "membershipType": "string", "amount": 0, "currency": "string", "gymId": 0 }</pre>	
400	Invalid plan details or unsupported currency	No links
Media type		
/		
Example Value Schema		
	<pre>{ "membershipId": 0, "name": "string", "maxMembers": 0, "membershipType": "string", "amount": 0, "currency": "string", "gymId": 0 }</pre>	

GET	/api/membership/{id} Get membership plan by ID	
Retrieves details of a specific membership plan.		
Parameters		Try it out
Name	Description	
id * required		
integer(\$int32)	id	
(path)		
Responses		
Code	Description	Links
200	Plan found	No links
Media type		
/		
Controls Accept header.		

Code

Description

Links

[Example Value](#) | [Schema](#)

```
{
  "membershipId": 0,
  "name": "string",
  "maxMembers": 0,
  "membershipType": "string",
  "amount": 0,
  "currency": "string",
  "gymId": 0
}
```

404

Plan not found

No links

Media type

/

[Example Value](#) | [Schema](#)

```
{
  "membershipId": 0,
  "name": "string",
  "maxMembers": 0,
  "membershipType": "string",
  "amount": 0,
  "currency": "string",
  "gymId": 0
}
```

GET

</api/membership/getAllByGymId/{gymId}> Get plans by Gym ID

Retrieves all membership plans associated with a specific gym facility.

Parameters

[Try it out](#)

Name

Description

gymId * required

integer(\$int32)

(path)

gymId

Responses

Code

Description

Links

200

List of plans retrieved

No links

Media type

/



Controls Accept header.

Code	Description	Links
404	Example Value Schema <pre>{}</pre>	No links
	Gym not found	
	Media type */* ▼	
	Example Value Schema <pre>{}</pre>	

Schemas ^

MembershipRequest ▼ {

name*

> [...]

maxMembers*

> [...]

membershipType*

> [...]

amount*

> [...]

currency*

> [...]

gymId*

> [...]

}

MembershipResponse ▼ {

membershipId*

> [...]

name*

> [...]

maxMembers*

> [...]

membershipType*

> [...]

amount*

> [...]

currency*

> [...]

gymId*

> [...]

}

```
MemberRequest ∨ {  
  firstName* > [...]  
  lastName* > [...]  
  email* > [...]  
  membershipId* > [...]  
}
```

```
MemberResponse ∨ {  
  firstName* > [...]  
  lastName* > [...]  
  status* > [...]  
  membershipStartDate* > [...]  
  membershipName* > [...]  
  gymName* > [...]  
}
```

```
GymRequest ∨ {  
  name* > [...]  
  address* > [...]  
  phoneNumber* > [...]  
}
```

```
GymResponse ∨ {  
  gymId* > [...]  
  name* > [...]  
  address* > [...]  
  phoneNumber* > [...]  
}
```