Parkview Exchange Redevelopment

Client design brief

1. Project mandate

Parkview Exchange Developments Ltd. commissions Cairnfield Civil Studio Ltd. to develop the civil servicing, grading and frontage concept for Parkview Exchange Redevelopment, project PX-26017. The site is 0.84 ha. The six-storey development comprises 92 residential units and 1,250 m² of ground-floor commercial space. Target occupancy is Q3 2028.

Scope includes sanitary and storm servicing, water servicing, surface drainage, pedestrian frontage and coordination of access. This issue establishes the owner brief for review; no construction authorization or municipal acceptance is represented.

2. Servicing strategy

Minimize utility relocation where technically acceptable. Connect to existing municipal systems only after capacity, geometry, acceptance and property interfaces are confirmed. The 250 m² east retail/frontage component is assigned to upstream sanitary branch S1. The 92 residences and remaining 1,000 m² commercial space use separate building service S2.

S1 is a proposed municipal upstream reach, not the sanitary service for the entire development. The preliminary 0.34 L/s peak dry-weather-flow allocation to S1 requires confirmation through the accepted neighbourhood design report. Whole-site sanitary loading and downstream capacity remain hold points.

Project	Issue information
PX-26017	2026-09-18
Parkview Exchange Developments Ltd.	Issued for review
Prepared / checked	JL / AK

Parkview Exchange Redevelopment

Client design brief

3. Deliverables and acceptance

Review package: existing conditions survey, C101/C102 servicing drawings, servicing design memo, C201/C202 grading drawings and coordination register. Design basis: current applicable EPCOR Volume 3 drainage publications, Volume 4 water standards and City Complete Streets standards.

Resolve S1 upstream grade, ST1 terminal reach grade, storm cover and water/sewer crossing X1 before detailed design. Owner preference for reduced excavation does not constitute approval of a departure from a governing criterion.