

Project				<a href="https://petstore.swagger.io/v2">https://petstore.swagger.io/v2</a>					
Date				11/13/2023					
Tester				Matvey Volodin		Environment: Postman v10.20.0			
№	Priority	Title	Preconditions	Test data	Steps	Expecting result	Status	Link to bug report (Link of defect)	Comments
1	High	Successful new order creation	Headers request: Content-Type: application/json	request path: <a href="https://petstore.swagger.io/v2/store/order">https://petstore.swagger.io/v2/store/order</a>  Postman>RAW>JSON  Body: <pre>{   "id": integer,   "petId": integer,   "quantity": integer,   "shipDate": string,   "status": string (placed, approved, delivered),   "complete": boolean }</pre>	Send the POST request <a href="https://petstore.swagger.io/#/store/placeOrder">https://petstore.swagger.io/#/store/placeOrder</a>	The request is successfully sent to the server	Passed		The Content-Type request header field is used to specify the type of the message body.
					Verify status code	Status code is 200 OK			
					Check the body of response from the server	The response body in JSON format is returned from the server and will be like: <pre>{   "id": integer,   "petId": integer,   "quantity": integer,   "shipDate": string,   "status": string (placed, approved, delivered),   "complete": true }</pre> New purchase order has not been placed			
1.1	Hight	Unsuccessful order creation with the blank body	Headers request: Content-Type: application/json	request path: <a href="https://petstore.swagger.io/v2/store/order">https://petstore.swagger.io/v2/store/order</a>  Postman>RAW>JSON  Body: <pre>{ }</pre>	Send the POST request <a href="https://petstore.swagger.io/#/store/placeOrder">https://petstore.swagger.io/#/store/placeOrder</a>	The request is successfully sent to the server	Passed		
					Verify status code	Status code is 200 OK			
					Check the body of response from the server	The response body in JSON format is returned from the server and will be like: <pre>{   "id": integer,   "petId": integer,   "quantity": null,   "complete": false }</pre> New purchase order has not been placed			
1.2	Hight	Unsuccessful order creation via wrong method	Headers request: Content-Type: application/json	request path: <a href="https://petstore.swagger.io/v2/store/order">https://petstore.swagger.io/v2/store/order</a>  Postman>RAW>JSON  Body: <pre>{   "id": integer,   "petId": integer,   "quantity": integer,   "shipDate": string,   "status": string (placed, approved, delivered),   "complete": boolean }</pre>	Send the GET request <a href="https://petstore.swagger.io/#/store/placeOrder">https://petstore.swagger.io/#/store/placeOrder</a>	The request is successfully sent to the server	Passed		
					Verify status code	Status code is 405 Method is not allowed			
					Check the body of response from the server	The response body in JSON format is returned from the server and will be like: <pre>{   "&lt;?xml version='1.0' encoding='UTF-8' standalone='yes'?&gt;   &lt;apiResponse&gt;     &lt;type&gt;unknown&lt;/type&gt;   &lt;/apiResponse&gt; }</pre> New purchase order has not been placed			
1.3	Hight	Unsuccessful order creation with Content-Type: text/xml header	Headers request: Content-Type: text/xml	request path: <a href="https://petstore.swagger.io/v2/store/order">https://petstore.swagger.io/v2/store/order</a>  Postman>RAW>JSON  Body: <pre>{   "id": integer,   "petId": integer,   "quantity": integer,   "shipDate": string,   "status": string (placed, approved, delivered),   "complete": boolean }</pre>	Send the POST request <a href="https://petstore.swagger.io/#/store/placeOrder">https://petstore.swagger.io/#/store/placeOrder</a>	The request is successfully sent to the server	Passed		
					Verify status code	Status code is 400 Bad request			
					Check the body of response from the server	The response body in JSON format is returned from the server and will be like: <pre>{   "code": 400,   "type": "unknown",   "message": "javax.xml.bind.UnmarshalException\n - with linked exception:\n[org.xml.sax.SAXParseException; lineNumber: 1; columnNumber: 1; Content is not allowed in prolog.]" }</pre> New purchase order has not been placed			
1.4	Hight	Unsuccessful order creation with string data type of ID	Headers request: Content-Type: application/json	request path: <a href="https://petstore.swagger.io/v2/store/order">https://petstore.swagger.io/v2/store/order</a>  Postman>RAW>JSON  Body: <pre>{   "id": string }</pre>	Send the POST request <a href="https://petstore.swagger.io/#/store/placeOrder">https://petstore.swagger.io/#/store/placeOrder</a>	The request is successfully sent to the server	Failed		The system does not take testing data "id": "2415" as a string
					Verify status code	Status code is 400 Bad request			

Project				<a href="https://petstore.swagger.io/v2">https://petstore.swagger.io/v2</a>					
Date				11/13/2023					
Tester				Matvey Volodin		Environment: Postman v10.20.0			
No	Priority	Title	Preconditions	Test data	Steps	Expecting result	Status	Link to bug report (Link of defect)	Comments
				<pre> {   "id": string,   "petId": integer,   "quantity": integer,   "shipDate": string,   "status": string (placed, approved, delivered),   "complete": boolean } </pre>	Check the body of response from the server	<p>The response body in JSON format is returned from the server and will be like:</p> <p>No response data, but must consist something about wrong data type input</p> <p>New purchase order has not been placed</p>			
2.	Hight	Successful order search by ID	Any random order must created,	<p>request path : <a href="https://petstore.swagger.io/v2/store/order/{orderId}">https://petstore.swagger.io/v2/store/order/{orderId}</a></p> <p>Early created Order ID must be used in the request endpoint</p>	<p>Send the GET request <a href="https://petstore.swagger.io/v2/store/order/{orderId}">https://petstore.swagger.io/v2/store/order/{orderId}</a></p> <p>Early created order ID must be used as request endpoint</p> <p>Verify status code</p> <p>Check the body of response from the server</p>	<p>The request is successfully sent to the server</p> <p>Status code is 200 OK</p> <p>The response body in JSON format is returned from the server and will be like:</p> <pre> {   "id": integer,   "petId": integer,   "quantity": integer,   "shipDate": string,   "status": string (placed, approved, delivered),   "complete": boolean } </pre> <p>Purchase order has been found</p>	Passed		
2.1	High	Unsuccessful order search with non existent ID		<p>request path : <a href="https://petstore.swagger.io/v2/store/order/{orderId}">https://petstore.swagger.io/v2/store/order/{orderId}</a></p> <p>Non existent order ID must be used in the request endpoint</p>	<p>Send the GET request <a href="https://petstore.swagger.io/v2/store/order/{orderId}">https://petstore.swagger.io/v2/store/order/{orderId}</a></p> <p>Non existent ID must be used as request endpoint</p> <p>Verify status code</p> <p>Check the body of response from the server</p>	<p>The request is successfully sent to the server</p> <p>Status code is 404 Not found</p> <p>The response body in JSON format is returned from the server and will be like:</p> <pre> {   "code": 1,   "type": "error",   "message": "Order not found" } </pre> <p>Purchase order has not been found</p>	Passed		
2.2	High	Unsuccessful order search with wrong method	Any random order must be created,	<p>request path : <a href="https://petstore.swagger.io/v2/store/order/{orderId}">https://petstore.swagger.io/v2/store/order/{orderId}</a></p> <p>Early created Order ID must be used in request endpoint</p>	<p>Send the POST request <a href="https://petstore.swagger.io/v2/store/order/{orderId}">https://petstore.swagger.io/v2/store/order/{orderId}</a></p> <p>Early created order ID must be used as request endpoint</p> <p>Check the body of response from the server</p> <p>Check the body of response from the server</p>	<p>The request is successfully sent to the server</p> <p>Status code is 405 Method is not allowed</p> <p>The response body in JSON format is returned from the server and will be like:</p> <pre> &lt;?xml version="1.0" encoding="UTF-8" standalone="yes"?&gt; &lt;apiResponse&gt;   &lt;type&gt;unknown&lt;/type&gt; &lt;/apiResponse&gt; </pre> <p>Purchase order has not been found</p>	Passed		
2.3	High	Unsuccessful order search with blank Order ID		<p>request path : <a href="https://petstore.swagger.io/v2/store/order/{orderId}">https://petstore.swagger.io/v2/store/order/{orderId}</a></p> <p>order ID must be blank</p>	<p>Send the GET request <a href="https://petstore.swagger.io/v2/store/order/{orderId}">https://petstore.swagger.io/v2/store/order/{orderId}</a></p> <p>Check the body of response from the server</p>	<p>The request is successfully sent to the server</p> <p>Status code is 405 Method is not allowed</p>	Passed		

Project				<a href="https://petstore.swagger.io/v2">https://petstore.swagger.io/v2</a>					
Date				11/13/2023					
Tester				Matvey Volodin		Environment: Postman v10.20.0			
№	Priority	Ttile	Preconditions	Test data	Steps	Expecting result	Status	Link to bug report (Link of defect)	Comments
					Check the body of response from the server	The response body in JSON format is returned from the server and will be like:  <?xml version="1.0" encoding="UTF-8" standalone="yes"?> <apiResponse> <type>unknown</type> </apiResponse>  Purchase order has not been found			
3	Hight	Successful returning pet inventories by status		request path : <a href="https://petstore.swagger.io/v2/store/inventory">https://petstore.swagger.io/v2/store/inventory</a>	Send the GET request <a href="https://petstore.swagger.io/#/store/getInventory">https://petstore.swagger.io/#/store/getInventory</a>	The request is successfully sent to the server	Passed		
					Verify status code	Status code is 200 OK			
					Check the body of response from the server	The response body in JSON format is returned from the server and will be like:  { "sold": integer, "Vendido": integer, "aviable": integer, "string": integer, "unavailable": integer, "Reservado": integer, "available_Dev": integer, "pending": integer, "available": integer, "not available": integer, "Disponivel": integer }			
						Quantity of statuses is displayed			
3.1	High	Unsuccessful returning pet inventories by status via PUT method		request path : <a href="https://petstore.swagger.io/v2/store/inventory">https://petstore.swagger.io/v2/store/inventory</a>	Send the PUT request <a href="https://petstore.swagger.io/#/store/getInventory">https://petstore.swagger.io/#/store/getInventory</a>	The request is successfully sent to the server	Passed		
					Verify status code	Status code is 405 Method is not allowed			
					Check the body of response from the server	The response body in JSON format is returned from the server and will be like:  <?xml version="1.0" encoding="UTF-8" standalone="yes"?> <apiResponse> <type>unknown</type> </apiResponse>  Quantity of statuses is not displayed			
4	Hight	Successful removing of the placed order	Any random order must be created,	request path : <a href="https://petstore.swagger.io/v2/store/order/{OrderID}">https://petstore.swagger.io/v2/store/order/{OrderID}</a>  Early created order ID must be used in request endpoint	Send the DELETE request <a href="https://petstore.swagger.io/#/store/deleteOrder">https://petstore.swagger.io/#/store/deleteOrder</a>	The request is successfully sent to the server	Passed		
					Verify status code	Status code is 200 OK			
					Check the body of response from the server	The response body in JSON format is returned from the server and will be like:  { "code": 200, "type": "string", "message": "integer" }			
						The purchase order has not been removed			
4.1	High	Unucessful removing of the placed order with non existent order ID		request path : <a href="https://petstore.swagger.io/v2/store/order/{OrderID}">https://petstore.swagger.io/v2/store/order/{OrderID}</a>  Non existent order ID must be used in the request endpoint	Send the DELETE request <a href="https://petstore.swagger.io/#/store/deleteOrder">https://petstore.swagger.io/#/store/deleteOrder</a>	The request is successfully sent to the server	Passed		
					Verify status code	Status code is 404 Not found			

Project				<a href="https://petstore.swagger.io/v2">https://petstore.swagger.io/v2</a>					
Date				11/13/2023					
Tester				Matvey Volodin		Environment: Postman v10.20.0			
№	Priority	Title	Preconditions	Test data	Steps	Expecting result	Status	Link to bug report (Link of defect)	Comments
					Check the body of response from the server	The response body in JSON format is returned from the server and will be like: <pre>{   "code": 404,   "type": "unknown",   "message": "Order Not Found" }</pre> The purchase order has not been removed			
4.2	High	Unucessful removing of the placed order via Patch method	Any random order must be created,	request path : <a href="https://petstore.swagger.io/v2/store/order/{OrderID}">https://petstore.swagger.io/v2/store/order/{OrderID}</a>  Early created order ID must be used in the request endpoint	Send the Patch request <a href="https://petstore.swagger.io/#/store/deleteOrder">https://petstore.swagger.io/#/store/deleteOrder</a>	The request is successfully sent to the server	Passed		
					Verify status code	Status code is 405 Method is not allowed			
					Check the body of response from the server	The response body in JSON format is returned from the server and will be like: <pre>&lt;?xml version="1.0" encoding="UTF-8" standalone="yes"?&gt; &lt;apiResponse&gt;   &lt;type&gt;unknown&lt;/type&gt; &lt;/apiResponse&gt;</pre> The purchase order has not been removed			
4.3	High	Unucessful removing of the placed order with blank ID	Any random order must be created,	request path : <a href="https://petstore.swagger.io/v2/store/order/{OrderID}">https://petstore.swagger.io/v2/store/order/{OrderID}</a>  Blank order ID must be used in the request endpoint	Send the DELETE request <a href="https://petstore.swagger.io/#/store/deleteOrder">https://petstore.swagger.io/#/store/deleteOrder</a>	The request is successfully sent to the server	Passed		
					Verify status code	Status code is 405 Method is not allowed			
					Check the body of response from the server	The response body in JSON format is returned from the server and will be like: <pre>&lt;?xml version="1.0" encoding="UTF-8" standalone="yes"?&gt; &lt;apiResponse&gt;   &lt;type&gt;unknown&lt;/type&gt; &lt;/apiResponse&gt;</pre> The purchase order has not been removed			