Successful creation of a new task with valid input data (latin caseless letters with spaces)

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Steps to reproduce

Step	1
Action	Run the "TO-DO-MVP" application
Input data	
Expected result	"TO-DO-MVP" app is opened. Start screen of the "TO-DO-MVP" app is displayed correctly.

Step	2
Action	Tap the "Add task" round button
Input data	
Expected result	"New TO-DO" screen is displayed correctly

Step	3
Action	Enter valid data to the "Title" textfield Enter valid data to the "Description" textfield
Input data	Title: Wash the dishes Description: Today evening
Expected result	Entered data is displayed correctly

Step	4
Action	Tap the "confirm" button
Input data	
Expected result	Redirecting to the "All TO-DOs" screen. Task is created successfully. Task is displayed in "All TO-DOs" list, toast notification "TO-DO saved" is displayed at the bottom of the screen.

Successful creation of a new task with valid input data (special symbols)

Severity	**Priority**	**Behavior**	**Type**
⌃ Critical	↑ High	Positive	Functional

Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated

Status

Actual

Steps to reproduce

Step	1
Action	Run the "TO-DO-MVP" application
Input data	
Expected result	"TO-DO-MVP" app is opened. Start screen of the "TO-DO-MVP" app is displayed correctly.

Step	2
Action	Tap the "Add task" round button
Input data	
Expected result	"New TO-DO" screen is displayed correctly

Step	3
Action	Enter valid data to the "Title" textfield Enter valid data to the "Description" textfield
Input data	Title: #@% Description: #@%
Expected result	Entered data is displayed correctly

Step	4
Action	Tap the "confirm" button
Input data	
Expected result	Redirecting to the "All TO-DOs" screen. Task is created successfully. Task is displayed in "All TO-DOs" list, toast notification "TO-DO saved" is displayed at the bottom of the screen.

Successful creation of a new task with valid input data (numbers)

Severity	**Priority**	**Behavior**	**Type**
⌃ Critical	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Run the "TO-DO-MVP" application
Input data	
Expected result	"TO-DO-MVP" app is opened. Start screen of the "TO-DO-MVP" app is displayed correctly.

Step	2
Action	Tap the "Add task" round button
Input data	
Expected result	"New TO-DO" screen is displayed correctly

Step	3
Action	Enter valid data to the "Title" textfield Enter valid data to the "Description" textfield
Input data	Title: 333333333 Description: 333333333
Expected result	Entered data is displayed correctly

Step	4
Action	Tap the "confirm" button
Input data	
Expected result	Redirecting to the "All TO-DOs" screen. Task is created successfully. Task is displayed in "All TO-DOs" list, toast notification "TO-DO saved" is displayed at the bottom of the screen.

Successful creation of a new task with valid input data (cyrillic letters)

Severity	**Priority**	**Behavior**	**Type**
⌃ Critical	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Run the "TO-DO-MVP" application
Input data	
Expected result	"TO-DO-MVP" app is opened. Start screen of the "TO-DO-MVP" app is displayed correctly.

Step	2
Action	Tap the "Add task" round button
Input data	
Expected result	"New TO-DO" screen is displayed correctly

Step	3
Action	Enter valid data to the "Title" textfield Enter valid data to the "Description" textfield
Input data	Title: Марфушенька Description: Душенька
Expected result	Entered data is displayed correctly

Step	4
Action	Tap the "confirm" button
Input data	
Expected result	Redirecting to the "All TO-DOs" screen. Task is created successfully. Task is displayed in "All TO-DOs" list, toast notification "TO-DO saved" is displayed at the bottom of the screen.

Successful removal of a task using "delete task" button

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Pre-conditions

1. Any random task is created

Steps to reproduce

Step	1
Action	Run the "TO-DO-MVP" application
Input data	
Expected result	"TO-DO-MVP" app is opened. Start screen of the "TO-DO-MVP" app is displayed correctly. Early created tasks are displayed correctly.

Step	2
Action	Tap the title of any created task from the list
Input data	
Expected result	Redirecting to the screen with specific selected task. Screen with your selected task is displayed correctly.

Step	3
Action	Tap the checkbox
Input data	
Expected result	Checkbox is marked

Step	4
Action	Tap the "delete task" button
Input data	
Expected result	Redirecting to the "All TO-DOs" screen. Selected task is successfully deleted from the list.

Toast notification is displayed if trying to create a new task with both textfields empty

Severity	**Priority**	**Behavior**	**Type**
O Normal	O Medium	Negative	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Run the "TO-DO-MVP" application
Input data	
Expected result	"TO-DO-MVP" app is opened. Start screen of the "TO-DO-MVP" app is displayed correctly.

Step	2
Action	Tap the "Add task" button
Input data	
Expected result	"New TO-DO" screen is displayed correctly

Step	3
Action	Leave both textfields empty
Input data	
Expected result	Both textfields are empty

Step	4
Action	Tap the "confirm" button

Input data

Expected result
Task is not created.
Toast notification "TO-DO cannot be empty" is displayed at the bottom of the screen.

Verification of the "TO-DO cannot be empty" toast notification content

Severity	Priority	Behavior	Type
⌄ Minor	↓ Low	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Run the "TO-DO-MVP" application
Input data	
Expected result	"TO-DO-MVP" app is opened. Start screen of the "TO-DO-MVP" app is displayed correctly.

Step	2
Action	Tap the "Add task" button
Input data	
Expected result	"New TO-DO" screen is displayed correctly

Step	3
Action	Leave both textfields empty
Input data	
Expected result	Both textfields are empty

Step	4
Action	Tap the "confirm" button

Input data	
Expected result	Task is not created. Toast notification "TO-DO cannot be empty" is displayed at the bottom of the screen.

Step	5
Action	Verify the content of the "TO-DO cannot be empty" toast notification
Input data	
Expected result	"TO-DO cannot be empty" toast notification is displayed correctly

Returning from the NEW TO-DO to the previous screen using the "Back" button

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Steps to reproduce

Step	1
Action	Run the "TO-DO-MVP" application
Input data	
Expected result	"TO-DO-MVP" app is opened. Start screen of the "TO-DO-MVP" app is displayed correctly.

Step	2
Action	Tap the "Add task" round button
Input data	
Expected result	"New TO-DO" screen is displayed correctly

Step	3
Action	Tap the "Back" button
Input data	
Expected result	Redirecting to the "All TO-DOs" screen. Task is not created. "TO-DO-MVP" screen is displayed correctly.

Clearing of the completed tasks using the "clear completed" button in kebab menu

Severity	**Priority**	**Behavior**	**Type**
⌃ Critical	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated
Status			
Actual			

Steps to reproduce

Step	1
Action	Run the "TO-DO-MVP" application
Input data	
Expected result	"TO-DO-MVP" app is opened. Start screen of the "TO-DO-MVP" app is displayed correctly. Early created tasks are displayed correctly.

Step	2
Action	Tap the checkboxes of any random uncomplete tasks
Input data	
Expected result	Selected checkboxes is marked

Step	3
Action	Tap the kebab menu
Input data	
Expected result	Kebab menu content is displayed correctly

Step	4
Action	Tap the "clear completed" button
Input data	
Expected result	All completed tasks are removed successfully Uncompleted task has not been affected

Screen refreshing using the "Refresh" button in kebab menu

Severity	Priority	Behavior	Type
∧ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

3 random tasks are created

Steps to reproduce

Step	1
Action	Run the "TO-DO-MVP" application
Input data	
Expected result	"TO-DO-MVP" app is opened. Start screen of the "TO-DO-MVP" app is displayed correctly. Early created tasks are displayed correctly.

Step	2
Action	Tap the checkboxes of any random tasks
Input data	
Expected result	Selected checkboxes is marked

Step	3
Action	Tap the kebab menu
Input data	
Expected result	Kebab menu content is displayed correctly

Step	4
Action	Tap the "Refresh" button
Input data	
Expected result	All selected checkboxes are refreshed "TO-DO-MVP" screen is displayed correctly.

Tasks filtering using "All" button in filtering menu

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

3 random tasks are created

Steps to reproduce

Step	1
Action	Run the "TO-DO-MVP" application
Input data	
Expected result	"TO-DO-MVP" app is opened. Start screen of the "TO-DO-MVP" app is displayed correctly. Early created tasks are displayed correctly.

Step	2
Action	Tap the checkboxes of any random tasks
Input data	
Expected result	Selected checkboxes is marked Toast notification "Task marked complete" is displayed at the bottom correctly

Step	3
Action	Tap the filtering menu
Input data	
Expected result	Filtering menu content is displayed correctly

Step	4
Action	Tap the "All" button
Input data	
Expected result	Redirecting to the "ALL TO-DOs" screen All tasks are displayed in list correctly

Tasks filtering using "Active" button in filtering menu

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Not set	No	-	Not automated

Status

Actual

Pre-conditions

3 random tasks were created

Steps to reproduce

Step	1
Action	Run the "TO-DO-MVP" application
Input data	
Expected result	"TO-DO-MVP" app is opened. Start screen of the "TO-DO-MVP" app is displayed correctly. Early created tasks are displayed correctly.

Step	2
Action	Tap the checkboxes of any random tasks
Input data	
Expected result	Selected checkboxes is marked Toast notification "Task marked complete" is displayed at the bottom correctly

Step	3
Action	Tap the filtering menu
Input data	
Expected result	Filtering menu content is displayed correctly

Step	4
Action	Tap the "Active" button
Input data	
Expected result	Redirecting to the "Active TO-DOs" screen Only active tasks are displayed in list.

Tasks filtering using "Completed" button in filtering menu

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Not automated

Status

Actual

Pre-conditions

1. Mobile application "TO-DO-MVP" instaled on testing device. Apk:
   https://drive.google.com/file/d/1IkqWnm6z293ETG0MdveKTjrsrWd7WQHz/view
2. 3 random tasks were created

Steps to reproduce

Step	1
Action	Run the "TO-DO-MVP" application
Input data	
Expected result	"TO-DO-MVP" is opened. Start screen of the "TO-DO-MVP" app is displayed correctly. Early created tasks are displayed correctly.

Step	2
Action	Tap the checkboxes of any random tasks
Input data	
Expected result	Selected checkboxes are marked Toast notification "Task marked complete" is displayed at the bottom correctly

Step	3
Action	Tap the filtering menu
Input data	
Expected result	Filtering menu content is displayed correctly

Step	4
Action	Tap the "Completed" button
Input data	
Expected result	Redirecting to the "Completed TO-DOs" screen Only completed tasks are displayed in list.