

Table 1: Parameter Estimates

Parameter	Type	Prior		Posterior		
		Mean	SD	Mean	90.0% Lower Band	90.0% Upper Band
Steady State						
100γ	-	0.340	0.000	0.314	0.303	0.326
α	N	0.300	0.030	0.101	0.099	0.104
$100(\beta^{-1} - 1)$	-	0.315	0.000	0.299	0.260	0.328
σ_c	N	1.500	0.370	0.696	0.694	0.701
h	B	0.700	0.050	0.563	0.558	0.569
ν_l	N	2.000	0.500	1.842	1.796	1.902
δ	-	0.025	0.000	0.025	0.025	0.025
Φ_p	-	1.000	0.000	1.000	1.000	1.000
S''	N	4.000	0.500	5.173	5.142	5.208
ψ	B	0.800	0.100	0.960	0.955	0.968
δ_{gdpdef}	N	0.000	2.000	0.033	0.033	0.033
$\bar{L}$	N	-45.000	5.000	-20.036	-23.040	-17.027
λ_w	-	1.500	0.000	1.500	1.500	1.500
π_*	-	0.475	0.000	0.475	0.475	0.475
g_*	-	0.180	0.000	0.180	0.180	0.180
Nominal Rigidities						
ζ_p	B	0.750	0.050	0.986	0.985	0.986
ζ_w	B	0.750	0.050	0.777	0.768	0.792
ι_p	B	0.500	0.150	0.316	0.294	0.345
ι_w	B	0.600	0.150	0.327	0.280	0.370
ϵ_p	-	10.000	0.000	10.000	10.000	10.000
ϵ_w	-	10.000	0.000	10.000	10.000	10.000
Policy						
ψ_1	N	1.700	0.100	1.720	1.701	1.737
ψ_2	N	0.125	0.050	0.286	0.275	0.299
ψ_3	N	0.063	0.050	0.190	0.184	0.196
ρ_R	B	0.750	0.050	0.864	0.862	0.867
ρ_{r^m}	B	0.100	0.100	0.383	0.377	0.391
Financial Frictions						
$F(\bar{\omega})$	-	0.030	0.000	0.030	0.030	0.030
SP_*	G	1.000	0.100	1.557	1.535	1.579
$\zeta_{sp,b}$	B	0.050	0.005	0.028	0.028	0.029
γ_*	-	0.990	0.000	0.990	0.990	0.990
$\ln(b_{safe})$	-	0.065	0.000	0.065	0.065	0.065
$\ln(b_{liq})$	-	0.118	0.000	0.118	0.118	0.118
λ_{AAA}	-	0.000	0.000	0.000	0.000	0.000
Exogenous Processes						

Note: For Inverse Gamma (IG) prior mean and SD, τ and ν reported.

Table 1: Parameter Estimates

Parameter	Type	Prior		Mean	Posterior	
		Mean	SD		90.0% Lower Band	90.0% Upper Band
ρ_g	B	0.500	0.200	0.832	0.832	0.833
ρ_μ	B	0.500	0.200	0.999	0.999	1.000
ρ_{z^p}	B	0.500	0.200	0.474	0.415	0.528
ρ_z	B	0.500	0.200	0.216	0.139	0.308
$\rho_{b,liq}^p$	B	0.950	0.030	0.990	0.990	0.990
$\rho_{b,liq}^{til}$	B	0.700	0.120	0.843	0.838	0.849
$\rho_{b,safe}^p$	B	0.950	0.030	0.989	0.989	0.989
$\rho_{b,safe}^{til}$	B	0.700	0.120	0.880	0.872	0.889
ρ_{σ_ω}	B	0.750	0.150	1.000	0.999	1.000
ρ_{π_*}	-	0.990	0.000	0.990	0.990	0.990
ρ_{λ_f}	B	0.500	0.200	0.808	0.808	0.809
ρ_{λ_w}	B	0.500	0.200	0.898	0.895	0.900
η_{λ_f}	B	0.500	0.200	0.717	0.717	0.717
η_{λ_w}	B	0.500	0.200	0.997	0.997	0.997
η_{gz}	B	0.500	0.200	0.006	0.006	0.006
σ_g	IG	0.100	2.000	2.014	1.937	2.069
σ_μ	IG	0.100	2.000	3.164	3.005	3.266
σ_{z^p}	IG	0.100	2.000	0.409	0.387	0.429
σ_z	IG	0.100	2.000	0.149	0.135	0.165
$\sigma_{b^p,liq}$	IG	0.030	6.000	0.026	0.025	0.027
$\sigma_{\tilde{b},liq}$	IG	0.100	2.000	0.059	0.056	0.063
$\sigma_{b^p,safe}$	IG	0.030	6.000	0.022	0.021	0.024
$\sigma_{\tilde{b},safe}$	IG	0.100	2.000	0.100	0.100	0.100
σ_{σ_ω}	IG	0.050	4.000	0.219	0.217	0.222
σ_{π_*}	IG	0.030	6.000	0.050	0.049	0.050
σ_{λ_f}	IG	0.100	2.000	0.051	0.050	0.052
σ_{λ_w}	IG	0.100	2.000	0.207	0.202	0.211
σ_{r^m}	IG	0.100	2.000	0.159	0.152	0.167
$\sigma_{1,r}$	IG	0.200	4.000	0.068	0.068	0.068
$\sigma_{2,r}$	IG	0.200	4.000	0.055	0.055	0.055
$\sigma_{3,r}$	IG	0.200	4.000	0.054	0.054	0.054
$\sigma_{4,r}$	IG	0.200	4.000	0.054	0.054	0.054
$\sigma_{5,r}$	IG	0.200	4.000	0.054	0.054	0.054
$\sigma_{6,r}$	IG	0.200	4.000	0.055	0.055	0.055
<i>Measurement</i>						
δ_{gdpdef}	N	0.000	2.000	0.033	0.033	0.033
γ_{gdpdef}	N	1.000	2.000	2.624	2.624	2.624
ρ_{gdp}	N	0.000	0.200	0.091	0.071	0.112
ρ_{gdi}	N	0.000	0.200	0.337	0.287	0.408
ϱ_{gdp}	N	0.000	0.400	0.715	0.621	0.802
ρ_{gdpdef}	B	0.500	0.200	0.146	0.127	0.166

Note: For Inverse Gamma (IG) prior mean and SD, τ and ν reported.

Table 1: Parameter Estimates

Parameter	Type	Prior		Mean	Posterior	
		Mean	SD		90.0% Lower Band	90.0% Upper Band
ρ_{pce}	B	0.500	0.200	0.780	0.774	0.787
ρ_{AAA}	-	0.000	0.000	-0.000	-0.000	-0.000
ρ_{BBB}	-	0.000	0.000	-0.000	-0.000	-0.000
ρ_{10y}	B	0.500	0.200	0.954	0.952	0.955
ρ_{tfp}	B	0.500	0.200	0.081	0.047	0.103
σ_{gdp}	IG	0.100	2.000	0.124	0.124	0.124
σ_{gdi}	IG	0.100	2.000	0.519	0.519	0.519
σ_{gdpdef}	IG	0.100	2.000	0.221	0.221	0.221
σ_{pce}	IG	0.100	2.000	0.136	0.136	0.136
σ_{AAA}	IG	0.100	2.000	0.035	0.035	0.035
σ_{BBB}	-	0.000	0.000	0.000	0.000	0.000
σ_{10y}	IG	0.750	2.000	0.110	0.110	0.111
σ_{tfp}	IG	0.100	2.000	1.834	1.834	1.834

Note: For Inverse Gamma (IG) prior mean and SD, τ and ν reported.