

Table 1: Parameter Estimates

Parameter	Type	Prior		Posterior		
		Mean	SD	Mean	90.0% Lower Band	90.0% Upper Band
Steady State						
100γ	-	0.340	0.000	0.346	0.333	0.358
α	N	0.300	0.030	0.095	0.093	0.097
$100(\beta^{-1} - 1)$	G	0.250	0.100	0.166	0.144	0.183
σ_c	N	1.500	0.370	0.772	0.770	0.775
h	B	0.700	0.050	0.560	0.556	0.564
ν_l	N	2.000	0.500	2.018	1.988	2.045
δ	-	0.025	0.000	0.025	0.025	0.025
Φ_p	-	1.000	0.000	1.000	1.000	1.000
S''	N	4.000	0.500	4.695	4.669	4.719
ψ	B	0.800	0.100	0.706	0.695	0.713
δ_{gdpdef}	N	0.000	2.000	0.003	0.003	0.003
$\bar{L}$	N	0.000	2.000	-0.138	-2.456	2.262
λ_w	-	1.500	0.000	1.500	1.500	1.500
π_*	-	0.475	0.000	0.475	0.475	0.475
g_*	-	0.215	0.000	0.215	0.215	0.215
Nominal Rigidities						
ζ_p	B	0.750	0.050	0.987	0.986	0.987
ζ_w	B	0.750	0.050	0.812	0.805	0.819
ι_p	B	0.500	0.150	0.310	0.284	0.334
ι_w	B	0.600	0.150	0.281	0.251	0.312
ϵ_p	-	10.000	0.000	10.000	10.000	10.000
ϵ_w	-	10.000	0.000	10.000	10.000	10.000
Policy						
ψ_1	N	1.700	0.100	1.747	1.727	1.772
ψ_2	N	0.125	0.050	0.281	0.269	0.294
ψ_3	N	0.063	0.050	0.224	0.216	0.231
ρ_R	B	0.750	0.050	0.885	0.883	0.887
ρ_{r^m}	B	0.100	0.100	0.372	0.366	0.378
Financial Frictions						
$F(\bar{\omega})$	-	0.030	0.000	0.030	0.030	0.030
SP_*	G	1.000	0.100	1.580	1.560	1.600
$\zeta_{sp,b}$	B	0.050	0.005	0.028	0.027	0.028
γ_*	-	0.990	0.000	0.990	0.990	0.990
$\ln(b_{safe})$	-	0.065	0.000	0.065	0.065	0.065
$\ln(b_{liq})$	-	0.118	0.000	0.118	0.118	0.118
λ_{AAA}	-	0.000	0.000	-0.000	-0.000	-0.000
Exogenous Processes						

Note: For Inverse Gamma (IG) prior mean and SD, τ and ν reported.

Table 1: Parameter Estimates

Parameter	Type	Prior		Posterior		
		Mean	SD	Mean	90.0% Lower Band	90.0% Upper Band
ρ_g	B	0.500	0.200	0.846	0.844	0.847
ρ_μ	B	0.500	0.200	0.999	0.999	0.999
ρ_{z^p}	B	0.500	0.200	0.378	0.300	0.449
ρ_z	B	0.500	0.200	0.611	0.490	0.710
$\rho_{b^p,liq}$	-	0.990	0.000	0.990	0.990	0.990
$\rho_{b,liq}^{til}$	B	0.500	0.100	0.458	0.450	0.464
$\rho_{b^p,safe}$	-	0.990	0.000	0.990	0.990	0.990
$\rho_{b,safe}^{til}$	B	0.500	0.100	0.824	0.811	0.837
ρ_{σ_ω}	B	0.750	0.150	0.999	0.998	1.000
ρ_{π_*}	-	0.990	0.000	0.990	0.990	0.990
ρ_{λ_f}	B	0.500	0.200	0.830	0.829	0.832
ρ_{λ_w}	B	0.500	0.200	0.975	0.973	0.977
η_{λ_f}	B	0.500	0.200	0.731	0.731	0.731
η_{λ_w}	B	0.500	0.200	0.993	0.993	0.993
η_{gz}	B	0.500	0.200	0.012	0.012	0.012
σ_g	IG	0.100	2.000	1.696	1.642	1.760
σ_μ	IG	0.100	2.000	2.559	2.481	2.628
σ_{z^p}	IG	0.100	2.000	0.447	0.447	0.447
σ_z	IG	0.100	2.000	0.082	0.069	0.096
$\sigma_{b^p,liq}$	IG	0.030	6.000	0.024	0.024	0.025
$\sigma_{\tilde{b},liq}$	IG	0.100	2.000	0.060	0.057	0.063
$\sigma_{b^p,safe}$	IG	0.030	6.000	0.021	0.021	0.022
$\sigma_{\tilde{b},safe}$	IG	0.100	2.000	0.104	0.104	0.105
σ_{σ_ω}	IG	0.050	4.000	0.206	0.202	0.209
σ_{π_*}	IG	0.030	6.000	0.047	0.047	0.048
σ_{λ_f}	IG	0.100	2.000	0.050	0.048	0.051
σ_{λ_w}	IG	0.100	2.000	0.195	0.193	0.198
σ_{τ^m}	IG	0.100	2.000	0.163	0.153	0.172
$\sigma_{1,r}$	IG	0.200	4.000	0.069	0.069	0.069
$\sigma_{2,r}$	IG	0.200	4.000	0.056	0.056	0.056
$\sigma_{3,r}$	IG	0.200	4.000	0.055	0.055	0.055
$\sigma_{4,r}$	IG	0.200	4.000	0.054	0.054	0.054
$\sigma_{5,r}$	IG	0.200	4.000	0.054	0.054	0.054
$\sigma_{6,r}$	IG	0.200	4.000	0.055	0.055	0.055
<i>Measurement</i>						
δ_{gdpdef}	N	0.000	2.000	0.003	0.003	0.003
γ_{gdpdef}	N	1.000	2.000	2.457	2.457	2.457
ρ_{gdp}	N	0.000	0.200	0.120	0.099	0.135
ρ_{gdi}	N	0.000	0.200	0.402	0.363	0.447
ϱ_{gdp}	N	0.000	0.400	0.771	0.707	0.855
ρ_{gdpdef}	B	0.500	0.200	0.108	0.081	0.149

Note: For Inverse Gamma (IG) prior mean and SD, τ and ν reported.

Table 1: Parameter Estimates

Parameter	Type	Prior		Mean	Posterior		
		Mean	SD		90.0% Lower Band	90.0% Upper Band	
ρ_{pce}	B	0.500	0.200	0.771	0.767	0.775	
ρ_{AAA}	-	0.000	0.000	0.000	0.000	0.000	
ρ_{BBB}	-	0.000	0.000	0.000	0.000	0.000	
ρ_{10y}	B	0.500	0.200	0.965	0.964	0.967	
ρ_{tfp}	B	0.500	0.200	0.061	0.025	0.093	
σ_{gdp}	IG	0.100	2.000	0.142	0.142	0.142	
σ_{gdi}	IG	0.100	2.000	0.513	0.513	0.513	
σ_{gdpdef}	IG	0.100	2.000	0.224	0.224	0.224	
σ_{pce}	IG	0.100	2.000	0.134	0.134	0.134	
σ_{AAA}	IG	0.100	2.000	0.035	0.035	0.035	
σ_{BBB}	-	0.000	0.000	0.000	0.000	0.000	
σ_{10y}	IG	0.750	2.000	0.111	0.111	0.111	
σ_{tfp}	IG	0.100	2.000	1.842	1.842	1.842	

Note: For Inverse Gamma (IG) prior mean and SD, τ and ν reported.