Statistical Data Analysis of Student Goals

Mateusz Zaremba November 4, 2019

Contents

| 1 | 1 Abstract | | | | | | | | | |
|---|------------|--------------------------------------|----|--|--|--|--|--|--|--|
| 2 | Intr | Introduction | | | | | | | | |
| 3 | Dat | Data | | | | | | | | |
| | 3.1 | Collection | 3 | | | | | | | |
| | 3.2 | Initialising | 3 | | | | | | | |
| | 3.3 | Cleansing | 3 | | | | | | | |
| | 3.4 | Coding | 3 | | | | | | | |
| | 3.5 | Assessment Categories | 4 | | | | | | | |
| | 3.6 | Derandomization and Renaming | 4 | | | | | | | |
| | 3.7 | Clean Data | 5 | | | | | | | |
| | 3.8 | Visual Exploration | 5 | | | | | | | |
| 4 | Met | thodology | 9 | | | | | | | |
| | 4.1 | Mean | 11 | | | | | | | |
| | 4.2 | Hypothesis Testing | 11 | | | | | | | |
| | 4.3 | Hypothesis 1 \dots | 11 | | | | | | | |
| | 4.4 | Confidence Interval for a Proportion | 12 | | | | | | | |
| 5 | Res | m ults | 15 | | | | | | | |
| 6 | Cor | nclusion / Discussion | 16 | | | | | | | |

1 Abstract

This should be a very brief explanation of your research paper (around 150 words). It normally includes information about the issue, why you are interested in that issue, your method/model, analysis results, discussions and conclusions.

This paper analyses the data gathered from surveying 625 undergraduate students. The authors of the survey tried to prove two hypothesis: 1) During students' junior years, they tend to primarily focus on getting good grades while during their senior years, the focus shifts towards a deep-understanding of the subject and 2) students' enjoyment and interest tends to deteriorate as they progress through their studies. It is not obvious why this might be the case and if the student's sex or studied subject has any bearing. This is why the survey has 15 questions and probes 7 assessment categories. Each category consists of 3 to 1 questions and because the order of the questions is randomised, the student should not know the categories nor notice any patterns.

The data manipulation was done using R and tidywerse packages. A full analysis will be presented, including data: preparation, analysis, exploration and interpretation; calculation of confidence interval for a proportion, interpretation of the results using different kinds of graphs and an explanation of the methods used.

2 Introduction

This section should explain the topic, why it is important, and how you approach the issue

It is interesting how undergraduate students' goals change through-out their studies. They often experince various syndroms like: burnout, impostour, disheartening or even attempt a suicide. A Harvard graduate, Alex Chang, in his TEDx talk titled "The Unspoken Reality Behind the Harvard Gates" speaks about the pressure of gettings the best grades; how he was called for a jasmine tea to his tutor and asked if he couldn't give it his all, while he already was doing the best he could. He also recalls one tragic night when he and his roommates were woke up at 4am, to be informed that one of his friend has taken his own life.

Becasue this paper is going to be talking about student's course enjoyment, expectations and his or her focus on grades vs. understanding I would like to give it another, less visible shade for there might be a lot more to say about a student who is at the bottom of the scale. It was assumed that a student, who might be at risk of developing mental health problems, would be someone who: is not enjoying the course, finds it not interesting but still primarly aims to perform better than others, and is lead by the fear of performing poorly. We will try to identify such students, calculate the confidence-interval-for-a-proportion of finding them, and test the hypotheses.

3 Data

Explain your dataset and how the was data is collected – e.g. your sampling strategy or information given by the project information.

The data we will be analysing was originally sourced from *Elliot*, A. J. and McGregor, H. A. (2001). A 2 x 2 achievement-goal framework. Journal of Personality and Social Psychology, 80, 3, 501-519.

3.1 Collection

The data was already collected but my own survey results were added to the data set.

3.2 Initialising

The data was converted from the original .xlsx format to .csv using $Microsoft\ Excel\ for\ Mac$ and then it was loaded to R script using the tidyverse package - readr.

The initial number of students was also saved in a variable for later calcuations.

This is how the data looked like after loading it into the R script and before cleaning:

| year | age | sex | subject | q1 | q2 | q12 | interest | enjoy | mastgrad |
|------|-----|-----|---------|----|----|---------|----------|-------|----------|
| 3 | 19 | 1 | 1 | 7 | 2 | 5 | 7 | 7 | 1 |
| 3 | 20 | 2 | 1 | 7 | 2 | 2 | 6 | 6 | 4 |
| 3 | 21 | 1 | 1 | 1 | 1 | 1 | 7 | 7 | 1 |
| 3 | NA | 2 | 1 | 4 | 2 | 2 | 7 | 7 | 4 |

3.3 Cleansing

First, the *seq* column was dropped since it does not serve any purpose. Second, rows with empty cells were dropped because they could falsify the results.

3.4 Coding

The following coding informations was applied to the data:

| Subject | Sex | Code |
|-------------------|--------|------|
| Management | Male | 1 |
| Law | Female | 2 |
| Tourism | - | 3 |
| General Economics | - | 4 |
| Accounting | - | 5 |
| Statistics | - | 6 |

E.g., the code for *Male* was 1, so the cells in the *sex* column containing 1 were replaced with a *Male* string; the code for *General Economics* was 4, so the cells in the *subject* column containing 4 were replaced with a *General Economics* string. This is how the *sex* and *subject* columns looked like after applying the coding information:

| sex | subject |
|------|------------|
| Male | Management |

| sex subject Female Management Male Management Female Management | | |
|---|------|---------|
| Male Management | sex | subject |
| | Male | 0 |

3.5 Assessment Categories

The survey's instructions provided 7 assessment categories and their appropriate questions. You can see these informations below with added labeling and interpretation.

Table 4: Interpretation table

| Category | Label | Interpretation | Question |
|--------------------------|-------|--|------------|
| Performance Approach | M1 | Importance of doing better than others | 1, 2, 3 |
| Performance Avoidance | M2 | Motivation based on the fear of performing poorly | 4, 5, 6 |
| Mastery Approach | M3 | Students' grade-orientation focus | 7, 8, 9 |
| Mastery Avoidance | M4 | Students' fear of not mastering the course | 10, 11, 12 |
| Interest | IR | Student expects the course to be interesting | 13 |
| Enjoyment | EJ | Student expects the course to be enjoyable | 14 |
| Importance focus | MG | Students' importance focus on understanding vs. grades | 15 |

3.6 Derandomization and Renaming

Random order (6, 12, 11, 1, 7, 2, 10, 8, 5, 3, 9, 4) was given to use in the survey's instructions. This meant, e.g., question 6 from the Performance Avoidance category is numbered 1 in the survey and in the data set; question 12 from the Mastery Avoidance category is numbered 2 in the survey and in the set; and so on.

The column naming changed in the process: q1 became Q6, changing lower case q to upper case Q as well as the number of the question.

Table 4 inlustrates the entire process and assigns questions to their appropriate categories:

Table 5: In the survey, questions from 1 to 12 were derandomized and renamed

| Data set order | q1 | q2 | q3 | q4 | q 5 | q6 | q7 | q8 | q9 | q10 | q11 | q12 |
|----------------|----|-----|-----|----|------------|----|-----|----|-------|-----|-----|-----|
| Survey order | Q6 | Q12 | Q11 | Q1 | Q7 | Q2 | Q10 | Q8 | Q_5 | Q3 | Q9 | Q4 |

Questions 13, 14 and 15 - which were in fact, hypotheses testing questions and *Interest*, *Enjoyment*, *Importance focus* assessment-categories accordingly - kept the same order in the survey and in the data set, so they were only renamed for easier data manipulation:

| Previous column name | New column name |
|----------------------|-----------------|
| interest | IG |
| enjoy | EJ |
| mastgrad | MG |

3.7 Clean Data

This is how the data looked like after cleaning:

| year | age | sex | subject | Q6 | Q12 | Q9 | Q4 | IR | EJ | MG |
|------|-----|--------|------------|----|-----|--------|----|----|----|----|
| 3 | 19 | Male | Management | 7 | 2 | 7 | 5 | 7 | 7 | 1 |
| 3 | 20 | Female | Management | 7 | 2 | 5 | 2 | 6 | 6 | 4 |
| 3 | 21 | Male | Management | 1 | 1 | 7 | 1 | 7 | 7 | 1 |
| 3 | 19 | Female | Management | 7 | 5 | 5 | 3 | 6 | 6 | 1 |


3.8 Visual Exploration

For all the students, the means from M1, M2, M3 and M4 assessment categories were shown on the graphs below; data smoothing was applied in attempt to capture any important patterns.

3.8.1 M1 - Performance Approach

M1

Performance Approach set on basis of: year of study, sex and subject. How important it is to students to do better than others?




It is visible that the students' performance approach almost does not change and all the variance are within the confidence interval.

3.8.2 M2 - Performance Avoidance

M2


Performance Avoidance set on basis of: year of study, sex and subject. How motivated are students by fear of performing poorly?



Comparing year's 1 average results to year's 4, it is clearly visible that the students' performance avoidance drops by 1 scale point.

3.8.3 M3 - Mastery Approach

M3
Mastery Approach set on basis of: year of study, sex and subject.
Students' grade-orientation focus




It is visible that the student's mastery approach drops by almost 1 scale point.

3.8.4 M4 - Mastery Avoidance

M4

Mastery Avoidance set on basis of: year of study, sex and subject. Students' fear of not mastering the course.



There is a dropping tendency for *Mastery Avoidance* but it is not drastic.

3.8.5 Sex and Subject

4 Methodology

This section explains the statistical methods and/or your model. It is also a common practice to present the statistical model structure (i.e. equation) here as well.

The data was manipulated unsing R programming language and tidyverse packages:

- ggplot2 data visualisation
- dplyr data manipulation
- tibble data reimagining
- readr data reading
- tidyr data cleaning
- purrr syntax simplification

Around 625 students were surveyed. They answered on a 7-level scale; 1 meaning the student felt the statement asked in the quesion is 'Not true of him/her' and 7 meaning the student felt it was 'Very true of him/her'. See the table below for a graphical explanation:




Figure 1: ...

4.1 Mean

Apart from Interest, Enjoyment and Importance focus categories, Performance Approach, Performance Avoidance, Mastery Approach, Mastery Avoidance categories consisted of 3 questions; for these 4 categories the means were computed and saved for each individual student.

This resulted in 4 extra columns added to the original data set. These results were using in data exploration and finding a student-at-risk. An example of these can be seen below:

| M1 | M2 | M3 | |
|-----------|-----------|----------|----------|
| 4.666667 | 4.333333 | 6.000000 | 3.333333 |
| 2.3333333 | 2.3333333 | 5.000000 | 2.000000 |
| 3.666667 | 1.333333 | 5.666667 | 1.333333 |
| 3.666667 | 3.666667 | 6.000000 | 5.333333 |
| 3.333333 | 3.333333 | 7.000000 | 4.000000 |

4.2 Hypothesis Testing


To test the hypotheses new means had to be calcualted with regards to both sexes and all the subjets:

- For Hypothesis 1 testing the Importance focus (MG)
- For Hypothesis 2 testing the Enjoyment (EJ) and Interest (IR)

4.3 Hypothesis 1

The graph below shows the $Importance\ focus\ (MG)$ category mean results. All the students are represented; student's sex was made distinguishable by a colour and student's studied subject by a shape.

MG Student's importance scale between understanding and grades set on ba different years of study, sexes and subjects.



The hypothesis stated was:

during students' junior years, they tend to primarily focus on getting good grades while during their senior years, the focus shifts towards a deep-understanding of the subject.

4.3.1 Interest

4.3.2 Enjoyment

4.4 Confidence Interval for a Proportion

4.4.1 Finding Students at Risk

To find out if there are any students at risk the arbitraty criteria was assumed:

- $Performace\ Approach \ge 6$
- $Performace\ Avoidance \ge 6$
- $Interest \leq 2$
- $Enjoyment \leq 2$
- $Importance\ focus \ge 4$

IR Student's course interestedness expectations set on basis of: different years of study, sexes and subjects.

Student response: 'I expect my courses this semester to be very interesting'




Figure 2: ...

EJ Student's course enjoyment expectations set on basis of: different years of study, sexes and subjects.

Student response: 'I expect my courses this semester to be very enjoyable'




Figure 3: ...

| age | sex | subject | M1 | M2 | IR | EJ | $\overline{\mathrm{MG}}$ |
|-----|--------|-------------------|----|----|----|----|--------------------------|
| 18 | Female | General Economics | 6 | 7 | 1 | 1 | 7 |
| 18 | Female | General Economics | 7 | 7 | 1 | 1 | 4 |

Here we can see, there are 2 students who are not enjoying their course nor find it interesting but their main focus remains on doing better than others and avoiding performing poorly with a main or netural focus on grades. It was assumed that such students might be at risk of developing mental health problems.

4.4.2 Equations

$$\hat{p} = \frac{x}{n} = \frac{events}{trials}$$

$$\hat{p} \pm Z\sqrt{\frac{\hat{p}(1-\hat{p})}{n}}$$

4.4.3 Calculations

Calculating a 95% confidence interval for the student-at-risk population proportion.

$$\hat{p} = \frac{2}{625} = 0.0032$$

$$Z = 1.96$$

$$\hat{p} \pm Z = 0.0032 \pm 1.96 \sqrt{\frac{0.0032(1 - 0.0032)}{625}} = 0.0032 \pm 0.0044$$

The upper confidence interval for a proportion is 0.0076279, and the lower is -0.0012279, which gives us a confidence interval, for proportion of finding a student-at-risk as: CI = (0.00762, -0.00122). This mean we could say with 95% confidence the percentage of the times we should expect to find a student at risk is between 0.7% and 0%.

5 Results

Present both your informal and formal analyses. The hypothese turned out to be true/false?

6 Conclusion / Discussion

You need to conclude your project, discuss the results, discuss any reservations that you have about the study and list any future work.

Looking at data (see Table 11), we can tell there are in fact 2 students who might be at risk; they are both 18-year-old females *General Economic* students.

This might not seems like a lot but we have the actual data to back it up. We know that there are 2 students who might be at risk of developing mental health problems: they are both female, aged 18 years old and study general economics at their sophmore year. Wheter this data should be used directly to try to find these students is a different debate. What could be definietly done is try to announce this fact that there have been found students who might be at risk and that there is help available. Most universities offer counceling for students but the problem is to have already troubled and lonely students reach out for help. Maybe a university could develop their own programmes for sutdents which they can use to self-diagnose and if the system would detect that they might be experiencing mental health problems they could direct them towards a councelor at their university. Such tests already exists but the reason why I think they should be university specific is for the fact that it makes the student feels that their university cares about their mental health and they do not need to feel ashamed to ask for help becasue it was their home institution who has made the first step.

Univerity should be the one reaching out, not the other way around.

so, what conclusions do you have bruh? Could analyse AGE