

Ramverk & bibliotek för webbutveckling

Vecka	Datum	Tid*	Vad	Läshänvisningar
36	4/9	15-17	Föreläsning 1: Kursintroduktion	-
	5/9	08-10	Föreläsning 2: Introduktion till HTML	HTML & CSS: Kap. 1-5
	6/9	08-12	Laboration 1: En första webbsida!	
37	10/9	10-12	Föreläsning 3: Tabell & formulär	HTML & CSS: Kap. 6-7
	11/9	13-15	Föreläsning 4: Introduktion till CSS	HTML & CSS: Kap. 10-14
	13/9	08-12	Laboration 2: a) Formulär & tabeller, b) Introduktion till CSS	
38	16/9	13-16	Föreläsning 5: Layout med CSS (1)	HTML & CSS: Kap. 15
	18/9	13-15	Föreläsning 6: Layout med CSS (2)	HTML & CSS: Kap. 15
	20/9	08-12	Laboration 3: Layout med CSS	
39	24/9	10-12	Föreläsning 7: Responsiv webbutveckling	HTML & CSS: Kap. 15
	25/9	15-17	Föreläsning 8: Tutorial, att bygga en webbsida	
	27/9	08-12	Laboration 4: Responsiv webbplats	
	29/9		Deadline: Inlämningsuppgift 1	
40	1/10	08-10	Föreläsning 9: Webbutveckling med JavaScript	
	2/10	13-15	Föreläsning 10: Ramverk & bibliotek	
	4/10	08-12	Laboration 5: JavaScript på webben	
41	8/10	08-10	Föreläsning 11: Introduktion till användbarhet	
	11/10	08-12	Laboration: Extratillfälle	
	13/10		Deadline: Inlämningsuppgift 2	
42	15/10	10-12	Föreläsning 12: Användbarhet med fokus på webben	
	18/10	08-12	Laboration: Extratillfälle	
43	23/10	13-15	Inför tentamen	

Innehåll

Planering

1. Tillfällen och deadline





Enyo




GWT

Ractive.js



Sammy.js



dojo



canjs



mochikit



jQuery

ember



Knockout.



extjs

METEOR



R

A WHOLE NEW

WORLD

Dagens föreläsning

- Hur har vi arbetat tidigare?
- Hur brukar man arbeta?
- Praktiska exempel på ramverk



Nytt projekt, nya möjligheter!





The Imitation Game



Filmtajm

Välkomna!

På denna site kan man se vilka filmer som har beskådats, man kan även se vad filmerna handlade om och vilka betyg de fått av betraktarna tillsammans eller var och en för sig.

Trots vår stora biosalong så är det inte plats till fler ordinarie medlemmar, men pass upp plötsligt vidgar vi våra och bjuder in till specialarrangemang.




Titta gärna runt och få en känsla för varför vi anser att sista måndagen i månaden alltid är månadens höjdpunkt.





Mitt projekt

Arkiv Start Dela Visa



Den här datorn > Skrivbord > Projekt > Mitt projekt

Namn

Senast ändrad

Typ

Storlek

- ★ Favoriter
- Dropbox
- Tidigare platser
- Hämtade filer
- Skrivbord
- Box Sync

Den här datorn

- Bilder
- Dokument
- Filmer
- Galaxy S8
- Hämtade filer
- Musik
- Skrivbord
- OSDisk (C:)
- WebShare (L:)
- TSANTI (M:)
- Share (N:)

Nätverk

Denna mapp är tom.



Arkiv Redigera Sök Visa Format Språk Inställningar Verktyg Makro Kör Tillägg Fönster ?



index.html

1

The Imitation Game



Filmtajm

Välkomna!

På denna site kan man se vilka filmer som har beskådats, man kan även se vad filmerna handlade om och vilka betyg de fått av betraktarna tillsammans eller var och en för sig.

Trots vår stora biosalong så är det inte plats till fler ordinarie medlemmar, men pass upp plötsligt vidgar vi våra och bjuder in till specialarrangemang.

Titta gärna runt och få en känsla för varför vi anser att sista måndagen i månaden alltid är månadens höjdpunkt.

Hmm... en ganska lång bit kvar...



index.html x

```
1 <!doctype html>
2 <html>
3   <head>
```

Sakta men säkert...



index.html x index.html x


```
1  <!doctype>
2  <html>
3  <head>
4      <link href="style.css" type="text/css" rel="stylesheet">
5      <meta charset="utf-8">
6  </head>
7
8  <body>
9      <div id="slideshow">
10         
11         
12         
13     </div>
14
15     <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.min.js"></script>
16     <script src="script.js"></script>
17 </body>
18 </html>
```

Sen lite CSS, JS, och finlir!







=



Kan vi inte vara effektiva?



Bibliotek – färdig kod att använda



Love your code.



GETTING STARTED

MATERIALIZE CSS FRAMEWORK



The modular
front-end
web framework


UIKit



Bootstrap



Foundation



BULMA.io

De grundläggande tankarna bakom ramverk är enkla: Samla fungerande kod och gör den återanvändbar. Passa samtidigt på att presentera ett enhetligt sätt att skriva kod.

<http://computersweden.idg.se/2.2683/1.606077/ramverk-eller-inte-ramverk--det-ar-fragan>

Fördelar med ramverk

- Utvecklare slipper skriva kod för grundläggande uppgifter själva
- Koden i ett ramverk kan antas vara testad och tämligen felfri
- Det blir enklare att få en struktur för hur kod ska skrivas
- Medlemmar i utvecklarorganisationer och projekt kan enklare anamma ett enhetligt arbetssätt

Ramverk vs. Bibliotek?

A library performs specific, well-defined operations.

A framework is a skeleton where the application defines the "meat" of the operation by filling out the skeleton. The skeleton still has code to link up the parts but the most important work is done by the application.

<http://stackoverflow.com/questions/148747/what-is-the-difference-between-a-framework-and-a-library>

Exempel på bibliotek för
webbdesign



New in v5.2 CSS variables, responsive offcanvas, new utilities, and more!



Build fast, responsive sites with Bootstrap

Powerful, extensible, and feature-packed frontend toolkit. Build and customize with Sass, utilize prebuilt grid system and components, and bring projects to life with powerful JavaScript plugins.

```
$ npm i bootstrap@5.2.1
```

[Read the docs](#)

Currently **v5.2.1** · [Download](#) · [v4.6.x docs](#) · [All releases](#)



Your new development career awaits.
Check out the latest listings.

ads via Carbon

Rapidly build modern websites without ever leaving your HTML.

A utility-first CSS framework packed with classes like `flex`, `pt-4`, `text-center` and `rotate-90` that can be composed to build any design, directly in your markup.

[Get started](#)

Quick search...

Ctrl K




"Tailwind CSS is the only framework that I've seen scale on large teams. It's easy to customize, adapts to any design, and the build size is tiny."

Sarah Dayan

Staff Engineer, Algolia

```
1 <figure class="md:flex bg-slate-100 rounded-xl p-8 md:p-0 dar
2   <img class="w-24 h-24 md:w-48 md:h-auto md:rounded-none rou
3   <div class="pt-6 md:p-8 text-center md:text-left space-y-4"
4     <blockquote>
      <p class="text-lg font-medium">
        "Tailwind CSS is the only framework that I've seen sc
        on large teams. It's easy to customize, adapts to any
        and the build size is tiny."
      </p>
    </blockquote>
    <figcaption class="font-medium">
      <div class="text-sky-500 dark:text-sky-400">
```



Foundation

The most advanced responsive front-end framework in the world.

Download Foundation 6

★ 29.3k GitHub stars

🐦 @FoundationCSS

Responsive design gets a whole lot faster

A Framework for any device, medium, and accessibility. Foundation is a family of responsive front-end frameworks that make it easy to design beautiful responsive websites, apps and emails that look amazing on any device. Foundation is semantic, readable, flexible, and completely customizable. We're constantly

Bulma: the modern CSS framework that just works.

Bulma is a free, open source framework that provides ready-to-use frontend components that you can easily combine to build responsive web interfaces.

✓ No CSS knowledge required.



Star

46,145

downloads

1M/month

```
npm install bulma
```

[Getting started](#)[Download v0.9.4](#)

Video by Vue Mastery



1.1.0 ▼

Search



About

Getting Started

CSS

Components

JavaScript

Forms

Mobile

Materialize

Simple. Built on open source. The responsive front-end library based on Google's Material Design.

GET STARTED

Release: 1.1.0

Latest Commit on Github: [fc615ac4f14571e4de926504fb0a9f70d1309025](#) about 19 hours ago

GITHUB

Note : This is a community-managed fork of the official MaterializeCSS library. Since the project's support has been dropped by the original team, this version is 100% community-powered, meaning that bug fixes or new features are implemented by volunteers but are not official.



Speeds up development

Most of the heavy lifting is done for you to provide a default stylings that incorporate our custom components. We also refined animations



User Experience Focused

By utilizing elements and principles of Material Design, we were able to create a framework that incorporates components and animations that



Easy to work with

We have provided detailed documentation as well as specific code examples to help new users get started. We are also always open to feedback

Får vi använda koden?

Vilken licens använder sig ramverken av?

Tips: <http://choosealicense.com/>

Choose an open source license

An open source license protects contributors and users. Businesses and savvy developers won't touch a project without this protection.

Which of the following best describes your situation?



I need to work in a community.

Use the [license preferred by the community](#) you're contributing to or depending on. Your project will fit right in.

If you have a dependency that doesn't have a license, ask its maintainers to [add a license](#).



I want it simple and permissive.

The [MIT License](#) is short and to the point. It lets people do almost anything they want with your project, like making and distributing closed source versions.

[Babel](#), [.NET Core](#), and [Rails](#) use the MIT License.



I care about sharing improvements.

The [GNU GPLv3](#) also lets people do almost anything they want with your project, *except* distributing closed source versions.

[Ansible](#), [Bash](#), and [GIMP](#) use the GNU GPLv3.

What if none of these work for me?

My project isn't software.

[There are licenses for that.](#)

I want more choices.

[More licenses are available.](#)

I don't want to choose a license.

[Here's what happens if you don't.](#)

Dokumentation?

Ett sätt att lära sig hur andras mjukvara fungerar!


I'VE GOT SKILLS

DOCUMENTATION SKILLS, CODING SKILLS



CSS & JS-ramverk

Twitter Bootstrap Usage Statistics




Bibliotek för JavaScript

The image shows the interior of a large, historic library. The architecture features high, vaulted wooden ceilings and multiple levels of dark wood bookshelves filled with books. A balcony with a decorative railing is visible on the left. Latin inscriptions are carved into the woodwork, including 'EX DONO', 'SERENISSIMI REGIS', and 'CAROLI SECUNDI'. A wooden ladder is leaning against one of the upper bookshelves. The overall atmosphere is one of a well-preserved, scholarly institution.



jQuery Usage Statistics



[Download Lead List](#)

Get a list of [150,804,314](#) websites using jQuery which includes location information, hosting data, contact details, [82,882,150](#) currently live websites and an additional 5,596,849 domains that redirect to sites in this list. 67,922,164 sites that used this technology previously and [461,475](#) websites in [Sweden](#) currently using jQuery.

Site Totals

Total Live [82,882,150](#)

5,596,849 additional website redirects⁷.

[Swedish Live Sites](#) [461,475](#)

Live and Historical [150,804,314](#)

Top 1m **68.46%**
[684,630](#)


Top 100k **74.67%**
[74,673](#)

Top 10k **69.49%**
[6,949](#)

Countries

<http://trends.builtwith.com/javascript/jquery>

Ramverk för JavaScript





**Hur använder
man ett ramverk?**



Getting started

Introduction

[Download](#)[Contents](#)[Browsers & devices](#)[JavaScript](#)[Webpack](#)[Parcel](#)[Vite](#)[Accessibility](#)[RFS](#)[RTL](#)[Contribute](#)

Customize

[Overview](#)[Sass](#)[Options](#)[Color](#)[Components](#)[CSS variables](#)[Optimize](#)

Layout

[Breakpoints](#)[Containers](#)[Grid](#)[Columns](#)[Gutters](#)[Utilities](#)

Get started with Bootstrap

[View on GitHub](#)

Bootstrap is a powerful, feature-packed frontend toolkit. Build anything—from prototype to production—in minutes.

Quick start

Get started by including Bootstrap's production-ready CSS and JavaScript via CDN without the need for any build steps. See it in practice with this [Bootstrap CodePen demo](#).

1. **Create a new `index.html` file in your project root.** Include the `<meta name="viewport">` tag as well for [proper responsive behavior](#) in mobile devices.

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Bootstrap demo</title>
  </head>
  <body>
    <h1>Hello, world!</h1>
  </body>
</html>
```

2. **Include Bootstrap's CSS and JS.** Place the `<link>` tag in the `<head>` for our CSS, and the `<script>` tag for our JavaScript bundle (including Popper for positioning dropdowns, poppers, and tooltips) before the closing `</body>`. Learn more about our [CDN links](#).

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="utf-8">
```

On this page

[Quick start](#)[CDN links](#)[Next steps](#)[JS components](#)[Important globals](#)[HTML5 doctype](#)[Responsive meta tag](#)[Box-sizing](#)[Reboot](#)[Community](#)

The background is a solid dark grey. Scattered across the image are several 3D-style speech bubbles in various shades of green, including dark forest green, medium sea green, and light lime green. These bubbles are positioned at different heights and angles, some pointing towards the center where the text is located. The text is centered horizontally and vertically in a white, bold, sans-serif font.

Är det "fusk" att använda ramverk?

Dags att kolla in ramverk!

- Bootstrap

<https://getbootstrap.com>



New in v5.2 CSS variables, responsive offcanvas, new utilities, and more!



Build fast, responsive sites with Bootstrap

Powerful, extensible, and feature-packed frontend toolkit. Build and customize with Sass, utilize prebuilt grid system and components, and bring projects to life with powerful JavaScript plugins.

```
$ npm i bootstrap@5.2.1
```

[Read the docs](#)

Currently **v5.2.1** · [Download](#) · [v4.6.x docs](#) · [All releases](#)



Ship your code to production in just a few clicks. Get \$200 free credit.

ads via Carbon

HTML



JS



CSS





Getting started

Introduction

[Download](#)[Contents](#)[Browsers & devices](#)[JavaScript](#)[Webpack](#)[Parcel](#)[Vite](#)[Accessibility](#)[RFS](#)[RTL](#)[Contribute](#)

Customize

[Overview](#)[Sass](#)[Options](#)[Color](#)[Components](#)[CSS variables](#)[Optimize](#)

Layout

[Breakpoints](#)[Containers](#)[Grid](#)[Columns](#)[Gutters](#)[Utilities](#)

Get started with Bootstrap

[View on GitHub](#)

Bootstrap is a powerful, feature-packed frontend toolkit. Build anything—from prototype to production—in minutes.



Your new development career awaits.
Check out the latest listings.

ads via Carbon

Quick start

Get started by including Bootstrap's production-ready CSS and JavaScript via CDN without the need for any build steps. See it in practice with this [Bootstrap CodePen demo](#).

1. **Create a new `index.html` file in your project root.** Include the `<meta name="viewport">` tag as well for [proper responsive behavior](#) in mobile devices.

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Bootstrap demo</title>
  </head>
  <body>
    <h1>Hello, world!</h1>
  </body>
</html>
```

On this page

[Quick start](#)[CDN links](#)[Next steps](#)[JS components](#)[Important globals](#)[HTML5 doctype](#)[Responsive meta tag](#)[Box-sizing](#)[Reboot](#)[Community](#)



Getting started

Introduction

[Download](#)[Contents](#)[Browsers & devices](#)[JavaScript](#)[Webpack](#)[Parcel](#)[Vite](#)[Accessibility](#)[RFS](#)[RTL](#)[Contribute](#)

Customize

[Overview](#)[Sass](#)[Options](#)[Color](#)[Components](#)[CSS variables](#)[Optimize](#)

Layout

[Breakpoints](#)[Containers](#)[Grid](#)[Columns](#)[Gutters](#)[Utilities](#)

2. **Include Bootstrap's CSS and JS.** Place the `<link>` tag in the `<head>` for our CSS, and the `<script>` tag for our JavaScript bundle (including Popper for positioning dropdowns, poppers, and tooltips) before the closing `</body>`. Learn more about our [CDN links](#).

```
<!doctype html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Bootstrap demo</title>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/css/bootstrap.min.css" rel="stylesheet">
  </head>
  <body>
    <h1>Hello, world!</h1>
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/js/bootstrap.bundle.min.js"></script>
  </body>
</html>
```

You can also include [Popper](#) and our JS separately. If you don't plan to use dropdowns, popovers, or tooltips, save some kilobytes by not including Popper.

```
<script src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.11.6/dist/umd/popper.min.js" integrity="sha384-oBqDVmWz9vHh8MG3R5Wqazv1TZv1LrBq0g1Vnp9W3Y04110383" crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.1/dist/js/bootstrap.min.js" integrity="sha384-849JQ8YCAs4vyykgI470P0D956478398868858iWDh04135up5IoEEV90V20"></script>
```

3. **Hello, world!** Open the page in your browser of choice to see your Bootstrapped page. Now you can start building with Bootstrap by creating your own [layout](#), adding dozens of [components](#), and utilizing [our official examples](#).

CDN links

As reference, here are our primary CDN links.

Description	URL
-------------	-----

On this page

[Quick start](#)[CDN links](#)[Next steps](#)[JS components](#)[Important globals](#)[HTML5 doctype](#)[Responsive meta tag](#)[Box-sizing](#)[Reboot](#)[Community](#)



Getting started

[Introduction](#)[Download](#)[Contents](#)[Browsers & devices](#)[JavaScript](#)[Webpack](#)[Parcel](#)[Vite](#)[Accessibility](#)[RFS](#)[RTL](#)[Contribute](#)

Customize

[Overview](#)[Sass](#)[Options](#)[Color](#)[Components](#)[CSS variables](#)[Optimize](#)

Layout

[Breakpoints](#)[Containers](#)[Grid](#)[Columns](#)[Gutters](#)[Utilities](#)

Contents

[View on GitHub](#)

Discover what's included in Bootstrap, including our compiled and source code flavors.



Your new development career awaits.
Check out the latest listings.

ads via Carbon


Compiled Bootstrap

Once downloaded, unzip the compressed folder and you'll see something like this:

```
bootstrap/  
├── css/  
│   ├── bootstrap-grid.css  
│   ├── bootstrap-grid.css.map  
│   ├── bootstrap-grid.min.css  
│   ├── bootstrap-grid.min.css.map  
│   ├── bootstrap-grid.rtl.css  
│   ├── bootstrap-grid.rtl.css.map  
│   ├── bootstrap-grid.rtl.min.css  
│   ├── bootstrap-grid.rtl.min.css.map  
│   ├── bootstrap-reboot.css  
│   ├── bootstrap-reboot.css.map  
│   ├── bootstrap-reboot.min.css  
│   ├── bootstrap-reboot.min.css.map  
│   ├── bootstrap-reboot.rtl.css  
│   ├── bootstrap-reboot.rtl.css.map  
│   ├── bootstrap-reboot.rtl.min.css  
│   ├── bootstrap-reboot.rtl.min.css.map  
│   └── bootstrap-utilities.css
```

On this page

[Compiled Bootstrap](#)[CSS files](#)[JS files](#)[Bootstrap source code](#)



Vad ingår i Bootstrap?

Vad ingår i Bootstrap?

- Layout
 - Responsiv layout genom "grids" (ej samma som CSS grids)
- Grundläggande CSS
 - Typografi
 - Tabeller
 - Figurer
 - Bilder
 - Etc.
- Komponenter
 - Olika visuella / funktionella komponenter så som menyer/knappar/bildspel/etc.
- Hjälpmedel för att skräddarsy sin webbsida



Getting started

An overview of Bootstrap, how to download and use, basic templates and examples, and more.



Become an engineer - join MakerSquare's 12-week immersive JavaScript classes.
sponsored via Carbon

Download

Bootstrap (currently v3.3.5) has a few easy ways to quickly get started, each one appealing to a different skill level and use case. Read through to see what suits your particular needs.

Bootstrap

Compiled and minified CSS, JavaScript, and fonts. No docs or original source files are included.

[Download Bootstrap](#)

Source code

Source Less, JavaScript, and font files, along with our docs. **Requires a Less compiler and some setup.**

[Download source](#)

Sass

Bootstrap ported from Less to Sass for easy inclusion in Rails, Compass, or Sass-only projects.

[Download Sass](#)

Bootstrap CDN

The folks over at [MaxCDN](#) graciously provide CDN support for Bootstrap's CSS and JavaScript. Just use these [Bootstrap CDN](#) links.

```
<!-- Latest compiled and minified CSS -->
<link rel="stylesheet"
      href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.5/css/bootstrap.min.css">
```

```
<!-- Optional theme -->
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.5/css/bootstrap-
theme.min.css">
```

[Copy](#)[Download](#)[What's included](#)[Compiling CSS and JavaScript](#)[Basic template](#)[Examples](#)[Tools](#)[Community](#)[Disabling responsiveness](#)[Migrating from 2.x to 3.0](#)[Browser and device support](#)[Third party support](#)[Accessibility](#)[License FAQs](#)[Translations](#)[Back to top](#)

Låt oss ta en närmre titt! =)

<https://getbootstrap.com>