
Bookly

User's guide

Version 4.1.3

Mathieu AUCEJO



Bookly

User's guide

Version 4.1.3



This version can be viewed and downloaded free of charge for personal use only. It must not be redistributed, sold, or used in derivative works.
© Mathieu AUCEJO, 2026.

Foreword

This document is the user guide for the bookly template. It was designed to help Typst users create beautiful documents with ease, while providing a set of features that can be used to create professional-looking books, reports, and manuals. The template is designed to be flexible and customizable, allowing users to adapt it to their specific needs.

This guide uses the full set of features provided by the template and includes practical examples.

Mathieu Aucejo
2026

Abstract

This work presents and documents the Typst template `bookly`, designed to enable Typst users to write their documents in a modern, readable, and reproducible environment. Most of the content presented in this guide follows the “code + output” principle: a Typst excerpt presents the syntax, and its result is displayed immediately in the document. This approach allows it to be considered not only as a practical user guide, but also as a demonstration of the possibilities offered by the template.

Keywords: Typst, template, book, Cnam, reproducible scientific publishing, user guide, documentation.

Table of contents

Foreword	i
Abstract	ii
Part 1 – User’s manual	6
1. General Usage	7
1.1. Using bookly	8
1.2. Initializing the template	8
1.3. Layout	11
1.4. Themes gallery	12
1.4.1. Fancy	12
1.4.2. Modern	13
1.4.3. Classic	14
1.4.4. Obook	15
1.4.5. Orly	16
1.4.6. Pretty	17
1.5. Dependencies	18
2. Book content	19
2.1. File organization	20
2.2. Environments	21
2.3. Parts and chapters	22
2.4. Tables of contents	24
3. Helper functions	25
3.1. Figure captions	26
3.2. Subfigures	26
3.3. Equations	26
3.4. Callout boxes	27
3.5. Title pages	29
3.6. Back cover	32
3.7. Tufte layout	34
3.8. Miscellaneous	35

4. Theming	37
4.1. Custom theme definition	38
4.2. Template states	39
 Part 2 – Themes in action!	 43
A. Sample chapter – Fancy theme	44
A.1. Goals	45
A.2. Code	45
A.3. Boxes	46
A.3.1. Informations	46
B. Sample chapter – Classic theme	48
B.1. Goals	49
B.2. Code	49
B.3. Boxes	50
B.3.1. Informations	50
C. Sample chapter – Modern theme	52
C.1. Goals	53
C.2. Code	53
C.3. Boxes	54
C.3.1. Informations	54
D. Sample chapter – Orly theme	56
D.1. Goals	57
D.2. Code	57
D.3. Boxes	58
D.3.1. Informations	58
E. Sample chapter – Obook theme	60
E.1. Goals	61
E.2. Code	61
E.3. Boxes	62
E.3.1. Informations	62
F. Sample chapter – Pretty theme	64
F.1. Goals	65
F.2. Code	65
F.3. Boxes	66

F.3.1. Informations	66
Bibliography	68

List of figures

Figure 1.1. Examples of the <code>tufte</code> layout	11
Figure 1.2. Examples of the <code>fancy</code> theme	12
Figure 1.3. Examples of the <code>modern</code> theme	13
Figure 1.4. Examples of the <code>classic</code> theme	14
Figure 1.5. Examples of the <code>obook</code> theme	15
Figure 1.6. Examples of the <code>orly</code> theme	16
Figure 1.7. Examples of the <code>pretty</code> theme	17
Figure 3.1. Short caption	26
Figure 3.2. Figure title	26
Figure A.1. Lorem ipsum.	45
Figure A.2. (a) Left image and (b) Right image	46
Figure B.1. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.	49
Figure B.2. (a) Left image and (b) Right image	50
Figure C.1. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.	53
Figure C.2. (a) Left image and (b) Right image	54
Figure D.1. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.	57
Figure D.2. (a) Left image and (b) Right image	58
Figure E.1. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.	61
Figure E.2. (a) Left image and (b) Right image	62
Figure F.1. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.	65
Figure F.2. (a) Left image and (b) Right image	66

List of tables

Table A.1. Lorem ipsum dolor sit.....46

Table B.1. Lorem ipsum dolor sit.....50

Table C.1. Lorem ipsum dolor sit.....54

Table D.1. Lorem ipsum dolor sit.....58

Table E.1. Lorem ipsum dolor sit.....62

Table F.1. Lorem ipsum dolor sit.....66

Part 1

User's manual

1

General Usage

This chapter provides an overview of the general usage of the Bookly template. It covers the basic structure, configuration options, and how to customize your book's appearance and layout.

Content

1.1. Using bookly	8
1.2. Initializing the template	8
1.3. Layout	11
1.4. Themes gallery	12
1.5. Dependencies	18

1. General Usage

1.1. Using `bookly`

To use the `bookly` template, you need to include the following line at the beginning of your `typ` file:

</> Code

```
#import "@preview/bookly:4.1.3": *
```

tTypst

⚠ Warning

In `bookly`, the supplement of the `ref` function is set to “none” by default to avoid unexpected behavior when referencing more than one item. However, you can revert this setting by using the following syntax after the template definition:

</> Code

```
#set ref(supplement: auto)
```

tTypst

1.2. Initializing the template

After importing the template, you have to initialize the template by a show rule with the `#bookly()` command. This function takes an optional argument to specify the title of the document.

</> Code

```
#show: bookly.with(...)
```

tTypst

```
#bookly(  
  <title>: "Title",  
  <author>: "Author Name",  
  <theme>: fancy,  
  <tufte>: false,  
  <lang>: "en",  
  <fonts>: default-fonts,  
  <colors>: default-colors,  
  <title-page>: default-title-page,  
  <config-options>: default-config-options ) [body]
```

Argument

```
<title>: "Title"
```

string | content

Title of the book.

Argument

`<author>: "Author Name"`

string | content

Author of the book.

Argument

`<theme>: fancy`

dictionary

Theme of the document. Possible values are:

- fancy (default)
- modern
- classic
- orly (O'Reilly inspired)
- pretty

Each dictionary contains the following keys:

- theme function – Show rule defining the theme style.
- part function – Function defining the style of the part titles.
- minitoc content – Function defining the style of the mini table of contents.
- box function – Function defining the style of the information boxes (e.g., info-box, tip-box, etc.).
- boxeq function – Function defining the style of the equation boxes.

Argument

`<tufte>: false`

bool

If `true`, the layout of the document is inspired by the works of Edward Tufte (wide margins, sidenotes, etc.).

Argument

`<lang>: en`

string

Language of the document.

Supported languages:

- English – "en" (default)
- Chinese – "zh"
- French – "fr"
- German – "de"
- Italian – "it"
- Portuguese – "pt"
- Spanish – "es"

Argument

`<fonts>: default-fonts`

dictionary

Fonts used in the document. It contains the following keys:

- size string – Font size (default: "10pt")

1. General Usage

- `body` `string` – Font used for the body text (default: "New Computer Modern")
- `math` `string` – Font used for mathematical equations (default: "New Computer Modern Math")
- `raw` `string` – Font used for raw text (default: "DejaVu Sans Mono")

Argument

`<colors>`: `default-colors`

dictionary

Colors used in the document. It contains the following keys:

- `primary` `color` – Primary color (default: `rgb("#c1002a")`)
- `secondary` `color` – Secondary color (default: `rgb("#dddddd").darken(15%)`)
- `boxeq` `color` – Color of equation boxes (default: `rgb("#dddddd")`)
- `header` `color` – Color used for adapting the color of the document headers (default: `black`)

Argument

`<title-page>`: `default-title-page`

content

Content of the title page.

Argument

`<config-options>`: `default-config-options`

dictionary

Configuration options of the document. It allows a more fine-grained control of some aspects of the template. It contains the following keys:

- `part-numbering` `string` – Numbering pattern (default: "1")
- `open-right` `bool` – If true, parts start on a right-hand page (default: `true`)
- `alt-margins` `bool` – If true, margins are alternated for odd and even pages when `tufte` is enabled (default: `false`)
- `paper-size` `string` – Size of the paper (default: "a4").
- `par-indent` `bool` – If true, paragraphs are indented (default: `false`)

Note

If `part-numbering` is set to `none`, the parts are not numbered. If it is set to "1", the parts are numbered with Arabic numerals. If it is set to "I", the parts are numbered with Roman numerals. Other numbering patterns are possible.

Initialization example

Code

```
#show: bookly.with(  
  author: "Author Name",  
  fonts: (  
    body: "Lato",
```

 Typst

```

math: "Lete Sans Math"
),
theme: modern,
lang: "en",
logo: image("path_to_image/image.png")
)

```

1.3. Layout

The template currently supports two layouts: standard and tufte.

The standard layout is the default layout, with symmetric margins. It is the most common layout for books and theses. Some examples of the standard layout are presented in section 1.4 “Themes gallery”.

The tufte layout is inspired by the works of Edward Tufte, which emphasizes simplicity and clarity, often using wide margins for notes and figures. It is particularly suitable for books or theses that require extensive annotations or side comments. To implement the tufte layout, the template comes with several helper functions, based on the `marginalia` package, implementing side notes, side figures, full width blocks, etc.

1.1. Goals

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Quod idem licet transferre in voluptatem, ut.

Equations (1.1) et (1.2) are very important.

$$\int_a^b f(x) dx = F(b) - F(a) \text{ et vola} \quad (1.1)$$

$$\int_a^b f(x) dx = F(b) - F(a) \text{ et vola} \quad (1.2)$$

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Quod idem licet transferre in voluptatem, ut.

1.2. Code

Figure 1.1 is a beautiful typst logo.



Figure 1.2 - (a) Left image and (b) Right image



(a) (b)

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Quod idem licet transferre in voluptatem, ut.

accessio potest, si aliquod aeternum et infinitum impendere malum nobis optineatur. Quod idem licet transferre in voluptatem, ut.

Substance	Subcritical °C	Supercritical °C
Hydrochloric Acid	12.0	92.1
Sodium Naphen Sulfate	16.6	104
Potassium Hydroxide		247

1.3. Boxes

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Quod idem licet transferre in voluptatem, ut.

1.3.1. Informations

- ① Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.
- ② Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.
- ③ Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.
- ④ Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.
- ⑤ Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.
- ⑥ Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

[1] Smith, J. M., and Jones, A. B. (2021) Book Title

2.1. Goals

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Quod idem licet transferre in voluptatem, ut.

Equation (2.1)

$$\vec{V}(M/R_0) = \frac{d\vec{O}}{dt} \bigg|_{R_0} + \vec{0} \quad (2.1)$$


Figure 2.2 - Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

(a) Figures and side figures


(b) Citations

(c) Full width elements


Figure 1.1 – Examples of the tufte layout

1.4. Themes gallery

1.4.1. Fancy




(a) Part



(c) Unnumbered chapter



(b) Chapter



(d) Section

Figure 1.2 – Examples of the fancy theme

1.4.2. Modern



Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Quis ipsum suspendisse ultram gravida. Risus commodo viverra maecenas accumsan.



Table of contents

1.1. Goals	14
1.2. Code	14
1.3. Boxes	15

13

(a) Part

(b) Chapter



(c) Unnumbered chapter

(d) Section

Figure 1.3 – Examples of the modern theme

1. General Usage

1.4.3. Classic

Part 1

First part

Introduction

Goals

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguere possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facere et urbane Stoicos irridere, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguere possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facere et urbane Stoicos irridere, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et.

$$\begin{aligned} y &= f(x) & (1a) \\ g &= h(x) & (1b) \end{aligned}$$

Sub-goals




Figure 1.1 – Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguere possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facere et urbane Stoicos irridere, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et.

9

(c) Unnumbered chapter

Chapter 1

First chapter

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguere possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facere et urbane Stoicos irridere, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et.

Table of contents

1.1. Goals	14
1.2. Code	14
1.3. Boxes	15

13

(a) Part

(b) Chapter

1. First chapter

1.1. Goals

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguere possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facere et urbane Stoicos irridere, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et.

Equations (1.1) and (1.2) are very important.

$$\begin{aligned} \int_0^1 f(x) dx &= F(1) - F(0) \text{ et voilà} & (1.1) \\ \int_0^1 f(x) dx &= F(1) - F(0) \text{ et voilà} & (1.2) \end{aligned}$$

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguere possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facere et urbane Stoicos irridere, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et.

1.2. Code

Figure 1.1 is a beautiful typst logo.



Figure 1.1 – Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Figure 1.2 the Typst logo. Figure 1.2b is a Typst logo [1].

14

(d) Section

Figure 1.4 – Examples of the classic theme

1.4.4. Obook

1

First part

1. First chapter

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Quis ipsum suspendisse ultram gravida. Risus commodo viverra maecenas accumsan.

Table of contents	
1.1. Goals	9
1.2. Code	9
1.3. Boxes	10

Introduction	5
Goals	5
Methodology	6
1. First chapter	8
1.1. Goals	9
1.2. Code	9
1.3. Boxes	10
2. Second chapter	13
2.1. Goals	14
3. Conclusions and outlooks	15

(a) Part

(b) Chapter

Introduction

Goals

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Quis ipsum suspendisse ultram gravida. Risus commodo viverra maecenas accumsan.

$y = f(x)$

$g = h(x)$

(1a)
(1b)

Sub-goals



Figure 1 – Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Quis ipsum suspendisse ultram gravida. Risus commodo viverra maecenas accumsan.

5

141. First chapter

1.1. Goals

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Quis ipsum suspendisse ultram gravida. Risus commodo viverra maecenas accumsan.

$$\int_0^1 f(x) \, dx = F(1) - F(0) \text{ et voilà}$$

$$\int_0^1 f(x) \, dx = F(1) - F(0) \text{ et voilà}$$

(1.1)
(1.2)

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Quis ipsum suspendisse ultram gravida. Risus commodo viverra maecenas accumsan.

1.2. Code

Figure 1.1 is a beautiful typst logo.



Figure 1.1 – Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Quis ipsum suspendisse ultram gravida. Risus commodo viverra maecenas accumsan.

Figure 1.2 the Typst logo. Figure 1.2b is a Typst logo [1].

(c) Unnumbered chapter

(d) Section

Figure 1.5 – Examples of the obook theme

1. General Usage

1.4.5. Only



Figure 1.6 – Examples of the orly theme

1.4.6. Pretty

Part 1

First part

(a) Part

Introduction

Goals

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Quasera voluptatut. Ut enim acce doleamus animo, cum corpore dolorem, fieri tamen perquam accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quid item licet transire in voluptatem, ut postea variari voluptas distingui possit, augeri amplificare non possit. At etiam Athenis, ut e patre audiebam facete et urbane Stoicos irridere, statua est: in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possumus, omnis voluptas assumenda est, omnis dolor

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut
 labore et dolore magna aliqua. Quam ipsum accusantium. Ut enim ad minim veniam, quis
 nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.

$$y = f(x) \quad (1a)$$

Sub-goals



Figure 1 – Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Queraer voluptatem. Ut enim aequae doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut, (cf. Figure 1)

(c) Unnumbered chapter

Chapter

1 First chapter

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

[Table of contents](#)

1.1. Goals	14
1.2. Code	14
1.3. Boxes	15

(b) Chapter

1. First chapter

1.1. Goals

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

Equations (1.1) et (1.2) are very important.

$$\int_0^1 f(x) \, dx = F(1) - F(0) \text{ et voilà} \quad (1.1)$$

$$\int_0^1 f(x) dx = F(1) - F(0) \text{ et voilà} \quad (1.2)$$

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut
 labore et dolore magna aliqua.

1.2. Code

Figure 1.1 is a beautiful typst logo



Figure 1.1 – Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Figure 1.2 the Typst logo. Figure 1.2b is a Typst logo [1].

(d) Section

Figure 1.7 – Examples of the pretty theme

1.5. Dependencies

The bookly template relies on several Typst packages to provide additional functionalities:

- `marginalia:0.3.1`: for tufte layout.
- `hydra:0.6.3`: for bibliography management.
- `equate:0.3.3`: for advanced equation numbering.
- `showybox:2.0.4`: for custom boxes.
- `suboutline:0.3.0`: for mini tables of contents in chapters.
- `subpar:0.2.2`: for subfigures.

2

Book content

This chapter provides a comprehensive overview of the book content, including the structure, elements, and features that can be utilized to create a well-organized and visually appealing book. It covers various aspects such as chapters, sections, figures, tables, and other content elements that contribute to the overall presentation of the book.

Content

2.1. File organization	20
2.2. Environments	21
2.3. Parts and chapters	22
2.4. Tables of contents	24

2.1. File organization

When writing a long document, such as a thesis manuscript, it is preferable to adopt a multi-file organization to avoid having one very long main file. This is especially important during proofreading/correction, as well as in a collaborative writing context. I generally use the following structure:

```
t main.typ
├── appendices/
│   └── t app1.typ
├── bibliography/
│   └── biblio.bib
├── chapters/
│   └── t chapter1.typ
├── images/
│   └── logo.png
├── preamble/
│   └── t summary.typ
```

Based on the structure defined in the previous section, the main `main.typ` file could look like this:

</> Code

```
// main.typ
#import "@preview/bookly:4.1.3": *

#show: bookly.with(...)

#show: front-matter

#include "preamble/summary.typ"

#show: main-matter

#tableofcontents
#listoffigures
#listoftables

#part[User guide]

#include "chapters/chapter-main.typ"

#bibliography("bibliography/biblio.bib")

#show: appendix

#part[Appendices]
```

t Typst


```
#include "appendices/appendix-main.typ"

#back-cover(...)
```

The main file presents the general structure of the document. You can note that the document contains:

- Front matter `#front-matter`, main matter `#main-matter`, and appendix `#appendix` environments.
- A table of contents `#tableofcontents`, a list of figures `#listoffigures`, and a list of tables `#listoftables`.
- Parts `#part`.
- Chapters and appendices imported from other files using the `#include` command.
- A bibliography inserted with the `#bibliography()` command.
- A back cover `#back-cover` containing the summary and abstract of the document.

2.2. Environments

The template provides three environments to structure the thesis content:

1. **front-matter:** environment for preliminary content (cover page, abstract, acknowledgments, etc.). Pages are numbered with Roman numerals and chapters are not numbered. To activate this environment, insert the following command in the main `typ` file at the desired location:

</> Code

```
#show: front-matter
```

Typst

2. **main-matter:** environment for the main content (introduction, tables of contents, chapters, conclusion, bibliography, etc.). Pages and chapters are numbered with Arabic numerals. To activate this environment, insert the following command in the main `typ` file at the desired location:

</> Code

```
#show: main-matter
```

Typst

3. **appendix:** environment for the appendices. Pages are numbered with Roman numerals and chapters are numbered with letters. To activate this environment, insert the following command in the main `typ` file at the desired location:

</> Code

```
#show: appendix
```

Typst

2.3. Parts and chapters

To structure the book content, you can define parts using the `#part()` function. To insert a new part, use the following command:

 Code

```
#part("Part title")
```

 Typst

Chapters can also be defined using the standard Typst markup language. This template defines a function `#chapter()` that helps you to avoid boilerplate code, such as the manual inclusion of standard elements like title, abstract, and minitoc.

```
#chapter(
  <title>,
  <abstract>: none,
  <toc>: true,
  <numbered>: true,
  <label>: none)[body]
```

Argument

`<title>`

string | content

Chapter title.

Argument

`<abstract>: none`

string | content

Summary displayed below the chapter title.

Argument

`<toc>: true`

boolean

Indicates whether a mini table of contents should be displayed at the beginning of the chapter.

Argument

`<numbered>: true`

boolean

Indicates whether the chapter should be numbered.

Argument

`<label>: none`

label

Label for the chapter.

 Code

```
#chapter(
  "First chapter",
  abstract: lorem(20),
  label: <ch:1>
)[
  // Content of the chapter
]
```

 Typst

2. Book content

Note

If you use a *.typ file for each chapter, you can type at the top of the file the following code.

</> Code

```
#show: chapter.with("First chapter", abstract: lorem(20), toc: true,  
label: <ch:1>)
```

// Content of the chapter
== First section

tTypst

For unnumbered chapters, you can simply use the `#chapter-nonum()` function. This function assumes that you have a *.typ file per chapter.

</> Code

```
#show: chapter-nonum
```

// Content of the chapter
= Chapter title

tTypst

bookly also provides the `label <nonum-sec>` to create unnumbered sections. To use it, simply add the label `<nonum-sec>` after the title of the considered section.

</> Code

```
== Section title <nonum-sec>
```

tTypst

Warning

The `<nonum-sec>` label only works for sections and not for chapters. When applied to chapters, it breaks the global numbering of the document. For unnumbered chapters, use the `#chapter-nonum` function. instead

2.4. Tables of contents

The template defines several commands to facilitate the creation of tables of contents:

- `#tableofcontents` : Table of contents
- `#listoffigures` : List of figures
- `#listoftables` : List of tables

A mini table of contents is automatically generated by using the command `#minitoc` in a chapter. This function is a wrapper of the `#suboutline` function provided by the `suboutline` package.

3

Helper functions

This chapter provides an overview of the helper functions available in the `bookly` template. These functions are designed to simplify common tasks and enhance the functionality of your book.

Content

3.1. Figure captions	26
3.2. Subfigures	26
3.3. Equations	26
3.4. Callout boxes	27
3.5. Title pages	29
3.6. Back cover	32
3.7. Tufte layout	34
3.8. Miscellaneous	35

3.1. Figure captions

The package include the command `#ls-caption()` to manage long and short captions for figures and tables. Short caption are displayed in the list of figures or tables, while long captions are used in the main text and in the table of contents.

```
#figure(
  rect(),
  caption: ls-caption("Long caption",
    "Short caption")
)
```

See the list of figures for the short caption.

Rendering



Figure 3.1 – Long caption

See the list of figures for the short caption.

Note

The code of the command `#ls-caption()` comes from the [Typst book](#) by Sitandr.

3.2. Subfigures

In general, figures are inserted into the document using the `#figure` function from Typst. However, Typst currently does not provide mechanisms for handling subfigures (numbering and referencing). To address this limitation, the template includes a `#subfigure` function that manages subfigures appropriately. This function wraps the `#subpar.grid` function from the `subpar` package.

```
#subfigure(
  figure(rect(), caption:[]),
  figure(rect(), caption:[]), <b>,
  columns: (1fr, 1fr),
  caption: [Figure title],
  label: <fig:subfig>,
)
```

Figure @fig:subfig shows an example of subfigures. Figure @b shows the second subfigure.

Rendering



(a)

(b)

Figure 3.2 – Figure title

Figure 3.2 shows an example of subfigures.
Figure 3.2b shows the second subfigure.

3.3. Equations

To highlight an important equation, use the `#boxeq()` function.

```
$
#boxeq[$p(A|B) \propto p(B|A) \text{ space } p(A)$]
$
```

Rendering

$$p(A|B) \propto p(B|A) p(A) \quad (3.1)$$

To create an equation without numbering,bookly also provides the `label <nonum-eq>` to create unnumbered equations. To use it, simply add the label `<nonum-eq>` after the equation.

t Typst	Rendering
<pre>\$ integral_0^1 f(x) dif x = F(1) - F(0) \$ <nonum-eq></pre>	$\int_0^1 f(x) dx = F(1) - F(0)$

3.4. Callout boxes

The template provides several types of boxes to highlight different kinds of content:

- **#info-box**: Used to provide general information or useful advice.

t Typst	Rendering
<pre>#info-box[This is an information box.]</pre>	Note This is an information box.

- **#tip-box**: Used to provide tips or recommendations.

t Typst	Rendering
<pre>#tip-box[This is a tip box.]</pre>	Tip This is a tip box.

- **#warning-box**: Used to warn the reader about a potential danger or important information.

t Typst	Rendering
<pre>#warning-box[This is a warning box.]</pre>	Warning This is a warning box.

- **#important-box**: Used to emphasize crucial information or key points.


t Typst	Rendering
<pre>#important-box[This is an important box.]</pre>	Important This is an important box.

3. Helper functions

- **#proof-box**: Used to present proofs or mathematical demonstrations.

```
#proof-box[This is a proof box.]
```


t Typst



- **#question-box**: Used to ask questions or propose problems to solve.

```
#question-box[This is a question box.]
```


t Typst



- **#code-box**: Used to present source code or code snippets.

```
#code-box[This is a code box.]
```

t Typst



The information boxes described above are built using the **#custom-box()** function, which allows you to create custom boxes. This generic function takes the following parameters:

```
#custom-box(  
  <title>: none,  
  <icon>: "info",  
  <color>: rgb("#1d90d0"))[body]
```

Argument

<title>

string | content

Name of the box.

Argument

<icon>: info

string

Name of the icon to display in the box.

Available icons are:

- ⚠ : "alert"
- ⓘ : "info"
- ❓ : "question"

-  : "report"
-  : "stop"
-  : "tip"
-  : "code"

Argument

`<color>`: `rgb(29, 144, 208)`

color

Box color.

3.5. Title pages

The template provides two functions to create title pages: one for a book and one for a thesis :

```
#book-title-page(  
  <subtitle>: "Book subtitle",  
  <edition>: "First edition",  
  <institution>: "Institution",  
  <series>: "Discipline",  
  <year>: "2024",  
  <cover>: none,  
  <logo>: none,  
  <version-usage>: none,  
  <show-cover-author>: true ) [body]
```

Argument

`<subtitle>`: Book subtitle

string | content

Subtitle of the book.

Argument

`<edition>`: First edition

string | content

Edition of the book.

Argument

`<institution>`: Institution

string | content

Name of the institution.

Argument

`<series>`: Discipline

string | content

Name of the series.

3. Helper functions

Argument

`<year>`: 2024

string | content

Year of publication.

Argument

`<cover>`: none

image | content

Cover image of the book.

Argument

`<logo>`: none

image

Logo of the book.

`</>` Code

```
#show: book.with(  
  title-page: book-title-page(  
    logo: image("path_to_logo/logo.png"),  
    cover: image("path_to_image/book-cover.jpg")  
  )  
)
```

tTypst

Argument

`<version-usage>`: none

string | content

Description of the version usage of the book. It can include the version number, the date or any licensing information. It is displayed in the footer of the title page.

Argument

`<show-cover-author>`: true

bool

If true, the author name is displayed on the cover page.

```
#thesis-title-page(  
  <type>: "phd",  
  <school>: "School name",  
  <doctoral-school>: "Name of the doctoral school",  
  <supervisor>: ("Supervisor name"),  
  <cosupervisor>: none,  
  <laboratory>: "Laboratory name",  
  <defense-date>: "01 January 1970",  
  <discipline>: "Discipline",  
  <specialty>: "Speciality",  
  <committee>: (:),  
  <logo>: none)[body]
```

Argument

`<type>: phd`

string

Type of thesis. Two values are possible:

- "phd" for a doctoral thesis
- "habilitation" for a French habilitation

Argument

`<school>: School name`

string | content

Name of the institution where the thesis was prepared.

Argument

`<doctoral-school>: Name of the doctoral school`

string | content

Name of the doctoral school.

Argument

`<supervisor>: ("Supervisor name",)`

array

Name of the thesis supervisor(s) or the guarantor of the habilitation.

Argument

`<cosupervisor>: none`

array

Name of the thesis co-supervisor(s).

Argument

`<laboratory>: Laboratory name`

string | content

Name of the research laboratory.

Argument

`<defense-date>: 01 January 1970`

string | content

Date of the thesis defense.

Argument

`<discipline>: Discipline`

string | content

Name of the discipline.

Argument

`<specialty>: Speciality`

string

Name of the specialty.

3. Helper functions

Argument

`<committee>: (:)`

array

Name of the thesis committee members. Each element of the array is a `dictionary` with the following keys:

- `name`: Name of the committee member.
- `position`: Position of the committee member (e.g., "Associate Professor", "Professor", etc.).
- `affiliation`: Affiliation of the committee member (e.g., "University Name").
- `role`: Role of the committee member (e.g., "Chair", "Member", "Reviewer").

Code

```
#let committee = (  
  (  
    name: "Hari Seldon",  
    position: "Full Professor",  
    affiliation: "Streeling university",  
    role: "President",  
  ),  
  (  
    name: "Gal Dornick",  
    position: "Associate Professor",  
    affiliation: "Synnax University",  
    role: "Reviewer"  
  ),  
)  
  
#show: book.with(  
  title-page: thesis-title-page(  
    supervisor: ("Supervisor A", "Supervisor B"),  
    cosupervisor: ("Co-supervisor A", "Co-supervisor B"),  
    committee: committee  
  )  
)
```

 Typst

Note

For both title pages, the title of the document and its author are automatically generated based on the information given when initializing the template.

Argument

`<logo>: none`

image

Logo of the institution.

3.6. Back cover

A back cover of the document is automatically generated using the `#back-cover()` function, which displays information about the thesis (title and author), as well as a summary.

```
#back-cover(
  <resume>: none,
  <abstract>: none,
  <abstracts>: (),
  <logo>: none)
```

Argument

<abstracts>

dictionary

Title and summary of the document.

</> Code

```
#let abstracts-en-fr-de = (
  (
    title: [#set text(lang: "en", region: "gb"); Abstract:],
    text: [#set text(lang: "en", region: "gb")
      This paper presents the objectives, methodology, and main results of the
      work.
    ]
  ),
  (
    title: [#set text(lang: "fr"); Résumé :],
    text: [#set text(lang: "fr")
      Cet article présente les objectifs, la méthodologie et les principaux
      résultats du travail.
    ]
  ),
  (
    title: [#set text(lang: "de"); Zusammenfassung],
    text: [#set text(lang: "de")
      Diese Arbeit beschreibt die Ziele, die Methodik und die wichtigsten
      Ergebnisse.
    ]
  )
)

#back-cover(abstracts: abstracts-en-fr-de, logo: box[logo])
```

tTypst

Argument

<logo>

array

3. Helper functions

Logo of the back cover.

</> Code

```
#let logos = (  
  align(left)[#image("images/devise_cnam.svg", width: 45%)],  
  align(right)[#image("images/logo_cnam.png", width: 50%)]  
)  
  
#back-cover(resume: lorem(10), abstract: lorem(10), logo: logos)
```

tTypst

3.7. Tufte layout

When the `tufte` layout is selected, several customizations are applied to adapt the appearance of various elements (figures, tables, equations, etc.) to the Tufte style.

`#note(<..note-args>)[body]`

Argument

`<..note-args>`

arguments

Arguments of the `#note()` function provided by the `marginalia` package.

i Note

bookly introduces some customization of the `marginalia #note()` as follows:

</> Code

```
#let note = note.with(  
  counter: ...,  
  numbering: ...,  
  keep-order: true  
)
```

tTypst

`#notefigure(<..notefigure-args>)[body]`

Argument


`<..notefigure-args>`

arguments

Arguments of the `#notefigure()` function provided by the `marginalia` package.

i Note

bookly introduces a slight customization of the `marginalia #notefigure()` as follows:



```
#notecite(
  <key>,
  <dy>: -1.5em,
  <alignment>: "baseline",
  <supplement>: none ) [body]
```

Argument

<key>

label

Key of the reference to cite.

Argument

<dy>: -1.5em

length

Vertical adjustment of the notecite position.

Argument

<alignment>: baseline

string

Alignment of the notecite. Possible values are:

- "top": Align the top of the notecite with the reference.
- "caption-top": Align the top of the notecite with the main text baseline.
- "bottom": Align the bottom of the notecite with the reference.
- "baseline" (default): Align the baseline of the notecite with the main text baseline.

Argument

<supplement>

string | content

Supplementary text to add before the citation (e.g., "see", "e.g.", etc.).

```
#wideblock(<side>)[body]
```

Argument

<side>

string | content

Side of the wide block. Possible values are:

- auto: Same as "outer"
- "outer": The wide block is displayed on the outer side of the page.
- "inner": The wide block is displayed on the inner side of the page.
- "left": The wide block is displayed on the left side of the page.
- "right": The wide block is displayed on the right side of the page

Note

To define a full-width figure in the `tuftex` layout, you can use the `wideblock` function with the `side` argument set to `auto` or `outer`. For example:

</> Code

```
#wideblock[  
  #figure(image("path_to_image/figure.png"), caption: [Full width figure])  
]
```

tTypst

3.8. Miscellaneous

`bookly` provides several other helper functions to facilitate the writing of a book or a thesis and the creation of custom templates.

3. Helper functions

#reset-counters

Argument

Reset the counters for equations, figures, tables, sidenotes, and footnotes.

#row-img(<logo>)[body]

Argument

<logo>

array

Array of images to display in a row.

</> Code

```
#row-img(  
  image("path_to_image/logo1.png", width: 20%),  
  image("path_to_image/logo2.png", width: 20%),  
  image("path_to_image/logo3.png", width: 20%)  
)
```

tTypst

#nonindent

Argument

Disables the indentation of a given paragraph.

</> Code

```
#noindent This paragraph will not be indented.
```

tTypst

#partial-outline

Argument

Displays a partial outline of the document, showing only the current chapters and sections between the current part and the next one. This function is useful for creating a mini table of contents for a specific part of the document (see obook theme).

4

Theming

This chapter provides an overview of the theming capabilities in bookly. The theming system is designed to be flexible and customizable, allowing users to define their own themes.

Content

4.1. Custom theme definition	38
4.2. Template states	39

4. Theming

4.1. Custom theme definition

To implement a custom theme, you have to define a function that includes the `show` and `set` rules defining the style of the document (headings, footnotes, references, ...). Basically, a theme should be structured as follows:

</> Code

```
// my-theme.typ
#import "@preview/bookly:4.1.3": *

#let my-theme(colors: default-colors, it) = {
  // Update the theme state
  states.theme.update("custom")

  // Heading Level 1 style
  show heading.where(level: 1): it => {
    // Page break before each part
    if not states.open-right.get() {pagebreak(weak: true)}
    ...
  }

  // Heading Level 2 style
  show heading.where(level: 2): it => {...}

  // Heading Level 3 style
  show heading.where(level: 3): it => {...}

  // Outline entry style
  show outline.entry: it => {...}

  // Other show and set rules
  ...

  it
}

// Custom part function
#let my-part(title) = {...}

// Custom minitoc function
#let my-minitoc = {...}

// Custom box style
#let my-box(title: none, icon: "info", color: rgb(29, 144, 208), body) = {...}

// Template dictionary
```

Typst

```
#let custom-theme = (theme: my-theme, part: my-part, minitoc: my-minitoc, box: my-box)
```

Note

Examples of theming are available in the [Github repository](#) of the template.

Then, you can initialize the template with your custom theme as follows:

Code

```
#import "path_to_file/my-theme.typ": custom-theme

#show: bookly.with(
  theme: custom-theme,
  ...
)
```

Typst

If you want to reuse and combine elements of the existing themes, you can simply use it in the definition of your custom theme `dictionary`.

Code

```
#let custom = (theme: pretty-theme, part: obook-part, minitoc: modern-minitoc, box: orly-custom-box, boxeq: pretty-boxeq)
```

Typst

Note

The naming convention for the theming elements is as follows: `theme-name-part`, `theme-name-minitoc`, `theme-name-box`, `theme-name-boxeq`. For example, the part function of the `obook` theme is called `obook-part`.

4.2. Template states

`bookly` provides some states that can be useful when designing a custom theme. The states are used to store information about the current state of the document. They are collected in a `dictionary`. The following states are available:

- `states.alt-margins` – `bool`: Indicates whether the margins are alternated for odd and even pages when `tufte` layout is enabled.
- `states.author` – `string`: Author of the document.

4. Theming

- `states.colors` – `dictionary` : Color scheme for the document.
- `states.counter-part` – `string` : Counter for parts.
- `states.in-outline` – `bool` : Indicates whether the current section is in the outline.
- `states.isappendix` – `bool` : Indicates whether the current section is an appendix.
- `states.isfrontmatter` – `bool` : Indicates whether the current section is front matter.
- `states.localization` – `dictionary` : Dictionary of terms used in the document (e.g., “chapter”, etc.) in the selected language.

Note

To use a language that is not supported by default, you can modify the `states.localization` dictionary when initializing the template. For instance, to add support for Dutch, you can do the following `#states.localization.update(json("path_to_file/dutch.json"))`. For the english version, the JSON file is as follows:

```
{
  "and": " and ",
  "appendix": "Appendix",
  "authored": "authored by",
  "chapter": "Chapter",
  "committee": "Defense committee",
  "cosupervisor": "Co-supervisor:",
  "cosupervisors": "Co-supervisors:",
  "defended": "defended on",
  "discipline": "Discipline:",
  "doctoral-school": "DOCTORAL SCHOOL",
  "habilitation": "French Habilitation to supervise research",
  "lof": "List of figures",
  "lot": "List of tables",
  "minitoc": "Content",
  "note": "Note",
  "part": "Part",
  "phd": "Doctoral thesis",
  "proof": "Proof",
  "specialty": "Specialty:",
  "sponsor": "Sponsor:",
  "sponsors": "Sponsors:",
  "supervisor": "Supervisor:",
  "supervisors": "Supervisors:",
  "tip": "Tip",
  "toc": "Table of contents",
  "version-usage": "This version can be viewed and downloaded free of charge for personal use only. It must not be redistributed, sold, or used in derivative works.",
  "warning": "Warning"
}
```

- `states.num-heading` – `string`: Numbering pattern for headings.
- `states.num-pattern` – `string`: Numbering pattern for sections.
- `states.num-pattern-eq` – `string`: Numbering pattern for equations.
- `states.num-pattern-fig` – `string`: Numbering pattern for figures.
- `states.num-pattern-subfig` – `string`: Numbering pattern for subfigures.

4. Theming

- `states.open-right` - `bool`: Indicates whether parts and chapters start on a right-hand page.
- `states.page-numbering` - `string`: Numbering pattern for pages.
- `states.paper-size` - `string`: Size of the paper.
- `states.par-indent` - `bool`: Indentation of paragraphs.
- `states.part-numbering` - `string`: Numbering pattern for parts.
- `states.sidenotecounter` - `int`: Counter for sidenotes.
- `states.theme` - `dictionary`: Current theme of the document.
- `states.title` - `string`: Title of the document.
- `states.tufte` - `bool`: Indicates whether the current layout is Tufte style.

Part 2

Themes in action!



Sample chapter – Fancy theme

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua quaerat voluptatem. Ut enim aequae doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguere possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facete et urbane Stoicos irridente, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et.

Content

A.1. Goals	45
A.2. Code	45
A.3. Boxes	46

A.1. Goals

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua quaerat voluptatem. Ut enim aequale doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguere possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facete et urbane Stoicos irridente, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et.

Equations (A.1) and (A.2) are very important.

$$\int_0^1 f(x) dx = F(1) - F(0) \text{ et voilà} \quad (\text{A.1})$$

$$\int_0^1 f(x) dx = F(1) - F(0) \text{ et voilà} \quad (\text{A.2})$$

$$y_{k+1} = C x_{k+1} \quad (\text{A.3})$$

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua quaerat.

A.2. Code

Figure A.1 is a beautiful typst logo.




Figure A.1 – Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Figure A.2 the Typst logo. Figure A.2b is a Typst logo.



(a)



(b)

Figure A.2 – (a) Left image and (b) Right image

Table A.1 – Lorem ipsum dolor sit.

Substance	Subcritical °C	Supercritical °C
Hydrochloric Acid	12.0	92.1
Sodium Myreth Sulfate	16.6	104
Potassium Hydroxide	24.7	

A.3. Boxes

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

A.3.1. Informations

Note

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Tip

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Warning

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Important

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Proof

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

 Question

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

 Code

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.¹

¹This is a footnote

Appendix B

Sample chapter – Classic theme

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua quaerat voluptatem. Ut enim aequale doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguere possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facete et urbane Stoicos irridente, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et.

Content

B.1. Goals	49
B.2. Code	49
B.3. Boxes	50

B.1. Goals

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua quaerat voluptatem. Ut enim aequale doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguere possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facere et urbane Stoicos irridere, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et.

Equations (B.1) and (B.2) are very important.

$$\int_0^1 f(x) dx = F(1) - F(0) \text{ et voilà} \quad (\text{B.1})$$

$$\int_0^1 f(x) dx = F(1) - F(0) \text{ et voilà} \quad (\text{B.2})$$

$$\boxed{y_{k+1} = C x_{k+1}} \quad (\text{B.3})$$

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua quaerat.

B.2. Code

Figure B.1 is a beautiful typst logo.




Figure B.1 – Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Figure B.2 the Typst logo. Figure B.2b is a Typst logo.




Figure B.2 – (a) Left image and (b) Right image

Table B.1 – Lorem ipsum dolor sit.

Substance	Subcritical °C	Supercritical °C
Hydrochloric Acid	12.0	92.1
Sodium Myreth Sulfate	16.6	104
Potassium Hydroxide	24.7	

B.3. Boxes

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

B.3.1. Informations

Note

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Tip

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Warning

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Important

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Proof

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Question

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Code

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.¹

¹This is a footnote

Appendix C

Sample chapter – Modern theme

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua quaerat voluptatem. Ut enim aeque doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguique possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facete et urbane Stoicos irridente, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et.

Content

C.1. Goals	53
C.2. Code	53
C.3. Boxes	54

C.1. Goals

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua quaerat voluptatem. Ut enim aequae doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguere possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facete et urbane Stoicos irridente, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et.

Equations (C.1) and (C.2) are very important.

$$\int_0^1 f(x) dx = F(1) - F(0) \text{ et voilà} \quad (\text{C.1})$$

$$\int_0^1 f(x) dx = F(1) - F(0) \text{ et voilà} \quad (\text{C.2})$$

$$y_{k+1} = C x_{k+1} \quad (\text{C.3})$$

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua quaerat.

C.2. Code

Figure C.1 is a beautiful typst logo.



Figure C.1 – Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Figure C.2 the Typst logo. Figure C.2b is a Typst logo.



Figure C.2 – (a) Left image and (b) Right image

Table C.1 – Lorem ipsum dolor sit.

Substance	Subcritical °C	Supercritical °C
Hydrochloric Acid	12.0	92.1
Sodium Myreth Sulfate	16.6	104
Potassium Hydroxide	24.7	

C.3. Boxes

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

C.3.1. Informations



Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.



Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.



Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.



Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.



Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.



Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.



Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.¹

¹This is a footnote

Sample chapter – Orly theme

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aequale doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguere possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facete et urbane Stoicos irridente, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et.

Content

D.1. Goals	57
D.2. Code	57
D.3. Boxes	58

D.1. Goals

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua quaerat voluptatem. Ut enim aequale doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguere possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facete et urbane Stoicos irridente, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et.

Equations (D.1) and (D.2) are very important.

$$\int_0^1 f(x) dx = F(1) - F(0) \text{ et voilà} \quad (\text{D.1})$$

$$\int_0^1 f(x) dx = F(1) - F(0) \text{ et voilà} \quad (\text{D.2})$$

$$y_{k+1} = C x_{k+1} \quad (\text{D.3})$$

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua quaerat.

D.2. Code

Figure D.1 is a beautiful typst logo.




Figure D.1 – Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Figure D.2 the Typst logo. Figure D.2b is a Typst logo.



(a)



(b)

Figure D.2 – (a) Left image and (b) Right image

Table D.1 – Lorem ipsum dolor sit.

Substance	Subcritical °C	Supercritical °C
Hydrochloric Acid	12.0	92.1
Sodium Myreth Sulfate	16.6	104
Potassium Hydroxide	24.7	

D.3. Boxes

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

D.3.1. Informations

Note

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Tip

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Warning

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Important

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

 Proof

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

 Question

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

 Code

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.¹

¹This is a footnote

E. Sample chapter – Obook theme

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua quaerat voluptatem. Ut enim aequale doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguere possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facete et urbane Stoicos irridente, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et.

Content

E.1. Goals	61
E.2. Code	61
E.3. Boxes	62

E.1. Goals

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua quaerat voluptatem. Ut enim aequale doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguere possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facete et urbane Stoicos irridente, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et.

Equations (E.1) and (E.2) are very important.

$$\int_0^1 f(x) dx = F(1) - F(0) \text{ et voilà} \quad (\text{E.1})$$

$$\int_0^1 f(x) dx = F(1) - F(0) \text{ et voilà} \quad (\text{E.2})$$

$$y_{k+1} = C x_{k+1} \quad (\text{E.3})$$

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua quaerat.

E.2. Code

Figure E.1 is a beautiful typst logo.




Figure E.1 – Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Figure E.2 the Typst logo. Figure E.2b is a Typst logo.



(a)



(b)

Figure E.2 – (a) Left image and (b) Right image

Table E.1 – Lorem ipsum dolor sit.

Substance	Subcritical °C	Supercritical °C
Hydrochloric Acid	12.0	92.1
Sodium Myreth Sulfate	16.6	104
Potassium Hydroxide	24.7	

E.3. Boxes

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

E.3.1. Informations

Note

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Tip

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Warning

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Important

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Proof

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Question

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

</> Code

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.¹

¹This is a footnote

Appendix

F Sample chapter – Pretty theme

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aequaeque doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguere possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facete et urbane Stoicos irridente, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et.

Content

F.1. Goals	65
F.2. Code	65
F.3. Boxes	66

F.1. Goals

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua quaerat voluptatem. Ut enim aequae doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguere possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facete et urbane Stoicos irridente, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et.

Equations (F.1) and (F.2) are very important.

$$\int_0^1 f(x) dx = F(1) - F(0) \text{ et voilà} \quad (\text{F.1})$$

$$\int_0^1 f(x) dx = F(1) - F(0) \text{ et voilà} \quad (\text{F.2})$$

$$y_{k+1} = C x_{k+1} \quad (\text{F.3})$$

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua quaerat.

F.2. Code

Figure F.1 is a beautiful typst logo.




Figure F.1 – Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Figure F.2 the Typst logo. Figure F.2b is a Typst logo.



(a)



(b)

Figure F.2 – (a) Left image and (b) Right image

Table F.1 – Lorem ipsum dolor sit.

Substance	Subcritical °C	Supercritical °C
Hydrochloric Acid	12.0	92.1
Sodium Myreth Sulfate	16.6	104
Potassium Hydroxide	24.7	

F.3. Boxes

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

F.3.1. Informations

Note

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Tip

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Warning

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Important

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Proof

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

? Question

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

</> Code

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.¹

¹This is a footnote

Bibliography