
Bookly

User's guide

Version 5.2.1

Mathieu AUCEJO



Bookly

User's guide

Version 5.2.1



This version can be viewed and downloaded free of charge for personal use only. It must not be redistributed, sold, or used in derivative works.

© Mathieu AUCEJO, 2026.

Foreword

This document is the user guide for the `bookly` template. It was designed to help Typst users create beautiful documents with ease, while providing a set of features that can be used to create professional-looking books, reports, and manuals. The template is designed to be flexible and customizable, allowing users to adapt it to their specific needs.

This guide uses the full set of features provided by the template and includes practical examples.

Mathieu Aucejo
2026

Abstract

This work presents and documents the Typst template `bookly`, designed to enable Typst users to write their documents in a modern, readable, and reproducible environment. Most of the content presented in this guide follows the "code + output" principle: a Typst excerpt presents the syntax, and its result is displayed immediately in the document. This approach allows it to be considered not only as a practical user guide, but also as a demonstration of the possibilities offered by the template.

Keywords: Typst, template, book, Cnam, reproducible scientific publishing, user guide, documentation.

Table of contents

Foreword i

Abstract ii

Part 1 – User's manual 6

1. General Usage 7

1.1. Using `bookly` 8

1.2. Initializing the template 8

1.3. Layout 11

1.4. Themes gallery 12

1.4.1. Fancy 12

1.4.2. Modern 13

1.4.3. Classic 14

1.4.4. Obook 15

1.4.5. Orly 16

1.4.6. Pretty 17

1.5. Dependencies 18

2. Book content 19

2.1. File organization 20

2.2. Environments 21

2.3. Parts and chapters 21

2.4. Tables of contents 23

3. Helper functions 24

3.1. Short or long titles 25

3.2. Subfigures 25

3.3. Equations 25

3.4. Callout boxes 26

3.5. Title pages 28

3.6. Back cover 31

3.7. Tufte layout 32

3.8. Miscellaneous 34

4. Theming 36
4.1. Custom theme definition 37
4.2. Template states 38

Part 2 – Themes in action! 41

A. Sample chapter – Fancy theme 43
A.1. Goals 44
A.2. Code 44
A.3. Boxes 45
A.3.1. Informations 45

B. Sample chapter – Classic theme 47
B.1. Goals 48
B.2. Code 48
B.3. Boxes 49
B.3.1. Informations 49

C. Sample chapter – Modern theme 51
C.1. Goals 52
C.2. Code 52
C.3. Boxes 53
C.3.1. Informations 53

D. Sample chapter – Orly theme 55
D.1. Goals 56
D.2. Code 56
D.3. Boxes 57
D.3.1. Informations 57

E. Sample chapter – Obook theme 59
E.1. Goals 60
E.2. Code 60
E.3. Boxes 61
E.3.1. Informations 61

F. Sample chapter – Pretty theme 63
F.1. Goals 64
F.2. Code 64
F.3. Boxes 65

F.3.1. Informations 65

Bibliography 67

List of figures

Figure 1.1. Examples of the `tufte` layout 11

Figure 1.2. Examples of the `fancy` theme 12

Figure 1.3. Examples of the `modern` theme 13

Figure 1.4. Examples of the `classic` theme 14

Figure 1.5. Examples of the `obook` theme 15

Figure 1.6. Examples of the `orly` theme 16

Figure 1.7. Examples of the `pretty` theme 17

Figure 3.1. Short caption 25

Figure 3.2. Figure title 25

Figure A.1. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do. 44

Figure A.2. (a) Left image and (b) Right image 45

Figure B.1. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do. 48

Figure B.2. (a) Left image and (b) Right image 49

Figure C.1. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do. 52

Figure C.2. (a) Left image and (b) Right image 53

Figure D.1. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do. 56

Figure D.2. (a) Left image and (b) Right image 57

Figure E.1. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do. 60

Figure E.2. (a) Left image and (b) Right image 61

Figure F.1. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do. 64

Figure F.2. (a) Left image and (b) Right image 65

List of tables

Table A.1. Lorem ipsum dolor sit. 45
Table B.1. Lorem ipsum dolor sit. 49
Table C.1. Lorem ipsum dolor sit. 53
Table D.1. Lorem ipsum dolor sit. 57
Table E.1. Lorem ipsum dolor sit. 61
Table F.1. Lorem ipsum dolor sit. 65

Part 1

User’s manual

1

General Usage

This chapter provides an overview of the general usage of the Bookly template. It covers the basic structure, configuration options, and how to customize your book's appearance and layout.

Content

1.1. Using `bookly` 8
1.2. Initializing the template 8
1.3. Layout 11
1.4. Themes gallery 12
1.5. Dependencies 18

1.1. Using `bookly`

To use the `bookly` template, you need to include the following line at the beginning of your `typ` file:

Code

```
#import "@preview/bookly:5.2.1": *
```

Warning

In `bookly`, the supplement of the `ref` function is set to "none" by default to avoid unexpected behavior when referencing more than one item. However, you can revert this setting by using the following syntax after the template definition:

Code

```
#set ref(supplement: auto)
```

1.2. Initializing the template

After importing the template, you have to initialize the template by a show rule with the #bookly() command. This function takes an optional argument to specify the title of the document.

Code

```
#show: bookly.with(...)
```

```
#bookly(
  ⟨title⟩: "Title",
  ⟨author⟩: "Author Name",
  ⟨theme⟩: fancy,
  ⟨tufte⟩: false,
  ⟨lang⟩: "en",
  ⟨fonts⟩: default-fonts,
  ⟨colors⟩: default-colors,
  ⟨title-page⟩: default-title-page,
  ⟨config-options⟩: default-config-options )[body]
```

Argument

⟨title⟩: "Title" — string | content

Title of the book.

Argument

⟨author⟩: "Author Name" — string | content

Author of the book.

Argument

⟨theme⟩: fancy — dictionary

Theme of the document. Possible values are:

- `fancy` (default)
- `modern`
- `classic`
- `orly` (O'Reilly inspired)
- `pretty`

Each dictionary contains the following keys:

- `theme` function – Show rule defining the theme style.
- `part` function – Function defining the style of the part titles.
- `minitoc` content – Function defining the style of the mini table of contents.
- `box` function – Function defining the style of the information boxes (e.g., info-box, tip-box, etc.).
- `boxeq` function – Function defining the style of the equation boxes.

Argument

⟨tufte⟩: false — bool

If `true`, the layout of the document is inspired by the works of Edward Tufte (wide margins, sidenotes, etc.).

Argument

⟨lang⟩: en — string

Language of the document.

Supported languages:

- English – `"en"` (default)
- Chinese – `"zh"`
- French – `"fr"`
- German – `"de"`
- Italian – `"it"`
- Portuguese – `"pt"`
- Spanish – `"es"`

Argument

⟨fonts⟩: default-fonts — dictionary

Fonts used in the document. It contains the following keys:

- size string – Font size (default: `"10pt"`)
- `body` string – Font used for the body text (default: `"New Computer Modern"`)
- `math` string – Font used for mathematical equations (default: `"New Computer Modern Math"`)
- `raw` string – Font used for raw text (default: `"DejaVu Sans Mono"`)

1. General Usage

Argument

‹colors›: default-colors — dictionary

Colors used in the document. It contains the following keys:

- `primary` color – Primary color (default: `rgb("#c1002a")`)
- `secondary` color – Secondary color (default: `rgb("#dddddd").darken(15%)`)
- `boxeq` color – Color of equation boxes (default: `rgb("#dddddd")`)
- `header` color – Color used for adapting the color of the document headers (default: `black`)

Argument

‹title-page›: default-title-page — content

Content of the title page.

Argument

‹config-options›: default-config-options — dictionary

Configuration options of the document. It allows a more fine-grained control of some aspects of the template. It contains the following keys:

- `alt-margins` bool – If `true`, margins are alternated for odd and even pages when `tufte` is enabled (default: `false`)
- `justify-headings` bool – If `true`, headings are justified (default: `true`)
- `open-right` bool – If `true`, parts start on a right-hand page (default: `true`)
- `paper-size` string – Size of the paper (default: `"a4"`)
- `par-indent` bool – If `true`, paragraphs are indented (default: `false`)
- `par-indent-amount` length – Amount of the paragraph indentation (default: `1.5em`). Chinese typesetting conventionally indents by two characters, which is `2em` for a CJK font.
- `part-numbering` string – Numbering pattern (default: “1”)

Note

If `part-numbering` is set to none, the parts are not numbered. If it is set to `"1"`, the parts are numbered with Arabic numerals. If it is set to `"I"`, the parts are numbered with Roman numerals. Other numbering patterns are possible.

Initialization example

Code


```
#show: bookly.with(
  author: "Author Name",
  fonts: (
    body: "Lato",
    math: "Lete Sans Math"
  ),
  theme: modern,
  lang: "en",
  logo: image("path_to_image/image.png")
)
```

1.3. Layout

The template currently supports two layouts: `standard` and `tufte`.

The `standard` layout is the default layout, with symmetric margins. It is the most common layout for books and theses. Some examples of the standard layout are presented in section 1.4 “Themes gallery”.

The `tufte` layout is inspired by the works of Edward Tufte, which emphasizes simplicity and clarity, often using wide margins for notes and figures. It is particularly suitable for books or theses that require extensive annotations or side comments. To implement the `tufte` layout, the template comes with several helper functions, based on the `marginalia` package, implementing side notes, side figures, full width blocks, etc.




(a) Figures and side figures (b) Citations (c) Full width elements


Figure 1.1 – Examples of the `tufte` layout

1.4. Themes gallery


1.4.1. Fancy




(a) Part



(b) Chapter



(c) Unnumbered chapter




(d) Section

Figure 1.2 – Examples of the `fancy` theme


1.4.2. Modern




(a) Part



(b) Chapter




(c) Unnumbered chapter




(d) Section

Figure 1.3 – Examples of the `modern` theme


1.4.3. Classic




(a) Part



(b) Chapter



(c) Unnumbered chapter



(d) Section

Figure 1.4 – Examples of the `classic` theme


1.4.4. Obook




(a) Part



(b) Chapter



(c) Unnumbered chapter



(d) Section


Figure 1.5 – Examples of the `obook` theme

1.4.5. Orly


PART I

First part

(a) Part


CHAPTER 1

First chapter

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aeque doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguique possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facete et urbane Stoicos irridente, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et.

Table of contents

1.1. Goals 14
1.2. Code 14
1.3. Boxes 15

| 13

(b) Chapter


Introduction

Goals

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aeque doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguique possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facete et urbane Stoicos irridente, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aeque doleamus.

$$y = f(x) \quad (1a)$$
$$g = h(x) \quad (1b)$$


Sub-goals

Figure 1 – Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aeque doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut. (cf. Figure 1)

| 9

(c) Unnumbered chapter


1.1. Goals

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aeque doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguique possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facete et urbane Stoicos irridente, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et.

Equations (1.1) et (1.2) are very important.

$$\int_0^1 f(x)\,dx = F(1) - F(0) \text{ et voilà} \quad (1.1)$$
$$\int_0^1 f(x)\,dx = F(1) - F(0) \text{ et voilà} \quad (1.2)$$

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat.

1.2. Code

Figure 1.1 is a beautiful typst logo.

Figure 1.1 – Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Figure 1.2 the Typst logo. Figure 1.2b is a Typst logo [1].

14 | 1. First chapter


(d) Section

Figure 1.6 – Examples of the `orly` theme

1.4.6. Pretty




(a) Part



(b) Chapter



(c) Unnumbered chapter



(d) Section

Figure 1.7 – Examples of the `pretty` theme

1.5. Dependencies

The `bookly` template relies on several Typst packages to provide additional functionalities:

- `marginalia:0.3.1`: for tufte layout.
- `hydra:0.6.3` : for bibliography management.
- `equate:0.3.3` : for advanced equation numbering.
- `showybox:2.0.4` : for custom boxes.
- `suboutline:0.3.1` : for mini tables of contents in chapters.
- `subpar:0.2.2` : for subfigures.

2

Book content

This chapter provides a comprehensive overview of the book content, including the structure, elements, and features that can be utilized to create a well-organized and visually appealing book. It covers various aspects such as chapters, sections, figures, tables, and other content elements that contribute to the overall presentation of the book.

Content

2.1. File organization 20
2.2. Environments 21
2.3. Parts and chapters 21
2.4. Tables of contents 23

2.1. File organization

When writing a long document, such as a thesis manuscript, it is preferable to adopt a multi-file organization to avoid having one very long main file. This is especially important during proofreading/correction, as well as in a collaborative writing context. I generally use the following structure:

```
main.typ
├─ appendices/
│  └─ app1.typ
├─ bibliography/
│  └─ biblio.bib
├─ chapters/
│  └─ chapter1.typ
├─ images/
│  └─ logo.png
└─ preamble/
   └─ summary.typ
```

Based on the structure defined in the previous section, the main `main.typ` file could look like this:

Code

```typ
// main.typ
#import "@preview/bookly:5.2.1": *

#show: bookly.with(...)

#show: front-matter

#include "preamble/summary.typ"

#show: main-matter

#tableofcontents
#listoffigures
#listoftables

#part[User guide]

#include "chapters/chapter-main.typ"

#bibliography("bibliography/biblio.bib")

#show: appendix

#part[Appendices]
#include "appendices/appendix-main.typ"

#back-cover(...)
```

The main file presents the general structure of the document. You can note that the document contains:

- Front matter #front-matter, main matter #main-matter, and appendix #appendix environments.
- A table of contents #tableofcontents, a list of figures #listoffigures, and a list of tables #listoftables.
- Parts #part.
- Chapters and appendices imported from other files using the #include command.
- A bibliography inserted with the #bibliography() command.
- A back cover #back-cover containing the summary and abstract of the document.

2.2. Environments

The template provides three environments to structure the thesis content:

1. **front-matter**: environment for preliminary content (cover page, abstract, acknowledgments, etc.). Pages are numbered with Roman numerals and chapters are not numbered. To activate this environment, insert the following command in the main `typ` file at the desired location:

   Code
   ```
   #show: front-matter
   ```

2. **main-matter**: environment for the main content (introduction, tables of contents, chapters, conclusion, bibliography, etc.). Pages and chapters are numbered with Arabic numerals. To activate this environment, insert the following command in the main `typ` file at the desired location:

   Code
   ```
   #show: main-matter
   ```

3. **appendix**: environment for the appendices. Pages are numbered with Roman numerals and chapters are numbered with letters. To activate this environment, insert the following command in the main `typ` file at the desired location:

   Code
   ```
   #show: appendix
   ```

2.3. Parts and chapters

To structure the book content, you can define parts using the #part() function. To insert a new part, use the following command:

Code

```
#part("Part title")
```

Chapters can also be defined using the standard Typst markup language. This template defines a function #chapter() that helps you to avoid boilerplate code, such as the manual inclusion of standard elements like title, abstract, and minitoc.

```
#chapter(
  ⟨title⟩,
  ⟨abstract⟩: none,
  ⟨toc⟩: true,
  ⟨numbered⟩: true,
  ⟨label⟩: none )[body]
```

Argument

⟨title⟩ — string | content

Chapter title.

Argument

⟨abstract⟩: none — string | content

Summary displayed below the chapter title.

Argument

⟨toc⟩: true — boolean

Indicates whether a mini table of contents should be displayed at the beginning of the chapter.

Argument

⟨numbered⟩: true — boolean

Indicates whether the chapter should be numbered.

Argument

⟨label⟩: none — label

Label for the chapter.

Code

```
#chapter(
  title: "First chapter",
  abstract: lorem(20),
  label: <ch:1>
)[
  // Content of the chapter
]
```

Note

If you use a *.typ file for each chapter, you can type at the top of the file the following code.

Code

```
#show: chapter.with(title: "First chapter", abstract: lorem(20), toc: true,
label: <ch:1>)

// Content of the chapter
== First section
```

For unnumbered chapters, you can simply use the #chapter-nonum() function. This function assumes that you have a *.typ file per chapter.

Code

```
#show: chapter-nonum

// Content of the chapter
= Chapter title
```

bookly also provides the label <nonum-sec> to create unnumbered sections. To use it, simply add the label <nonum-sec> after the title of the considered section.

Code

```
== Section title <nonum-sec>
```

Warning

The <nonum-sec> label only works for sections and not for chapters. When applied to chapters, it breaks the global numbering of the document. For unnumbered chapters, use the #chapter-nonum function. instead

2.4. Tables of contents

The template defines several commands to facilitate the creation of tables of contents:

- #tableofcontents : Table of contents
- #listoffigures : List of figures
- #listoftables : List of tables

A mini table of contents is automatically generated by using the command #minitoc in a chapter. This function is a wraper of the #suboutline function provided by the suboutline package.

3

Helper functions

This chapter provides an overview of the helper functions available in the `bookly` template. These functions are designed to simplify common tasks and enhance the functionality of your book.

Content

3.1. Short or long titles 25
3.2. Subfigures 25
3.3. Equations 25
3.4. Callout boxes 26
3.5. Title pages 28
3.6. Back cover 31
3.7. Tufte layout 32
3.8. Miscellaneous 34

3.1. Short or long titles

The package include the command #short-or-long() to manage long and short titles. If applied to a heading, the short title is used in the header/footer. If applied to a figure or a table, the short caption is displayed in the list of figures or tables, while the long caption is used in the main text.

Typst

```
#figure(
  rect(),
  caption: short-or-long("Short caption",
"Long caption")
)

See the list of figures for the short
caption.
```

Rendering



Figure 3.1 – Long caption

See the list of figures for the short caption.

3.2. Subfigures


In general, figures are inserted into the document using the #figure function from Typst. However, Typst currently does not provide mechanisms for handling subfigures (numbering and referencing). To address this limitation, the template includes a #subfigure function that manages subfigures appropriately. This function wraps the #subpar.grid function from the subpar package.

Typst

```
#subfigure(
  figure(rect(), caption:[],
  figure(rect(), caption:[]), <b>,
  columns: (1fr, 1fr),
  caption: [Figure title],
  label: <fig:subfig>,
)

Figure @fig:subfig shows an example of
subfigures. Figure @b shows the second
subfigure.
```

Rendering



(a) (b)

Figure 3.2 – Figure title

Figure 3.2 shows an example of subfigures. Figure 3.2b shows the second subfigure.

3.3. Equations

To highlight an important equation, use the #boxeq() function.

Typst

```
$
#boxeq[$p(A|B) prop p(B|A) space p(A)$]
$
```

Rendering

$$p(A|B) \propto p(B|A)\, p(A) \tag{3.1}$$

To create an equation without numbering,bookly also provides the label <nonum-eq> to create unnumbered equations. To use it, simply add the label <nonum-eq> after the equation.

Typst

```
$
integral_0^1 f(x) dif x = F(1) - F(0)
$ <nonum-eq>
```

Rendering

$$\int_0^1 f(x)\,dx = F(1) - F(0)$$

3.4. Callout boxes

The template provides several types of boxes to highlight different kinds of content:

- #info-box: Used to provide general information or useful advice.

Typst

```
#info-box[This is an information box.]
```

Rendering

Note

This is an information box.

- #tip-box: Used to provide tips or recommendations.

Typst

```
#tip-box[This is a tip box.]
```

Rendering

Tip

This is a tip box.

- #warning-box: Used to warn the reader about a potential danger or important information.

Typst

```
#warning-box[This is a warning box.]
```

Rendering

Warning

This is a warning box.

- #important-box: Used to emphasize crucial information or key points.

Typst

```
#important-box[This is an important box.]
```

Rendering

Important

This is an important box.

- #proof-box: Used to present proofs or mathematical demonstrations.

Typst
```
#proof-box[This is a proof box.]
```

Rendering

Proof

This is a proof box.

- #question-box: Used to ask questions or propose problems to solve.

Typst
```
#question-box[This is a question box.]
```

Rendering

Question

This is a question box.

- #code-box: Used to present source code or code snippets.

Typst
```
#code-box[This is a code box.]
```

Rendering

Code

This is a code box.

The information boxes described above are built using the #custom-box() function, which allows you to create custom boxes. This generic function takes the following parameters:

```
#custom-box(
  ⟨title⟩: none,
  ⟨icon⟩: "info",
  ⟨color⟩: rgb("#1d90d0"),
  ⟨breakable⟩: true )[body]
```

Argument

⟨title⟩ — string | content

Name of the box.

Argument

⟨icon⟩: info — string

Name of the icon to display in the box.

Available icons are:

- : "alert"
- : "info"
- : "question"
- : "report"

3. Helper functions

- : `"stop"`
- : `"tip"`
- : `"code"`

Argument

⟨color⟩: rgb(29, 144, 208) color

Box color.

Argument

⟨breakable⟩: true bool

If `true`, the box can be broken across pages.

3.5. Title pages

The template provides two functions to create title pages: one for a book and one for a thesis :

```
#book-title-page(
  ⟨subtitle⟩: "Book subtitle",
  ⟨edition⟩: "First edition",
  ⟨institution⟩: "Institution",
  ⟨series⟩: "Discipline",
  ⟨year⟩: "2024",
  ⟨cover⟩: none,
  ⟨logo⟩: none,
  ⟨version-usage⟩: none,
  ⟨show-cover-author⟩: true )[body]
```

Argument

⟨subtitle⟩: Book subtitle string | content

Subtitle of the book.

Argument

⟨edition⟩: First edition string | content

Edition of the book.

Argument

⟨institution⟩: Institution string | content

Name of the institution.

Argument

⟨series⟩: Discipline string | content

Name of the series.

Argument

⟨year⟩: 2024 string | content

Year of publication.

Argument

⟨cover⟩: none image | content

Cover image of the book.

Argument

⟨logo⟩: none image

Logo of the book.

Code

```
#show: book.with(
  title-page: book-title-page(
    logo: image("path_to_logo/logo.png"),
    cover: image("path_to_image/book-cover.jpg")
  )
)
```

Argument

⟨version-usage⟩: none string | content

Description of the version usage of the book. It can include the version number, the date or any licensing information. It is displayed in the footer of the title page.

Argument

⟨copyright⟩: none string | content

Copyright information of the book. It is displayed in the footer of the title page.

Argument

⟨show-cover-author⟩: true bool

If `true`, the author name is displayed on the cover page.

```
#thesis-title-page(
  ⟨type⟩: "phd",
  ⟨school⟩: "School name",
  ⟨doctoral-school⟩: "Name of the doctoral school",
  ⟨supervisor⟩: ("Supervisor name",),
  ⟨cosupervisor⟩: none,
  ⟨laboratory⟩: "Laboratory name",
  ⟨defense-date⟩: "01 January 1970",
  ⟨discipline⟩: "Discipline",
  ⟨specialty⟩: "Speciality",
```

⟨committee⟩: (:),
⟨logo⟩: none)[body]

3. Helper functions

Argument

⟨type⟩: phd — string

Type of thesis. Two values are possible:

- `"phd"` for a doctoral thesis
- `"hablitation"` for a French habilitation

Argument

⟨school⟩: School name — string | content

Name of the institution where the thesis was prepared.

Argument

⟨doctoral-school⟩: Name of the doctoral school — string | content

Name of the doctoral school.

Argument

⟨supervisor⟩: ("Supervisor name",) — array

Name of the thesis supervisor(s) or the guarantor of the habilitation.

Argument

⟨cosupervisor⟩: none — array

Name of the thesis co-supervisor(s).

Argument

⟨laboratory⟩: Laboratory name — string | content

Name of the research laboratory.

Argument

⟨defense-date⟩: 01 January 1970 — string | content

Date of the thesis defense.

Argument

⟨discipline⟩: Discipline — string | content

Name of the discipline.

Argument

⟨specialty⟩: Speciality — string

Name of the specialty.

Argument

⟨committee⟩: (:) array

Name of the thesis committee members. Each element of the array is a dictionary with the following keys:

- `name`: Name of the committee member.
- `position`: Position of the committee member (e.g., “Associate Professor”, “Professor”, etc.).
- `affiliation`: Affiliation of the committee member (e.g., “University Name”).
- `role`: Role of the committee member (e.g., “Chair”, “Member”, “Reviewer”).

Code

```
#let committee = (
(
  name: "Hari Seldon",
  position: "Full Professor",
  affiliation: "Streeling university",
  role: "President",
),
(
  name: "Gal Dornick",
  position: "Associate Professor",
  affiliation: "Synnax University",
  role: "Reviewer"
),
)

#show: book.with(
  title-page: thesis-title-page(
    supervisor: ("Supervisor A", "Supervisor B"),
    cosupervisor: ("Co-supervisor A", "Co-supervisor B"),
    committee: committee
  )
)
```

Note

For both title pages, the title of the document and its author are automatically generated based on the information given when initializing the template.

Argument

⟨logo⟩: none image

Logo of the institution.

3.6. Back cover

A back cover of the document is automatically generated using the #back-cover() function, which displays information about the thesis (title and author), as well as a summary.

3. Helper functions

```
#back-cover(
  ⟨resume⟩: none,
  ⟨abstract⟩: none,
  ⟨abstracts⟩: (),
  ⟨logo⟩: none )
```

Argument

⟨abstracts⟩ dictionary

Title and summary of the document.

Code

```
#let abstracts-en-fr-de = (
  (
    title: [#set text(lang: "en", region: "gb"); Abstract:],
    text: [#set text(lang: "en", region: "gb")
      This paper presents the objectives, methodology, and main results of the
work.
    ]
  ),
  (
    title: [#set text(lang: "fr"); Résumé :],
    text: [#set text(lang: "fr")
      Cet article présente les objectifs, la méthodologie et les principaux
résultats du travail.
    ]
  ),

  (
    title: [#set text(lang: "de"); Zusammenfassung],
    text: [#set text(lang: "de")
      Diese Arbeit beschreibt die Ziele, die Methodik und die wichtigsten
Ergebnisse.
    ]
  )
)

#back-cover(abstracts: abstracts-en-fr-de, logo: box[logo])
```

Argument

⟨logo⟩ array

Logo of the back cover.

Code

```
#let logos = (
  align(left)[#image("images/devise_cnam.svg", width: 45%)],
  align(right)[#image("images/logo_cnam.png", width: 50%)]
)

#back-cover(resume: lorem(10), abstract: lorem(10), logo: logos)
```

3.7. Tufte layout

When the `tufte` layout is selected, several customizations are applied to adapt the appearance of various elements (figures, tables, equations, etc.) to the Tufte style.

#note(⟨..note-args⟩)[body]

Argument

⟨..note-args⟩ arguments

Arguments of the #note() function provided by the `marginalia` package.

Note

`bookly` introduces some customization of the `marginalia` #note() as follows:

Code

```
#let note = note.with(
  counter: ..,
  numbering: ..,
  keep-order: true
)
```

#notefigure(⟨..notefigure-args⟩)[body]

Argument

⟨..notefigure-args⟩ arguments

Arguments of the #notefigure() function provided by the `marginalia` package.

Note

`bookly` introduces a slight customization of the `marginalia` #notefigure() as follows:

Code

```
#let notefigure = notefigure.with(keep-order: true)
```

#notecite(
⟨key⟩,
⟨dy⟩: -1.5em,
⟨alignment⟩: "baseline",
⟨supplement⟩: none)[body]

Argument

⟨key⟩ label

Key of the reference to cite.

3. Helper functions

Argument

‹dy›: -1.5em — length

Vertical adjustment of the notecite position.

Argument

‹alignment›: baseline — string

Alignment of the notecite. Possible values are:

- `"top"`: Align the top of the notecite with the reference.
- `"caption-top"`: Align the top of the notecite with the main text baseline.
- `"bottom"`: Align the bottom of the notecite with the reference.
- `"baseline"` (default): Align the baseline of the notecite with the main text baseline.

Argument

‹supplement› — string | content

Supplementary text to add before the citation (e.g., “see”, “e.g.”, etc.).

#wideblock(‹side›)[body]

Argument

‹side› — string | content

Side of the wide block. Possible values are:

- `auto`: Same as `"outer"`
- `"outer"`: The wide block is displayed on the outer side of the page.
- `"inner"`: The wide block is displayed on the inner side of the page.
- `"left"`: The wide block is displayed on the left side of the page.
- `"right"`: The wide block is displayed on the right side of the page

Note

To define a full-width figure in the `tufte` layout, you can use the `wideblock` function with the `side` argument set to `auto` or `outer`. For example:

Code

```
#wideblock[
  #figure(image("path_to_image/figure.png"), caption: [Full width figure])
]
```

3.8. Miscellaneous

`bookly` provides several other helper functions to facilitate the writing of a book or a thesis and the creation of custom templates.

#reset-counters

Argument

Reset the counters for equations, figures, tables, sidenotes, and footnotes.

#row-img(⟨logo⟩)[body]

Argument

⟨logo⟩ array

Array of images to display in a row.

Code

```
#row-img(
  image("path_to_image/logo1.png", width: 20%),
  image("path_to_image/logo2.png", width: 20%),
  image("path_to_image/logo3.png", width: 20%)
)
```

#nonindent

Argument

Disables the indentation of a given paragraph.

Code

```
#noindent This paragraph will not be indented.
```

#partial-outline

Argument

Displays a partial outline of the document, showing only the current chapters and sections between the current part and the next one. This function is useful for creating a mini table of contents for a specific part of the document (see `obook` theme).

4

Theming

This chapter provides an overview of the theming capabilities in `bookly`. The theming system is designed to be flexible and customizable, allowing users to define their own themes.

Content

4.1. Custom theme definition 37
4.2. Template states 38

4.1. Custom theme definition

To implement a custom theme, you have to define a function that includes the `show` and `set` rules defining the style of the document (headings, footnotes, references, ...). Basically, a theme should be structured as follows:

Code

```
// my-theme.typ
#import "@preview/bookly:5.2.1": *

#let my-theme(colors: default-colors, it) = {
  // Update the theme state
  states.theme.update("custom")

  // Heading Level 1 style
  show heading.where(level: 1): it => {
    // Page break before each part
    if not states.open-right.get() {pagebreak(weak: true)}
    ...
  }

  // Heading Level 2 style
  show heading.where(level: 2): it => {...}

  // Heading Level 3 style
  show heading.where(level: 3): it => {...

  // Outline entry style
  show outline.entry: it => {...}

  // Other show and set rules
  ...

  it
}

// Custom part function
#let my-part(title) = {...}

// Custom minitoc function
#let my-minitoc = {...}

// Custom box style
#let my-custom-box(title: none, icon: "info", color: rgb(29, 144, 208), body) =
{...}

// Template dictionary
#let custom-theme = (theme: my-theme, part: my-part, minitoc: my-minitoc, custom-
box: my-custom-box)
```

Note

Examples of theming are available in the Github repository of the template.

Then, you can initialize the template with your custom theme as follows:

Code

```
#import "path_to_file/my-theme.typ": custom-theme

#show: bookly.with(
  theme: custom-theme,
  ...
)
```

If you want to reuse and combine elements of the existing themes, you can simply use it in the definition of your custom theme `dictionary`.

Code

```
#let custom = (theme: pretty.theme, part: obook.part, minitoc: modern.minitoc,
custom-box: orly.custom-box, boxeq: pretty.boxeq)
```

4.2. Template states

`bookly` provides some states that can be useful when designing a custom theme. The states are used to store information about the current state of the document. They are collected in a `dictionary`. The following states are available:

- `states.alt-margins` – `bool`: Indicates whether the margins are alternated for odd and even pages when `tufte` layout is enabled.
- `states.author` – `string`: Author of the document.
- `states.colors` – `dictionary`: Color scheme for the document.
- `states.counter-part` – `string`: Counter for parts.
- `states.is-toc-part` – `bool`: Indicates whether the current section is a part in the table of contents.
- `states.isappendix` – `bool`: Indicates whether the current section is an appendix.
- `states.isfrontmatter` – `bool`: Indicates whether the current section is front matter.
- `states.localization` – `dictionary`: Dictionary of terms used in the document (e.g., “chapter”, etc.) in the selected language.

Note

To use a language that is not supported by default, you can modify the `states.localization` dictionary when initializing the template. For instance, to add support for Dutch, you can do the following `#states.localization.update(json("path_to_file/dutch.json"))`. For the english version, the JSON file is as follows:

```
{
    "and": " and ",
    "appendix": "Appendix",
    "authored": "authored by",
    "chapter": "Chapter",
    "committee": "Defense committee",
    "cosupervisor": "Co-supervisor:",
    "cosupervisors": "Co-supervisors:",
    "defended": "defended on",
    "discipline": "Discipline:",
    "doctoral-school": "DOCTORAL SCHOOL",
    "habilitation": "French Habilitation to supervise research",
    "lof": "List of figures",
    "lot": "List of tables",
    "minitoc": "Content",
    "note": "Note",
    "part": "Part",
    "phd": "Doctoral thesis",
    "proof": "Proof",
    "specialty": "Specialty:",
    "sponsor": "Sponsor:",
    "sponsors": "Sponsors:",
    "supervisor": "Supervisor:",
    "supervisors": "Supervisors:",
    "tip": "Tip",
    "toc": "Table of contents",
    "version-usage": "This version can be viewed and downloaded free of charge for
personal use only. It must not be redistributed, sold, or used in derivative
works.",
    "warning": "Warning"
}
```

- `states.num-heading` – string : Numbering pattern for headings.
- `states.num-pattern` – string : Numbering pattern for sections.
- `states.num-pattern-eq` – string : Numbering pattern for equations.
- `states.num-pattern-fig` – string : Numbering pattern for figures.
- `states.num-pattern-subfig` – string : Numbering pattern for subfigures.
- `states.open-right` – bool : Indicates whether parts and chapters start on a right-hand page.
- `states.page-numbering` – string : Numbering pattern for pages.
- `states.paper-size` – string : Size of the paper.
- `states.par-indent` – bool : Indentation of paragraphs.

- `states.par-indent-amount` – length: Amount of the paragraph indentation.
- `states.part-numbering` – string: Numbering pattern for parts.
- `states.sidenotecounter` – int: Counter for sidenotes.
- `states.theme` – dictionary: Current theme of the document.
- `states.title` – string: Title of the document.
- `states.tufte` – bool: Indicates whether the current layout is Tufte style.

Part 2

Themes in action!

A

Sample chapter – Fancy theme

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aeque doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguique possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facete et urbane Stoicos irridente, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et.

Content

A.1. Goals 44
A.2. Code 44
A.3. Boxes 45

A.1. Goals

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aeque doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguique possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facete et urbane Stoicos irridente, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et.

Equations (A.1) and (A.2) are very important.

$$\int_0^1 f(x)\,dx = F(1) - F(0) \text{ et voilà} \tag{A.1}$$

$$\int_0^1 f(x)\,dx = F(1) - F(0) \text{ et voilà} \tag{A.2}$$

$$\boxed{y_{k+1} = C\,x_{k+1}} \tag{A.3}$$

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat.


A.2. Code

Figure A.1 is a beautiful typst logo.



Figure A.1 – Lorem ipsum.

Figure A.2 the Typst logo. Figure A.2b is a Typst logo.



(a) (b)

Figure A.2 – (a) Left image and (b) Right image

Table A.1 – Lorem ipsum dolor sit.

Substance	Subcritical °C	Supercritical °C
Hydrochloric Acid	12.0	92.1
Sodium Myreth Sulfate	16.6	104
Potassium Hydroxide	24.7	

A.3. Boxes

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

A.3.1. Informations

Note

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Tip

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Warning

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Important

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Proof

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Question

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Code

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.[1]

[1] This is a footnote

Appendix B

Sample chapter – Classic theme

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aeque doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguique possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facete et urbane Stoicos irridente, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et.

Content

B.1. Goals 48
B.2. Code 48
B.3. Boxes 49

B.1. Goals

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aeque doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguique possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facete et urbane Stoicos irridente, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et.

Equations (B.1) and (B.2) are very important.

$$\int_0^1 f(x)\,\mathrm{d}x = F(1) - F(0) \text{ et voilà} \tag{B.1}$$

$$\int_0^1 f(x)\,\mathrm{d}x = F(1) - F(0) \text{ et voilà} \tag{B.2}$$

$$\boxed{\boldsymbol{y}_{k+1} = \boldsymbol{C}\,\boldsymbol{x}_{k+1}} \tag{B.3}$$

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat.


B.2. Code

Figure B.1 is a beautiful typst logo.



Figure B.1 – Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Figure B.2 the Typst logo. Figure B.2b is a Typst logo.



(a) (b)

Figure B.2 – (a) Left image and (b) Right image

Table B.1 – Lorem ipsum dolor sit.

Substance	Subcritical °C	Supercritical °C
Hydrochloric Acid	12.0	92.1
Sodium Myreth Sulfate	16.6	104
Potassium Hydroxide	24.7	

B.3. Boxes

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

B.3.1. Informations

Note

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Tip

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Warning

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Important

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Proof

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Question

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Code

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.[1]

[1] This is a footnote

Appendix C

Sample chapter – Modern theme

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aeque doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguique possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facete et urbane Stoicos irridente, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et.

Content

C.1. Goals 52
C.2. Code 52
C.3. Boxes 53

C.1. Goals

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aeque doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguique possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facete et urbane Stoicos irridente, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et.

Equations (C.1) and (C.2) are very important.

$$\int_0^1 f(x)\,dx = F(1) - F(0) \text{ et voilà} \tag{C.1}$$

$$\int_0^1 f(x)\,dx = F(1) - F(0) \text{ et voilà} \tag{C.2}$$

$$\boxed{y_{k+1} = C\,x_{k+1}} \tag{C.3}$$

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat.


C.2. Code

Figure C.1 is a beautiful typst logo.



Figure C.1 – Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Figure C.2 the Typst logo. Figure C.2b is a Typst logo.



(a) (b)

Figure C.2 – (a) Left image and (b) Right image

Table C.1 – Lorem ipsum dolor sit.

Substance	Subcritical °C	Supercritical °C
Hydrochloric Acid	12.0	92.1
Sodium Myreth Sulfate	16.6	104
Potassium Hydroxide	24.7	

C.3. Boxes

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

C.3.1. Informations

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.[1]

[1] This is a footnote

APPENDIX D

Sample chapter – Orly theme

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aeque doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguique possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facete et urbane Stoicos irridente, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et.

Content

D.1. Goals 56
D.2. Code 56
D.3. Boxes 57

D.1. Goals

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aeque doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguique possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facete et urbane Stoicos irridente, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et.

Equations (D.1) and (D.2) are very important.

$$\int_0^1 f(x)\,\mathrm{d}x = F(1) - F(0) \text{ et voilà} \tag{D.1}$$

$$\int_0^1 f(x)\,\mathrm{d}x = F(1) - F(0) \text{ et voilà} \tag{D.2}$$

$$\boxed{y_{k+1} = C\,x_{k+1}} \tag{D.3}$$

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat.


D.2. Code

Figure D.1 is a beautiful typst logo.



Figure D.1 – Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Figure D.2 the Typst logo. Figure D.2b is a Typst logo.



(a) (b)

Figure D.2 – (a) Left image and (b) Right image

Table D.1 – Lorem ipsum dolor sit.

Substance	Subcritical °C	Supercritical °C
Hydrochloric Acid	12.0	92.1
Sodium Myreth Sulfate	16.6	104
Potassium Hydroxide	24.7	

D.3. Boxes

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

D.3.1. Informations

Note

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Tip

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Warning

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Important

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Proof

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Question

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Code

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.[1]

[1] This is a footnote

E. Sample chapter – Obook theme

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aeque doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguique possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facete et urbane Stoicos irridente, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et.

Content

E.1. Goals **60**

E.2. Code **60**

E.3. Boxes **61**

E.1. Goals

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aeque doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguique possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facete et urbane Stoicos irridente, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et.

Equations (E.1) and (E.2) are very important.

$$\int_0^1 f(x)\,\mathrm{d}x = F(1) - F(0) \text{ et voilà} \tag{E.1}$$

$$\int_0^1 f(x)\,\mathrm{d}x = F(1) - F(0) \text{ et voilà} \tag{E.2}$$

$$\boxed{\boldsymbol{y}_{k+1} = \boldsymbol{C}\,\boldsymbol{x}_{k+1}} \tag{E.3}$$

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat.


E.2. Code

Figure E.1 is a beautiful typst logo.



Figure E.1 – Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Figure E.2 the Typst logo. Figure E.2b is a Typst logo.



(a) (b)

Figure E.2 – (a) Left image and (b) Right image

Table E.1 – Lorem ipsum dolor sit.

Substance	Subcritical °C	Supercritical °C
Hydrochloric Acid	12.0	92.1
Sodium Myreth Sulfate	16.6	104
Potassium Hydroxide	24.7	

E.3. Boxes

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

E.3.1. Informations

Note

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Tip

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Warning

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Important

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Proof

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Question

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Code

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.[1]

[1] This is a footnote

Appendix

F Sample chapter – Pretty theme

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aeque doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguique possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facete et urbane Stoicos irridente, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et.

Content

F.1. Goals 64
F.2. Code 64
F.3. Boxes 65

F.1. Goals

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat voluptatem. Ut enim aeque doleamus animo, cum corpore dolemus, fieri tamen permagna accessio potest, si aliquod aeternum et infinitum impendere malum nobis opinemur. Quod idem licet transferre in voluptatem, ut postea variari voluptas distinguique possit, augeri amplificarique non possit. At etiam Athenis, ut e patre audiebam facete et urbane Stoicos irridente, statua est in quo a nobis philosophia defensa et collaudata est, cum id, quod maxime placeat, facere possimus, omnis voluptas assumenda est, omnis dolor repellendus. Temporibus autem quibusdam et.

Equations (F.1) and (F.2) are very important.

$$\int_0^1 f(x)\,dx = F(1) - F(0) \text{ et voilà} \tag{F.1}$$

$$\int_0^1 f(x)\,dx = F(1) - F(0) \text{ et voilà} \tag{F.2}$$

$$y_{k+1} = C\,x_{k+1} \tag{F.3}$$

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magnam aliquam quaerat.


F.2. Code

Figure F.1 is a beautiful typst logo.



Figure F.1 – Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Figure F.2 the Typst logo. Figure F.2b is a Typst logo.



(a) (b)

Figure F.2 – (a) Left image and (b) Right image

Table F.1 – Lorem ipsum dolor sit.

Substance	Subcritical °C	Supercritical °C
Hydrochloric Acid	12.0	92.1
Sodium Myreth Sulfate	16.6	104
Potassium Hydroxide	24.7	

F.3. Boxes

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

F.3.1. Informations

Note

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Tip

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Warning

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Important

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Proof

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Question

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Code

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.[1]

[1] This is a footnote

Bibliography