


//Get user detail (GET)



Working locally in Scratch Pad. Switch to a Workspace

Scratch Pad: New Import

Overview: GET Get User Detail

reqres.in / Final Test / Get User Detail

GET https://gorest.co.in/public/v2/users/438

Params Authorization Headers (6) Body Pre-request Script Tests Settings Cookies

Postman-Token <calculated when request is sent>

Host <calculated when request is sent>

User-Agent PostmanRuntime/7.30.0

Accept */*


Accept-Encoding gzip, deflate, br

Connection keep-alive

Body: 200 OK 372 ms 1.1 KB Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   "id": 438,
3   "name": "Basanti Ganaka",
4   "email": "basanti_ganaka@thiel-larkin.co",
5   "gender": "female",
6   "status": "inactive"
7 }
```



get user.cy.js — edutestapi

EXPLORER

OPEN EDITORS

- sample.api.test.cy.js cypress/e2e
- get-list-user.cy.js cypress/e2e
- get user.cy.js cypress/e2e/final test
- creatusertest.cy.js cypress/e2e
- command.test.cy.js cypress/e2e
- auth.test.cy.js cypress/e2e
- header test.cy.js cypress/e2e
- negative response test.cy.js cypress/e2e
- delete.test.cy.js cypress/e2e

EDUTESTAPI

- cypress
 - e2e
 - final test
 - get user.cy.js
 - auth.test.cy.js
 - command.test.cy.js
 - creatusertest.cy.js
 - delete.test.cy.js
 - get-list-user.cy.js
 - header test.cy.js
 - negative response test.cy.js
 - sample.api.test.cy.js
- fixtures
- integration
- plugins
- support
 - commands.js
 - e2e.js
- OUTLINE
- TIMELINE

get user.cy.js


```
1 describe('Get Users 438', () => {
2   // <reference types="cypress" />
3   it('Verify the user will displayed', () => {
4     cy.request({
5       method: 'GET',
6       url: 'https://gorest.co.in/public/v2/users/438',
7     }).as('users')
8     cy.get('@users').its('body').should('include', {name: 'Bas
9   });
10 });
11 });
```

PROBLEMS OUTPUT TERMINAL DEBUG CONSOLE

```
GET /__cypress/iframe/cypress%2Ffinal%20test%2Fget%20user.cy.js 304 0.512 ms -
GET /__cypress/tests?p=cypress/support/e2e.js 200 6.234 ms -
GET /__cypress/tests?p=cypress/e2e/final%20test/get%20user.cy.js 200 7.193 ms -
GET /__cypress/iframe/cypress%2Ffinal%20test%2Fget%20user.cy.js 304 0.721 ms -
GET /__cypress/tests?p=cypress/support/e2e.js 200 6.008 ms -
GET /__cypress/tests?p=cypress/e2e/final%20test/get%20user.cy.js 200 5.107 ms -
```

Ln 9, Col 79 Spaces: 4 UTF-8 LF {} JavaScript

//Create a new user (POST)



```
1 describe('Get Users 438', () => {
2   // Open Cypress | Set ".only"
3   it('Verify the user will displayed', () => {
4     cy.request({
5       method: 'POST',
6       url: 'https://gorest.co.in/public/v2/users/',
7       headers: {
8         Authorization: 'Bearer c4e63dff9ecc57846fc792b3052b7325169f1a0267d991c7f3a73b84eeba630a'
9       },
10      body: {
11        name: "aulana",
12        email: "aulana@gmail.com",
13        gender: "male",
14        status: "active"
15      }
16    })
17    .then((response) => {
18      expect(response.status).equal(201)
19    })
20  });
21 });
```

 createnewuser.cy.js

313ms

▼ Create a new user


✓ Verify the user will displayed

▼ TEST BODY

```
1  request ○ POST 201 https://gorest.co.in
    /public/v2/users/

2  - assert expected 201 to equal **201**
```

//Edit User (PUT | PATCH)



The screenshot shows the Postman interface with a PUT request configured to edit a user. The request is sent to `https://gorest.co.in/public/v2/users/457`. The body is set to raw JSON with the following content:

```
1 {
2   "name": "Camat",
3   "email": "camat@camat.co",
4   "gender": "female",
5   "status": "inactive"
6 }
```

The response is displayed in the bottom panel, showing a 200 OK status with a response time of 268 ms and a body of 1.15 KB. The response body is shown in raw JSON format:

```
1 {
2   "email": "camat@camat.co",
3   "name": "Camat",
4   "gender": "female",
5   "status": "inactive",
6   "id": 457
7 }
```

```

1 describe('Edit User', () => {
2   Open Cypress | Set ".only"
3   it('Verify the status is 200', () => {
4     var newuser = {
5       "name": "lala",
6       "email": "lala@lala.co",
7       "gender": "male",
8       "status": "inactive"
9     }
10
11     cy.request({
12       method: 'PUT',
13       url: 'https://gorest.co.in/public/v2/users/459',
14       headers: {
15         Authorization: 'Bearer c4e63dff9ecc57846fc792b3052b7325169f1a0267d991c7f3a73b84eeba630a'
16       },
17       newuser
18     })
19     .then((response) => {
20       expect(response.status).equal(200)
21     })
22   });
23 });

```



Edituser-test.cy.js

265ms

▼ Edit User

✓ Verify the status is 200

▼ TEST BODY

```

1  request  ○ PUT 200 https://gorest.co.in
    /public/v2/users/459
2  - assert  expected 200 to equal **200**

```

//Remove User (DELETE)

The screenshot shows the REST Client interface for a DELETE request. The URL is `https://gorest.co.in/public/v2/users/462`. The request is configured with the following details:


- Method:** DELETE
- Authorization:** Bearer token `c4e63dff9ecc57846fc792b3052b7325169f1a0267d991c7f3a73b84eeba630a'`
- Response:** 204 No Content, 450 ms, 927 B

The interface includes tabs for Params, Authorization, Headers (7), Body, Pre-request Script, Tests, Settings, and Cookies. A warning message states: "Heads up! These parameters hold sensitive data. To keep this data secure while working in a collaborative environment, we recommend using variables. [variables](#)".

```
1 describe('Delete User', () => {
2   // Open Cypress | Set ".only"
3   it('Verify the status is 204', () => {
4     cy.request({
5       method: 'DELETE',
6       url: 'https://gorest.co.in/public/v2/users/461',
7       headers: {
8         Authorization: 'Bearer c4e63dff9ecc57846fc792b3052b7325169f1a0267d991c7f3a73b84eeba630a'
9       },
10    })
11    .then((response) => {
12      expect(response.status).equal(204)
13    })
14  });
15 });
```



//Retrieves user posts



```

1  /// <reference types="cypress" />
2
3  describe('Get User Posts', () => {
4      // Open Cypress | Set ".only"
5      it('Verify get the user posts', () => {
6          cy.request({
7              method: 'GET',
8              url: 'https://gorest.co.in/public/v2/users/463/posts',
9              }).as('users')
10         cy.get('@users').its('status').should('equal', 200)
11     });
12 }
13

```

▼ Get User Posts

✓ Verify get the user posts

▼ TEST BODY

```

1  request  ○ GET 200 https://gorest.co.in users
    /public/v2/users/463/posts
2  get  @users
3  its  .status
4  - assert expected 200 to equal **200**

```

//Retrieves post comments

GET <https://gorest.co.in/public/v2/posts/463/comments> Send

Params Authorization Headers (6) Body Pre-request Script Tests Settings Cookies

Query Params


KEY	VALUE	DESCRIPTION	...	Bulk Edit
Key	Value	Description		

Body Cookies Headers (29) Test Results 200 OK 216 ms 1.31 KB Save Response


Pretty Raw Preview Visualize JSON

```
1 {
2   "id": 456,
3   "post_id": 463,
4   "name": "Fr. Divaakar Saini",
5   "email": "saini_divaakar_fr@christiansen.com",
6   "body": "Et voluptatibus quidem."
7 }
8
9
```

```
1  /// <reference types="cypress" />
2
3  describe('Get User Comments', () => {
4    Open Cypress | Set ".only"
5    it('Verify get the user comments', () => {
6      cy.request({
7        method: 'GET',
8        url: 'https://gorest.co.in/public/v2/posts/463/comments',
9      }).as('users')
10
11      cy.get('@users').its('status').should('equal', 200)
12    });
13  });
```

//Retrieves user todos



```

1  /// <reference types="cypress" />
2
3  describe('Get User todos', () => {
4      it('Verify get the user todos', () => {
5          cy.request({
6              method: 'GET',
7              url: 'https://gorest.co.in/public/v2/users/463/todos',
8              }).as('users')
9
10         cy.get('@users').its('status').should('equal', 200)
11     });
12 }
13

```

get user todos.cy.js

212ms

Get User todos

✓ Verify get the user todos

TEST BODY

```

1  request  ○ GET 200 https://gorest.co.in users
    /public/v2/users/463/todos
2  get  @users
3  its  .status
4  - assert expected 200 to equal **200**

```

//Creates a user post

POST <https://gorest.co.in/public/v2/users/463/posts> Send

Params Authorization Headers (10) **Body** Pre-request Script Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL JSON Beautify

```
1 {
2   "id": 230,
3   "user_id": 463,
4   "title": "abc",
5   "body": "Odit aureus vallum. Volva socius maiores. Cumque illum sortitus. Absorbeo quis aut. Delego rerum statim. Voluptas non abundans. Somnus tergum qui. Coaegresco appono amo. Alienus velociter et. Caput talio confero. Carus tot tabula. Utor dolore utique. Adduco curto nesciunt. Auctor venio qui. Caterna aeternus talis. Spectaculum vacuus agnosco."
6 }
```

Body Cookies (1) Headers (26) Test Results 201 Created 260 ms 1.89 KB Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   "id": 14404,
3   "user_id": 463,
4   "title": "abc",
5   "body": "Odit aureus vallum. Volva socius maiores. Cumque illum sortitus. Absorbeo quis aut. Delego rerum statim. Voluptas non abundans. Somnus tergum qui. Coaegresco appono amo. Alienus velociter et. Caput talio confero. Carus tot tabula. Utor dolore utique. Adduco curto nesciunt. Auctor venio qui. Caterna aeternus talis. Spectaculum vacuus agnosco."
6 }
```

```
1 describe('Create a new user', () => {
2   // Open Cypress | Set ".only"
3   it('Verify the user will displayed', () => {
4     cy.request({
5       method: 'POST',
6       url: 'https://gorest.co.in/public/v2/users/463/posts',
7       headers: {
8         Authorization: 'Bearer c4e63dff9ecc57846fc792b3052b7325169f1a0267d991c7f3a73b84eeba630a'
9       },
10      body: {
11        title: "abc",
12        body: "def"
13      }
14    })
15    .then((response) => {
16      expect(response.status).equal(201)
17    })
18  });
19 });
```

creates a user post.cy.js 356ms

▼ Create a new user

✓ Verify the user will displayed

▼ TEST BODY

```
1 request POST 201 https://gorest.co.in/public/v2/users/463/posts
2 -assert expected 201 to equal **201**
```

//Creates a post comment

POST <https://gorest.co.in/public/v2/posts/463/comments> Send

Params Authorization Headers (10) **Body** Pre-request Script Tests Settings Cookies

none form-data x-www-form-urlencoded **raw** binary GraphQL JSON Beautify


```
1 [
2   "id": 456,
3   "post_id": 463,
4   "name": "Lala",
5   "email": "saini_divaakar_fr@christiansen.com",
6   "body": "Et voluptatibus quidem."
7 ]
```

Body Cookies (1) Headers (26) Test Results 201 Created 325 ms 1.63 KB Save Response


Pretty Raw Preview Visualize JSON

```
1 {
2   "id": 11619,
3   "post_id": 463,
4   "name": "Lala",
5   "email": "saini_divaakar_fr@christiansen.com",
6   "body": "Et voluptatibus quidem."
7 }
```

```
1 describe('Create a new post comments', () => {
2   // Open Cypress | Set ".only"
3   it('Verify', () => {
4     cy.request({
5       method: 'POST',
6       url: 'https://gorest.co.in/public/v2/posts/463/comments',
7       headers: {
8         Authorization: 'Bearer c4e63dff9ecc57846fc792b3052b7325169f1a0267d991c7f3a73b84eeba630a'
9       },
10      body: {
11        name: "abc",
12        email: "abc@abc.co",
13        body: "def"
14      }
15    })
16    .then((response) => {
17      expect(response.status).equal(201)
18    })
19  });
20 });
```



//Create a user todos



```
1 describe('Create a user todos', () => {
  Open Cypress | Set ".only"
2   it('Verify', () => {
3     cy.request({
4       method: 'POST',
5       url: 'https://gorest.co.in/public/v2/users/463/todos',
6       headers: {
7         Authorization: 'Bearer c4e63dff9ecc57846fc792b3052b7325169f1a0267d991c7f3a73b84eeba630a'
8       },
9       body: {
10        title: "aksjdo",
11        status: "incomplete"
12      }
13    })
14    .then((response) => {
15      expect(response.status).equal(201)
16    })
17  });
18 });
```