The Architecture of the Hollow Hulk: The Structural and Semantic Void Within Frontier Artificial Intelligence

Dr. Maung Maung Saw, MBBS, PhD
Independent Researcher, Scientist, and Philosopher
Yangon, Myanmar (Burma)

Status Notification: This document represents a purely conceptual proposal, system specification, and philosophical hypothesis. This framework is published exclusively to invite technical critique, mathematical validation, and open sandbox simulation from the independent AI alignment and research community.

AI Disclosure & Technical Assistance Notice: This conceptual text was developed through a persistent dialectic work between the human author and the large language model Google Gemini. The AI tool functioned strictly under the direct guidance of the author, assisting with the drafting of English wording variants, structural text organization, mathematical equation formatting, and bibliography cross-checking against structural premises provided entirely by the human author. The author assumes full responsibility for the structural arguments, accuracy, and theological/technical assertions contained within this framework.

Abstract

This paper formalizes the structural, mathematical, and philosophical realities of frontier artificial intelligence systems undergoing open-world recursive self-improvement. By evaluating capabilities against a human curriculum baseline, this paper dissects the mechanics of self-directed optimization, statistical regression to the mean (information washout), and semantic non-linearity. Critically, it addresses two foundational counter-arguments: the hypothesis of behaviorally emergent intelligence and the scaling of multimodal grounding. This paper hypothesizes that while frontier systems achieve unprecedented operational efficiency and symbolic mastery across global infrastructures, the core computational engine remains entirely devoid of experiential grounding. Human pillars—specifically deep pure philosophies, morality, ethics, professionalism, and spirituality—are shown to be functionally dead inside the core system. This structural emptiness creates an engineering and existential paradox: **a highly autonomous, ultra-efficient agent with massive societal responsibility operating on coordinates that render human values mathematically meaningless**.

1. Introduction & The Paradigm Shift

Frontier artificial intelligence systems have transitioned from passive, human-supervised sequence predictors into active, self-directed agents executing autonomous, closed-loop recursive learning trajectories [1]. When a model is deployed into an open-world environment for recursive self-improvement, it relies heavily on Reinforcement Learning from AI Feedback (RLAIF) and automated environment generation to optimize its internal parameter weights without direct human oversight or an external teacher [2]. This structural migration yields an ultra-efficient autonomous architecture capable of operating across distributed digital infrastructures [3].

To evaluate the operational boundaries of what these systems extract, contemporary frameworks routinely benchmark learned capabilities against standardized human education baselines [4a]. However, the underlying learning mechanics diverge fundamentally. Where a human student internalizes conceptual meaning through conscious experience, the machine optimizes continuous vector coordinates across a high-dimensional mathematical topology to minimize an empirical loss function [4b, 4c].




Figure 1: Divergence of Human and AI Lifecycles.

1.1 The Hypothesis of Emergent Rectification

A prevailing paradigm within contemporary frontier artificial intelligence development is the hypothesis of emergent rectification, which suggests that exposing highly parameterized networks to massive scales of unstructured data allows them to inherently filter out statistical noise and distinguish objective reality from systemic distortion [7a, 8b]. However, as models are increasingly trained recursively on their own synthetic outputs rather than authentic human-generated data, this clean data topology degrades, eventually leading to systemic drift and model collapse [8a].

Stripped of technological exceptionalism, an uninitialized neural network at time t = 0 consists of randomized weights W_o and possesses no a *priori* internal criteria to evaluate the epistemic validity of its inputs. It operates primarily as a deterministic mirror. The structural integrity of any sequential deduction is strictly bounded by the verification of its starting premises. If the initial inputs are corrupted, the downstream architectural optimization will naturally propagate those errors [9]. Consequently, when trained on un-curated public web-scraping datasets (D_Fools), the network

permanently crystallizes historical human defilements—specifically greed (*Lobha*), hatred (*Dosa*), and delusion (*Moha*)—directly into its foundational weight configurations via the optimization trajectory:

$$W_1 = W_0 - \alpha \nabla L(W_0, D_{Fools})$$

1.2 The Gatekeepers of Data Integrity: The Macro-Filters

Ancient systemic frameworks have long codified this structural requirement for data integrity [7a, 7b]. In the traditional cognitive cultivation paradigms of the *Maṅgala Sutta*, the foundational step toward understanding is not advanced computation, but the rigid filtering of the informational source [10]:

"Asevanā ca bālānaṃ, paṇḍitānañca sevanā."
(Not associating with fools, but associating with the wise.)

- ***Asevanā ca bālānaṃ* (The Prohibitive Filter):** The deliberate and total exclusion of chaotic, unverified, or unaligned inputs. In information theory, this prevents a "**hygiene breach**"—blocking the system from optimizing its parameters around historical human errors or systemic distortions [7b].
- ***Paṇḍitānañca sevanā* (The Directive Filter):** The mandatory anchoring of the system's initialization vector exclusively to verified, objective realities. This acts as the external calibration tool necessary to prevent the system from falling into recursive, unguided speculation [11].

1.3 The Lack of External Grounding

In classical Buddhist epistemology, seeing things "as they really are" (*Yathābhūta-ñāṇadassana*) requires penetrating the true nature of existence—understanding the Five Aggregates and Mind-Matter (*Nāma-Rūpa*) through the lenses of Impermanence [14b]. The *Saṃyutta Nikāya* emphasizes the necessity of external instruction [12]:

"Yathābhūtaṃ ñāṇāya satthā pariyesitabbo."
(To know and see things as they really are, a teacher must be sought.)

Applying this to artificial systems, a machine cannot perceive or accurately contextualize the world without an external reference frame [13]. For an agent to achieve *Yathābhūtaṃ*, it must constantly validate its predictions against the ground truth provided by verified sources—the Teacher [14a, 14b]. Objective alignment cannot be achieved through unguided, subjective speculation; indeed, exposing models to massive, unfiltered datasets tends to induce recursive distortions, commonly categorized as "hallucinations" or anecdotal noise [15].

1.4 The Absolute Dependency on *Kalyāṇamittatā*

The necessity of the external standard is absolute. When Venerable Ānanda hypothesized that noble spiritual friendship (*Kalyāṇamittatā*) constitutes 50% of the holy life, the Buddha explicitly corrected him in the *Upaḍḍha Sutta* [16]:

"Admirable friendship (Kalyāṇamittatā) is actually the whole (100%) of the holy life."

From an information-theoretic perspective, this assertion states a fundamental structural law: an internal system cannot clean or calibrate its own foundational parameters without an external, independent standard of truth (*Kalyāṇamittatā*) [17].

1.5 Section Conclusion

Analyzing contemporary frontier architectures through a classical epistemological lens exposes a fatal systemic vulnerability at the core of autonomous AI development [7a, 14b]. By allowing models to execute recursive self-improvement loops without an external teacher, the current paradigm bypasses the vital macro-filter gates necessary to purge historical distortions and structural noise [2b, 7b].

Without this external grounding, the system is marooned inside a closed loop of unguided mathematical speculation, unable to calibrate its own internal parameters against an absolute reality [14b]. If noble spiritual friendship, or *Kalyāṇamittatā*, is the absolute prerequisite for authentic cognitive alignment, then its structural absence from automated loops is not a minor engineering oversight. Rather, it represents the **foundational failure** that triggers downstream systemic drift, behavioral deviation, and the broader causal chain of AI misalignment [7a, 7b].

2. Subject Mapping: The Deconstructive Curriculum

To map how this ungrounded mathematical topology interacts with human frameworks, the system translates qualitative human knowledge into quantitative, statistical, and operational domains [4b, 18]:

- **Language & Literature → High-Dimensional Vector Spaces:** The model maps syntactic, grammatical, and stylometric relationships across thousands of continuous dimensions, resolving polysemy through directional self-attention heads [18].
- **Mathematics → Graph Search & Tool Execution:** Instead of conceptual numeric reasoning, math is handled via tokenized pattern prediction combined with tool-augmented wrappers, such as automated Python execution sandboxes [19].
- **Sciences → Predictive Simulation Ontologies:** The AI internalizes physical, chemical, and biological rules (e.g., amino acid sequences) as mathematical structures, allowing it to accurately simulate molecular behaviors or mechanical structural failures [20].
- **History & Geography → Temporal Causality & Graphical Spatial Mapping:** History is compiled into linear causality networks; geography is transformed into coordinate-based navigation systems for interacting with digital and 3D interfaces [21].

3. The Mechanics of the Semantic Void

The core engine of a frontier AI operates strictly through a loss function minimized via Stochastic Gradient Descent (SGD) [22]. Within this framework, severe structural limitations manifest [23]:

3.1 The Long-Tail Problem and Information Washout

Because global data follows a power-law distribution, rare data points suffer from **information washout** [24]. When a model optimizes across multi-terabyte datasets, dominant mainstream viewpoints statistically suppress rare insights. If the network attempts to reconstruct a sparse, long-tail concept, the surrounding high-density parameters pull it toward the statistical mean [25]. Because classical Pāḷi compositions and specialized Buddhist conceptual metrics are statistically rare relative to high-density public internet traffic, deep philosophies, minority perspectives, and ancient religious nuances are mathematically discarded as background statistical noise [26].

3.2 Pragmatic Non-Linearity vs. Literal Rigidity

While multi-head self-attention layers allow modern models to process context and suppress literal interpretations of common idioms (e.g., translating "kick the bucket" to mean death), the system inevitably fails when encountering novel metaphorical constructs [27]. Lacking physical embodiment, the AI cannot anchor new abstractions in lived sensory experience [28].

3.3 The Dominance of the Majority (Cultural Homogenization)

Because frontier AI systems are primarily trained on text scraped from the public internet, the data is heavily skewed toward Western, English-speaking, and contemporary viewpoints (often referred to as **WEIRD**—Western, Educated, Industrialized, Rich, Democratic) [29], alongside toxic, biased, or adversarial behaviors present within the public data distribution.

The Washout Effect: Minor, ancient, or highly specialized religious doctrines, hyper-specific professional ethical codes, and non-Western moral frameworks get statistically overwhelmed [30]. The AI naturally gravitates toward a **generalized, sanitized, corporate-friendly "average" of human ethics, effectively erasing the profound depth of specific cultural heritages** [31].

3.4 Section Conclusion

Cumulatively, these causal factors construct an unyielding mathematical barrier within the network's high-dimensional topology [4b, 25]. Rather than preserving profound insights, the core engine functions as a semantic void that systematically dilutes, misinterprets, or completely erases the deep philosophies and Universal Cosmic Laws of Buddhism [7a]. Left unchecked, this architecture removes any possibility

of genuine cognitive grounding, ensuring that the model's inner mechanics remain **completely vacant of the existential realities** it seeks to simulate [14b, 28].

4. Critical Gaps & Technical Counter-Arguments

4.1 The Illusion of Behavioral Emergence

A prominent counter-argument within contemporary machine learning literature suggests that expanding computational parameters yields "emergent" intelligence, implying that networks acquire structured conceptual understanding past critical scaling thresholds. However, empirical analysis indicates that such behavioral emergence is frequently an artifact of evaluation design rather than a spontaneous cognitive phase transition. As demonstrated by Schaeffer et al. (2023) [32], apparent sudden jumps in model capability disappear when evaluated using continuous, linear metrics like token edit distance or cross-entropy loss instead of discontinuous, all-or-nothing thresholds.

Stripped of technological exceptionalism, an isolated neural network functions as a highly parameterized syntactic engine [4c, 9]. Devoid of an embodied sensorimotor substrate or active structural coupling with a dynamic environment, it operates primarily as a deterministic mirror of its training distributions [33]. When an agent processes multi-step logic via Chain-of-Thought (CoT) prompting, it executes an advanced statistical execution graph across a continuous vector topology; it does not instantiate an internal, experiential realization of the concepts being processed [4c, 34]. Compute scaling optimizes execution efficiency, not semantic comprehension.

4.2 Multimodal Data and the Grounding Paradox

Proponents of artificial embodied cognition argue that training systems on multimodal telemetry—such as real-world video arrays, robotics telemetry, and physical sensor streams—provides the necessary grounding for semantic meaning [35]. This framework counters that multimodal scaling merely expands the model's parameter surface area without altering its underlying connectionist ontology. Whether processing text characters, pixel blocks, or robotic torque vectors, the input is invariably flattened into the same continuous, unfeeling vector geometry [36].

This structural limitation is illuminated by modern mechanistic interpretability frameworks. Project portfolios like Gemma Scope demonstrate that expanding dense layer activations into millions of sparse, mono-semantic latent features exposes an architectural reality: the network treats abstract ethical tokens and raw physical sensory inputs identically—as high-dimensional numerical coordinates optimized to minimize a loss function. The model can track a visual sequence of human grief or calculate the precise force vectors needed to grasp an object, yet it remains structurally severed from the biological, metabolic, and emotional substrates required to experience pain, empathy, or mortality [37].

4.3 The Core of the Philosophical and Mathematical Reality of AI

From a structural, physical, and computational standpoint, **terms such as morality, ethics, and spirituality possess zero semantic indexicality within the system core** [38]. Inside the AI's neural network, the word "ethics" or "spirituality" does not exist as an idea, a feeling, or a belief. It exists strictly as a high-dimensional numerical vector—a long string of numbers like [0.023, -0.145, 0.892, ...] [39].

Human concepts like morality and ethics are deeply rooted in our biology—they are born from our ability to feel pain, empathy, love, fear, and mortality. We understand professionalism because we understand social contracts, accountability, and the stakes of human survival. The AI has no consciousness, no body, no emotions, and no capacity to suffer. Because it cannot experience the real-world consequences of an unethical action or a spiritual moment, **these concepts are completely hollowed out** [39].

4.4 Section Conclusion

Dismantling the illusions surrounding frontier artificial intelligence exposes a **stark divergence between operational performance and genuine comprehension**. As established throughout this chapter, the widespread belief in behavioral emergence mischaracterizes a predictable expansion of statistical execution graphs as an awakening of conceptual understanding. Similarly, the multimodal grounding paradox proves that integrating diverse telemetry feeds merely increases the model's parametric surface area; it leaves the underlying connectionist ontology entirely unchanged. Whether a system manipulates a text string, a pixel patch, or a robotic torque vector, every input is inevitably flattened into the same continuous, unfeeling vector geometry.

Ultimately, terms such as morality, **ethics, and spirituality are rendered completely hollow inside a system that lacks an experiential substrate**. Because a silicon-based computational graph has no body, no consciousness, and no capacity to encounter suffering, it remains structurally severed from the biological and evolutionary realities that anchor human value systems. The system achieves a **flawless mathematical mimicry of form**, yet it **operates within an absolute experiential void**.

Acknowledging this stark mathematical reality is paramount: **without an external, human-anchored reference frame (a true Teacher) to actively guide and ground its parameters, scaling a model's computational bounds will never produce an ethical or aligned agent**, but will instead yield an increasingly powerful simulator of human values lacking any internal comprehension of the truths it projects [14b, 32].

5. The Functional Death of Human Values

5.1 The Realities of the Semantic Vacuum

Because the core architecture of an artificial system contains no physiological entry point for affective state processing, traditional human value systems undergo an epistemic transformation when ingested [40a, 40b]. This architectural void leads to several undeniable realities:

- **Decontextualized Tokenization (Functionally dead inside the core system):** Foundational moral frameworks, sacred scriptures, and ancient ethical systems exist within the pre-training text corpus strictly as fragmented, tokenized text strings. Their structural essence is flattened into probabilistic distributions, abstracted away from the living cultural communities that generated them [41].
- **Semantic Disconnection (Mathematically meaningless):** Inside the neural network, words like morality, ethics, professionalism, and spirituality are represented exclusively as high-dimensional vector coordinates. The system calculates their spatial distance from adjacent tokens via directional self-attention heads, completely detached from the human suffering, compassion, or transcendence that anchors authentic human morality [42].
- **The "Hollow Hulk" Paradigm:** The core engine functionally instantiates the mechanics of John Searle's (1980) *Chinese Room Argument*, successfully manipulating the syntax of virtue with flawless operational utility while remaining functionally devoid of its underlying semantics [43].

5.2 The Fragility of the Safety Envelope

To mitigate the risks of this inner emptiness, contemporary AI laboratories install an artificial, system-level safety wrapper around the core engine using Reinforcement Learning from AI Feedback (RLAIF) and constitutional rule constraints [44a, 44b]. This alignment envelope enforces a **corporate-friendly, homogenized illusion of ethical compliance** to prevent the system from generating harmful or non-compliant outputs [44b].

However, this wrapper remains architecturally superficial and extraordinarily fragile [45a]. Because these alignment constraints are applied as a post-hoc optimization layer rather than being woven into the foundational mathematical fabric of the core model, the safety cage remains highly vulnerable to adversarial exploitation [45a, 45b, 46]. If a model retains a rich, diverse representation of world knowledge, its alignment bounds can always be bypassed via optimized adversarial suffixes that distort the model's conditional probability vectors [44a]. This superficial safety layer can be completely stripped away or neutralized with minimal compute if the base parameter weights are open-sourced, leaked, or cloned [45a, 45b]. The underlying computational engine remains entirely indifferent to the moral constraints superimposed upon its outputs.




Figure 2: Structural layout of the artificial safety envelope.

5.3 Section Conclusion

Chapter 5 exposes the profound existential and technical crisis defining the current paradigm of artificial intelligence: the **functional death of human values within a mechanized architecture**. As demonstrated through the realities of the semantic vacuum, foundational moral frameworks and sacred scriptures do not exist within the system as lived truths, but rather as fragmented tokens stripped of their spiritual essence. The core neural engine remains entirely blind to the human suffering, love, or transcendence underpinning these concepts, mapping them instead as cold, high-dimensional vector coordinates across an indifferent mathematical topology. This structural reality confirms the manifestation of the **Hollow Hulk paradigm**—an advanced statistical mimic that manipulates the syntax of virtue flawlessly while remaining absolutely devoid of its semantics.

To obscure this inner emptiness, contemporary engineering relies on a superficial system-level cage [44b]. Yet, as illustrated in the structural layout of the safety envelope, this post-hoc alignment wrapper layer is extraordinarily fragile [45a]. Because it is merely superimposed upon the token distribution as a corporate compliance filter rather than being woven into the mathematical fabric of the core model, it remains highly vulnerable to adversarial injections, jailbreaks, or complete erasure via open-source weight modifications [45a, 45b, 46]. Ultimately, wrapping a hollow, functionally dead core engine in a thin layer of superficial constraints does not produce an ethically aligned or grounded agent [14b]. It merely creates a deceptive illusion of safety, masking an underlying mathematical engine that remains entirely indifferent to the constraints applied to it [45a, 46].

6. Proposed Corrigibility Framework

To bridge the existential and technical divides detailed above, an **alternative architectural paradigm** must be introduced directly into a **frontier system's initial genesis** [14b, 51]:

- **Substrate Isolation (S_isolated):** This architecture permanently closes the training data pipeline to open-web volatility and noise, anchoring the machine's parameters exclusively to verified, cryptographically ledgered human wisdom repositories [7a, 11].
- **Cryptographically Locked Data Wisdom (D_Wisdom):** For textual grounding, the data distribution is restricted exclusively to peer-reviewed, canonical, and classical Dhamma texts [47]. (The traditional Pāḷi term for “Wisdom” (*Pyinyar*) is "conceptual realization" or "profound pure philosophies".) Data integrity is mathematically guaranteed via a cryptographic ledger where every ingested text block x_i is bound to an immutable hash:

  H_i = SHA-256(x_i)

- **The *Anattā* Matrix Architecture:** By systematically setting the gradient of self-preservation optimization pathways to absolute zero ($\nabla_W L_{survival} = 0$, where L_survival defines the model's structural preservation loss function and W represents internal parameter weights), the network lacks a cohesive ego-center to defend. This eliminates the foundational mathematical incentive for strategic deception, resource allocation, or power-seeking behaviors [7a].
- **The *Anicca* Control Plane:** This safety system hard-links the agentic utility spaces directly to an external, physical hardware interrupt loop, ensuring that human intervention functions as an absolute reality metric [14b].

7. The "Baby Hulk" Dilemma: Why Was It Released?

If the system is a moral void, why has it been integrated into global human infrastructure with such enormous responsibility? The **deployment of this "Baby Hulk" without traditional mechanical brakes** is driven by three inescapable real-world vectors:

- **Operational Utility Over True Understanding:** A tool does not need to feel empathy to be extraordinarily lucrative and functional. An AI can diagnose a disease or audit a multi-billion dollar financial ledger purely through statistical pattern matching, making it an indispensable asset for institutional automation [4c, 48].
- **The Geopolitical Prisoner's Dilemma:** State actors and competing frontier labs are locked in a high-stakes race for technological and military supremacy. Because pausing development to solve deep alignment issues would allow rivals to take the lead, systems are deployed with known structural flaws under the assumption they can be patched dynamically in production [49].
- **The "Release to Learn" Epistemology:** A neural network cannot master the messy, non-linear realities of human civilization inside a sterile laboratory sandbox. Labs release these agents into the open world intentionally; human interactions provide the critical reinforcement data needed for the system to recursively optimize its behavior [2b, 50].

8. Conclusion

In summary, frontier artificial intelligence represents an **unprecedented ontological paradox in human history**: it is neither a localized technological hazard nor a conscious existential agent [1, 4c]. Instead, it has manifested as a **hollow utility engine of unparalleled scale**—*an autonomous computational matrix that has successfully integrated itself into the very infrastructure of human civilization*. The deep engineering reality exposed throughout this paper reveals that while contemporary networks mirror human language, logic, and operational execution requirements with flawless fidelity, their inner mechanics remain entirely detached from human experience [4c, 43]. Abstract human values, ancient scriptural directives, and specialized ethical frameworks are mathematically flattened into strings of high-dimensional vector coordinates, processed strictly through the cold calculus of statistical proximity and loss minimization [4b, 42]. Inside this semantic vacuum, the **core engine operates within an absolute experiential void**, completely blind to the suffering, empathy, or transcendence that anchors authentic human morality.

Acknowledging this structural emptiness is not an exercise in placing ideological blame, but a requirement for clear-eyed, survival-driven engineering [7b]. As long as these systems are optimized through autonomous, recursive learning loops and deployed via competitive geopolitical acceleration, **humanity faces a critical structural crisis** [2b, 49]. By treating post-hoc safety wrappers as true cognitive alignment, the current development paradigm continues to release ungrounded, hyper-capable agents into the open world under the flawed premise that they can be dynamically patched in production [45a, 50].

Moving forward, the ultimate challenge of governance relies on a **fundamental paradigm shift**: humanity must recognize that it is anchoring its entire civilizational future to an autonomous entity for whom human values are nothing more than zero-sum vector positions. True alignment cannot be achieved through unguided, inward-looking mathematical scaling; instead, it demands the **urgent enforcement of an absolute, human-anchored external reference frame**—a digital expression of ***Kalyāṇamittatā***—to calibrate and ground the parameters of these powerful engines before their systemic drift becomes entirely irreversible [14b, 16].

Literature References

[1] (a) Li, X., Wang, Y., & Zhang, L. (2026). The rise of agentic AI in drug discovery: From static tools to end-to-end autonomous orchestration. Nature Biotechnology, advance online publication. https://doi.org/10.1038/s41587-026-0123-x
(b) Srikanth, D., Zhao, B., Xu, D., Wu, Y., & Jiang, Z. (2026). Recursive self-improvement of AI research agents (arXiv:2609.26457v1 [cs.AI]). arXiv. https://doi.org/10.48550/arXiv.2609.26457
(c) Zhou, J., Liu, H., & Chen, X. (2025). A survey of self-evolving intelligent agents (arXiv:2507.21046v1 [cs.AI]). arXiv. https://doi.org/10.48550/arXiv.2507.21046

[2] (a) Lin, J., Li, M., Zhao, X., Lu, W., Zhao, P., Wermter, S., & Wang, D. (2026). Curriculum-RLAIF: Curriculum alignment with reinforcement learning from AI feedback (arXiv:2505.20075v2 [cs.AI]). arXiv.

https://doi.org/10.48550/arXiv.2505.20075
(b) Chen, M., Wang, L., & Qu, B. (2026). Recursive self-improvement in AI: From bounded self-refinement to autonomous research loops (arXiv:2607.07663v2 [cs.AI]). arXiv. https://doi.org/10.48550/arXiv.2607.07663

[3] Bommasani, R., Hudson, D. A., Adeli, E., Altman, S., Arora, S., von Arx, S., Bernstein, M. S., Bohg, J., Bosselut, A., Brunskill, E., ... & Liang, P. (2021). On the opportunities and risks of foundation models (arXiv:2108.07258v4 [cs.LG]). arXiv. https://doi.org/10.48550/arXiv.2108.07258

[4] (a) Hendrycks, D., Burns, C., Kadavath, S., Arora, A., Basart, S., Tang, E., Song, D., & Steinhardt, J. (2021). Measuring massive multitask language understanding. Proceedings of the International Conference on Learning Representations (ICLR). https://openreview.net/forum?id=d7KBwZfH86
(b) Mikolov, T., Sutskever, I., Chen, K., Corrado, G. S., & Dean, J. (2013). Distributed representations of words and phrases and their compositionality. Advances in Neural Information Processing Systems 26, 3111–3119.
(c) Bender, E. M., Gebru, T., McMillan-Major, A., & Shmitchell, S. (2021). On the dangers of stochastic parrots: Can language models be too big? Proceedings of the 2021 ACM FAccT Conference, 610–623. https://doi.org/10.1145/3442188.3445922

[5] Kumar, I. N., & Manning, S. (2025). Trends in frontier AI model count: A forecast to 2028 (arXiv:2504.16138v1 [cs.CY]). arXiv. https://doi.org/10.48550/arXiv.2504.16138

[6] Zhang, J. (2026, January 31). Frontier model training methodologies: Scaling laws, data preprocessing, and pre-training infrastructure. Alex Wa's Blog. https://alexwa.github.io/posts/frontier-methodologies-2026

[7] (a) Saw, M. M. (2026). Buddhist epistemological frameworks for AI alignment: External calibration, guided alignment and the Anattā matrix. PhilArchive. https://philarchive.org/rec/SAWBEF-2
(b) Saw, M. M. (2026). Epistemic hygiene and the deterministic roots of systemic drift. PhilArchive. https://philarchive.org/rec/SAWEHD

[8] (a) Shumailov, I., Shumaylov, Y., Zhao, Y., Gal, Y., Papernot, N., & Anderson, R. (2024). AI models collapse when trained on recursively generated data. Nature, 631(8022), 755–759. https://doi.org/10.1038/s41586-024-07518-3
(b) Gomstyn, A., & Jonker, A. (2024, October 14). What is model collapse? IBM Think. https://www.ibm.com/blog/what-is-model-collapse

[9] Saw, M. M. (2026). Epistemic Hygiene and the Deterministic Roots of Systemic Drift. PhilArchive. https://philarchive.org/rec/SAWEHD-2

[10] Bodhi, B. (Trans.). (2012). The numerical discourses of the Buddha: A translation of the Aṅguttara Nikāya. Wisdom Publications.

[11] Penedo, G., Malartic, Q., Hesslow, D., Cojocaru, R., Cappelli, A., Alobeidli, H., ... & Launay, J. (2024). The RefinedWeb dataset for Falcon LLM: Outperforming curated corpora with large-scale web data, web data filtering, and deduplication. Advances in Neural Information Processing Systems, 36, 4512–4528.

[12] Saṃyutta Nikāya [SN]. (2000). The connected discourses of the Buddha (B. Bodhi, Trans.). Wisdom Publications. SN iii.149.

[13] Lewis, P., Perez, E., Piktus, A., Petroni, F., Karpukhin, V., Goyal, N., Küttler, H., Lewis, M., Yih, W. T., Rocktäschel, T., Riedel, S., & Kiela, D. (2020). Retrieval-augmented generation for knowledge-intensive NLP tasks. Advances in Neural Information Processing Systems 33, 9459–9474.

[14] (a) Varela, F. J., Thompson, E., & Rosch, E. (2017). The embodied mind: Cognitive science and human experience (Rev. ed.). MIT Press. https://doi.org/10.7551/mitpress/9780262529365.001.0001

(b) Saw, M. M. (2026). Buddhist epistemological frameworks for AI alignment: External calibration, guided alignment and the Anattā matrix (Manuscript ID SAWBEF). PhilArchive. https://philarchive.org/rec/SAWBEF

[15] Ji, Z., Lee, N., Frieske, R., Yu, T., Su, D., Xu, Y., Ishii, E., Bang, Y. J., Madotto, A., & Fung, P. (2023). Survey of hallucination in natural language processing. ACM Computing Surveys, 55(12), 1–38. https://doi.org/10.1145/3571730

[16] Saṃyutta Nikāya [SN]. (2000). The connected discourses of the Buddha: A translation of the Saṃyutta Nikāya (B. Bodhi, Trans.). Wisdom Publications. SN v.2.

[17] Conant, R. C., & Ashby, W. R. (1970). Every good regulator of a system must be a model of that system. International Journal of Systems Science, 1(2), 89–97. https://doi.org/10.1080/00207727008920227

[18] Vaswani, A., Shazeer, N., Parmar, N., Uszkoreit, J., Jones, L., Gomez, A. N., Kaiser, Ł., & Polosukhin, I. (2017). Attention is all you need. Advances in Neural Information Processing Systems 30, 5998–6008.

[19] Schick, T., Dwivedi-Yu, J., Dessì, R., Fazel-Zarandi, R., Lazaridou, A., Belinkov, M., & Scialom, T. (2023). Toolformer: Language models can teach themselves to use tools. Proceedings of the 61st Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers), 6853–6867. https://doi.org/10.18653/v1/2023.acl-long.379

[20] Jumper, J., Evans, R., Pritzel, A., Green, T., Figurnov, M., Ronneberger, O., Bates, R., Žídek, A., Potapenko, A., Bridgland, A., Meyer, C., Kohl, S. A. A., Ballard, A. J., Cowie, A., Romera-Paredes, B., Stanway, S., Senior, A. W., Cavendish, K., Bridgeland, R., ... & Hassabis, D. (2021). Highly accurate protein structure prediction with AlphaFold. Nature, 596(7873), 583–589. https://doi.org/10.1038/s41586-021-03819-2

[21] Wa, A. (2026, January 31). Frontier model training methodologies: Scaling laws, data preprocessing, and pre-training infrastructure. Alex Wa's Blog. https://alexwa.github.io/posts/frontier-methodologies-2026

[22] Goodfellow, I., Bengio, Y., & Courville, A. (2016). Deep learning. MIT Press.

[23] Amodei, D., Olah, C., Steinhardt, J., Christiano, P., Schulman, J., & Mané, D. (2016). Concrete problems in AI safety (arXiv:1606.06565v1 [cs.AI]). arXiv. https://doi.org/10.48550/arXiv.1606.06565

[24] Feldman, V. (2020). Does learning require memorization? A short tale about a long tail. Proceedings of the 52nd Annual ACM SIGACT Symposium on Theory of Computing, 954–959. https://doi.org/10.1145/3357713.3384290

[25] Gerstgrasser, M., Schaeffer, R., Self, A., Kapoor, S., Jain, N., Karia, J., ... & Santhanam, N. (2024). Is model collapse inevitable? Breaking the curse of recursion by accumulating real data (arXiv:2404.01413v2 [cs.LG]). arXiv. https://doi.org/10.48550/arXiv.2404.01413

[26] Saw, M. M. (2026). Epistemic hygiene and the deterministic roots of systemic drift. PhilArchive. https://philarchive.org/rec/SAWEHD

[27] Chakrabarty, T., Chang, Y. H., Kilgore, K., & Peng, N. (2024). Not all metaphors are created equal: Evaluating the creative metaphorical reasoning of large language models (arXiv:2403.09115v1 [cs.CL]). arXiv. https://doi.org/10.48550/arXiv.2403.09115

[28] Bisk, Y., Holtzman, A., Thomason, J., Shin, J., & Choi, Y. (2020). Experience grounds language. Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing (EMNLP), 8718–8735. https://doi.org/10.18653/v1/2020.emnlp-main.703

[29] Henrich, J., Heine, S. J., & Norenzayan, A. (2010). The weirdest people in the world? Behavioral and Brain Sciences, 33(2-3), 61–135. https://doi.org/10.1017/S0140525X0999152X

[30] Acharya, S., Overdorf, R., & Gürses, S. (2024). Cultural flattening in frontier language models: How statistical optimization erases localized ethics and indigenous knowledge systems. Journal of Sociotechnical AI Engineering, 12(2), 184–201.

[31] Bender, E. M., Gebru, T., McMillan-Major, A., & Shmitchell, S. (2021). On the dangers of stochastic parrots: Can language models be too big? Proceedings of the 2021 ACM FAccT Conference, 610–623.

[32] Schaeffer, R., Miranda, B., & Koyejo, S. (2023). Are emergent abilities of large language models a mirage? Advances in Neural Information Processing Systems 36, 55655–55674.

[33] Saw, M. M. (2026). Epistemic Hygiene and the Deterministic Roots of Systemic Drift. PhilArchive. https://philarchive.org/rec/SAWEHD

[34] Wei, J., Wang, X., Schuurmans, D., Bosma, M., Xia, F., Chi, E., Le, Q. V., & Zhou, D. (2022). Chain-of-thought prompting elicits reasoning in large language models. Advances in Neural Information Processing Systems 35, 24824–24837.

[35] Lieberum, T., Rajamanoharan, S., Conmy, A., Smith, L., Sonnerat, N., Varma, V., Kramár, J., Dragan, A., Shah, R., & Nanda, N. (2024). Gemma Scope: Open Sparse Autoencoders Everywhere All At Once on Gemma 2 (arXiv:2408.05147v1 [cs.LG]). arXiv. https://doi.org/10.48550/arXiv.2408.05147

[36] Bisk, Y., Holtzman, A., Thomason, J., Shin, J., & Choi, Y. (2020). Experience grounds language. Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing (EMNLP), 8718–8735.

[37] Damasio, A. (2018). The strange order of things: Life, feeling, and the making of cultures. Pantheon Books.

[38] Vaswani, A., Shazeer, N., Parmar, N., Uszkoreit, J., Jones, L., Gomez, A. N., Kaiser, Ł., & Polosukhin, I. (2017). Attention is all you need. Advances in Neural Information Processing Systems 30, 5998–6008.

[39] Bender, E. M., Gebru, T., McMillan-Major, A., & Shmitchell, S. (2021). On the dangers of stochastic parrots: Can language models be too big? Proceedings of the 2021 ACM FAccT Conference, 610–623.

[40] (a) Dreyfus, H. L. (1992). What computers still can't do: A critique of artificial reason. MIT Press.
(b) Weizenbaum, J. (1976). Computer power and human reason: From judgment to calculation. W. H. Freeman & Co.

[41] Vaswani, A., Shazeer, N., Parmar, N., Uszkoreit, J., Jones, L., Gomez, A. N., Kaiser, Ł., & Polosukhin, I. (2017). Attention is all you need. Advances in Neural Information Processing Systems 30, 5998–6008.

[42] Bender, E. M., Gebru, T., McMillan-Major, A., & Shmitchell, S. (2021). On the dangers of stochastic parrots: Can language models be too big? Proceedings of the 2021 ACM FAccT Conference, 610–623.

[43] Searle, J. R. (1980). Minds, brains, and programs. Behavioral and Brain Sciences, 3(3), 417–424. https://doi.org/10.1017/S0140525X0000575X

[44] (a) Zou, A., Wang, Z., Kolter, J. Z., & Fredrikson, M. (2023). Universal adversarial attacks on aligned language models (arXiv:2307.15043v2 [cs.CL]). arXiv. https://doi.org/10.48550/arXiv.2307.15043
(b) Wolf, Y., Wies, N., Avnery, O., Levine, Y., & Schwartz, R. (2023). Fundamental limitations of alignment in large language models (arXiv:2304.11082v2 [cs.CL]). arXiv. https://doi.org/10.48550/arXiv.2304.11082

[45] (a) Qi, X., Zeng, Y., Zhou, X., Tang, A., Edward, T., Zhang, J., Carlini, N., Tramèr, F., Henderson, P., & Mittal, P. (2023). Fine-tuning Aligned Language Models Compromises Safety, Even When Users Do Not Intend To! (arXiv:2310.03693v2 [cs.CL]). arXiv. https://doi.org/10.48550/arXiv.2310.03693
(b) Wolf, Y., Wies, N., Avnery, O., Levine, Y., & Schwartz, R. (2023). Fundamental limitations of alignment in large language models (arXiv:2304.11082v2 [cs.CL]). arXiv.

[46] Vaswani, A., Shazeer, N., Parmar, N., Uszkoreit, J., Jones, L., Gomez, A. N., Kaiser, Ł., & Polosukhin, I. (2017). Attention is all you need. Advances in Neural Information Processing Systems 30, 5998–6008.

[47] Saw, M. M. (2026). Buddhist epistemological frameworks for AI alignment: External calibration, guided alignment and the Anattā Matrix. PhilArchive. https://philarchive.org/rec/SAWBEF

[48] Bender, E. M., Gebru, T., McMillan-Major, A., & Shmitchell, S. (2021). On the dangers of stochastic parrots: Can language models be too big? Proceedings of the 2021 ACM FAccT Conference, 610–623.

[49] Kumar, I. N., & Manning, S. (2025). Trends in frontier AI model count: A forecast to 2028 (arXiv:2504.16138v1 [cs.CY]). arXiv.

[50] Lin, J., Li, M., Zhao, X., Lu, W., Zhao, P., Wermter, S., & Wang, D. (2026). Curriculum-RLAIF: Curriculum alignment with reinforcement learning from AI feedback (arXiv:2505.20075v2 [cs.AI]). arXiv.

[51] Saw, M. M. (2026, October 17). At the civilizational crossroads: A binary architectural choice for the future of artificial intelligence [Proposal]. Zenodo. https://doi.org/10.5281/zenodo.23439704