Configuration Wizard				
Custor	m RepRap information			
You will have to manually inst	tall Marlin or Sprinter firmware.			
Machine name	TeilMacher			
Machine width X (mm)	200			
Machine depth Y (mm)	200			
Machine height Z (mm)	120			
Nozzle size (mm)	0.4			
Heated bed Bed center is 0,0,0 (RoStock)	▽) □			
	< Back Finish Cano	.el		

TeilMacher

Configuration Wizard					х
Custor	n RepRap	info	mation	า	
RepRap machines can be vas Be sure to review the default If you like a default profile fo then make an issue on github	profile before running your machine added,			s.	_
You will have to manually inst	all Marlin or Sprinter fire	mware.			
Machine name	TeilMacher 2				
Machine width X (mm)	200				
Machine depth Y (mm)	200				
Machine height Z (mm)	200				
Nozzle size (mm)	0.4				
Heated bed	~				
Bed center is 0,0,0 (RoStock)					
		< Back	Finish	Cancel	

TeilMacher2

Configuration Wizard				
Custo	m RepRap information			
	stly different, so here you can set your own settings. It profile before running it on your machine. or your machine added, b.			
You will have to manually ins	stall Marlin or Sprinter firmware.			
Machine name	Bukobot			
Machine width X (mm)	200			
Machine depth Y (mm)	200			
Machine height Z (mm)	200			
Nozzle size (mm)	0.4			
Heated bed Bed center is 0,0,0 (RoStock	▽			
	< Back Finish Cano	el		

Bukobot