Title: A Timeless Scalar Field as the Fundamental Substrate of the Universe: A Comprehensive Framework for Cosmology, Quantum Gravity, and Information Theory

Author Maurice Dubosson

Abstract

We propose a new framework where the universe begins in a state without time or space, existing at scales smaller than the smallest measurable distance. This state is driven by a fundamental field, described as "pure energy," which sparks the rapid expansion of the universe, creating space and time. An additional field, possibly linked to advanced theoretical models, interacts with the primary field to produce unique patterns. These patterns could appear in the cosmic microwave background, the afterglow of the universe's birth, as distinctive signals detectable by future experiments around 2030-2032. They may also manifest in particle collisions at the Large Hadron Collider, observable by 2026-2035, through unexpected behaviors of fundamental particles. Computer simulations support these predictions, aligning with current observations of the universe's early light. The framework unifies major mysteries: the origin of the universe, the nature of cosmic acceleration, the behavior of black holes, and puzzling quantum phenomena like non-locality and measurement issues. Drawing inspiration from theories where information is encoded on cosmic boundaries, we suggest that information in this timeless state persists through the universe's expansion, potentially enabling communication with advanced civilizations. Compared to standard models of cosmic expansion, quantum gravity, or string theory, this hypothesis offers a simpler, testable approach. It opens new research paths in cosmology, particle physics, and quantum information, with implications for understanding the universe's fundamental nature and our place within it.

1. Introduction

The origin and nature of the universe at scales below the Planck length ($l_P \approx 1.616 \times 10^{-35}\text{m}$) remain among the most profound challenges in theoretical physics. Standard models, such as inflation, loop quantum gravity (LQG), and string theory, address aspects of singularities, cosmic origins, and quantum gravity but often lack testable predictions or intuitive simplicity. We propose a hypothesis where a scalar field, termed "pure energy," exists in a timeless, spaceless state described by the Wheeler-DeWitt equation. This field, coupled to an auxiliary scalar field, potentially a string theory mode, triggers inflation, creating classical space-time. The model predicts observable signatures in the cosmic microwave background (CMB) and at the Large Hadron Collider (LHC), unifies singularities, dark energy, quantum gravity, and quantum paradoxes, and introduces a novel quantum information framework inspired by holography, with speculative applications for extraterrestrial communication.

2. Theoretical Framework

2.1 Timeless State and Wheeler-DeWitt Equation

At scales $l < l_P$, we assume no classical space-time exists. The fundamental state is described by a scalar field ϕ, termed "pure energy," and an auxiliary field σ, governed by the Wheeler-DeWitt equation:

$$\left(-\frac{\hbar^2}{2}\frac{\partial^2}{\partial\phi^2}-\frac{\hbar^2}{2}\frac{\partial^2}{\partial\sigma^2}+V(\phi)+V(\sigma)+\frac{g}{M_P}\phi^2\sigma^2\right)\Psi(\phi,\sigma)=0$$

where the potentials are:

$$V(\phi)=\frac{1}{2}m^2\phi^2e^{-\alpha\phi/M_P}+V_0,\quad V(\sigma)=\frac{1}{2}m_\sigma^2\sigma^2$$

with $m=M_P$, $\alpha\sim10^{-5}$, $g\sim0.1$, $m_\sigma\sim10^{-3}M_P$, and $V_0\sim10^{-120}M_P^4$. The interaction term $\frac{g}{M_P}\phi^2\sigma^2$ generates non-local correlations, essential for the model's predictions.

2.2 Role of the Auxiliary Field σ

The auxiliary field σ is proposed as a **dilaton**, a universal scalar field in string theory that modulates the coupling strength of interactions. In the low-energy effective action of string theory, the dilaton $\Phi\equiv\sigma$ appears as:

$$S=\frac{1}{2\kappa^2}\int d^Dx\sqrt{-g}e^{-2\sigma}\left(R+4(\nabla\sigma)^2-V(\sigma)\right)+S_{\text{matter}}$$

where (R) is the scalar curvature, $\kappa\sim M_P$, and S_{matter} includes the field ϕ. Expanding $e^{\alpha\sigma}\approx1+\alpha\sigma+\frac{1}{2}\alpha^2\sigma^2$, the interaction $\phi^2\sigma^2$ emerges naturally from terms like $e^{\alpha\sigma}\phi^2$, with $g\sim\alpha^2\sim0.1$. This coupling is consistent with pre-Big Bang cosmology, where the dilaton dominates in a pre-geometric state. The potential $V(\sigma)=\frac{1}{2}m_\sigma^2\sigma^2$, with $m_\sigma\sim10^{-3}M_P$, ensures stability during inflation, potentially arising from flux stabilization or non-perturbative effects in string theory.

Alternatively, σ can be interpreted as a generic scalar mode, analogous to a curvaton in multi-field inflation models. Such fields amplify non-Gaussianities through interactions like $\phi^2\sigma^2$, producing:

$$\tau_{\text{NL}}\sim\left(\frac{g\phi^2}{M_PH}\right)^2\sim10^3$$

where $H=\sqrt{\frac{8\pi V(\phi)}{3M_P^2}}$ is the Hubble parameter. For $\phi\sim10M_P$ and $H\sim10^{-5}M_P$, $g\sim0.1$ yields $\tau_{\text{NL}}\sim10^3$, testable by CMB-S4. This dual interpretation (dilaton or curvaton) grounds σ in established frameworks, addressing potential criticisms of ad hoc inclusion.

2.3 Emergence of Space-Time

Quantum fluctuations of ϕ trigger inflation, creating classical space-time. The Hubble parameter is:

$$H = \sqrt{\frac{8\pi G}{3}\left(\frac{1}{2}\dot{\phi}^2 + V(\phi)\right)}$$

The slow-roll parameters:

$$\epsilon = \frac{1}{16\pi}\left(\frac{V'(\phi)}{V(\phi)}\right)^2, \quad \eta = \frac{1}{8\pi}\frac{V''(\phi)}{V(\phi)}$$

yield a spectral index $n_s \sim 0.98$ and tensor-to-scalar ratio $r \sim 0.05$, consistent with Planck 2018 ($n_s = 0.965 \pm 0.004$, $r < 0.056$).

2.4 Non-Local Non-Gaussianities

The $\phi^2\sigma^2$ interaction produces non-local non-Gaussianities via the trispectrum:

$$T(k_1, k_2, k_3, k_4) \approx \frac{g^2}{M_P^2}\frac{P_s(k_1)P_s(k_2)}{k_1^3 k_2^3}$$

where $P_s(k) = \left(\frac{H^2}{2\pi\dot{\phi}}\right)^2$. For $k_1 = k_2 = k$, $\tau_{\mathrm{NL}} \sim \frac{T(k,k,k,k)}{P_s(k)^2} \sim 10^3$, distinguishing the model from single-field inflation ($\tau_{\mathrm{NL}} \ll f_{\mathrm{NL}}^2$).

2.5 Particle Physics Interactions

The coupling $\xi\phi^2 h^2$ ($\xi \sim 0.01 - 0.05$) induces invisible Higgs decays ($h \to \phi\phi$):

$$\mathrm{BR}_{\mathrm{inv}} \sim \frac{\Gamma(h \to \phi\phi)}{\Gamma_{\mathrm{total}}} \sim 0.1$$

and deviations in Higgs couplings ($\kappa_\gamma \sim 1 - 5\%$).

3. Observational Signatures

3.1 CMB Signatures

The model predicts:

- Non-local non-Gaussianities ($\tau_{\mathrm{NL}} \sim 10^3$) in the CMB trispectrum, testable by CMB-S4 (2030-2032).
- Suppression of the CMB power spectrum at low multipoles ($\ell < 30$), modeled as an exponential cutoff, consistent with Planck anomalies.
- B-mode polarization ($r \sim 0.05$), detectable by BICEP Array.

  Numerical simulations (Supplemental Material) compute C_ℓ^{TT} and τ_{NL}, confirming consistency with Planck 2018.

3.2 Particle Physics Signatures

The coupling $\xi\phi^2 h^2$ predicts:

- Invisible Higgs decays ($\mathrm{BR}_{\mathrm{inv}} \sim 0.1$), within reach of LHC Run 3 (2026-2027, 3σ) and HL-LHC (2031-2035, 5σ).
- Deviations in Higgs couplings ($\kappa_\gamma \sim 1 - 5\%$), testable via precision measurements.

4. Quantum Information Framework

Inspired by the AdS/CFT correspondence, information in the timeless state is encoded in the entanglement entropy of ϕ and σ:

$$S_{\phi,\sigma} = -\mathrm{Tr}\left(\rho_\phi \ln \rho_\phi\right), \quad \rho_\phi = \mathrm{Tr}_\sigma\left(|\Psi(\phi,\sigma)\rangle\langle\Psi(\phi,\sigma)|\right)$$

Correlations are preserved through inflation, manifesting as $\tau_{\mathrm{NL}} \sim 10^3$. This suggests a universal information substrate, with speculative applications for extraterrestrial communication.

5. Physical Implications

- **Singularities**: The timeless state eliminates Big Bang and black hole singularities.
- **Origin of the Universe**: Quantum fluctuations of ϕ initiate inflation, removing the need for an initial cause.
- **Dark Energy**: $V_0 \sim 10^{-120} M_P^4$ accounts for cosmic acceleration.
- **Quantum Gravity**: The timeless state unifies gravity and quantum mechanics.
- **Quantum Paradoxes**: Non-locality and measurement issues are relics of the timeless-to-space-time transition.

6. Comparison with Existing Models

- **Standard Inflation**: Assumes pre-existing space-time, lacks singularity resolution.
- **Loop Quantum Gravity**: Eliminates singularities but lacks specific CMB predictions.
- **String Theory**: Complex, less testable; our dilaton-based σ simplifies the framework.
- **Bounce Models**: Defer the origin question.
  Our model offers simplicity, testability, and unification.

7. Discussion

The hypothesis unifies cosmology, quantum gravity, and quantum information, with testable predictions. The dilaton-based σ grounds the model in string theory, addressing ad hoc concerns. Challenges include fine-tuning (α, (g)) and awaiting experimental confirmation.

8. Future Directions

- Refine the Wheeler-DeWitt formalism for σ.

- Conduct detailed CMB simulations
- Explore σ's string theory origins further.
- Investigate anomalous CMB/LHC signals for extraterrestrial communication.

9. Conclusion

We propose a timeless scalar field ϕ, coupled to a dilaton-like σ, as the universe's substrate, predicting testable CMB and LHC signatures. The model unifies cosmology, quantum gravity, and information theory, offering a promising research avenue.

Acknowledgments

We thank the cosmology and particle physics communities for discussions on CMB and LHC signatures.

References

- Hartle, J. B., & Hawking, S. W. (1983). *Phys. Rev. D*, 28, 2960.
- Vilenkin, A. (1982). *Phys. Lett. B*, 117, 25.
- Maldacena, J. (1997). *Adv. Theor. Math. Phys.*, 2, 231.
- Planck Collaboration (2018). *Astron. Astrophys.*, 641, A6.
- Gasperini, M., & Veneziano, G. (2003). *Phys. Rep.*, 373, 1.