What follows is an itemized list on how a developer resource will create a New Project leveraging the **Allstate APPFabric CLI Framework**

	Instructions	Description / Comments
1.	Make certain that the Project Engineer, Architect, andOr Owner has shared the necessary Project Information with you regarding this project. ***You will be unable to proceed without it.***	Reference the **AllState MarketPlace** Instructions: d. Creating a New Project with Allstate MarketPlace **"Step #13"** Contains the necessary information for you to be able to proceed: **a.** Marketplace Fulfillment: New product created on **PaaS** Email **b.** System Role ID Password Generated Email It will contain the following information for your project **a.** System Role ID & System Role ID Generated Password **b.** BarometerIT Number **c.** GitHub Location **d.** Artifactory Location **e.** PCF Location **f.** Compliance Buddy Onboarding **g.** Jenkins Pipeline
2.	Navigate to the following **AllState APPFabric**	https://github.allstate.com/pages/Engineering/AppFabric/
3	Navigate to the following **AllState APPFabric - Getting Started**	Located in the Upper-Right-Hand Corner of the Menu Navigation

		/ AppFabric
		
		> ***What if*** *a product team could begin developing business value the very first day?*
		> ***What if*** *code put into production was guaranteed to meet standards?*
		> ***What if*** *compliance and audit were codified and automatic?*
		> ***What if*** *an engineer could be productive in hours rather than weeks?*
		> ***What if*** *we productized our software development experience?*
		
		• **Home**
		• Release Notes
		• Getting Started
		  • AppFabric Gen CLI Example
		  • How to Run an AppFabric-Based App Locally
		  • Java Spring Proxy Starter
		  • Java Spring API Starter
		  • FAQ - Running CLI
		  • FAQ - Running an AppFabric-Based App in PCF
		• Logging
		  • Server-side (Java Spring) Logging
		  • Client-side (Javascript) Logging
		• AppFabric OAuth 2.0
		  • API Producer

4	Scroll down to section "**Run the CLI**"	Reference the following Link: https://github.allstate.com/pages/Engineering/AppFabric/docs/gettingStarted.html

		Run the CLI See the AppFabric CLI FAQ if you encounter any issues when running the CLI. https://github.allstate.com/pages/Engineering/AppFabric/ MS_TEAMS@ProductSupport_Billboard_TM>ps-appfabric-framework `fabric [command] <options> <flags>` COMMANDS `gen` ..... start pipeline process `vault` ..... vault functionality `help` ..... display help menu FLAGS `-n, --no-scm` ..... disable scm `-d, --debug [value]` ... Enable debug mode **Note: Regarding the -n option. "scm" refers to source configuration management. The -n option will only generate code locally. It is ideal for scaffolding code locally for experimentation purposes. It does not integrate with GitHub, PCF, Jenkins, or Artifactory.**
5.	Right-Click on the Desktop Shortcut **Command Prompt** and "**Run Elevated with DefendPoint**"	Opens **Command Prompt**

	***It is a always good practice to run applications as "**Run Elevated with DefendPoint**"	
6.	Navigate to the **C:** Drive and Create a Project Workspace Directory	Enter the following Command-line Statement and Mash the **ENTER KEY** **a. mkdir workspace_test** *****Please give your project workspace a meaningful name, we have chosen "test" simply as an example** 

```
Administrator: c:\windows\system32\cmd.exe

C:\Users\mjojg>cd ../..

C:\>dir
 Volume in drive C is Allstate1
 Volume Serial Number is 4AAD-1E9C

 Directory of C:\

05/12/2020  11:26 AM    <DIR>          $MfeDeepRem
01/14/2020  04:44 PM    <DIR>          Allstate
02/25/2019  07:45 PM    <DIR>          apache-maven-3.3.9
06/03/2020  12:35 PM    <DIR>          certificates
10/28/2019  09:29 AM    <DIR>          Dell
01/20/2020  12:19 PM    <DIR>          DST
05/27/2020  04:57 PM    <DIR>          ebicode
06/05/2020  07:05 AM    <DIR>          EBIPKGS
06/01/2020  01:07 PM    <DIR>          Eclipse Luna
06/02/2020  02:14 PM    <DIR>          Git
01/28/2020  10:49 AM    <DIR>          GITHUB POC
01/28/2020  10:52 AM    <DIR>          GITHUB POC 2
06/03/2020  05:19 PM    <DIR>          Gradle
02/25/2019  00:53 PM    <DIR>          intel
01/29/2020  12:49 PM    <DIR>          iReport-5.6.0
10/28/2019  12:54 PM    <DIR>          JasperReports
06/01/2020  12:46 PM    <DIR>          Java
06/08/2020  03:15 PM    <DIR>          nodejs
02/25/2019  05:41 PM    <DIR>          oracle
06/08/2020  00:59 AM    <DIR>          PerfLogs
05/29/2020  09:17 AM    <DIR>          PKGLOG
06/03/2020  04:26 PM    <DIR>          Program Files
06/03/2020  04:27 PM    <DIR>          Program Files (x86)
08/01/2019  09:13 AM    <DIR>          Quarantine
04/09/2020  01:10 PM    <DIR>          sqldeveloper
04/08/2019  09:03 AM    <DIR>          TEMP
02/25/2019  05:44 PM             2,770 test_oraclient.txt
06/04/2020  04:51 PM    <DIR>          tmp
02/17/2020  10:03 AM    <DIR>          Users
05/27/2020  08:50 AM    <DIR>          Windows
06/04/2020  09:13 AM    <DIR>          workspace_edmapis
10/28/2019  01:00 PM    <DIR>          workspace_jasperreports
03/31/2020  11:56 AM    <DIR>          workspace_sqlprojects
               1 File(s)          2,770 bytes
              32 Dir(s)  89,960,902,656 bytes free

C:\>mkdir workspace_test

C:\>
```

7.	Navigate to the newly created project workspace folder as shown in the screen-shot to the right.	
8.	Referencing **Step #4**, following the **Allstate APPFabric Command Usage** Generate a Project	At the command prompt enter and execute the following statement (Reference the following link if necessary; https://github.allstate.com/pages/Engineering/AppFabric/docs/gettingStarted.html): **a.** fabric gen This will spin up the **Allstate APPFabric Framework.** Reference the Command Prompt Console Screen Shot below…. Also Note, navigation of this framework will require the use of the **UP & DOWN ARROWS** as well as the **SPACE BAR** for **MENU ITEM SELECTION.**

		
9.	Select the Default Choice "PFC on Premise" and mash the ENTER Key	Proceed

10.	Enter your Network Credentials at the console	Administrator: c:\windows\system32\cmd.exe - fabric gen C:\Users\mjojg>fabric gen (node:17412) Warning: Setting the NODE_TLS_REJECT_UNAUTHORIZED environment variable to '0' makes TLS connecti ons and HTTPS requests insecure by disabling certificate verification. (Use `node --trace-warnings ...` to show where the warning was created) VERSION NUMBER 1.5.2 https://github.allstate.com/pages/Engineering/AppFabric/ MS_TEAMS@ProductSupport_Billboard_TM>ps-appfabric-framework ? Select the PCF platform your product team has been on-boarded into: PCF On Premise ? Enter your ntid: mjojg ? Enter your password: **********

11.	For now enter "**N**" for the question "**Will your API be secured by OAuth 2.0**"	

```
Administrator: c:\windows\system32\cmd.exe - fabric gen

C:\Users\mjojg>fabric gen
(node:17412) Warning: Setting the NODE_TLS_REJECT_UNAUTHORIZED environment variable to '0' makes TLS connecti
ons and HTTPS requests insecure by disabling certificate verification.
(Use `node --trace-warnings ...` to show where the warning was created)

VERSION NUMBER 1.5.2
https://github.allstate.com/pages/Engineering/AppFabric/
MS_TEAMS@ProductSupport_Billboard_TM>ps-appfabric-framework

? Select the PCF platform your product team has been on-boarded into: PCF On Premise
? Enter your ntid: mjojg
? Enter your password: ****************
? Will your API be secured by OAuth 2.0 (provided by ISAM)? (y/N)
```

12.	This next step, "**Which Components do you need?**", is dependent upon your Projects Requirements;. For our project we Selected the "**API**" & "**PROXY**" Options	

13	This next step, "**Lets Configure SCM - Which GitHub Organization**", is dependent upon the information you have received in **Step #1, above.** Here we have chosen "**AB-DOCMGNT-PCF**" This selection represents the **Product Name, GitHub** Location et cetera, that was provided in **Step #1 Above**	

14	This next step, "**Lets Configure SCM - Which PCF Organization**", is dependent upon the information you have received in **Step #1, above.** Here we have chosen "**AB-DOCMGNT-PCF**" This selection represents the **Product Name, GitHub** Location et cetera, that was provided in **Step #1 Above**	(Use `node --trace-warnings ...` to show where the warning was created) VERSION NUMBER 1.5.2 https://github.allstate.com/pages/Engineering/AppFabric/ MS TEAMS#ProductSupport_Billboard_TM>ps-appfabric-framework ? Select the PCF platform your product team has been on-boarded into: PCF On Premise ? Enter your ntid: mjojq ? Enter your password: ********** ? Will your API be secured by OAuth 2.0 (provided by ISAM)? No ? Which component(s) do you need? API, Proxy Let's Configure SCM ---------- ? Which GitHub organization AB-DOCMGNT-PCF ? Which PCF organization AB-DOCMGNT-PCF Let's Configure CI ---------- ? Enter your Artifactory repo name (AB-DOCMGNT-PCF)
15	This next step, "**Lets Configure CI- Enter your Artifactory Repo Name**", is dependent upon the	If only one option exists simply MASH the **ENTER KEY (AB-DOCMGNT-PCF).** If not make the appropriate selection and MASH the **ENTER KEY.**

	information you have received in **Step #1, above; however as you might see, we only have one option**	
16	This next step, "**Lets Configure CI- Enter Product System Account Username**", is dependent upon the information you have received in **Step #1, above.**	Enter Product System Account Username and **MASH** the **ENTER KEY** (Use `node --trace-warnings ...` to show where the warning was created) VERSION NUMBER 1.5.2 https://github.allstate.com/pages/Engineering/AppFabric/ MS_TEAMS#ProductSupport_Billboard_TM>ps-appfabric-framework ? Select the PCF platform your product team has been on-boarded into: PCF On Premise ? Enter your ntid: mjojo ? Enter your password: ********** ? Will your API be secured by OAuth 2.0 (provided by ISAM)? No ? Which component(s) do you need? API, Proxy Let's Configure SCM ---------- ? Which GitHub organization AB-DOCMGNT-PCF ? Which PCF organization AB-DOCMGNT-PCF Let's Configure CI ---------- ? Enter your Artifactory repo name AB-DOCMGNT-PCF ? Enter your products system account username

17	This next step, "**Lets Configure CI- Enter Product System Account Password**", is dependent upon the information you have received in **Step #1, above.**	Enter Product System Account Password and **MASH** the **ENTER KEY**

```
VERSION NUMBER 1.5.2
https://github.allstate.com/pages/Engineering/AppFabric/
MS_TEAMS#ProductSupport_Billboard_TM>ps-appfabric-framework

? Select the PCF platform your product team has been on-boarded into: PCF On Premise
? Enter your ntid: mjojg
? Enter your password: ****************
? Will your API be secured by OAuth 2.0 (provided by ISAM)? No
? Which component(s) do you need? API, Proxy

Let's Configure SCM
-----------------------------------

? Which GitHub organization AB-DOCMGNT-PCF
? Which PCF organization AB-DOCMGNT-PCF

Let's Configure CI
-----------------------------------

? Enter your Artifactory repo name AB-DOCMGNT-PCF
? Enter your products system account username sys-abdocmgnt
? Enter your products system account password *******************
```

18	Select your **Service NOW Group** (Use Arrow Keys) Notice that the **JenkinsClient** throws an Exception: **Unable to create Jenkins System Credential** Also, the functionality to "**Select your Service NOW Group (Use Arrow Keys)**" Is not very responsive, so simply **MASH** the **ENTER KEY** and **RESOLVE** the **Service NOW Group** later. **You may have to MASH the ENTER KEY a couple of times to get it to move forward...**	

19	This next step, "**Lets Configure the API**" - **Enter Your JAVA Group**	Enter a value specific to your project application. As an example I am entering the value; **com.allstate.compozed.docmgnt** **MASH the ENTER KEY** *****This will determine your project application's API Package Naming Convention*****

```
? Select the PCF platform your product team has been on-boarded into: PCF On Premise
? Enter your ntid: mjojg
? Enter your password: ****************
? Will your API be secured by OAuth 2.0 (provided by ISAM)? No
? Which component(s) do you need? API, Proxy


Let's Configure SCM
-----------------------------------

? Which GitHub organization AB-DOCMGNT-PCF
? Which PCF organization AB-DOCMGNT-PCF


Let's Configure CI
-----------------------------------

? Enter your Artifactory repo name AB-DOCMGNT-PCF
? Enter your products system account username sys-abdocmgnt
? Enter your products system account password ******************


 ERROR: JenkinsClient - Unable to create Jenkins System credential


Let's Configure PROD Deployment
-----------------------------------

? Select your Service now group (Use arrow keys)
? Select your Service now group XP_AS_CHG


 ERROR: JenkinsClient - Unable to create Jenkins Auth Token Secret


Let's Configure the API
-----------------------------------

? Please enter your java group (com.allstate.compozed)
```

20	This next step, "**Lets Configure the API**" **Enter Your Project Name**	Enter a value specific to your project application. As an example I am entering the value; **docmgnt**

		MASH the ENTER KEY 
21	This next step, "**Lets Configure the Proxy**" **Enter Your Project Name** Notice, from the previous step the APPFabric performed the following: **a.** Downloaded the Latest Templates **b.** Generated the Code for the Service	Enter a value specific to your project application. As an example I am entering the value; **docmgntproxy** MASH the ENTER KEY

c. Pushed the Code to the GitHub

d. Provided reminder to Clone the Repository

```
Let's Configure CI
------------------------------------

? Enter your Artifactory repo name AB-DOCMGNT-PCF
? Enter your products system account username sys-abdocmgnt
? Enter your products system account password ******************


ERROR: JenkinsClient - Unable to create Jenkins System credential


Let's Configure PROD Deployment
------------------------------------

? Select your Service now group (Use arrow keys)
? Select your Service now group XP_AS_CHG


ERROR: JenkinsClient - Unable to create Jenkins Auth Token Secret


Let's Configure the API
------------------------------------

? Please enter your java group com.allstate.composed.docmgnt
? Please enter your java project name docmgnt
✓ Downloading Latest Template...
✓ Generating Code...
✓ Pushing Code to GitHub...


Before you start coding, you need to clone the repository locally by running the following git command:

git clone https://github.allstate.com/AB-DOCMGNT-PCF/docmgnt.git

✓ Creating Jenkins job...


Let's Configure the proxy
------------------------------------

? Please enter your java project name (test-proxy)
```

22	Validate that the following was received at the console Notice, from the previous step the APPFabric performed the following: **a.** Downloaded the Latest Templates **b.** Generated the Code for the Proxy **c.** Pushed the Code to the GitHub **d.** Provided reminder to Clone the Repository	

```
Let's Configure the API
-----------------------------------

? Please enter your java group com.allstate.composed.docmgnt
? Please enter your java project name docmgnt
√ Downloading Latest Template...
√ Generating Code...
√ Pushing Code to GitHub...


Before you start coding, you need to clone the repository locally by running the following git command:

git clone https://github.allstate.com/AB-DOCMGNT-PCF/docmgnt.git

√ Creating Jenkins job...


Let's Configure the proxy
-----------------------------------

? Please enter your java project name docmgntproxy
√ Downloading Latest Template...
√ Generating Code...
√ Pushing Code to GitHub...


Before you start coding, you need to clone the repository locally by running the following git command:

git clone https://github.allstate.com/AB-DOCMGNT-PCF/docmgntproxy.git

√ Creating Jenkins job...
```

The following projects have been generated

docmgnt	
Jenkins	https://jenkinscf.allstate.com/job/AB-DOCMGNT-PCF/job/docmgnt
Github	https://github.allstate.com/AB-DOCMGNT-PCF/docmgnt.git
docmgntproxy	
Jenkins	https://jenkinscf.allstate.com/job/AB-DOCMGNT-PCF/job/docmgntproxy
Github	https://github.allstate.com/AB-DOCMGNT-PCF/docmgntproxy.git

		Helpful links AppFabric docs: https://github.allstate.com/pages/Engineering/AppFabric/ Compliance Buddy: https://compliance-buddy.mgmt.allstate.com/#/redirects/product?pcfOrg=AB-DOCMGNT-PCF !!! Please review the following information before you get started !!! Topic: Running your app locally (authenticating with Artifactory) Background: After cloning the code from GitHub, before starting the app, you will need to add credentials that a at build time to pull AppFabric dependencies from Artifactory. Please reference the AppFabric docume below describing recommended approaches to accomplishing this. It is important to note that each tec can use their own solution. The provided AppFabric document merely outlines potential options for te Resources: https://allstatecloud.sharepoint.com/:b:/r/sites/ProductSupport_Billboard_TM/Shared%20Documents/ps-appfabric/Artifactory%20Lockdown%20-%20AppFabric%20Impact%20Analysis.pdf?csf=1&e=hPnhYS The following are known vulnerabilities that need to be mitigated Title: SnakeYAML 1.18 Description: CVE-2017-18640 - Whitesource description is incomplete - SnakeYAML from 1.18 to 1.25 have the report vulnerability. Allstate product teams can use the following gradle dependency code sample for mitiga note that you might also need to force the newer version): Code Example: implementation 'org.yaml:snakeyaml:1.26' ? Send us your feedback - anything that's on your mind - whether good or bad, compliments or criticisms, we want to he Press <enter> to submit.
23	Validate GitHub Code Creation Links for this validation have been extracted from those shared within the AllState APPFabric Condole Message that have been captured within **Step #22 Screen-shots** They have been provided to the right **ONLY FOR REFERENCE**, such that the end user will need to validate them. These	**Validate GitHub Code Creation** Proxy Repository: https://github.allstate.com/AB-DOCMGNT-PCF/docmgntproxy Service Repository: https://github.allstate.com/AB-DOCMGNT-PCF/docmgnt

	repositories were for **TRAINING PURPOSES ONLY** and no longer exist per this writing.	
24	Validate Jenkins Pipeline Creation Links for this validation have been extracted from those shared within the AllState APPFabric Condole Message that have been captured within **Step #22 Screen-shots** They have been provided to the right **ONLY FOR REFERENCE**, such that the end user will need to validate them. These repositories were for **TRAINING PURPOSES ONLY** and no longer exist per this writing.	**Validate Jenkins Pipeline Creation** Proxy Repository: https://jenkinscf.allstate.com/job/AB-DOCMGNT-PCF/job/docmgntproxy Service Repository: https://jenkinscf.allstate.com/job/AB-DOCMGNT-PCF/job/docmgnt
25	*Congratulations, you have successfully leveraged the AllState APPFabric CLI Framework to Generate Web Proxy and Service Boilerplate Code...*	