d. Creating a New Project with AllState APPFabric CLI Framework

What follows is an itemized list on how a developer resource will create a New Project leveraging the **Allstate APPFabric CLI Framework**

Step	Instructions	Description / Comments
1.	Make certain that the Project Engineer, Architect, andOr Owner has shared the necessary Project Information with you regarding this project. ***You will be unable to proceed without it.***	Reference the **AllState MarketPlace** Instructions: d. Creating a New Project with Allstate MarketPlace **"Step #13"** Contains the necessary information for you to be able to proceed: **a.** Marketplace Fulfillment: New product created on **PaaS** Email **b.** System Role ID Password Generated Email ⚠ It will contain the following information for your project **a.** System Role ID & System Role ID Generated Password **b.** BarometerIT Number **c.** GitHub Location **d.** Artifactory Location **e.** PCF Location **f.** Compliance Buddy Onboarding **g.** Jenkins Pipeline
2.	Navigate to the following **All State APPFabric**	https://github.allstate.com/pages/Engineering/AppFabric/
3	Navigate to the following **All State APPFabric - Getting Started**	Located in the Upper-Right-Hand Corner of the Menu Navigation 

4	Scroll down to section "**Run the CLI**"	Reference the following Link: https://github.allstate.com/pages/Engineering/AppFabric/docs/gettingStarted.html /// **Run the CLI** See the AppFabric CLI FAQ if you encounter any issues when running the CLI. https://github.allstate.com/pages/Engineering/AppFabric/ MS_TEAMS@ProductSupport_Billboard_TM>ps-appfabric-framework `fabric [command] <options> <flags>` COMMANDS `gen` ..... start pipeline process `vault` ..... vault functionality `help` ..... display help menu FLAGS `-n, --no-scm` ..... disable scm `-d, --debug [value]` ... Enable debug mode **Note: Regarding the -n option. "scm" refers to source configuration management. The -n option will only generate code locally. It is ideal for scaffolding code locally for experimentation purposes. It does not integrate with GitHub, PCF, Jenkins, or Artifactory.**
5.	Right-Click on the Desktop Shortcut **Command Prompt** and "**Run Elevated with DefendPoint**" ***It is a always good practice to run applications as "**Run Elevated with DefendPoint**"	Opens **Command Prompt**

6.	Navigate to the **C:** Drive and Create a Project Workspace Directory	Enter the following Command-line Statement and Mash the **ENTER KEY**
		
		a. mkdir workspace_test
		
		*****Please give your project workspace a meaningful name, we have chosen "test" simply as an example**
		
		Administrator: c:\windows\system32\cmd.exe
		
		`C:\Users\mjojg>cd ../..`
		
		`C:\>dir`
		`Volume in drive C is Allstate1`
		`Volume Serial Number is 4AAD-1E9C`
		
		`Directory of C:\`
		
		`05/12/2020 11:26 AM <DIR> $MfeDeepRem`
		`01/14/2020 04:44 PM <DIR> Allstate`
		`02/25/2019 07:45 PM <DIR> apache-maven-3.3.9`
		`06/03/2020 12:35 PM <DIR> certificates`
		`10/28/2019 09:29 AM <DIR> Dell`
		`01/20/2020 12:19 PM <DIR> DST`
		`05/27/2020 04:57 PM <DIR> ebicode`
		`06/05/2020 07:05 AM <DIR> EBIPKGS`
		`06/01/2020 01:07 PM <DIR> Eclipse_Luna`
		`06/02/2020 02:14 PM <DIR> Git`
		`01/28/2020 10:49 AM <DIR> GITHUB_POC`
		`01/28/2020 10:52 AM <DIR> GITHUB_POC_2`
		`06/03/2020 05:19 PM <DIR> Gradle`
		`02/25/2019 08:53 PM <DIR> Intel`
		`01/29/2020 12:49 PM <DIR> iReport-5.6.0`
		`10/28/2019 12:54 PM <DIR> JasperReports`
		`06/01/2020 12:46 PM <DIR> Java`
		`06/04/2020 03:15 PM <DIR> nodejs`
		`02/25/2019 05:41 PM <DIR> oracle`
		`06/04/2020 08:59 AM <DIR> PerfLogs`
		`05/29/2020 09:17 AM <DIR> PKGLOG`
		`06/03/2020 04:26 PM <DIR> Program Files`
		`06/03/2020 04:27 PM <DIR> Program Files (x86)`
		`08/01/2019 09:13 AM <DIR> Quarantine`
		`04/09/2020 01:10 PM <DIR> sqldeveloper`
		`04/08/2019 09:03 AM <DIR> TEMP`
		`02/25/2019 05:44 PM 2,778 test_oraclient.txt`
		`06/04/2020 04:51 PM <DIR> tmp`
		`02/17/2020 10:03 AM <DIR> Users`
		`05/27/2020 08:50 AM <DIR> Windows`
		`06/04/2020 09:13 AM <DIR> workspace_edmapis`
		`10/28/2019 01:00 PM <DIR> workspace_jasperreports`
		`03/31/2020 11:56 AM <DIR> workspace_sqlprojects`
		`1 File(s) 2,778 bytes`
		`32 Dir(s) 89,960,902,656 bytes free`
		
		`C:\>mkdir workspace_test`
		
		`C:\>`

7. Navigate to the newly created project workspace folder as shown in the screen-shot to the right.

Administrator: c:\windows\system32\cmd.exe

```
C:\>dir
 Volume in drive C is Allstate1
 Volume Serial Number is 4AAD-1E9C

 Directory of C:\

05/12/2020  11:26 AM    <DIR>          $MfeDeepRem
01/14/2020  04:44 PM    <DIR>          Allstate
02/25/2019  07:45 PM    <DIR>          apache-maven-3.3.9
06/03/2020  12:35 PM    <DIR>          certificates
10/28/2019  09:29 AM    <DIR>          Dell
01/20/2020  12:19 PM    <DIR>          DST
05/27/2020  04:57 PM    <DIR>          ebicode
06/05/2020  07:05 AM    <DIR>          EBIPKGS
06/01/2020  01:07 PM    <DIR>          Eclipse_Luna
06/02/2020  02:14 PM    <DIR>          Git
01/28/2020  10:49 AM    <DIR>          GITHUB_POC
01/28/2020  10:52 AM    <DIR>          GITHUB_POC_2
06/03/2020  05:19 PM    <DIR>          Gradle
02/25/2019  08:53 PM    <DIR>          Intel
01/29/2020  12:49 PM    <DIR>          iReport-5.6.0
10/28/2019  12:54 PM    <DIR>          JasperReports
06/01/2020  12:46 PM    <DIR>          Java
06/04/2020  03:15 PM    <DIR>          nodejs
02/25/2019  05:41 PM    <DIR>          oracle
06/04/2020  08:59 AM    <DIR>          PerfLogs
05/29/2020  09:17 AM    <DIR>          PKGLOG
06/03/2020  04:26 PM    <DIR>          Program Files
06/03/2020  04:27 PM    <DIR>          Program Files (x86)
08/01/2019  09:13 AM    <DIR>          Quarantine
04/09/2020  01:10 PM    <DIR>          sqldeveloper
04/08/2019  09:03 AM    <DIR>          TEMP
02/25/2019  05:44 PM             2,778 test_oraclient.txt
06/04/2020  04:51 PM    <DIR>          tmp
02/17/2020  10:03 AM    <DIR>          Users
05/27/2020  08:50 AM    <DIR>          Windows
06/04/2020  09:13 AM    <DIR>          workspace_edmapis
10/28/2019  01:00 PM    <DIR>          workspace_jasperreports
03/31/2020  11:56 AM    <DIR>          workspace_sqlprojects
06/05/2020  01:45 PM    <DIR>          workspace_test
               1 File(s)          2,778 bytes
              33 Dir(s)  89,958,404,096 bytes free

C:\>cd workspace_test

C:\workspace_test>
```

8. Referencing **Step #4**, following the **Allstate APPFabric Command Usage** Generate a Project

At the command prompt enter and execute the following statement

(Reference the following link if necessary; https://github.allstate.com/pages/Engineering/AppFabric/docs/gettingStarted.html):

a. fabric gen

> This will spin up the **Allstate APPFabric Framework.** Reference the Command Prompt Console Screen Shot below....
>
> Also Note, navigation of this framework will require the use of the **UP & DOWN ARROWS** as well as the **SPACE BAR** for **MEN**

Administrator: c:\windows\system32\cmd.exe - fabric gen

```
C:\Users\mjojg>fabric gen
(node:17412) Warning: Setting the NODE_TLS_REJECT_UNAUTHORIZED environment variable to '0' makes TLS connecti
ons and HTTPS requests insecure by disabling certificate verification.
(Use `node --trace-warnings ...` to show where the warning was created)

                    VERSION NUMBER 1.5.2
    https://github.allstate.com/pages/Engineering/AppFabric/
    MS_TEAMS@ProductSupport_Billboard_TM>ps-appfabric-framework

? Select the PCF platform your product team has been on-boarded into: (Use arrow keys)
> PCF On Premise
  PCF in the cloud (Allstate AWS only; affiliates' AWS are not supported)
  Not on-boarded
```

9.	Select the Default Choice "**PFC on Premise** " and mash the ENTER Key	Proceed
10.	Enter your Network Credentials at the console	 Administrator: c:\windows\system32\cmd.exe - fabric gen C:\Users\mjojg>fabric gen (node:17412) Warning: Setting the NODE_TLS_REJECT_UNAUTHORIZED environment variable to '0' makes TLS connecti ons and HTTPS requests insecure by disabling certificate verification. (Use `node --trace-warnings ...` to show where the warning was created) VERSION NUMBER 1.5.2 https://github.allstate.com/pages/Engineering/AppFabric/ MS_TEAMS@ProductSupport_Billboard_TM>ps-appfabric-framework ? Select the PCF platform your product team has been on-boarded into: PCF On Premise ? Enter your ntid: mjojg ? Enter your password: **********
11.	For now enter "**N**" for the question "**Will your API be secured by OAuth 2.0**"	 Administrator: c:\windows\system32\cmd.exe - fabric gen C:\Users\mjojg>fabric gen (node:17412) Warning: Setting the NODE_TLS_REJECT_UNAUTHORIZED environment variable to '0' makes TLS connecti ons and HTTPS requests insecure by disabling certificate verification. (Use `node --trace-warnings ...` to show where the warning was created) VERSION NUMBER 1.5.2 https://github.allstate.com/pages/Engineering/AppFabric/ MS_TEAMS@ProductSupport_Billboard_TM>ps-appfabric-framework ? Select the PCF platform your product team has been on-boarded into: PCF On Premise ? Enter your ntid: mjojg ? Enter your password: ********** ? Will your API be secured by OAuth 2.0 (provided by ISAM)? (y/N)

12.	This next step, "**Which Components do you need?**", is dependent upon your Projects Requirements;. For our project we Selected the "**API**" & "**PROXY**" Options	Administrator: c:\windows\system32\cmd.exe - fabric gen C:\Users\mjojg>fabric gen (node:17412) Warning: Setting the NODE_TLS_REJECT_UNAUTHORIZED environment variable to '0' makes TLS connections and HTTPS requests insecure by disabling certificate verification. (Use `node --trace-warnings ...` to show where the warning was created) VERSION NUMBER 1.5.2 https://github.allstate.com/pages/Engineering/AppFabric/ MS_TEAMS@ProductSupport_Billboard_TM>ps-appfabric-framework ? Select the PCF platform your product team has been on-boarded into: PCF On Premise ? Enter your ntid: mjojg ? Enter your password: ********** ? Will your API be secured by OAuth 2.0 (provided by ISAM)? No ? Which component(s) do you need? (*) API ( ) Web >(*) Proxy
13	This next step, "**Lets Configure SCM - Which GitHub Organization**", is dependent upon the information you have received in **Step #1, above.** ⚠ Here we have chosen "**AB-DOCMGNT-PCF**" This select	VERSION NUMBER 1.5.2 https://github.allstate.com/pages/Engineering/AppFabric/ MS_TEAMS@ProductSupport_Billboard_TM>ps-appfabric-framework ? Select the PCF platform your product team has been on-boarded into: PCF On Premise ? Enter your ntid: mjojg ? Enter your password: ********** ? Will your API be secured by OAuth 2.0 (provided by ISAM)? No ? Which component(s) do you need? API, Proxy Let's Configure SCM ---------- ? Which GitHub organization AB-Billing AB-DOCMGMT-PCF > AB-DOCMGNT-PCF AB-DOCMGT-PCF AB-PCF AB-V3 AB-V3-Services (Move up and down to reveal more choices)

	ion represents the **ProductName, GitHub** Location etcetera, that was provided in **Step #1 Above**	
14	This next step, "**Lets Configure SCM - Which PCF Organization** ", is dependent upon the information you have received in **Step #1, above.** ⚠ Her	

e
w
e
h
a
v
e
c
h
o
s
e
n
"
A
B
-
D
O
C
M
G
N
T-
P
CF
"
T
hi
s
el
e
ct
io
n
re
pr
e
s
e
nt
s
th
e
P
r
o
d
u
ct
N
a
m
e,
G
it
H
ub
L
o
c
at
io
n
et
c
et
er
a,
th
at
w
a
s
pr
o
vi
d

```
(Use `node --trace-warnings ...` to show where the warning was created)

      _/_/                    _/_/_/_/          _/                _/
   _/    _/  _/_/_/    _/_/_/    _/    _/_/_/  _/_/_/    _/  _/_/    _/_/_/
  _/_/_/_/  _/    _/  _/    _/  _/_/_/  _/    _/    _/  _/_/      _/    _/
 _/    _/  _/    _/  _/    _/  _/      _/    _/    _/  _/        _/    _/
_/    _/  _/_/_/    _/_/_/    _/        _/_/_/  _/_/_/    _/        _/    _/_/_/
        _/        _/
       _/        _/

                 VERSION NUMBER 1.5.2
    https://github.allstate.com/pages/Engineering/AppFabric/
    MS_TEAMS@ProductSupport_Billboard_TM>ps-appfabric-framework


? Select the PCF platform your product team has been on-boarded into: PCF On Premise
? Enter your ntid: mjojg
? Enter your password: ****************
? Will your API be secured by OAuth 2.0 (provided by ISAM)? No
? Which component(s) do you need? API, Proxy


Let's Configure SCM
-----------------------------------

? Which GitHub organization AB-DOCMGNT-PCF
? Which PCF organization AB-DOCMGNT-PCF


Let's Configure CI
-----------------------------------

? Enter your Artifactory repo name (AB-DOCMGNT-PCF)
```

	e d in **Step #1 Above**	
15	This next step, "**Lets Configure CI- Enter your Artifactory Repo Name** ", is dependent upon the information you have received in **Step #1, above; however as you might see, we only have one option**	If only one option exists simply MASH the **ENTER KEY (AB-DOCMGNT-PCF).** If not make the appropriate selection and MASH the **EN**
16	This next step, "**Lets Configure CI- Enter Product System Account Username**", is dependent upon the information you have received in **Step #1, above.**	Enter Product System Account Username and **MASH** the **ENTER KEY** 

17	This next step, "**Lets Configure CI- Enter Product System Account Password**", is dependent upon the information you have received in **Step #1, above.**	Enter Product System Account Password and **MASH** the **ENTER KEY**

```
                    VERSION NUMBER 1.5.2
     https://github.allstate.com/pages/Engineering/AppFabric/
     MS_TEAMS@ProductSupport_Billboard_TM>ps-appfabric-framework


? Select the PCF platform your product team has been on-boarded into: PCF On Premise
? Enter your ntid: mjojg
? Enter your password: ****************
? Will your API be secured by OAuth 2.0 (provided by ISAM)? No
? Which component(s) do you need? API, Proxy


Let's Configure SCM
-----------------------------------

? Which GitHub organization AB-DOCMGNT-PCF
? Which PCF organization AB-DOCMGNT-PCF


Let's Configure CI
-----------------------------------

? Enter your Artifactory repo name AB-DOCMGNT-PCF
? Enter your products system account username sys-abdocmgnt
? Enter your products system account password *******************
```

18	Select your **Service NOW Group** (Use Arrow Keys)	

```
                    VERSION NUMBER 1.5.2
     https://github.allstate.com/pages/Engineering/AppFabric/
     MS_TEAMS@ProductSupport_Billboard_TM>ps-appfabric-framework


? Select the PCF platform your product team has been on-boarded into: PCF On Premise
? Enter your ntid: mjojg
? Enter your password: ****************
? Will your API be secured by OAuth 2.0 (provided by ISAM)? No
? Which component(s) do you need? API, Proxy


Let's Configure SCM
-----------------------------------

? Which GitHub organization AB-DOCMGNT-PCF
? Which PCF organization AB-DOCMGNT-PCF


Let's Configure CI
-----------------------------------

? Enter your Artifactory repo name AB-DOCMGNT-PCF
? Enter your products system account username sys-abdocmgnt
? Enter your products system account password *******************


 ERROR: JenkinsClient - Unable to create Jenkins System credential


Let's Configure PROD Deployment
-----------------------------------

? Select your Service now group (Use arrow keys)
> XP_AS_CHG
  XP_ARS_CHG
  XP_ATA_CHG
  XP_B2B_CHG
  XP_CCE_CHG
  XP_CTS_CHG
  XP_CT_CHG
(Move up and down to reveal more choices)
```

Notice that the **Jenkins Client** throws an Exception: **Unable to create Jenkins System Credential**

Also, the functionality to "**Select**

your Service NOW Group (Use Arrow Keys)" Is not very responsive, so simply **MASH** the **ENTER KEY** and **RESOLVE** the **Service**

NOW Group later.

You may have to MASH the ENTER KEY a couple of times to get it to move forward...

19	This next step, "**Lets Configure the API" - Enter Your JAVA Group**	Enter a value specific to your project application. As an example I am entering the value; **com.allstate.compozed.docmgnt** **MASH the ENTER KEY** *****This will determine your project application's API Package Naming Convention*****

```
? Select the PCF platform your product team has been on-boarded into: PCF On Premise
? Enter your ntid: mjojg
? Enter your password: ****************
? Will your API be secured by OAuth 2.0 (provided by ISAM)? No
? Which component(s) do you need? API, Proxy


Let's Configure SCM
-----------------------------------

? Which GitHub organization AB-DOCMGNT-PCF
? Which PCF organization AB-DOCMGNT-PCF


Let's Configure CI
-----------------------------------

? Enter your Artifactory repo name AB-DOCMGNT-PCF
? Enter your products system account username sys-abdocmgnt
? Enter your products system account password *******************


 ERROR: JenkinsClient - Unable to create Jenkins System credential


Let's Configure PROD Deployment
-----------------------------------

? Select your Service now group (Use arrow keys)
? Select your Service now group XP_AS_CHG


 ERROR: JenkinsClient - Unable to create Jenkins Auth Token Secret


Let's Configure the API
-----------------------------------

? Please enter your java group (com.allstate.compozed)
```

20	This next step, "**Lets Configure the API" Enter Your Project Name**	Enter a value specific to your project application. As an example I am entering the value; **docmgnt** **MASH the ENTER KEY**

```
Let's Configure SCM
-----------------------------------

? Which GitHub organization AB-DOCMGNT-PCF
? Which PCF organization AB-DOCMGNT-PCF


Let's Configure CI
-----------------------------------

? Enter your Artifactory repo name AB-DOCMGNT-PCF
? Enter your products system account username sys-abdocmgnt
? Enter your products system account password *******************


 ERROR: JenkinsClient - Unable to create Jenkins System credential


Let's Configure PROD Deployment
-----------------------------------

? Select your Service now group (Use arrow keys)
? Select your Service now group XP_AS_CHG


 ERROR: JenkinsClient - Unable to create Jenkins Auth Token Secret


Let's Configure the API
-----------------------------------

? Please enter your java group com.allstate.compozed.docmgnt
? Please enter your java project name (test-service)
```

21		

This next step, "**Lets Configure the Proxy**" **Enter Your Project Name**

Notice, from the previous step the APPFabric performed the following:

a. Downloaded the Latest Templates

Enter a value specific to your project application.

As an example I am entering the value; **docmgntproxy**

MASH the ENTER KEY

```
Let's Configure CI
------------------------------------

? Enter your Artifactory repo name AB-DOCMGNT-PCF
? Enter your products system account username sys-abdocmgnt
? Enter your products system account password ********************


 ERROR: JenkinsClient - Unable to create Jenkins System credential


Let's Configure PROD Deployment
------------------------------------

? Select your Service now group (Use arrow keys)
? Select your Service now group XP_AS_CHG


 ERROR: JenkinsClient - Unable to create Jenkins Auth Token Secret


Let's Configure the API
------------------------------------

? Please enter your java group com.allstate.compozed.docmgnt
? Please enter your java project name docmgnt
✓ Downloading Latest Template...
✓ Generating Code...
✓ Pushing Code to GitHub...


Before you start coding, you need to clone the repository locally by running the following git command:

git clone https://github.allstate.com/AB-DOCMGNT-PCF/docmgnt.git

✓ Creating Jenkins job...


Let's Configure the proxy
------------------------------------

? Please enter your java project name (test-proxy)
```

b. Generated the Code for the Service

c. Pushed the Code to the GitHub

d. Provided reminder to Clone the Repository

22		

Validate that the following was received at the console

```
Let's Configure the API
-----------------------------------

? Please enter your java group com.allstate.compozed.docmgnt
? Please enter your java project name docmgnt
√ Downloading Latest Template...
√ Generating Code...
√ Pushing Code to GitHub...


Before you start coding, you need to clone the repository locally by running the following git command:

git clone https://github.allstate.com/AB-DOCMGNT-PCF/docmgnt.git

√ Creating Jenkins job...


Let's Configure the proxy
-----------------------------------

? Please enter your java project name docmgntproxy
√ Downloading Latest Template...
√ Generating Code...
√ Pushing Code to GitHub...


Before you start coding, you need to clone the repository locally by running the following git command:

git clone https://github.allstate.com/AB-DOCMGNT-PCF/docmgntproxy.git

√ Creating Jenkins job...
```

The following projects have been generated	
docmgnt	
Jenkins	https://jenkinscf.allstate.com/job/AB-DOCMGNT-PCF/job/docmgnt
Github	https://github.allstate.com/AB-DOCMGNT-PCF/docmgnt.git
docmgntproxy	
Jenkins	https://jenkinscf.allstate.com/job/AB-DOCMGNT-PCF/job/docmgntproxy
Github	https://github.allstate.com/AB-DOCMGNT-PCF/docmgntproxy.git

Helpful links	
AppFabric docs	https://github.allstate.com/pages/Engineering/AppFabric/
Compliance Buddy	https://compliance-buddy.mgmt.allstate.com/#/redirects/product?pcfOrg=AB-DOCMGNT-PCF

!!! Please review the following information before you get started !!!	
Topic	Running your app locally (authenticating with Artifactory)
Background	After cloning the code from GitHub, before starting the app, you will need to add credentials that are available at build time to pull AppFabric dependencies from Artifactory. Please reference the AppFabric document linked below describing recommended approaches to accomplishing this. It is important to note that each technology area can use their own solution. The provided AppFabric document merely outlines potential options for teams to use.
Resources	https://allstatecloud.sharepoint.com/:b:/r/sites/ProductSupport_Billboard_TM/Shared%20Documents/ps-appfabric/Artifactory%20Lockdown%20-%20AppFabric%20Impact%20Analysis.pdf?csf=1&e=hPnhYS

The following are known vulnerabilities that need to be mitigated	
Title	SnakeYAML 1.18
Description	CVE-2017-18640 - Whitesource description is incomplete - SnakeYAML from 1.18 to 1.25 have the reported vulnerability. Allstate product teams can use the following gradle dependency code sample for mitigation (please note that you might also need to force the newer version):
Code Example	implementation 'org.yaml:snakeyaml:1.26'

? Send us your feedback - anything that's on your mind - whether good or bad, compliments or criticisms, we want to hear it!
Press <enter> to submit.

Notice, from the previous step the APPFabric performed the following:

a. Downloaded the Latest Templates

	b. Generated the Code for the Proxy **c.** Pushed the Code to the GitHub **d.** Provided reminder to Clone the Repository	
23	Validate GitHub Code Creation	**Validate GitHub Code Creation** Proxy Repository: https://github.allstate.com/AB-DOCMGNT-PCF/docmgntproxy Service Repository: https://github.allstate.com/AB-DOCMGNT-PCF/docmgnt

Links for this validation have been extracted from those shared within the AlIState APP Fabric Condole Message that have been

c
a
pt
ur
e
d
wi
th
in
**S
te
p
#
2
2
S
cr
e
e
n-
s
h
ots**

T
h
e
y
h
a
v
e
b
e
e
n
pr
o
vi
d
e
d
to
th
e
ri
g
ht
**O
N
L
Y
F
O
R
R
E
F
E
R
E
N
CE**
,
s
u
c
h
th
at
th
e
e
n
d
u
s
er
wi

	ll need to validate them. These repositories were for **TRAINING PURPOSES ONLY** and no longer exist per this writing.	
24		**Validate Jenkins Pipeline Creation**

Validate Jenkins Pipeline Creation	Proxy Repository: https://jenkinscf.allstate.com/job/AB-DOCMGNT-PCF/job/docmgntproxy Service Repository: https://jenkinscf.allstate.com/job/AB-DOCMGNT-PCF/job/docmgnt

Links for this validation have been extracted from those shared within the AllState APP Fabric Condole Message that hav

e
b
e
e
n
c
a
pt
ur
e
d
wi
th
in
**S
te
p
#
2
2
S
cr
e
e
n-
s
h
ots**

T
h
e
y
h
a
v
e
b
e
e
n
pr
o
vi
d
e
d
to
th
e
ri
g
ht
**O
N
L
Y
F
O
R
R
E
F
E
R
E
N
CE**
,
s
u
c
h
th
at
th
e
e
n

d
u
s
er
wi
ll
n
e
e
d
to
v
al
id
at
e
th
e
m
.
T
h
e
s
e
re
p
o
si
to
ri
e
s
w
er
e
fo
r
T
R
A
I
N
I
N
G
P
U
R
P
O
S
E
S
O
N
LY
a
n
d
n
o
lo
n
g
er
e
xi
st
p
er
th
is
w
rit
in
g.

25	***Congratulations, you have successfully leveraged the AllState APPFabric CLI Framework to Generate Web Proxy and Service Boilerplate Co***