Introduction

Created by Johnson, Maurice, last modified yesterday at 5:56 PM

The "Allstate Benefits Nightly Deployment Orchestration" Jenkins Pipeline represents an overall aggregation of ***37*** Separate Jenkins Pipelines. Each dedicated to the Vendor EIS Application Suite of Products, Docker Images. The scope of these Jenkins Pipelines in addition to the ***Overall Orchestration Pipeline*** is purely the "**Action of Deployment**" to designate Kubernetes Namespaces. Which of course will be discussed later within the Parameterizations & Configurations Section of this User Manual.

The Orchestration Pipeline Technology Stack, outside of "***CloudBees***", will require a familiarity with the following:

- Jenkins Files / Groovy Scripting
- GiT Repositories
- Curl Commands
- BASH Shell Commands
- HTML
- CSS
- PostMan
- Logical Construct Methodologies.

*** It is left to the reader to become better acquainted with this stack of technology and may find assistance at the following team confluence page; Developer Learning Curve ***

The Vendor EIS Application Suite of Products, Docker Images, are broken out into 3 Categories.

1. Core-Dependency/Configuration:
   a. The reader may think of these as Infrastructure and or Environmental Configurations that cater towards Distributed Applications, in a Cloud-Centric World. You may think of them as your application's "House" that it will actively live within.
2. Static Reference:
   a. As the reader might surmise, these represent EIS's Application Suite of Products Foundation. The nuts and bolts so to speak. Something that a "House" desperately desires for it to be considered stable and worthy of occupancy.
3. Base:
   a. Lastly, we are presented with what could be considered "Modules" and or "Stacks" of Application Functionality. These Enhancements add value to our House, so that all occupants may enjoy their experience.

So you might find yourself asking "***What are the Docker Images? How do they relate to the Overall Number of 37 Jenkins Pipelines? What are their associated GiT Repositories?***"

What follows is a Reference Table Depicting the Orchestration Pipeline Relationship to all **37** Sub-pipelines, their Category, Module Name, Docker Image Name, Jenkins File Name, and GiT Repository Jenkins File Location.

Application Category, Module Name, Docker Image Name, Jenkins FileName, & GiT Repository Reference Map

Deployment (Order of Precedence)	Category	Module Name	APP Docker Image Name	Jenkins Pipeline	Jenkins File Name	GiT Repository Location

Deployment (Order of Precedence)	Category	Module Name	APP Docker Image Name	Jenkins Pipeline	Jenkins File Name	GiT Repository Location
-	AB Nightly Deployment Orchestration Pipeline	-	-	https://jenkins.allstate.com/job/AB-EIS/job/AB-Nightly-Deploy-Orchestration/	nightly-orchestration.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas/tree/master/jenkins
1	Core-Dependency	ZooKeeper	**ab-**eis-zookeeper	https://jenkins.allstate.com/job/AB-EIS/job/core-dependency/job/ab-eis-zookeeper/	jenkinsFile-ZookeeperDeploy.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas
2		Solr	**ab-**eis-solr	https://jenkins.allstate.com/job/AB-EIS/job/core-dependency/job/ab-eis-solr/	jenkinsFile-solrDeploy.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas
-	Core-Dependency/Configuration	ConfigMap	**ab-**eis-genesis-configmap-deployer	https://jenkins.allstate.com/job/AB-EIS/job/core-dependency/job/ab-eis-genesis-configmap-deployer/	jenkinsFile-Genesis-ConfigMap.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas
-		Kerberos	**ab-**eis-nonprod-kerberos-deployer	https://jenkins.allstate.com/job/AB-EIS/job/core-dependency/job/ab-eis-nonprod-kerberos-deployer/	jenkinsFile-KerberosConfigDeploy.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas
3	Static Reference	Infra-Core	infra-deployer	https://jenkins.allstate.com/job/AB-EIS/job/infra-core/job/infra-deployer/	infra-deployer.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas/tree/master/jenkins/infra
4			infra-app	https://jenkins.allstate.com/job/AB-EIS/job/infra-core/job/infra-app/	infra-app.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas/tree/master/jenkins/infra
5		Security-Core	security-deployer	https://jenkins.allstate.com/job/AB-EIS/job/security-core/job/security-deployer/	security-deployer.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas/tree/master/jenkins/security
6			security-app	https://jenkins.allstate.com/job/AB-EIS/job/security-core/job/security-app/	security-app.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas/tree/master/jenkins/security
7			sso-provider	https://jenkins.allstate.com/job/AB-EIS/job/security-core/job/sso-provider/	sso-provider.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas/tree/master/jenkins/security
8		Registry	party-deployer	https://jenkins.allstate.com/job/AB-EIS/job/registry/job/party-deployer/	party-deployer.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas/tree/master/jenkins/registry

Deployment (Order of Precedence)	Category	Module Name	APP Docker Image Name	Jenkins Pipeline	Jenkins File Name	GiT Repository Location
9			party-app	https://jenkins.allstate.com/job/AB-EIS/job/registry/job/party-app/	party-app.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas/tree/master/jenkins/registry
10		OrgStruct	org-deployer	https://jenkins.allstate.com/job/AB-EIS/job/orgstruct/job/org-deployer/	org-deployer.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas/tree/master/jenkins/orgstruct
11			org-app	https://jenkins.allstate.com/job/AB-EIS/job/orgstruct/job/org-app/	org-app.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas/tree/master/jenkins/orgstruct
12		RefData	infra-lookups-deployer	https://jenkins.allstate.com/job/AB-EIS/job/refdata/job/infra-lookups-deployer/	infra-lookups-deployer.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas/tree/master/jenkins/refdata
13			security-domain-deployer	https://jenkins.allstate.com/job/AB-EIS/job/refdata/job/security-domain-deployer/	security-domain-deployer.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas/tree/master/jenkins/refdata
14	Base	CRM	crm-deployer	https://jenkins.allstate.com/job/AB-EIS/job/crm/job/crm-deployer/	crm-deployer.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas/tree/master/jenkins/customer
15			crm-app	https://jenkins.allstate.com/job/AB-EIS/job/crm/job/crm-app/	crm-app.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas/tree/master/jenkins/customer
16		Census	census-deployer	https://jenkins.allstate.com/job/AB-EIS/job/census/job/census-deployer/	census-deployer.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas/tree/master/jenkins/customer
17			census-app	https://jenkins.allstate.com/job/AB-EIS/job/census/job/census-app/	census-app.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas/tree/master/jenkins/customer
18		Policy - Generic	policy-generic-deployer	https://jenkins.allstate.com/job/AB-EIS/job/policy-generic/job/policy-generic-deployer/	policy-generic-deployer.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas/tree/master/jenkins/policy
19			policy-generic-app	https://jenkins.allstate.com/job/AB-EIS/job/policy-generic/job/policy-generic-app/	policy-generic-app.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas/tree/master/jenkins/policy
20		Policy - Acc	acc-master-deployer	https://jenkins.allstate.com/job/AB-EIS/job/policy-acc/job/acc-master-deployer/	acc-master-deployer.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas/tree/master/jenkins/policy

Deployment (Order of Precedence)	Category	Module Name	APP Docker Image Name	Jenkins Pipeline	Jenkins File Name	GiT Repository Location
21			acc-master-app	https://jenkins.allstate.com/job/AB-EIS/job/policy-acc/job/acc-master-app/	acc-master-app.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas/tree/master/jenkins/policy
22			acc-cert-deployer	https://jenkins.allstate.com/job/AB-EIS/job/policy-acc/job/acc-cert-deployer/	acc-cert-deployer.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas/tree/master/jenkins/policy
23			acc-cert-app	https://jenkins.allstate.com/job/AB-EIS/job/policy-acc/job/acc-cert-app/	acc-cert-app.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas/tree/master/jenkins/policy
24		Policy - OpenL	openl-policy-app	https://jenkins.allstate.com/job/AB-EIS/job/policy-openl/job/openl-policy-app/	openl-policy-app.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas/tree/master/jenkins/policy
25			openl-rating-app	https://jenkins.allstate.com/job/AB-EIS/job/policy-openl/job/openl-rating-app/	openl-rating-app.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas/tree/master/jenkins/policy
26		Infra-Aux	infra-aux-deployer	https://jenkins.allstate.com/job/AB-EIS/job/infra-aux/job/infra-aux-deployer/	infra-aux-deployer.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas/tree/master/jenkins/infra
27			infra-aux-app	https://jenkins.allstate.com/job/AB-EIS/job/infra-aux/job/infra-aux-app/	infra-aux-app.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas/tree/master/jenkins/infra
28		Policy-Hi	hi-cert-deployer	https://jenkins.allstate.com/job/AB-EIS/job/policy-hi/job/hi-cert-deployer/	hi-cert-deployer.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas/tree/master/jenkins/policy
29			hi-cert-app	https://jenkins.allstate.com/job/AB-EIS/job/policy-hi/job/hi-cert-app/	hi-cert-app.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas/tree/master/jenkins/policy
30			hi-master-deployer	https://jenkins.allstate.com/job/AB-EIS/job/policy-hi/job/hi-master-deployer/	hi-master-deployer.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas/tree/master/jenkins/policy
31			hi-master-app	https://jenkins.allstate.com/job/AB-EIS/job/policy-hi/job/hi-master-app/	hi-master-app.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas/tree/master/jenkins/policy
32		UI	admin-ui	https://jenkins.allstate.com/job/AB-EIS/job/ui/job/admin-ui/	admin-ui.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas/tree/master/jenkins/ui

Deployment (Order of Precedence)	Category	Module Name	APP Docker Image Name	Jenkins Pipeline	Jenkins File Name	GiT Repository Location
33			cssr-app	https://jenkins.allstate.com/job/AB-EIS/job/ui/job/cssr-app/	cssr-app.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas/tree/master/jenkins/ui
34		Tooling	configuration-server-deployer	https://jenkins.allstate.com/job/AB-EIS/job/tooling/job/configuration-server-deployer/	configuration-server-deployer.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas/tree/master/jenkins/tooling
35			configuration-server	https://jenkins.allstate.com/job/AB-EIS/job/tooling/job/configuration-server/	configuration-server.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas/tree/master/jenkins/tooling
36			product-catalog	https://jenkins.allstate.com/job/AB-EIS/job/tooling/job/product-catalog/	product-catalog.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas/tree/master/jenkins/tooling
37		DXP	dxp-gateway	https://jenkins.allstate.com/job/AB-EIS/job/dxp/job/dxp-gateway/	dxp-gateway.groovy	https://github.allstate.com/AB-EIS/ab-eis-pas/tree/master/jenkins/dxp

A few things worth mentioning here:
(1) The APP Docker Image Name will sometimes have the "**ab-" prefix** designation. This is to indicate that the EIS Vended Docker Image has been customized specific to Allstate's Needs/Requirements. This may continue to be fluid as the project matures and more Docker Images find themselves customized.

(2) Deployment Order of Precedence, First Column, indicates just that. This precedence is top-down and is currently deployed **Sequentially**. A new feature, which as of yet has not been fully vetted, will deploy the Docker Images by their Designate Category. Both Core-Dependencies and Static Reference will remain Sequentially Ordered with a "Wait" Time in between a Module's Docker Image Deployer and its designate APP; whereas the Base Components will be deployed in Parallel, up and to a maximum of 5 Concurrent Deployments. This will also involve addition functionality such as "Number of Trys" to achieve success. Overall the intent is to reduce the overall Orchestration Deployment Runtime from an average of 40+ minutes.

Knowing all of this, your head might already be swimming. You might find yourself asking "**How in the world were all of these Pipelines, their behaviors, their characteristics and configurations managed?**" "**How do I actually operate the pipeline?**"

Those are definitely all good questions and you may find those answers in the following sections; Parameterizations & Configurations and How to Operate the Orchestration Pipeline

...To Be Continued...

No labels