

WEDNESDAY, AUGUST 19TH, 2026

PHYSICS

Black Hole Thermodynamics and the Information Paradox

A cup of tea poured past an event horizon should have destroyed the second law of thermodynamics. Instead it revealed that black holes have a temperature, an entropy, and a fifty-year-old accounting problem that was only settled in the last five years.

2,757 words · 15-minute read

In the winter of 1972, a Princeton graduate student named Jacob Bekenstein was cornered by his advisor with a question about a cup of tea. John Wheeler had just poured one, and he wanted to know what would happen if he poured it into a black hole. The heat, the disorder, the sheer statistical mess of that steaming cup would vanish behind the horizon, gone from the universe as if it had never existed. No observer outside could ever again account for it. That is a naked violation of the second law of thermodynamics — the law Arthur Eddington singled out as the one he would least like to see overthrown [1], [4].

Bekenstein took the bait. Over the next two years he, and then Stephen Hawking — who set out specifically to prove Bekenstein wrong — established that black holes are not cosmic trash compactors that erase the ledger. They are thermodynamic objects: they have a temperature, they have an entropy, and they obey their own version of the four laws of thermodynamics almost exactly. Fifty-four years later, gravitational-wave detectors have begun confirming pieces of that structure directly, and the deepest question it raised — whether information that falls in ever comes back out — was answered convincingly only in the last five years, by forcing general relativity, quantum mechanics, and statistical mechanics into the same argument about an object that is, technically, nothing but empty curved space.

From Vacuum Cleaner to Thermodynamic Object

The term “black hole” is younger than the physics. Wheeler popularized it in 1967, decades after Karl Schwarzschild had found the exact solution to Einstein’s field equations for a spherical mass — worked out while serving with the German army on the Russian front in late 1915, weeks after general relativity was published [3]. For most of the twentieth century these objects were treated as gravitational vacuum cleaners: matter goes in, nothing comes out. The no-hair theorem, developed through the 1960s and early 1970s by Israel, Carter, and Hawking, formalized just how little a black hole remembers. Seen from outside, it is completely described by three numbers — mass, spin, and charge. Whatever detail the infalling matter carried, its composition, its shape, the arrangement of molecules in the teacup, appeared to be erased without residue.

One crack in that picture opened in 1971, before the tea question. Hawking proved the area theorem: in a classical, non-quantum universe, the total horizon area of a set of black holes can never decrease, and mergers only ever grow it [3]. Bekenstein noticed how closely this resembled the second law, which says the same thing about entropy. If horizon area behaves like entropy, he reasoned, perhaps it *is* entropy — in which case the tea’s disorder is not destroyed at the horizon but absorbed into the black hole’s own entropy, satisfying the second law instead of breaking it.

Most leading relativists, Hawking included, thought the analogy was wrong, and their objection was a good one. Real entropy demands a real temperature, and any body above absolute zero must radiate. But general relativity was airtight on precisely this point: nothing, not even light, escapes an event horizon. A radiating black hole was a contradiction in terms.

The Equation That Fuses Four Constants

Bekenstein proposed, at first heuristically, that black hole entropy is proportional to horizon area rather than to volume. After Hawking’s more careful derivation the constant of proportionality was pinned down exactly:

$$S_{\text{BH}} = \frac{k_B A}{4\ell_P^2}, \quad \ell_P = \sqrt{\frac{\hbar G}{c^3}}$$

or, writing the Planck length out in full,

$$S_{\text{BH}} = \frac{k_B c^3}{4G\hbar} A, \quad A = 4\pi r_s^2, \quad r_s = \frac{2GM}{c^2}$$

where r_s is the Schwarzschild radius [1], [2], [4]. By any measure this is one of the strangest expressions in physics. It fuses c from relativity, $\hbar$ from quantum mechanics, G from gravity, and k_B from statistical mechanics into a single formula — very nearly the only equation that leans on all four fundamental constants at once. It also says something startling about scale. For one solar mass, $r_s \approx 2.95$ km, so $A \approx 1.09 \times 10^8$ m², and the entropy comes out at $S/k_B \approx 1.05 \times 10^{77}$ — a microstate count no ordinary star or planet of comparable mass approaches. That was Bekenstein’s original point: gravitational collapse is the most efficient entropy-generating process available to the universe [1], [4].

Hawking set out in 1974 to find the flaw in this reasoning and instead found the mechanism that made it rigorous. Working through quantum field theory in the curved spacetime near a horizon, he showed that the vacuum there is not empty in the usual sense. Virtual particle pairs pop in and out of existence everywhere in space; near a horizon, one member of a pair can fall in while its partner escapes to infinity as real, detectable radiation. Averaged over the horizon, that radiation emerges with a thermal blackbody spectrum at a temperature now called the Hawking temperature [2]:

$$T_H = \frac{\hbar c^3}{8\pi G M k_B}$$

The mass sits in the denominator. Black holes get colder as they grow and hotter as they shrink, the reverse of how nearly every other hot object behaves — which is also why they have a negative heat capacity and no stable thermal equilibrium with an ordinary bath. The 1974–75 result, announced first at Oxford to an audience that reportedly included open laughter at the suggestion that black holes might not be black, was the first genuine working prediction to come out of combining general relativity with quantum theory.

The Four Laws, in Two Languages

Hawking’s temperature forced a reinterpretation of a paper that already existed. Bardeen, Carter, and Hawking had written down four laws of black hole mechanics in 1973, treating them as a formal analogy with thermodynamics and nothing more [3]. With a real temperature attached to the horizon, the analogy collapses into an identity:

Law	Thermodynamics	Black hole mechanics
Zeroth	T uniform in equilibrium	κ uniform over the horizon
First	$dE = T dS + \text{work}$	$dM = \frac{\kappa}{8\pi G} dA + \Omega dJ + \Phi dQ$
Second	$dS \geq 0$	$dA \geq 0$ (classically)
Third	$T \rightarrow 0$ unreachable in finite steps	$\kappa \rightarrow 0$ unreachable in finite steps

Here κ is the surface gravity, Ω the horizon angular velocity, J the spin, Φ the electrostatic potential, and Q the charge [3], [5], [6]. Matching the first law across the two columns fixes the dictionary: $T = \hbar\kappa/2\pi ck_B$ and $S = k_B c^3 A/4G\hbar$, exactly Bekenstein’s guess with Hawking’s coefficient. This is not a coincidence of notation. It is now understood as the same physics written in two languages that took sixty years to learn to translate.

CHECK THIS AGAINST YOUR INTUITION

If T_H falls as $1/M$, then the largest black holes are the coldest. What does that imply about the objects we can actually observe — the million- to billion-solar-mass holes at galactic centers? Are they "hot" in any operational sense?

They are not, and the numbers are not close. Real astrophysical black holes are among the coldest macroscopic objects in the accessible universe.

Putting Numbers on the Coldest Objects

Evaluating T_H for one solar mass gives 6.2×10^{-8} K, or 62 nanokelvin — colder than the coldest laboratory Bose–Einstein condensates, and about forty million times colder than the 2.725 K cosmic microwave background that bathes all of space. Because the background is warmer than the hole, such a

black hole is currently a net *absorber*: it gains mass from the afterglow of the Big Bang faster than it loses mass to its own radiation. The balance cannot flip until the microwave background has cooled by another factor of roughly 4×10^7 , which at the present expansion rate takes hundreds of billions of years.

Only then does evaporation begin in earnest, and it is slow. Integrating the mass loss of a blackbody radiator at temperature T_H over a horizon of area A gives a lifetime that scales with the cube of the mass:

$$t_{\text{evap}} = \frac{5120 \pi G^2 M^3}{\hbar c^4} \approx 2.1 \times 10^{67} \text{ yr} \left(\frac{M}{M_\odot} \right)^3$$

The cubic scaling is the whole story of the table below: temperature falls as $1/M$, luminosity as $1/M^2$, and the reservoir of mass grows as M , so lifetimes explode.

Object	Mass (kg)	T_H (K)	t_{evap} (yr)
Black hole, $1 M_\odot$	2.0×10^{30}	6.2×10^{-8}	2×10^{67}
Black hole, $10 M_\odot$	2.0×10^{31}	6.2×10^{-9}	2×10^{70}
Sagittarius A*	8.3×10^{36}	1.5×10^{-14}	1×10^{87}
Primordial hole	1.7×10^{11}	7×10^{11}	1.4×10^{10}

The solar-mass lifetime exceeds the current age of the universe, about 1.38×10^{10} years, by fifty-seven orders of magnitude. Sagittarius A*, the 4.15-million-solar-mass object at the center of the Milky Way imaged by the Event Horizon Telescope in 2022 [9], sits near 10^{-14} K with an evaporation clock longer still.

The last row is the interesting one, precisely because the scaling runs backward. A black hole of roughly 10^{11} kg — mountain-scale mass inside a horizon smaller than a proton — has a lifetime comparable to the age of the universe, so a population formed in the density fluctuations of the very early universe would be finishing evaporation around the present epoch. Its horizon temperature of 7×10^{11} K corresponds to a quantum energy of tens of MeV, and because the temperature diverges as the remaining mass goes to zero, the final seconds should climb through GeV to TeV energies and end in a burst of high-energy particles. Instruments such as H.E.S.S. have searched for that signature and found nothing, which is itself a constraint on how much of the dark matter can be primordial black holes.

Unitarity, Holography, and the Page Curve

Here the story stops being merely elegant. Hawking’s radiation is *thermal* — a featureless blackbody spectrum, identical in character regardless of what fell in to form the hole. But quantum mechanics has a sacred rule, unitarity: information about a quantum state can be scrambled beyond any practical hope of recovery, but never destroyed. Burn a book and a being with perfect knowledge of every photon and ash

particle could in principle reconstruct every word. Drop the book into a black hole that then evaporates entirely into information-blind thermal radiation, and the information looks not scrambled but gone. This is the black hole information paradox, one of the most famous open problems in theoretical physics for more than four decades. Hawking himself bet against unitarity, with Kip Thorne on his side of the wager, and conceded publicly to John Preskill at a Dublin conference in 2004, handing over a baseball encyclopedia “from which information can be retrieved at will” as the forfeit [8].

The route to a resolution ran through an apparently unrelated idea. Bekenstein’s formula contains a hint already: entropy counts microscopic configurations and should therefore scale with *volume*, yet here it scales with *area*. Gerard ‘t Hooft and Leonard Susskind, working independently in the early-to-mid 1990s, took that literally and proposed the holographic principle — that all the information describing a region of space is encoded on its boundary, at a maximum density of about one bit per four Planck areas, roughly 10^{-69} m² per bit [4], [12]. The idea matured into the AdS/CFT correspondence, an unproven but exhaustively tested duality between a gravitational theory in a volume and an ordinary unitary quantum theory on its lower-dimensional boundary. That gave physicists a toy universe in which unitarity holds by construction, so they could ask what gravity must do to reproduce it.

The answer arrived in 2019–2020 with the island, or quantum extremal surface, breakthrough — Ahmed Almheiri, Netta Engelhardt, Donald Marolf, Henry Maxfield, and collaborators, building on the holographic entanglement-entropy formula of Ryu and Takayanagi. The technical result is that the entanglement entropy of Hawking radiation is not simply the sum over everything radiated so far. It must be extremized over all candidate surfaces, including disconnected “islands” of spacetime sitting deep behind the horizon that nonetheless count as part of the radiation’s entangled partner. Early on no island contributes and the naive, paradox-generating answer holds. Around the halfway point of the lifetime — the Page time, identified on statistical grounds by Don Page in 1993, long before anyone could compute it — an island abruptly dominates, and the radiation entropy turns over and falls back toward zero as evaporation completes. That rise-and-fall shape is the Page curve, and it is what unitarity requires: a system ending in a pure state must return to zero entropy. Several groups reproduced it independently within months of each other in 2019 using the replica wormhole technique in the gravitational path integral [7]. Information does escape, but not smoothly. It comes out in a late turnover the semiclassical calculation could not see, because treating quantum fields and classical geometry as separate breaks down exactly where it matters most.

ASK WHAT THE MODEL IS STANDING IN FOR

The island calculation was carried out mostly in idealized lower-dimensional models and in the AdS/CFT setting, not in the four-dimensional, asymptotically flat universe we inhabit. What would justify confidence that the result describes real astrophysical black holes rather than an artifact of a convenient stand-in?

The usual argument is robustness rather than proof: the Page curve now emerges from several independent methods, in several dimensions, with and without an explicit holographic dual, and the replica-wormhole derivation uses only the gravitational path integral rather than any specific feature of anti-de Sitter space. That is strong evidence and not a theorem, and the gap is one of the honest weak points in the current picture.

From Chalkboard to Telescope

For most of its history black hole thermodynamics had essentially no experimental contact — a triumph of internal consistency with no dial to turn. Two observational programs changed that. The Event Horizon Telescope, an Earth-spanning array of radio dishes synchronized by atomic clocks, produced the first direct images of a black hole's shadow: M87* in 2019 and Sagittarius A* in 2022, turning horizon-scale predictions from inference into pictures [9]. More directly relevant to thermodynamics, in 2021 a team led by Maximiliano Isi and Will Farr used the original 2015 LIGO detection GW150914 to test the area theorem observationally for the first time. By inferring the horizon areas of the two progenitors from the pre-merger signal and comparing them against the area of the remnant inferred from the ringdown, they confirmed — within the noise of that single event — that the total area increased, exactly as the second law of black hole mechanics demands [10], [11]. It is a modest result, but it is a real measurement of a thermodynamic law made with gravitational waves rather than a chalkboard, and it sharpens as LIGO, Virgo, and KAGRA accumulate mergers.

What Remains Unresolved

The Page curve settles less than it appears to [5]. It tells you *that* information gets out, and roughly *when*, by way of a formula for entropy. It does not supply a mechanism — no account, event by event, of how a specific infalling photon's information re-encodes itself in the outgoing radiation. Entropy bookkeeping is not a decoding map.

There is also a sharper tension that predates the resolution and survives it. The firewall paradox, raised by Almheiri, Marolf, Polchinski, and Sully in 2012, points out that if information really is encoded in the *early* Hawking radiation the way unitarity requires, then an old black hole's horizon may not be the smooth, unremarkable place the equivalence principle promises an infalling observer. It may instead be a wall of high-energy quanta that destroys anything crossing it. Physicists still argue about whether islands and replica wormholes dissolved that tension or merely relocated it. Some, following Juan Maldacena and Leonard Susskind's $ER = EPR$ conjecture, suspect the deepest answer is that entanglement and spacetime geometry are not two things joined by a clever formula but one substance described twice — in which case a horizon was never a wall at all, only the place where our two languages for the same reality stop agreeing on grammar.

Fifty-four years after the tea, the ledger reads: an equation binding all four fundamental constants, a temperature formula that makes the largest objects in the universe the coldest, an information bound that changed how physicists think about the capacity of space itself, and an answer to the paradox that is convincing without being understood. The second law survived the horizon. What has not been settled is whether the horizon is a place at all, or an artifact of insisting that geometry and information are different subjects.

REFERENCES

- [1] J. D. Bekenstein, “Black Holes and Entropy,” *Physical Review D*, vol. 7, no. 8, pp. 2333–2346, 1973. Available: <https://link.aps.org/doi/10.1103/PhysRevD.7.2333>
- [2] S. W. Hawking, “Particle Creation by Black Holes,” *Communications in Mathematical Physics*, vol. 43, no. 3, pp. 199–220, 1975. Available: <https://link.springer.com/article/10.1007/BF02345020>; horizon and evaporation figures cross-checked against Chandra X-ray Center, “Black Holes FAQ,” Smithsonian Astrophysical Observatory. Available: https://chandra.si.edu/resources/faq/black_hole/bhole-31.html
- [3] J. M. Bardeen, B. Carter, and S. W. Hawking, “The Four Laws of Black Hole Mechanics,” *Communications in Mathematical Physics*, vol. 31, no. 2, pp. 161–170, 1973. Available: <https://projecteuclid.org/journals/communications-in-mathematical-physics/volume-31/issue-2/The-four-laws-of-black-hole-mechanics/cmp/1103858973>
- [4] “Bekenstein–Hawking Entropy,” *Scholarpedia*. Available: http://www.scholarpedia.org/article/Bekenstein-Hawking_entropy
- [5] R. B. V. Ferrari and S. B. Soltau, “Black Hole Thermodynamics: Established Results, Unresolved Paradoxes, and Speculative Resolutions,” arXiv:2507.03778, 2025. Available: <https://arxiv.org/abs/2507.03778>
- [6] P. Benetti Genolini, “Introduction to Black Hole Thermodynamics,” arXiv:2412.16795, 2024. Available: <https://arxiv.org/abs/2412.16795>
- [7] N. Wolchover, “The Black Hole Information Paradox Comes to an End,” *Quanta Magazine*, Oct. 29, 2020. Available: <https://www.quantamagazine.org/the-most-famous-paradox-in-physics-nears-its-end-20201029/>; see also “This Physicist Discovered an Escape From Hawking’s Black Hole Paradox,” *Quanta Magazine*, Aug. 23, 2021. Available: <https://www.quantamagazine.org/netta-engelhardt-has-escaped-hawkings-black-hole-paradox-20210823/>
- [8] “July 21, 2004: Hawking Concedes Bet on Black Hole Information Loss,” *APS News*, American Physical Society, This Month in Physics History, 2013. Available: <https://www.aps.org/apsnews/2013/07/hawking-bet-black-hole>
- [9] Event Horizon Telescope Collaboration, “First Sagittarius A* Event Horizon Telescope Results. I. The Shadow of the Supermassive Black Hole in the Center of the Milky Way,” *The Astrophysical Journal Letters*, vol. 930, no. 2, L12, 2022. Available: <https://eventhorizontelescope.org/publications/first-sagittarius-event-horizon-telescope-results-i-shadow-supermassive-black-hole>
- [10] MIT News, “Physicists Observationally Confirm Hawking’s Black Hole Theorem for the First Time,” Jul. 1, 2021. Available: <https://news.mit.edu/2021/hawkings-black-hole-theorem-confirm-0701>
- [11] “LIGO Gravitational-Wave Signal Backs Up Hawking’s Area Theorem,” *Physics World*, 2021. Available: <https://physicsworld.com/a/ligo-gravitational-wave-signal-backs-up-hawkings-area-theorem/>
- [12] V. Rosenhaus, “The Holographic Principle and the Emergence of Spacetime,” lecture notes, SLAC National Accelerator Laboratory. Available: https://escholarship.org/content/qt8355c1fr/qt8355c1fr_noSplash_7b43e3c6b77cc7b4c780e5cbef81d5ac.pdf

Daily Learning No. 006 · Physics · Wednesday, August 19th, 2026 · Sources are listed above; every load-bearing figure traces to a numbered reference.