



**The Open-Source Platform  
for AI Control and Secure IDs**

**Do not share – for internal purposes only**

**- Discussion paper, V1.3 -**

**To Mrs.  
Constanze Pott and Martina Vollmer  
Siemens AG**

**5. November 2025**

**- All rights reserved, confidential -**



# Status summary

- **Target:** Gimel is the open-source platform for Agent Control and Secure IDs. Siemens and Gimel are discussing a collaboration, to deploy Gimel at the Agent Factory of Siemens to facilitate secure operations and AI governance. The parties have signed an NDA including IP protection agreement, accordingly. Gimel Technologies has filed patents for its solutions.
- **Security beyond High Assurance:** Gimel is enabling security beyond high assurance (LoA4), through DNA based biometrics (Gimel ID), Web3-based AI authorization (GAuth+) and continuous monitoring of both (DefconG, G-Agent).
- **Architecture fit:** Gimel is complementing the existing architecture of Siemens, like EntraID. While EntraID provides the protocol for granting system access, Gimel is orchestrating the power of attorney (PoA) for agents and humanoid robots with a separate authorization server. The EntraID protocol can be uplifted towards more secure biometrics, i.e., with Gimel ID. Gimel can leverage on existing infrastructure providers of Siemens, such as PKI providers and cloud service providers.
- **Compliance:** Gimel is designed to meet relevant requirements such as GDPR, eIDAS 2.0, those of cyber-security regulators like the BSI, ENISA and NIST, relevant industry foundations like IETF and OIDC as well as the key concepts like Self-Sovereign Identity (SSI), Law of Agency and Least Privilege. The collaboration will drive from a beta-test towards full compliance. No other solution does that.
- **Enforcement:** Gimel enforces PoA-compliance through three layers, rules, AI (G-Agent) and PoA-disclosure (towards relying party). In line with other cybersecurity protocols (e.g., IDS/IPS, NGFWs, SOAR), Gimel combines deterministic, signature-like and non-deterministic, anomaly-focused procedures, while mitigating remaining risks through a legal mechanism (disclosure to relying party).
- **Use Cases:** Digital agents and humanoid robots provide the opportunity to implement various new use cases such as the Autonomous Marketing Agent (example). The use of AI in Marketing develops from RAG systems towards autonomously acting agents, accordingly. Gimel, therefore, orchestrates agent compliance based on its PoA-credential, capturing the details of such functions while considering the least-privilege principle. Such functional use cases become increasingly relevant to Siemens as the split between Reactive RAG versus Autonomous AI develops from approx. 80:20 today to some 25:75 by 2028.
- **Proof of Concept:** To facilitate a jump start and fast progress, Siemens can leverage on existing coding of the open-source protocol GAuth. In this case, the GAuth workstream for setting up the authorization server being performed by Siemens with Gimel support. Other PoC-workstreams include the G-Agent, GAuth+/Web3, Gimel ID / Lab and Gimel Wallet / Cloud.

# Agenda

- 1** Why Gimel - Problem statement and Gimel solution
- 2** Architecture fit - Gimel complementing Siemens architecture
- 3** Example deep dive – Use case “Marketing Agent”
- 4** How to get started - Gimel PoC for Siemens and implementation planning

# The problem: Current cost of cybercrime approaches USD 10 trillion\* growing due to AI and its challenges

## The identity challenge

- **Fake identities** due to **weak biometrics** (fingerprint, facial recognition, iris)
- **Cybercrime** through deepfakes, face swapping, synthetic identities, spam and robocalls
- Future **EUDI Wallet** scales weak biometrics, thus risks “super-hack”
- **Some 60% of all cyber-threats** are identity based, doubling in 2024
- *How to even better secure identities and distinguish between humans and AI?*

*Two challenges encourage each other*

## The agent-control challenge

- **Unguided AI** due to a **lack of governance** (limited to ethical principles, system access)
- Lack of AI control **causes legal risks**, e.g., organizational fault and trust damages
- Lack of AI **facilitates scams** like fake identities and abusive prompt injections
- **Up to 50 % of all work** can be run by agents and humanoid robots, but “human-in-the-loop” limits potential of AI
- *How to practically govern digital agents or humanoid robots so that they do what they are supposed to do?*

\* Equals 10<sup>13</sup> (coming from USD 3 trillion in 2015)  
Source: Statista Market Insights as of 2023 (figure refers to 2025)

- All rights reserved -

# The underlying technology trend: The more AI is autonomous the more Gimel is becoming relevant

| AI                          | 2025 | 2028 |
|-----------------------------|------|------|
| Reactive (RAG, chatbots)    | >80% | <25% |
| Autonomous (agents, robots) | <20% | >75% |


***Rise of autonomous AI** drives gradual replacement of purely reactive AI applications by more intelligent, proactive systems like **digital agents and humanoid robots**.*

*Particularly in **Marketing, Customer Service and Process Automation** (not limited to it), increasing **demand for secure agent authorization and ID verification for authorizers**.*

Source: Estimates based on Deloitte Research Data, McKinsey Technology Trends Outlook, Gartner Hype Cycle for AI amongst others

**- All rights reserved -**

# The solution: Gimel provides the open-source platform for AI control and secure IDs



*The Gimel open-source platform integrates into one system for ID-verification, proof of personhood and authentication of humans as well as authorization and legitimation of AI*

\* Based on global PCT application at European Patent Office (EPO)


**- All rights reserved -**

**Unique selling proposition (USP):**


- A** **Next-level secure biometrics:** Based on DNA data, while maintaining data privacy - **patent pending\***.
- B** **Global Identity:** First and only AI-based identity proof (Gimel ID) and continuous risk monitoring (DefconG) among up to 8 billion individuals – **patent pending\***.
- C** **Agent Control:** First and only practical AI governance solution (G-Agent), based on open-source protocol (GAuth) - **patent pending\***.

➤ **Cyber-security beyond high-assurance** (i.e., beyond LoA4)

# How it works in practice: We operate the Gimel infrastructure to create a new user experience



# Use cases: Gimel facilitates various beneficial use cases for Siemens



## Potential

- Automating processes
- 1** • Delegating tasks
- 2** • Improving scalability
- 3** • Securing quality
- 4** • Leveraging data insights
- Re-structuring towards a slim organization
- ...




## Autonomous AI's use cases

- **Supply Chain** (e.g. inventory, 3PL relationships, logistics coordinator)
- **Operations** (e.g. performance, maintenance, quality, workforce manager) – see <https://gimelid.com/g-agent-in-manufacturing/>
- **Procurement** (e.g. demand planer, strategic sourcing, supplier management)
- **Customer service** (e.g. customer service representative)
- **Marketing** (e.g. amplification of market presence and customer engagement) *See deep dive*
- **HR** (e.g. talent management, coaching, recruiting)
- **IT** (e.g. helpdesk, first and second level support)
- **Management** (e.g. executive PA, corporate communication, investor relations)
- ...

Source: Gimel

- All rights reserved -


# GAuth and OAuth: EntraID and Gimel complement each other



EntraID vs. Gimel


|               | EntraID                   | Gimel                                        |
|---------------|---------------------------|----------------------------------------------|
| Specification | OAuth                     | GAuth                                        |
| Subject       | IT                        | Agentic AI / humanoid robots                 |
| Object        | Access to resource server | Authorizing transactions/ decisions/ actions |
| Rights        | Access rights             | Power of attorney (PoA)                      |
| Token         | Access Token              | PoA / Extended Token                         |
| Server        | OAuth server              | GAuth server                                 |
| Lead time     | 60 min.*                  | Some 60 sec.                                 |

PoA Definition for AI



\* Gimel ID requiring accelerated PKI, connected with DefconG  
Note: For GAuth, Legal Terms of Gimel Foundation apply, Exclusions are subject to separate licensing by Gimel Technologies  
Source: For GAuth, Gimel Foundation, GiFo-RFC0111 and GiFo-RFC0115 (excerpt), For OAuth, IETF, RFC6749

# Enforcement: Gimel enforces PoA compliance through three layers



1

2

3

4



**Technical enforcement by Gimel**  
(controls and mechanisms embedded in the Gimel architecture)

**Legal enforcement by Gimel**  
(Gimel empowering third party to verify PoA)


PoA: Power of Attorney

\* G-Agent

Note: In line with NIST SP 800-162 and NIST SP 800-207

• All rights reserved •

# AIR: Other agent IDs don't meet key requirements like SSI and Agency




1  
2  
3  
4

| AIR requirements (selection) | Gimel | A2A | CSA | IETF | OIDF |
|------------------------------|-------|-----|-----|------|------|
| Decentral ID / no ANS        | ✓     | ○   | ✗   | ○    | ○    |
| Distinguish ID from PoA      | ✓     | ✗   | ✗   | ○    | ✓    |
| Comprehensive PoA def.       | ✓     | ✗   | ✗   | ✗    | ✗    |
| No self-authorization        | ✓     | ✗   | ✗   | ○    | ○    |
| Disclosure to relying party  | ✓     | ✗   | ✗   | ✗    | ✗    |
| PoA as business ownership    | ✓     | ✗   | ✗   | ✗    | ✗    |
| Ultimate accountability*     | ✓     | ✗   | ✗   | ○    | ○    |
| Least privilege considered   | ✓     | ○   | ○   | ✗    | ✓    |
| Solution for agent teams**   | ✓     | ○   | ○   | ○    | ○    |
| E2E spec. within protocol    | ✓     | ✗   | ○   | ✗    | ✗    |
| Leverage proven safeguards   | ✓     | ○   | ○   | ✓    | ✓    |

**Evaluation of new whitepapers is ongoing - overall trend: current approaches are not comprehensively meeting needs for AI identification and authorization**

Legend: ✗: Requirement not met, ○: Requirement partly met; ✓: Requirement met; \* Incl. Owner`s Authorizer; \*\* I.e., lead agent delegates to team agents  
 AIR: Agent Identity Registration; ID: Identity; Agency: Law of Agency; ANS: Agent Naming Service; PoA: Power of Attorney; OIDF: Open ID Foundation, CSA: Cloud Security Alliance  
 Source: Internal review of third-party whitepapers versus Gimel protocols (work in progress); A2A: Agent-to-Agent/Google; CSA: Agentic AI IAM; IETF: Wahl, SCIM; OIDF: Identity Management for Agentic AI  
**- All rights reserved -**


# Biometrics: As eIDAS 2.0 requests the use of eID, Gimel improves security



**Security**  
(ease of  
hack)

Hard

Easy



- ✓ High stability over time
- ✓ Highly regulated infrastructure
- ✓ Global PoP can be reproduced
- ✓ Data remain private, i.e. no DNA data leaving the lab

⊖: Non-inclusive  
⊕: Inclusive


PoP: Proof of Personhood

Note: DNA test at 13 Short-Tandem-Repeats

• All rights reserved •

**Accuracy**  
(false positive)


# Siemens Agent Factory: Gimel enables practical AI control and secure IDs



| GAuth steps                                                                                 | Subject  | Siemens internally             | Gimel services for ...                                                                                                                                                                                                                    |        |            |
|---------------------------------------------------------------------------------------------|----------|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------|
|                                                                                             |          |                                | Orchestration                                                                                                                                                                                                                             | SecOps | OtherOps** |
| <div>1</div> <div>2</div> <div>3</div> <div>4</div> <div>GAUTH authorization protocol</div> | I - VIII | Subscription of Parties        | <ul style="list-style-type: none"> <li>Gimel ID for authorizer of AI</li> <li>Produced in the Gimel lab (as CA)</li> <li>DefconG (global risk monitoring)</li> <li>Hosted in Gimel Cloud</li> <li>Gimel Wallet for convenience</li> </ul> |        |            |
|                                                                                             | a - h    | Authorization Request Handling | <ul style="list-style-type: none"> <li>Facilitation of GAuth through G-Agent</li> <li>Safeguarding via GAuth+ / web3</li> <li>Orchestration of AI by G-Agent</li> </ul>                                                                   |        |            |
|                                                                                             | i        | Compliance Tracking & QA       | <ul style="list-style-type: none"> <li>Compliance Tracking via G-Agent (SecOps)</li> <li>QA of AI's output via G-Agent (InfOps)</li> </ul>                                                                                                |        |            |

\* Based on accelerated PKI, connected with Gimel ID / DefconG; \*\* DevOps, FinOps, InfOps  
 CA: Certificate Authority; QA: Quality Assurance  
 Note: Gimel ID, GAuth+ and G-Agent are subject to separate licensing by Gimel Technologies  
**- All rights reserved -**

# Safeguards: Gimel leverages on proven security practices where applicable



**Gimel safeguards** (from beta-testing to full-leverage - excerpt)

## OAuth 2.0 & OIDC

- **Scopes** that limit data access
- **ID tokens** to prove identity without sharing password
- **Token binding** to prevent attackers from stealing login
- **Proof key for code exchange** (PKCE) for safer mobile log-on
- **Refreshed token** as temporary keys with backup-renewal
- ...

## OAuth 2.1

- **Mandatory PKCE** (no implicit grant type, stop of resource owner password grants, etc.)
- **Exact matching** for redirect URIs
- **Secured use of refresh tokens**, tied to specific device or user
- **Standardized error handling**, i.e., specific feedback for developers
- ...

## OID4VC

(and ETSI, e.g. TS119475)


- **Digital signatures** to ensure creds. not tampered with
- **Encryption** to protect information within credential
- **Selective disclosure**, sharing selected attributes
- **Zero knowledge proof** for verifiable credentials
- **Non-linkability** to protect user
- ...

**Other safeguards** (e.g., attached to Lab, PKI, Web3, etc.)

Basis: Gimel Foundation, GiFo-RFC0111 and GiFo-RFC0115, including IETF and OIDC references therein

**- All rights reserved -**

# Benefits: Gimel is leapfrogging towards a new standard in AI governance



1



**Trustworthy** - Performing **independent AI governance** and embracing **tech-sovereignty**, thus preventing AI collapses and conflicts of interest.

2



**Open-source** - Enabling **transparency** and **reliability** to third-parties through our **unique authorization protocol GAuth** (Gimel Foundation, patent pending), thus **building trust**.

3



**Globally scalable** - Facilitating **AI control beyond Human-in-the-Loop** and **at scale** (patent pending), thus **leveraging the full potential of AI** to act autonomously.

4



**Traceable** - Tracing **quality, compliance and ID among eight billion humans on earth** (patent pending), thus **measuring what you get** and leapfrogging towards a **new de-facto standard in cyber-security (LoA5)**.

# Example Marketing: Autonomous agents require comprehensive governance by Gimel

## Reactive Marketing Agent

## Autonomous Marketing Agent

- Case:** Deploying a Retrieval-Augmented Generation (RAG) system to supercharge Siemens` market research.
- How it works:** RAG system is fed with prompts like “What are the latest trends in smart manufacturing in Southeast Asia?” or “What regulatory changes are anticipated for industrial AI in the European Union?” The RAG scans internal Siemens reports, public publications, patents, news feeds, and even social media discussions among engineers and thought leaders. It then synthesizes the most relevant insights.
- Value:** Siemens can react swiftly to emerging market demands, competitor movements, and regulatory changes. The marketing and product strategy teams receive automated, evidence-based recommendations for campaign focus, etc.

- Case:** Leveraging an AI-powered digital marketing agent to amplify presence and engagement across multiple channels.
- How it works:** The digital agent analyses trending topics, audience sentiment, and influencer networks within the engineering and technology communities. It autonomously crafts content and interacts in real time: answering queries from potential clients, responding to thought leaders, and curating user-generated content, all while adhering to corporate messaging guidelines.
- Value:** This approach ensures that Siemens maintains a dynamic, responsive, and highly visible brand presence. The agent not only increases reach and engagement but also surfaces actionable insights, adapts messaging proactively and manages budgets.

Example vendors:

Agentforce




akira<sup>AI</sup>

boomi

# PoA-map: The delegated powers for the marketing agent are being structured by PoA-maps



PoA-map example




## Determining PoA credential:

- **PoA-map** structures PoA credential via defined attributes and their values on various levels
- PoA credential and PoA-map to be jointly customized towards **corporate specific policies and use cases** (e.g., Marketing, Sales, Supply Chain)
- Deployment of PoA-map facilitates **agent governance at scale** in line with **ABPC** and **RBPC** principles

PoA: Power of Attorney; ABPC: Attribute Based Power-of-Attorney Control; RBPC: Role Based Power-of-Attorney Control

- All rights reserved -

# Collaboration: Overlapping maps of requesting and relying agent determine space for collaboration



○ : Overlap, i.e., collaboration space between agents  
PoA: Power of Attorney  
- All rights reserved -

## Subscription:

- Next to **verification of agent identities** (and the ID of its authorizers), **determining each agent`s PoA**
- **Example:** Both agents are authorized for social media marketing amongst others
- **Example code** (overlap):

```
# Powers of Attorney for Agent A
party_a = {
    "action": ["post", "edit"],
    "platform": ["linkedin", "twitter"],
    "region": ["EU"],
    "budget_limit": 8000
}


# Powers of Attorney for Agent B
party_b = {
    "action": ["edit", "delete"],
    "platform": ["linkedin", "facebook"],
    "region": ["EU", "US"],
    "budget_limit": 12000
}

# Find overlap (intersection) on set-type attributes
overlap = {
    "action": party_a["action"] & party_b["action"],
    "platform": party_a["platform"] & party_b["platform"],
    "region": party_a["region"] & party_b["region"],
    "budget_limit": min(party_a["budget_limit"], party_b["budget_limit"])
}

print("Collaborative overlap:")
for key, value in overlap.items():
    print(f"{key}: {value}")

# Output:
# action: ('edit')
# platform: ('linkedin')
# region: ('EU')
# budget_limit: 8000
```

# Request: The requests of the marketing agent must be compliant with its general PoA credential




Rule-based enforcement

1

2

3

4



✓: Matching, i.e., request being subset of PoA (in other words, each attribute in the transaction must exist in the PoA credential, and its requested value must be allowed by the credential).

PoA: Power of Attorney

- All rights reserved -

## Rule-based enforcement:



- For single request, relevant attributes and their values are being identified and matched
- **Example:** Decision for specific targeting on social media in line with policy and budget
- **Example code (match):**

```
# General power of attorney (credential) attributes
credential = {
    "action": ("post", "edit", "delete"),
    "platform": ("linkedin", "twitter"),
    "budget_limit": 10000,
    "region": ("EU", "US")
}

# Incoming request attributes
request = {
    "action": "post",
    "platform": "linkedin",
    "budget": 5000,
    "region": "EU"
}

def is_request_authorized(credential, request):
    # Check actions
    if request["action"] not in credential["action"]:
        return False
    # Check platforms
    if request["platform"] not in credential["platform"]:
        return False
    # Check budget
    if request["budget"] > credential["budget_limit"]:
        return False
    # Check region
    if request["region"] not in credential["region"]:
        return False
    return True
print(is_request_authorized(credential, request)) # Output: True
```

# Tracking: G-Agent can consider best practices of Siemens as well as global PoA court-ruling data



## AI-based enforcement:

- For tracking agent`s **single request and behaviour**
- **Example:** Approval for implied authority
- **Example prompts (G-Agent):**

```
#Role: Act as a supervisor focused on governing the marketing agent's requests and behaviour (transactions, actions, decisions), i.e., securing its compliance with the delegated PoA as well as any implied authority associated

#Task:
- Begin with a concise checklist you will follow up to fulfil this role, focusing on comprehensiveness rather than details.
- Identify and track list of explicitly delegated authorities as per PoA
- Identify and track list of non-explicit, implied authorities associated with PoA
- Ensure each list item offers sufficient evidence for being compliant
- Exclude potentially false positives (accepted but potentially wrong) as well as obvious false negatives (rejected but obviously wrong)

#Restrictions:
- Double check restrictions of PoA like budget constraints considering so far expenditures
- Consider any other requirements (formalities, limits of PoA, etc.)

#Reasoning
- Vet all requests and behaviour to facilitate it is feasible, professional and in line with best marketing practices of Siemens
- Review all requests and behaviours to ensure that implied authority complies with relevant court rulings worldwide


#Output
- Return the results as properly formatted table, incl. identified needs to finetune marketing agent as well as "serve the request" or "do not serve the request" statement
```

✓: Compliance confirmed (example, )audit trail documented, opportunities to finetune marketing agent identified.

PoA: Power of Attorney

- All rights reserved -

# Anomalies: G-Agent enables proper governance like to conflicts of interest and implied authority



Example anomalies

## Conflict of interest

- 1 • Marketing agent is **pre-prompted** by agent provider, which serves competing companies
- 2 • Marketing agent recommends media outlet, which is having a **financial stake** by agent provider
- 3 • Marketing agent **prioritizes its own services** over what is best for the client
- 4 • Marketing agent (or agent provider, resp.) has a **relationship with a vendor** and pushes their products even if they aren't the ideal solution
- ...


Ensure agent's focus is on client success,  
not their own interest

## Implied authority


- Run **contests or giveaways** on social media, even if those specific tactics aren't outlined, formally
- Use client's **logos and branding material** to run the client's social media ads, although explicitly agreed
- Respond to **customer inquiries or comments**, when running client's social media account
- **Follow relevant accounts and engage with influencers** for growing the client's followers on social media
- ...

Consider what is reasonably necessary  
to achieve the goals

# Gimel ID: Verifying the identity of the marketing-agent's owner can be performed minimal-invasively



Example  
migration path  
at Siemens:



eID: National ID  
- All rights reserved -

*For now, no plans to introduce Gimel ID across the board at Siemens*

# Proof of Concept: Setting up five workstream with a joint team and hitting the ground running

|                | <b>GAuth</b>                                                                        | <b>G-Agent</b>                                                                                  | <b>GAuth+/Web3</b>                                                                          | <b>Gimel ID</b>                                                                                                         | <b>G-Walle</b>                                                                                                  |
|----------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| <b>Team</b>    | <ul style="list-style-type: none"> <li>• N.N. (S)</li> <li>• Götz W. (G)</li> </ul> | <ul style="list-style-type: none"> <li>• <u>Christoph P.</u> (G)</li> <li>• N.N. (S)</li> </ul> | <ul style="list-style-type: none"> <li>• <u>Eicke S.</u> (G)</li> <li>• N.N. (S)</li> </ul> | <ul style="list-style-type: none"> <li>• <u>Christian F.</u> ,<br/>Kas d.S., Pezh B. (G)</li> <li>• N.N. (S)</li> </ul> | <ul style="list-style-type: none"> <li>• <u>Bjørn B.</u> (G)</li> <li>• N.N. (S)</li> </ul>                     |
| <b>Scope</b>   | <ul style="list-style-type: none"> <li>• GAuth. Server</li> <li>• AIR</li> </ul>    | <ul style="list-style-type: none"> <li>• GAuth control</li> <li>• QA of AI Ops</li> </ul>       | <ul style="list-style-type: none"> <li>• SSI</li> <li>• PoA</li> </ul>                      | <ul style="list-style-type: none"> <li>• Gimel Lab</li> <li>• Gimel Device</li> <li>• Polymorphisms</li> </ul>          | <ul style="list-style-type: none"> <li>• Gimel Cloud</li> <li>• DefconG</li> <li>• G-Agent front end</li> </ul> |
| <b>Sub</b>     | <ul style="list-style-type: none"> <li>• PKI / Ejbca &amp; Nexus</li> </ul>         | <ul style="list-style-type: none"> <li>• LLM / Mixtral &amp; Roberta, IT provider</li> </ul>    | <ul style="list-style-type: none"> <li>• Network / Helium &amp; Iota</li> </ul>             | <ul style="list-style-type: none"> <li>• Forensics Lab of UKMS</li> </ul>                                               | <ul style="list-style-type: none"> <li>• IT provider, White label</li> </ul>                                    |
| <b>License</b> | <ul style="list-style-type: none"> <li>• Open-source*</li> </ul>                    | <hr/> <div> <div>Proprietary</div> <div>Gimel agreement</div> </div> <hr/>                      |                                                                                             |                                                                                                                         |                                                                                                                 |

Draft for discussion




The Gimel project to establish both an **effective AI governance as well as secure IDs for Siemens** and its Agent Factory is including five **PoC** workstreams, the **4S-planning** and a subsequent **global implementation**.

\* Conditional OS license subject to overall agreement

G: Gimel; S: Siemens; AIR: Agent Identity Registration; SSI: Self-Sovereign-Identity; PoA: Power of Attorney; UKMS: University Clinics of Münster

- All rights reserved -

- Excerpt -  
GAuth engine



- \* In the context of a Gimel-project for Siemens, Gimel may grant Siemens rights of use for an implementation Siemens-internally only based on the Legal Provisions of Gimel Foundation (GiFo-RFC0090, etc.) together with the maintenance of Gimel`s exclusive ownership and considering Exclusions, which are subject to separate licensing. In this case, Siemens grants Gimel the rights of use for any contributions being made by Siemens or its employees in terms of exclusive, perpetual, transferable, irrevocable, worldwide rights of use.

23

# Product development: Gimel is continuously driving its innovative solutions

|                                     | GAuth                                                                                                      | G-Agent                                                                                                                                                                                                                                                        | GAuth+/Web3                                                                                                                     | Gimel ID                                                                                                                                                                                             | G-Wallet                                                                                                        |
|-------------------------------------|------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| <b>Product development pipeline</b> | <i>(see open-source specifications on next page)</i> <ul style="list-style-type: none"> <li>...</li> </ul> | <ul style="list-style-type: none"> <li>Agent Training regarding Law of Agency claims and beyond (FZ Jülich)</li> <li>Orchestration of agent portfolios</li> <li>AI marketplace</li> <li>QA for Verticals (e.g., Shopfloor, Healthcare)</li> <li>...</li> </ul> | <ul style="list-style-type: none"> <li>Expanding node-network</li> <li>Crypto incentives ("Gimel Coin")</li> <li>...</li> </ul> | <ul style="list-style-type: none"> <li>Open-source lab procedure</li> <li>Gimel Kit and Software</li> <li>Lab automation</li> <li>Rapid analyser</li> <li>Quantum resistance</li> <li>...</li> </ul> | <ul style="list-style-type: none"> <li>DefconG Training</li> <li>QeAA alignment for B2C</li> <li>...</li> </ul> |


**Gimel`s discussions with potential investors** to advance the Gimel solutions and further develop the open-source platform for AI control and secure IDs are work-in-progress. Selected pipeline topics may be useful to consider within the joint project between Gimel and Siemens, e.g., the **AIR specification**.

# Contact

## **Gimel Technologies GmbH**

### **Managing Directors:**

Bjørn Baunbæk, Dr. Götz G. Wehberg

### **Chairman of the Board:**

Daniel Hartert

Tel.: +4915112462890

Mail: [gwehberg@GimelID.com](mailto:gwehberg@GimelID.com)

Web: <https://gimelid.com>

Github: <https://github.com/Gimel-Foundation>

Legal notice: All rights are reserved. The brands and concepts of Gimel Technologies GmbH and its affiliated companies are protected by copyright. The products, procedures and services of Gimel Technologies GmbH and its affiliated companies are protected by patent law. Discussion is subject to Trade Secret Law.