Project reports

Report language: en-US

Project identification and objective

Project name: No information provided.
Project objective: No information provided.

Personas and scenarios

Persona ficticia Álex

FIELD	VALUE	UNIT
Name	Persona ficticia Álex	
Age or range (optional)	Not recorded	
Device	USER_DEVICE	
Context	USER_CONTEXT	
Persona goal	Completar reserva	
Needs or barriers	Texto pequeño	
Information or rule used	Observations and assumptions	
Observed data	Observación directa	
Assumptions awaiting validation	Supuesto pendiente	
Source of emotions	Self-reported	
What they say	USER_SAYS	
What they think	USER_THINKS	
What they do	USER_DOES	
What they feel	USER_FEELS	

Escenario ficticio

FIELD	VALUE	UNIT
Title	Escenario ficticio	
Persona and empathy map	Persona ficticia Álex	
Persona and empathy map	persona	
Context	Universidad	
Constraint or difficulty	Sin sonido	
Observable success criterion	Una confirmación	
Fictional example	Yes	

Activities and evaluation method

No information provided.

Time: recorded seconds. Errors: observed count. Success: mean of 0/1, proportion of completed tasks. SUS: instrument score (0–100). Raw TLX: unweighted mean of six dimensions (0–100). Different tasks or methods are never pooled.

TYPE	TASK	CONDITION	VERSION	RECORDS USED (N)
Persona and empathy map	Persona ficticia Álex	Not recorded	Not recorded	1
Scenario	Escenario ficticio	Not recorded	Not recorded	1
Fictional booking	Fictional university advice session	Good practice	Not recorded	1
Heuristic finding	Reserva	Reviewed and validated	Not recorded	1
Usability test	Legacy task	Not recorded	Not recorded	1
Concept activity	Emotions	Good practice	concepts-iteration3	1
Pattern or anti-pattern	Form	Anti-pattern	patterns-iteration-4	1
Usability test	Reserva	Good practice	iteration7	1
Usability test	Reserva	Anti-pattern	iteration7	1
SUS	Reserva	Self-reported data	iteration7	1
Raw NASA-TLX	Reserva	Self-reported data	iteration7	1
Fitts or Hick experiment	Fitts	Large targets: 64 px	iteration7	1
Fitts or Hick experiment	Hick	3 options	iteration7	1
Human chatbot rubric	Reserva	Chatbot B: good practice	chatbots	1
Human decision about simulated AI	USER_AI_CONTEXT	Accept proposal	local-template-iteration7	1
Saved UX tracking sessions	USER_TRACK_TASK	Good practice	v1	1
Saved UX tracking sessions	Saved UX tracking sessions	Anti-pattern	Not recorded	1
Multimodal activity	Multimodal activity	Good practice	Not recorded	1
Booking flow event	booking-good	Not recorded	Not recorded	1
Accessibility checklist	Accessibility checklist	Not recorded	Not recorded	1

Results

Indicators are grouped by task, condition, version and method; only present, finite values are used. Mean = sum / n. Observed zero is retained; missing data is not calculated.

Legacy task · Not recorded · Not recorded · Usability test

RESULTS	MEAN	RECORDS USED (N)
Time (s)	0.000	1
Errors (count)	0.000	1
Task success (0/1)	0.000	1
SUS (0–100)	50.000	1

Reserva · Good practice · iteration7 · Usability test

RESULTS	MEAN	RECORDS USED (N)
Time (s)	20.000	1
Errors (count)	2.000	1
Task success (0/1)	1.000	1

Reserva · Anti-pattern · iteration7 · Usability test

RESULTS	MEAN	RECORDS USED (N)
Time (s)	10.000	1
Errors (count)	0.000	1
Task success (0/1)	1.000	1

Reserva · Self-reported data · iteration7 · SUS

RESULTS	MEAN	RECORDS USED (N)
SUS (0–100)	50.000	1

Reserva · Self-reported data · iteration7 · Raw NASA-TLX

RESULTS	MEAN	RECORDS USED (N)
Raw NASA-TLX (0–100)	35.000	1

Fitts · Large targets: 64 px · iteration7 · Fitts · Pointer · Measured trial: 8

RESULTS	MEAN	RECORDS USED (N)
Time (s)	1.000	1
Errors (count)	0.000	1

Hick · 3 options · iteration7 · Hick · Keyboard · Measured trial: 8

RESULTS	MEAN	RECORDS USED (N)
Time (s)	2.000	1
Errors (count)	0.000	1

Persona and empathy map · Persona ficticia Álex

FIELD	VALUE
Record date	Not recorded
Condition	Not recorded
Optional alias	No alias
Version	Not recorded
Type	Human record or evaluation
ID	personas:persona

FIELD	VALUE	UNIT
Name	Persona ficticia Álex	
Age or range (optional)	Not recorded	
Device	USER_DEVICE	
Context	USER_CONTEXT	
Persona goal	Completar reserva	
Needs or barriers	Texto pequeño	
Information or rule used	Observations and assumptions	
Observed data	Observación directa	
Assumptions awaiting validation	Supuesto pendiente	
Source of emotions	Self-reported	
What they say	USER_SAYS	
What they think	USER_THINKS	
What they do	USER_DOES	
What they feel	USER_FEELS	

Observations: Observación directa
Supuesto pendiente

Scenario · Escenario ficticio

FIELD	VALUE
Record date	Not recorded
Condition	Not recorded

FIELD	VALUE
Optional alias	No alias
Version	Not recorded
Type	Simulated data / fictional example
ID	scenarios:scenario

FIELD	VALUE	UNIT
Title	Escenario ficticio	
Persona and empathy map	Persona ficticia Álex	
Persona and empathy map	persona	
Context	Universidad	
Constraint or difficulty	Sin sonido	
Observable success criterion	Una confirmación	
Fictional example	Yes	

Observations: Sin sonido

Fictional booking · Fictional university advice session

FIELD	VALUE
Record date	10/10/2026, 7:00:00 AM
Condition	Good practice
Optional alias	No alias
Version	Not recorded
Type	Simulated data / fictional example
ID	appointments:booking

FIELD	VALUE	UNIT
Service	Fictional university advice session	
Service	Fictional university advice session	
Record date	2026-11-11	
Time (s)	10:00	
Record status	Confirmed	

Observations: Not recorded

Heuristic finding · Reserva

FIELD	VALUE
Record date	10/10/2026, 7:00:00 AM

FIELD	VALUE
Condition	Reviewed and validated
Optional alias	No alias
Version	Not recorded
Type	Human record or evaluation
ID	findings:finding

FIELD	VALUE	UNIT
Heuristic	Visibility of status	
Heuristic	h1	
Severity	2	
Observed problem	USER_PROBLEM	
Evidence or location	USER_LOCATION	
Correction recommendation	USER_FIX	
Record source	Human evaluation	
Human review status	Reviewed and validated	

Observations: USER_PROBLEM

Usability test · Legacy task

FIELD	VALUE
Record date	10/10/2026, 7:00:00 AM
Condition	Not recorded
Optional alias	No alias
Version	Not recorded
Type	Measured and self-reported data
ID	sessions:legacy

FIELD	VALUE	UNIT
Task success (0/1)	No	
Time (s)	0	s
Errors (count)	0	
SUS (0–100)	50	0–100
Original SUS response · 1	3	1–5
Original SUS response · 2	3	1–5
Original SUS response · 3	3	1–5
Original SUS response · 4	3	1–5
Original SUS response · 5	3	1–5

FIELD	VALUE	UNIT
Original SUS response · 6	3	1–5
Original SUS response · 7	3	1–5
Original SUS response · 8	3	1–5
Original SUS response · 9	3	1–5
Original SUS response · 10	3	1–5
SEQ: reported ease (1 difficult, 7 easy)	4	1–7
Reported emotion (1 negative, 5 positive)	3	1–5

Observations: USER_LEGACY

Concept activity · Emotions

FIELD	VALUE
Record date	10/10/2026, 7:00:00 AM
Condition	Good practice
Optional alias	No alias
Version	concepts-iteration3
Type	Measured and self-reported data
ID	evidence:concept

FIELD	VALUE	UNIT
Type	Concept activity	
Time (s)	12	s
Errors (count)	0	
Interactions	3	
Emotion before the trial	2	1–5
Emotion after the trial	4	1–5
Original field: id	emotions	
Original field: outcome	Task completed	
Written response	USER_FEEDBACK	
Human rationale	USER_REASON	
Return to editing	Not recorded	
Human decision	Not recorded	

Observations: USER_NOTE_concept

Pattern or anti-pattern · Form

FIELD	VALUE
Record date	10/10/2026, 7:00:00 AM
Condition	Anti-pattern
Optional alias	No alias
Version	patterns-iteration-4
Type	Human record or evaluation
ID	evidence:pattern

FIELD	VALUE	UNIT
Type	Pattern or anti-pattern	
Original field: id	form	
Problem you identified	USER_PATTERN_PROBLEM	
Affected principle	USER_PRINCIPLE	
How you would correct it	USER_PATTERN_FIX	

Observations: USER_NOTE_pattern

Usability test · Reserva

FIELD	VALUE
Record date	10/10/2026, 7:00:00 AM
Condition	Good practice
Optional alias	No alias
Version	iteration7
Type	Measured and self-reported data
ID	evidence:ux-before

FIELD	VALUE	UNIT
Type	Usability test	
Time (s)	20	s
Errors (count)	2	
Task success (0/1)	1	

Observations: USER_NOTE_ux-before

Usability test · Reserva

FIELD	VALUE
Record date	10/10/2026, 7:00:00 AM

FIELD	VALUE
Condition	Anti-pattern
Optional alias	No alias
Version	iteration7
Type	Measured and self-reported data
ID	evidence:ux-after

FIELD	VALUE	UNIT
Type	Usability test	
Time (s)	10	s
Errors (count)	0	
Task success (0/1)	1	

Observations: USER_NOTE_ux-after

SUS · Reserva

FIELD	VALUE
Record date	10/10/2026, 7:00:00 AM
Condition	Self-reported data
Optional alias	No alias
Version	iteration7
Type	Self-reported data
ID	evidence:sus

FIELD	VALUE	UNIT
Type	SUS	
SUS (0–100)	50	0–100
Individual response 1 (1–5)	3	1–5
Individual response 2 (1–5)	3	1–5
Individual response 3 (1–5)	3	1–5
Individual response 4 (1–5)	3	1–5
Individual response 5 (1–5)	3	1–5
Individual response 6 (1–5)	3	1–5
Individual response 7 (1–5)	3	1–5
Individual response 8 (1–5)	3	1–5
Individual response 9 (1–5)	3	1–5
Individual response 10 (1–5)	3	1–5

Observations: USER_NOTE_sus

Raw NASA-TLX · Reserva

FIELD	VALUE
Record date	10/10/2026, 7:00:00 AM
Condition	Self-reported data
Optional alias	No alias
Version	iteration7
Type	Self-reported data
ID	evidence:tlx

FIELD	VALUE	UNIT
Type	Raw NASA-TLX	
Raw NASA-TLX (0–100)	35	0–100
Mental demand	10	0–100
Physical demand	20	0–100
Temporal demand	30	0–100
Performance: 0 excellent, 100 poor	40	0–100
Effort	50	0–100
Frustration	60	0–100

Observations: USER_NOTE_tlx

Fitts or Hick experiment · Fitts

FIELD	VALUE
Record date	10/10/2026, 7:00:00 AM
Condition	Large targets: 64 px
Optional alias	No alias
Version	iteration7
Type	Measured data
ID	evidence:fitts

FIELD	VALUE	UNIT
Type	Experiment	
Time (s)	1	s
Errors (count)	0	
Measured trials	8	
Target width (px)	64	px
Type	Fitts	

FIELD	VALUE	UNIT
Condition	Large targets: 64 px	
Excluded practice trials	2	
Time (s) · 1	1	s
Errors (count) · 1	0	
Input method · 1	Pointer	
Time (s) · 2	1	s
Errors (count) · 2	0	
Input method · 2	Pointer	
Distance between centers (px) · 2	80	px
Fitts index of difficulty (bits) · 2	1.169925	bits
Time (s) · 3	1	s
Errors (count) · 3	0	
Input method · 3	Pointer	
Distance between centers (px) · 3	80	px
Fitts index of difficulty (bits) · 3	1.169925	bits
Time (s) · 4	1	s
Errors (count) · 4	0	
Input method · 4	Pointer	
Distance between centers (px) · 4	80	px
Fitts index of difficulty (bits) · 4	1.169925	bits
Time (s) · 5	1	s
Errors (count) · 5	0	
Input method · 5	Pointer	
Distance between centers (px) · 5	80	px
Fitts index of difficulty (bits) · 5	1.169925	bits
Time (s) · 6	1	s
Errors (count) · 6	0	
Input method · 6	Pointer	
Distance between centers (px) · 6	80	px
Fitts index of difficulty (bits) · 6	1.169925	bits
Time (s) · 7	1	s
Errors (count) · 7	0	
Input method · 7	Pointer	
Distance between centers (px) · 7	80	px
Fitts index of difficulty (bits) · 7	1.169925	bits
Time (s) · 8	1	s

FIELD	VALUE	UNIT
Errors (count) · 8	0	
Input method · 8	Pointer	
Distance between centers (px) · 8	80	px
Fitts index of difficulty (bits) · 8	1.169925	bits

Observations: USER_NOTE_fitts

Fitts or Hick experiment · Hick

FIELD	VALUE
Record date	10/10/2026, 7:00:00 AM
Condition	3 options
Optional alias	No alias
Version	iteration7
Type	Measured data
ID	evidence:hick

FIELD	VALUE	UNIT
Type	Experiment	
Time (s)	2	s
Errors (count)	0	
Measured trials	8	
Number of options	3	
Type	Hick	
Condition	3 options	
Excluded practice trials	2	
Time (s) · 1	2	s
Errors (count) · 1	0	
Input method · 1	Keyboard	
Time (s) · 2	2	s
Errors (count) · 2	0	
Input method · 2	Keyboard	
Time (s) · 3	2	s
Errors (count) · 3	0	
Input method · 3	Keyboard	
Time (s) · 4	2	s
Errors (count) · 4	0	

FIELD	VALUE	UNIT
Input method · 4	Keyboard	
Time (s) · 5	2	s
Errors (count) · 5	0	
Input method · 5	Keyboard	
Time (s) · 6	2	s
Errors (count) · 6	0	
Input method · 6	Keyboard	
Time (s) · 7	2	s
Errors (count) · 7	0	
Input method · 7	Keyboard	
Time (s) · 8	2	s
Errors (count) · 8	0	
Input method · 8	Keyboard	

Observations: USER_NOTE_hick

Human chatbot rubric · Reserva

FIELD	VALUE
Record date	10/10/2026, 7:00:00 AM
Condition	Chatbot B: good practice
Optional alias	No alias
Version	chatbots
Type	Self-reported data
ID	evidence:chatbot

FIELD	VALUE	UNIT
Type	Human chatbot rubric	
Clarity	4	1–5
Control	3	1–5
Tone	4	1–5
Transparency	2	1–5
Context and observed evidence	USER_CHAT_PROMPT	
Individual response	USER_CHAT_RESPONSE	
Human record or evaluation	Yes	

Observations: USER_NOTE_chatbot

Human decision about simulated AI · USER_AI_CONTEXT

FIELD	VALUE
Record date	10/10/2026, 7:00:00 AM
Condition	Accept proposal
Optional alias	No alias
Version	local-template-iteration7
Type	Human record or evaluation
ID	evidence:ai

FIELD	VALUE	UNIT
Type	Human decision about simulated AI	
Proposal accepted (0/1)	1	
Type	Interface alternative	
Context and observed evidence	USER_AI_CONTEXT	
Editable proposal	USER_PROPOSAL	
Information or rule used	USER_BASIS	
Limitations	USER_LIMITS	
Human review	USER_REVIEW	
Human rationale	USER_DECISION	
Human decision	Accept proposal	

Observations: USER_NOTE_ai

Saved UX tracking sessions · USER_TRACK_TASK

FIELD	VALUE
Record date	10/10/2026, 7:00:00 AM
Condition	Good practice
Optional alias	No alias
Version	v1
Type	Measured and self-reported data
ID	pageSessions:page

FIELD	VALUE	UNIT
Recorded route	/tracking	
Content width (px)	700	px
Content height (px)	1200	px
Viewport width (px)	700	px

FIELD	VALUE	UNIT
Viewport height (px)	500	px
Time (s)	5	s
Maximum scroll depth (%)	80	%
Sample limit reached	No	
Recorded content	Tracking example	
Coordinate system	Example content coordinates	
Clicks (count)	1	
Wheel events	2	
Condition	Good practice	
Median validation error (px)	70	px
Viewport width (px)	700	px
Viewport height (px)	500	px
Samples (count)	5	
Record date	2026-10-10T12:00:00.000Z	

Clicks (count) · Samples (count): 1

Cursor: attention proxy · Samples (count): 1

Camera-estimated gaze · Samples (count): 1

Simulated attention path · Samples (count): 1

Effective scrolls · Samples (count): 1

Original samples are available in JSON/CSV. The report gives counts by channel and textual results, without treating a map as measured attention.

Observations: USER_TRACK_NOTE

Saved UX tracking sessions · Saved UX tracking sessions

FIELD	VALUE
Record date	10/10/2026, 7:00:00 AM
Condition	Anti-pattern
Optional alias	No alias
Version	Not recorded
Type	Measured and self-reported data
ID	trackingSessions:oldtrack

FIELD	VALUE	UNIT
Fictional example	Anti-pattern	
Content width (px)	500	px

FIELD	VALUE	UNIT
Content height (px)	1000	px
Time (s)	0	s
Wheel events	0	
Maximum scroll depth (%)	0	%
Sample limit reached	No	

Clicks (count) · Samples (count): 0

Cursor: attention proxy · Samples (count): 0

Camera-estimated gaze · Samples (count): 0

Effective scrolls · Samples (count): 0

Original samples are available in JSON/CSV. The report gives counts by channel and textual results, without treating a map as measured attention.

Observations: USER_OLD_TRACK

Multimodal activity · Multimodal activity

FIELD	VALUE
Record date	10/10/2026, 7:00:00 AM
Condition	Good practice
Optional alias	No alias
Version	Not recorded
Type	Self-reported data
ID	multimodalEvidence:multimodal

FIELD	VALUE	UNIT
Device	Phone	
Condition	Good practice	
Simulated color perception	Unfiltered perception	
Self-reported confidence (1–5)	4	1–5
Demonstration status	Original demonstration status	
Recorded channel status	Original channel status	

Observations: USER_MULTIMODAL

Booking flow event · booking-good

FIELD	VALUE
Record date	10/10/2026, 7:00:00 AM

FIELD	VALUE
Condition	Not recorded
Optional alias	No alias
Version	Not recorded
Type	Measured data
ID	events:event

FIELD	VALUE	UNIT
Record date	2026-10-10T12:00:00.000Z	
Type	Flow completed	
Recorded detail	booking-good	
Duration (seconds)	0	s

Observations: Not recorded

Accessibility checklist · Accessibility checklist

FIELD	VALUE
Record date	Not recorded
Condition	Not recorded
Optional alias	No alias
Version	Not recorded
Type	Human record or evaluation
ID	a11yChecks:checks

FIELD	VALUE	UNIT
Keyboard check	Yes	
Contrast check	No	

Observations: Not recorded

Before/after comparison

No information provided.

Student-written interpretation

No information provided.

Proposed improvements

No information provided.

Limitations

No information provided.

SUS is not a usability percentage. Scroll does not demonstrate reading or comprehension; cursor and simulation are not real gaze. Camera data are estimates with recorded validation. A checklist does not certify accessibility. Human–AI agreement is not model accuracy.

Conclusions

No information provided.

References actually used

No information provided.