Cucumber Report

Feb 15, 2024, 12:20:19 PM

| Start : Feb 15, 12:20:05.176 PM	End : Feb 15, 12:20:18.464 PM	Duration : 13.288 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 5 FAILED - 1 SKIPPED - 1

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
reserva de estadia Airbnb	13.288 s	1	0	1	0	7	5	1	1

#	Feature Name	Scenario Name
1	reserva de estadia Airbnb	Realizar reserva y ver precio

#	Feature Name	T	P	F	S	Duration
1	reserva de estadia Airbnb	1	0	1	0	13.288 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	reserva de estadia Airbnb	Realizar reserva y ver precio	7	5	1	1	13.285 s

reserva de estadia Airbnb

FAILED	DURATION - 13.288 s			Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 7 Pass - 5 Fail - 1 Skip - 1	
/ 12:20:05.176 PM // 12:20:18.464 PM /							

Realizar reserva y ver precio

FAILED	DURATION - 13.285 s		Steps Total - 7 Pass - 5 Fail - 1 Skip - 1	
/ 12:20:05.179 PM // 12:20:18.464 PM /				
reserva de estadia Airbnb				

#	Step / Hook Details	Status	Duration
1	Given que Bryan se encuentra en la pagina de "urlAirbnb"	PASSED	9.601 s
2	When busca una estancia en la ciudad de "Santa marta"	PASSED	1.924 s
3	And selecciona las fechas de estancia del "15 Marzo 2024" hasta el "20 Marzo 2024"	PASSED	0.693 s
4	And especifica una ocupacion para 4 "adultos"	PASSED	0.360 s
5	And especifica una ocupacion para 2 "ninos"	PASSED	0.127 s
6	And elige la primera opcion mostrada en la reserva	FAILED	0.496 s
	org.openqa.selenium.WebDriverException: unknown error: session deleted because of page crash from unknown error: cannot determine loading status from tab crashed (Session info: chrome=121.0.6167.0) Build info: version: '4.10.0', revision: 'c14d967899' System info: os. name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '14.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [750ad805c32602c7ba638a5090e73fd9, clickElement {id=A0BABE201477E8FBD95F3FA5BE7E182F_element_224}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 121.0.6167.0, chrome: {chromedriverVersion: 121.0.6167.0 (a3d4c831b5e93..., userDataDir: /var/folders/mv/8y2_qr554tz...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52977}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:52977/devtoo..., se:cdpVersion: 121.0.6167.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on mac (750ad805c32602c7ba638a5090e73fd9)] -> xpath: //button[@data-testid='structured-search-input-search-button']] Session ID: 750ad805c32602c7ba638a5090e73fd9		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:242) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at co.dlacademy.pages.Airbnb.HomePage.searchResult(HomePage.java:127) at co.dlacademy.stepsdefinitions.ReserveAirbnb.elige_la_primera_opcion_mostrada_en_la_reseva(ReserveAirbnb.java:52) at ?.elige la primera opcion mostrada en la reseva(file:///Users/danielisaac.zabala/Desktop/test%20/TAE_POM_BASELINE/src/test/resources/features/reserve_airbnb.feature:10) * Not displayable characters are replaced by '?'.		
7	Then puede ver el precio correspondiente a la estancia reservada	SKIPPED	0.001 s
	AFTER - co.dlacademy.stepsdefinitions.Hooks.finishTest(io.cucumber.java.Scenario)	FAILED	0.058 s
	org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '4.10.0', revision: 'c14d967899' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '10.16', java.version: '14.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [750ad805c32602c7ba638a5090e73fd9, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 121.0.6167.0, chrome: {chromedriverVersion: 121.0.6167.0 (a3d4c831b5e93..., userDataDir: /var/folders/mv/8y2_qr554tz...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:52977}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: mac, proxy: Proxy(), se:cdp: ws://localhost:52977/devtoo..., se:cdpVersion: 121.0.6167.0, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 750ad805c32602c7ba638a5090e73fd9 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:481) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:199) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:132) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:51) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:531)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594)		
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:316)		
	at co.dlacademy.stepsdefinitions.Hooks.finishTest(Hooks.java:23)		